

DAFTAR PUSTAKA

- Al-Hajj, N. Q. M., Sharif, H. R., Aboshora, W., & Wang, H. (2016). In vitro and in vivo evaluation of antidiabetic activity of leaf essential oil of *Pulicaria inuloides*-Asteraceae. *Journal of Food and Nutrition Research*, 4(7), 461–470.
- Angria, N. (2019). *Undur-Undur (Myrmeleon Sp.) Sebagai Antidiabetik*. Uwais Inspirasi Indonesia.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of Food Engineering*, 117(4), 426–436.
- Banks, W. J. (1993). *Applied Veterinary Histology Third Edition*. Mosby.
- Blikslager, A. T., White, N. A., Moore, J. N., & Mair, T. S. (2017). *The Equine Acute Abdomen 3rd Edition*. John Wiley & Sons.
- Chakaroun, R., Massier, L., & Kovacs, P. (2020). Gut Microbiome, Intestinal Permeability, and Tissue Bacteria in Metabolic Disease: Perpetrators or Bystanders? *Nutrients*, 12(4), 1082. <https://doi.org/10.3390/nu12041082>
- Chen, P., Zhao, J., & Gregersen, H. (2012). Up-Regulated Expression of Advanced Glycation End-Products and Their Receptor in the Small Intestine and Colon of Diabetic Rats. *Digestive Diseases and Sciences*, 57(1), 48–57. <https://doi.org/10.1007/s10620-011-1951-0>
- Chiu, C.-J. (1970). Intestinal Mucosal Lesion in Low-Flow States. *Archives of Surgery*, 101(4), 478.
- Council, N. R. (1989). *Diet and health: implications for reducing chronic disease risk*.
- Decroli, E. (2019). *Diabetes Melitus Tipe 2*. Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas.
- Deeds, M. C., Anderson, J. M., Armstrong, A. S., Gastineau, D. A., Hiddinga, H. J., Jahangir, A., Eberhardt, N. L., & Kudva, Y. C. (2011). Single dose streptozotocin-induced diabetes: considerations for study design in islet transplantation models. *Laboratory Animals*, 45(3), 131–140.
- Dewandari, K. T., Yuliani, S., & Yasni, S. (2013). Ekstraksi dan Karakterisasi Nanopartikel Ekstrak Sirih Merah (*Piper crocatum*) (Extraction and Characterization of Nanoparticles of Red Betel Leaves (*Piper crocatum*)). *Jurnal Penelitian Pascapanen Pertanian*, 10(2), 58.

- Douard, V., & Ferraris, R. P. (2008). Regulation of the fructose transporter GLUT5 in health and disease. *American Journal of Physiology-Endocrinology and Metabolism*, 295(2), E227–E237.
- Esteves-Monteiro, M., Menezes-Pinto, D., Ferreira-Duarte, M., Dias-Pereira, P., Morato, M., & Duarte-Araújo, M. (2022). Histomorphometry Changes and Decreased Reactivity to Angiotensin II in the Ileum and Colon of Streptozotocin-Induced Diabetic Rats. *International Journal of Molecular Sciences*, 23(21), 13233.
- Fadeel, B., & Alexiou, C. (2020). Brave new world revisited: Focus on nanomedicine. *Biochemical and Biophysical Research Communications*, 533(1), 36–49.
- Fatimah, R. N. (2015). Diabetes melitus tipe 2. *Jurnal Majority*, 4(5).
- Freeman, A. M., & Pennings, N. (2023). *Insulin Resistance*.
- Furness, J. B., Callaghan, B. P., Rivera, L. R., & Cho, H.-J. (2014). *The Enteric Nervous System and Gastrointestinal Innervation: Integrated Local and Central Control* (hlm. 39–71).
- Ghasemi, A., Khalifi, S., & Jedi, S. (2014). Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (review). *Acta Physiologica Hungarica*, 101(4), 408–420.
- Ghosh, R., Sharatchandra, K. H., Rita, S., & Thokchom, I. S. (2004). Hypoglycemic activity of *Ficus hispida* (bark) in normal and diabetic albino rats. *Indian Journal of pharmacology*, 36(4), 222.
- Gonzalez, L. M., Moeser, A. J., & Blikslager, A. T. (2015). Animal models of ischemia-reperfusion-induced intestinal injury: progress and promise for translational research. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 308(2), G63–G75.
- Grootjans, J., Hundscheid, I. H. R., Lenaerts, K., Boonen, B., Renes, I. B., Verheyen, F. K., Dejong, C. H., von Meyenfeldt, M. F., Beets, G. L., & Buurman, W. A. (2013). Ischaemia-induced mucus barrier loss and bacterial penetration are rapidly counteracted by increased goblet cell secretory activity in human and rat colon. *Gut*, 62(2), 250–258.
- Gutiérrez, F. J., Mussons, M. L., Gaton, P., & Rojo, R. (2012). Nanotechnology and Food Industry. Dalam *Scientific, Health and Social Aspects of the Food Industry*. InTech.
- Harijanto, E. A., & Dewajanti, A. M. (2017). Optimalisasi Pemberian Streptozotocin Beberapa Dosis terhadap Peningkatan Kadar Gula Darah Tikus Sprague dawley. *Jurnal Kedokteran Meditek*.

- Holzner, P. A., Kulemann, B., Kuesters, S., Timme, S., Hoepfner, J., Hopt, U. T., & Marjanovic, G. (2011). Impact of remote ischemic preconditioning on wound healing in small bowel anastomoses. *World Journal of Gastroenterology*, *17*(10), 1308.
- Husna, F., Suyatna, F. D., Arozal, W., & Purwaningsih, E. H. (2019). Model hewan coba pada penelitian diabetes. *Pharmaceutical Sciences and Research*, *6*(3), 1.
- International Diabetes Federation. (2021). *IDF Diabetes Atlas 10th edition*. www.diabetesatlas.org
- Jaworska, K., Kopacz, W., Koper, M., Szudzik, M., Gawryś-Kopczyńska, M., Konop, M., Hutsch, T., Chabowski, D., & Ufnal, M. (2022). Enalapril Diminishes the Diabetes-Induced Changes in Intestinal Morphology, Intestinal RAS and Blood SCFA Concentration in Rats. *International Journal of Molecular Sciences*, *23*(11), 6060.
- Johnson, M. (2012). Laboratory Mice and Rats. *Materials and Methods*, *2*.
- Kammona, O., & Kiparissides, C. (2012). Recent advances in nanocarrier-based mucosal delivery of biomolecules. *Journal of Controlled Release*, *161*(3), 781–794. <https://doi.org/10.1016/j.jconrel.2012.05.040>
- Kohei, K. (2010). Pathophysiology of type 2 diabetes and its treatment policy. *JMAJ*, *53*(1), 41–46.
- Lawlor, N., Khetan, S., Ucar, D., & Stitzel, M. L. (2017). Genomics of islet (dys) function and type 2 diabetes. *Trends in Genetics*, *33*(4), 244–255.
- Lister, I. N. E. (2020). *Daun Sirih Merah: Manfaat untuk Kesehatan*. UNPRI PRESS.
- Listiana, D., Effendi, E., & Indriati, B. (2019). Efektivitas Air Rebusan Daun Sirih Merah Terhadap Penurunan Kadar Gula Darah Pada Pasien Diabetes Melitus Di Wilayah Kerja Puskesmas Saling 2018. *Jurnal Keperawatan Muhammadiyah Bengkulu*, *7*(2), 62–70.
- Maier, F., Siri, S., Santos, S., Chen, L., Feng, B., & Pierce, D. M. (2021). The heterogeneous morphology of networked collagen in distal colon and rectum of mice quantified via nonlinear microscopy. *Journal of the Mechanical Behavior of Biomedical Materials*, *113*, 104116.
- Mandić, P., Filipović, T., Gasić, M., Djukić-Macut, N., Filipović, M., & Bogosavljević, I. (2016). Quantitative morphometric analysis of the myenteric nervous plexus ganglion structures along the human digestive tract. *Vojnosanitetski pregled*, *73*(6), 559–565. <https://doi.org/10.2298/vsp141231046m>

- Maryani, Y. (2014). Pengaruh Rebusan Daun Sirih Merah (*Piper Crocatum*) Terhadap Perubahan Kadar Gula Darah Puasa Pada Klien Dengan Diabetes Mellitus di Kelurahan Tarok Dipo Kota Bukit Tinggi. *Ilmu Keperawatan F. Kes & MIPA UMSB*.
- Merigo, F., Brandolese, A., Facchin, S., Missaggia, S., Bernardi, P., Boschi, F., D'Inca, R., Savarino, E. V., Sbarbati, A., & Sturniolo, G. C. (2018). Glucose transporter expression in the human colon. *World Journal of Gastroenterology*, 24(7), 775–793. <https://doi.org/10.3748/wjg.v24.i7.775>
- Metodiewa, D., Kochman, A., & Karolczak, S. (1997). Evidence for antiradical and antioxidant properties of four biologically active N,N-Diethylaminoethyl ethers of flavaone oximes: A comparison with natural polyphenolic flavonoid rutin action. *IUBMB Life*, 41(5), 1067–1075.
- Mutua, M. P., Muya, S., & Muita, G. M. (2020). A General Perspective of Microbiota in Human Health and Disease. *Archives of Clinical Microbiology*, 11(2). <https://doi.org/10.36648/1989-8436.11.2.106>
- Navale, A. M., & Paranjape, A. N. (2016). Glucose transporters: physiological and pathological roles. *Biophysical Reviews*, 8(1), 5–9. <https://doi.org/10.1007/s12551-015-0186-2>
- Nikam, A. P., Ratnaparkhiand, M. P., & Chaudhari, S. P. (2014). Nanoparticles—an overview. *Int. J. Res. Dev. Pharm. Life Sci*, 3, 1121–1127.
- Nuraniyati, N. (2021). *Pemberian Nanopartikel Ekstrak Etanol Daun Sirih Merah (*Piper crocatum*) pada Tikus Model Diabetes Mellitus Tipe-2: Studi terhadap Kadar Insulin, Ekspresi Insulin pada Insula Langerhans dan Kadar Malondialdehid*. Universitas Gadjah Mada.
- Pangestiniingsih, T. W., Pramesti, C. A., Nuraniyati, N., Sutrisno, B., & Purnomo, A. (2022). The Effect of Nanoparticles of *Piper crocatum* Leaves Ethanolic Extract on Liver Insulin Receptor Expression of Diabetic Rat's Induced by Streptozotocin. *Journal of Tropical Biodiversity and Biotechnology*, 7(3), 71171.
- Parker, G. A., & Picut, C. A. (2016). *Atlas of histology of the juvenile rat*. Academic Press.
- Polo, V., Saibene, A., & Pontiroli, A. E. (1998). Nicotinamide improves insulin secretion and metabolic control in lean type 2 diabetic patients with secondary failure to sulphonylureas. *Acta Diabetologica*, 35(1), 61–64.

- Pontiroli, A. E., & Galli, L. (1998). Duration of obesity is a risk factor for non-insulin-dependent diabetes mellitus, not for arterial hypertension or for hyperlipidaemia. *Acta Diabetologica*, 35(3), 130–136.
- Prasad, V., Adapa, D., Vana, D. R., Choudhury, A., Jahangir, M. A., & Chatterjee, A. (2018). Nutritional components relevant to type-2-diabetes: Dietary sources, metabolic functions and glycaemic effects. *Journal of Research in Medical and Dental Science*, 6(5), 52–75.
- Rao, J. N., & Wang, J. Y. (2011). *Regulation of Gastrointestinal Mucosal Growth*. Morgan & Claypool. <https://books.google.co.id/books?id=0KPY-J5CYssC>
- Rawat, M., Singh, D., Saraf, S., & Saraf, S. (2006). Nanocarriers: Promising Vehicle for Bioactive Drugs. *Biological & Pharmaceutical Bulletin*, 29(9), 1790–1798.
- Riaz, A. A., Wan, M. X., Schäfer, T., Dawson, P., Menger, M. D., Jeppsson, B., & Thorlacius, H. (2002). Allopurinol and superoxide dismutase protect against leucocyte–endothelium interactions in a novel model of colonic ischaemia–reperfusion. *British Journal of Surgery*, 89(12), 1572–1580.
- Robert, M. E., Singh, S. K., Ikuma, M., Jain, D., Ardito, T., & Binder, H. J. (2001). Morphology of Isolated Colonic Crypts. *Cells Tissues Organs*, 168(4), 246–251.
- Ruehl-Fehlert, C., Kittel, B., Morawietz, G., Deslex, P., Keenan, C., Mahrt, C. R., Nolte, T., Robinson, M., Stuart, B. P., & Deschl, U. (2003). Revised guides for organ sampling and trimming in rats and mice–part 1: a joint publication of the RITA and NACAD groups. *Experimental and Toxicologic Pathology*, 55(2–3), 91–106.
- Serrano, J., Puupponen-Pimiä, R., Dauer, A., Aura, A.-M., & Saura-Calixto, F. (2009). Tannins: Current knowledge of food sources, intake, bioavailability and biological effects. *Molecular Nutrition & Food Research*, 53(S2), S310–S329.
- Shamsuddin, A. M., Phelps, P. C., & Trump, B. F. (1982). Human large intestinal epithelium: Light microscopy, histochemistry, and ultrastructure. *Human Pathology*, 13(9), 790–803.
- Siegman, M. J., Eto, M., & Butler, T. M. (2016). Remodeling of the rat distal colon in diabetes: function and ultrastructure. *American Journal of Physiology-Cell Physiology*, 310(2), C151–C160.
- Sieniawska, E., & Baj, T. (2017). Tannins. Dalam *Pharmacognosy* (hlm. 199–232). Elsevier.

- Spencer, N. J., Kyloh, M., & Duffield, M. (2014). Identification of Different Types of Spinal Afferent Nerve Endings That Encode Noxious and Innocuous Stimuli in the Large Intestine Using a Novel Anterograde Tracing Technique. *PLoS ONE*, 9(11), e112466.
- Stauffacher, W., Burr, I., Gutzeit, A., Beaven, D., Veleminsky, J., & Renold, A. E. (1970). Streptozotocin Diabetes: Time Course of Irreversible B-Cell Damage; Further Observations on Prevention by Nicotinamide. *Experimental Biology and Medicine*, 133(1), 194–200.
- Suckow, M. A., Hankenson, F. C., Wilson, R. P., & Foley, P. L. (2019). *The laboratory rat*. Academic Press.
- Suttie, A. W., Leininger, J. R., & Bradley, A. E. (2017). *Boorman's Pathology of the Rat*. Elsevier.
- Szkudelski, T. (2012). Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Experimental Biology and Medicine*, 237(5), 481–490.
- Tetti, M. (2014). Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Jurnal Kesehatan*, 7(2).
- Thanki, K., Gangwal, R. P., Sangamwar, A. T., & Jain, S. (2013). Oral delivery of anticancer drugs: Challenges and opportunities. *Journal of Controlled Release*, 170(1), 15–40. <https://doi.org/10.1016/j.jconrel.2013.04.020>
- Thorens, B. (2015). GLUT2, glucose sensing and glucose homeostasis. *Diabetologia*, 58(2), 221–232. <https://doi.org/10.1007/s00125-014-3451-1>
- Treuting, P. M., Dintzis, S. M., & Montine, K. S. (2018). *Comparative Anatomy and Histology, A Mouse, Rat, and Human Atlas, Second Edition*.
- Tunc, T., Uysal, B., Atabek, C., Kesik, V., Caliskan, B., Oztas, E., Ersoz, N., Oter, S., & Guven, A. (2009). Erdosteine and Ebselen As Useful Agents in Intestinal Ischemia/Reperfusion Injury. *Journal of Surgical Research*, 155(2), 210–216.
- Uysal, M., Gül, S. S., Karaman, S., Tas, U., Sapmaz, H. I., Uysal, F., Aytakin, K., & Tümer, M. K. (2017). Caecum location in laboratory rats and mice: an anatomical and radiological study. *Laboratory Animals*, 51(3), 245–255.
- Vdoviaková, K., Petrovová, E., Maloveská, M., Krešáková, L., Teleky, J., Elias, M. Z. J., & Petrášová, D. (2016). Surgical Anatomy of the Gastrointestinal Tract and Its Vasculature in the Laboratory Rat. *Gastroenterology Research and Practice*, 2016, 1–11.

- Volpe, C. M. O., Villar-Delfino, P. H., dos Anjos, P. M. F., & Nogueira-Machado, J. A. (2018). Cellular death, reactive oxygen species (ROS) and diabetic complications. *Cell Death & Disease*, *9*(2), 119.
- Watkins, P. J. (2003). *ABC of Diabetes*. London: BMJ publishing group.
- Wedel, T., Roblick, U., Gleiß, J., Schiedeck, T., Bruch, H.-P., Kühnel, W., & Krammer, H.-J. (1999). Organization of the enteric nervous system in the human colon demonstrated by wholemount immunohistochemistry with special reference to the submucous plexus. *Annals of Anatomy - Anatomischer Anzeiger*, *181*(4), 327–337.
- Widowati, L., & Dzulkarnain, B. (2009). *Tanaman Obat untuk Diabetes Melitus. Cermin dunia kedokteran*.
- World Health Organization. (2019). *Classification of diabetes mellitus*.
- Xu, B. J., & Chang, S. K. C. (2007). A Comparative Study on Phenolic Profiles and Antioxidant Activities of Legumes as Affected by Extraction Solvents. *Journal of Food Science*, *72*(2), S159–S166.
- Yamauchi, Y., Matsuno, T., Omata, K., & Satoh, T. (2017). Relationship between hyposalivation and oxidative stress in aging mice. *Journal of Clinical Biochemistry and Nutrition*, *61*(1), 40–46.
- Zeng, Z., Liu, H., Zhang, Y., Chen, R., Sun, T., Li, W., Sun, Q., Xia, Z., & Meng, Q. (2020). Aggravated intestinal ischemia-reperfusion injury is associated with activated mitochondrial autophagy in a mouse model of diabetes. *Molecular Medicine Reports*, *22*(3), 1892–1900.
- Zhang, Y., Peng, T., Zhu, H., Zheng, X., Zhang, X., Jiang, N., Cheng, X., Lai, X., Shunnar, A., Singh, M., Riordan, N., Bogin, V., Tong, N., & Min, W.-P. (2010). Prevention of hyperglycemia-induced myocardial apoptosis by gene silencing of Toll-like receptor-4. *Journal of Translational Medicine*, *8*(1), 133.