



## DAFTAR PUSTAKA

- Ahmed, S., Nutt, C. T., Eneanya, N. D. & Reese, P. P., 2021. Examining the Potential Impact of Race Multiplier Utilization in Estimated Glomerular Filtration Rate Calculation on African-American Care Outcomes. *J GEN INTERN MED*, Volume 36, p. 464–471 .
- Akinpelu, A., Oyewole, O. & Oritogun, K., 2021. Overweight and Obesity: Does It Occur In Nigerian Adolescents in an Urban Community?. *International Journal of Biomedical and Health Sciences*, 4(1).
- Alley DE, Shardell MD, Peters KW, McLean RR, Dam TT, Kenny AM, Fragala MS, Harris TB, Kiel DP, Guralnik JM, Ferrucci L, Kritchevsky SB, Studenski SA, Vassileva MT, Cawthon PM. Grip strength cutpoints for the identification of clinically relevant weakness. *J Gerontol A Biol Sci Med Sci*. 2014 May;69(5):559-66.
- Amaral, C. A. et al., 2019. Hand grip strength: Reference values for adults and elderly people of Rio Branco, Acre, Brazil. *J PLOS ONE*, p. <https://doi.org/10.1371/journal.pone.0211452> .
- Amin, N., Setiyawan, U. J., Priyadi, D. & Mulyo, H., 2021. The Relationship of Nutritional Status on Muscle Strength (Arm, Leg, and Abdomen) of Wrestling Athletes. *NUTRIZIONE (Nutrition Research and Development Journal)*, 1(2).
- Amrullah, S., Prayoga, A. S. & Wahyudi, A. N., 2021. PROFIL KONDISI FISIK ATLET BOLA VOLI IBVOS TAHUN 2021. *Journal Active of Sports*, 1(1), pp. 10-18.
- Andari, I. H., Susetyowati & Prasanto, R. H., 2016. Faktor-Faktor yang Mempengaruhi Kekuatan Genggam Tangan pada Pasien Penyakit Ginjal Kronik yang Menjalani Terapi Hemodialisis Rutin di RSUP dr. Sardjito Yogyakarta. *Skripsi*.
- Aruan, A., 2014. Perbandingan Persentase Lemak Tubuh Antara Pengukuran Skinfold (Triceps dan Subskapula) dengan Hand to Hand Bioelectrical Impedance Analysis (H-H BIA) Pada Siswi SMPN (Studi Kasus di Empat Kecamatan K. Sarjana Thesis).
- Aslan, H. & Ziyagil, M. A., 2020. Relationships between body mass index and skinfold thickness of exercised and sedentary young adults. *African Educational Research Journal*, 8(2), pp. 422-431.
- Atkins, J. L. & Wannamathee, S. G., 2020. Sarcopenic obesity in ageing: cardiovascular outcomes and mortality. *British Journal of Nutrition*, 124(10).
- Aulia, A., Cahyawati, W. A. S. N. & Panghiyangani, R., 2021. Literature Review: Perbandingan Kekuatan Otot Pasien DM Tipe 2 dan Non-DM pada Lansia. *Homeostasis*, 4(2).
- Azi, Y. P. M., Amir, T. L. & Anggita, M. Y., 2020. Hubungan antara Obesitas dengan Keseimbangan Postural pada Mahasiswa Universitas Esa Unggul. *Jurnal Ilmiah Fisioterapi*, 20(1).
- Azkia, F. I. & Wahyono, T. Y. M., 2018. Hubungan Pola Konsumsi Makanan Berisiko dengan Obesitas Sentral Pada Wanita Usia 25-65 Tahun di Bogor Tahun 2011-2012. *Jurnal Epidemiologi Kesehatan Indonesia*, 2(1).
- Bae, E.-J., Park, N.-J., Sohn, H.-S. & Kim, Y.-H., 2019. Handgrip Strength and All-Cause Mortality in Middle-Aged and Older Koreans. *Int. J. Environ. Res. Public Health*, 16(5), p. <https://doi.org/10.3390/ijerph16050740>.
- Bakkal H, Dizdar OS, Erdem S, Kulakoğlu S, Akcakaya B, Katircilar Y, Uludag K. The Relationship Between Hand Grip Strength and Nutritional Status Determined by Malnutrition Inflammation Score and Biochemical Parameters in Hemodialysis Patients. *J Ren Nutr*. 2020 Nov;30(6):548-555.
- Barrea L, de Alteris G, Muscogiuri G, Vetrani C, Verde L, Camajani E, Aprano S, Colao A, Savastano S. Impact of a Very Low-Calorie Ketogenic Diet (VLCKD) on Changes in Handgrip Strength in Women with Obesity. *Nutrients*. 2022; 14(19):4213.



- Benjamin-Neelon, Sara E., Jiawei Bai, Truls Østbye, Brian Neelon, Russell R. Pate, Ciprian Crainiceanu, 2020. Physical Activity and Adiposity in a Racially Diverse Cohort of US Infants. *Wiley Online Library*, 8(3), pp. 631-637.
- Bhaskara G, Aryana IGPS, Kuswardhani RT, Astika N, Putrawan IB, Purnami R. Hubungan antara obesitas sentral dengan massa dan fungsi otot ekstremitas pada populasi lanjut usia di kawasan rural Provinsi Bali-Indonesia . Udayana In. Med. [Internet]. 2020 Dec. 21 [cited 2023 Jul. 19];4(2):40-4.
- Birajdar, N., Anandh, U., Premlatha, S. & Rajeshwari, G., 2019. Hand Grip Strength in Patients on Maintenance Hemodialysis: An Observational Cohort Study from India. *Indian Journal of Nephrology*, 29(6).
- Bobos, P., Nazari, G., Lu, Z. & MacDermid, J. C., 2020. Measurement Properties of the Hand Grip Strength Assessment: A Systematic Review With Meta-analysis. *Archives of Physical Medicine and Rehabilitation*, 103(3), pp. 553-565.
- Brodowski L, Rochow N, Yousuf El, et al. The cumulative impact of parity on the body mass index (BMI) in a non-selected Lower Saxony population. *Journal of Perinatal Medicine*. 2021 May;49(4):460-467.
- Budiman, I., 2008. Validitas Pengukuran Lemak Tubuh yang Menggunakan Skinfold Caliper di 2, 3, 4, 7 Tempat terhadap Cara Bod Pod. *Jurnal Kesehatan Masyarakat*, 7(2).
- Chang, E., Varghese, M. & Singer, K., 2018. Gender and Sex Differences in Adipose Tissue. *Current Diabetes Reports* , 18(69).
- Choi SJ, Files DC, Zhang T, Wang ZM, Messi ML, Gregory H, Stone J, Lyles MF, Dhar S, Marsh AP, Nicklas BJ, Delbono O. Intramyocellular Lipid and Impaired Myofiber Contraction in Normal Weight and Obese Older Adults. *J Gerontol A Biol Sci Med Sci*. 2016 Apr;71(4):557-64.
- Cui L, Chen T, Li Z, Yu Z, Liu X, Li J, Guo Y, Xu D, Wang X. Association between dietary related factors and central obesity among married women: China Health and Nutrition Survey. *Appetite*. 2022 Jan 1;168:105785.
- Dewi R, ramayati rafita, Rosdiana N, Ramayani O, Siregar R, Siregar B. Waist circumference, body mass index, and skinfold thickness as potential risk factors for high blood pressure in adolescents. PI [Internet]. 22Mar.2019 [cited 19Jul.2023];59(2):79-6.
- Dierkes J, Dahl H, Lervaag Welland N, Sandnes K, Sæle K, Sekse I, Marti HP. High rates of central obesity and sarcopenia in CKD irrespective of renal replacement therapy - an observational cross-sectional study. *BMC Nephrol*. 2018 Oct 11;19(1):259.
- Dixit S, Gular K, Gautam AP, Reddy RS, Ahmad I, Tedla JS, Taneja V. Association between Handgrip Strength, Skinfold Thickness, and Trunk Strength among University Students. *Diagnostics (Basel)*. 2023 Feb 27;13(5):904.
- Doymaz, F. & Cavlak, U., 2007. Relationship between thigh skinfold measurement, hand grip strength, and trunk muscle endurance: Differences between the sexes. *Advances in Therapy*, Volume 24, p. 1192–1201 .
- Eastwood, S. V. et al., 2015. Ethnic differences in associations between fat deposition and incident diabetes and underlying mechanisms: the SABRE study. *Obesity (Silver Spring)*, 23(3), pp. 699-706. doi: 10.1002/oby.20997.
- El-gohary, T. M., Elkader, S. M. A., Al-shenqiti, A. M. & Ibrahim, M. I., 2019. Assessment of hand-grip and key-pinch strength at three arm positions among healthy college students: Dominant versus non-dominant hand. *Journal of Taibah University Medical Sciences*, 14(6), pp. 566-571.
- Fadhilah, Y. N., Tanuwidjaja, S. & Saepulloh, A., 2021. Hubungan Aktivitas Fisik Dengan Kejadian Obesitas Pada Anak Sekolah Dasar Negeri 113 Banjarsari Kota Bandung Tahun 2019-2020. *Jurnal Riset Kedokteran*, 1(2).
- Fauzi, H., Darsono, N. A. & Hidayat, B., 2018. ANALISIS KALKULASI BODY MASS INDEX DENGAN PENGOLAHAN CITRA DIGITAL BERBASIS APLIKASI ANDROID. *Jurnal Elektro Telekomunikasi Terapan*, 5(2), pp. 693-702.



- Fitriani, A. & Purwaningtyas, D. R., 2020. BODY MASS INDEX, PROTEIN INTAKE AND HAND GRIP STRENGTH AMONG YOUTH. *Jurnal Kesmas (Kesehatan Masyarakat) Khatulistiwa*, 7(4), pp. 166-177.
- Frisca, I., Karjadidjaja, I. & Santoso, A. H., 2019. Prevalensi Obesitas Sentral Berdasarkan Lingkar Pinggang pada Pengemudi Bus Antar Kota. *Jurnal Muara Sains, Teknologi, Kedokteran, dan Ilmu Kesehatan*, 3(2), pp. 231-236.
- Galjaard, S. et al., 2019. Sex differences in fetal growth and immediate birth outcomes in a low-risk Caucasian population. *Biology of Sex Differences volume*, 10(48).
- Ghaben & Scherer, 2019. Adipogenesis and metabolic health. *Nat Rev Mol Cell Biol*, Volume 20, p. 242–258.
- Gustiranda, R., 2019. Hubungan Obesitas Terhadap Derajat Nyeri Pada Pasien Lansia Dengan Simtom Osteoarthritis Lutut Di Posyandu Lansia Puskesmas Kampung Baru Medan Maimun Tahun 2018. *Research Repository UMSU*.
- Guyton, A. C. & Hall, J. E., 2011. *Guyton dan Hall Buku Ajar Fisiologi Kedokteran*. 12nd Edition ed. Jakarta: Buku Kedokteran EGC.
- Hastuti J, Rahmawati NT, Suryianto RA, Wibowo T, Nurani N, Julia M. Patterns of Body Mass Index, Percentage Body Fat, and Skinfold Thicknesses in 7- to 18-Year-Old Children and Adolescents from Indonesia. *Int J Prev Med*. 2020 Aug 19;11:129.
- Hastuti, P., 2017. *Genetika Obesitas*. 1st ed. Yogyakarta: UGM Press.
- Andres R. Henriquez, Samantha J. Snow, Thomas W. Jackson, John S. House, Alison A. Motsinger-Reif, Cavin K. Ward-Caviness, Mette C. Schladweiler, Devin I. Alewel, Colette N. Miller, Aimen K. Farraj, Mehdi S Hazari, Rachel Grindstaff, David Diaz-Sanchez, Andrew J Ghio, Urmila P. Kodavanti bioRxiv 2021.12.09.471963.
- Henry, C. J., Ponnalagu, S., Bi, X. & Tan, S.-Y., 2018. New Equations to Predict Body Fat in Asian-Chinese Adults Using Age, Height, Skinfold Thickness, and Waist Circumference. *Journal of the Academy of Nutrition and Dietetics*, 118(7), pp. 1263-1269.
- Heyward, V. H., Johannes-Ellis, S. M. & Romer, J. F., 2013. Gender Differences in Strength. *Research Quarterly for Exercise and Sport*, 57(2), pp. 154-159.
- Hsu BG, Wang CH, Lai YH, Kuo CH, Lin YL. Elevated serum leptin levels are associated with low muscle strength and muscle quality in male patients undergoing chronic hemodialysis. *Tzu Chi Med J*. 2020 Jun 13;33(1):74-79.
- Indrawati, F. D., Moelyo, A. G. & Soebagyo, B., 2019. Hubungan HbA1c dengan Lingkar Pinggang, Rasio Lingkar Pinggang- Tinggi Badan, Indeks Massa Tubuh, dan Lingkar Lengan Atas pada Remaja Perempuan Overweight/Obesitas. *Sari Pediatri*, 21(3).
- Johnson, N. A., Sultana, R. N., Brown, W. J. & Bauman, A. E., 2021. Physical activity in the management of obesity in adults: A position statement from Exercise and Sport Science Australia. *Journal of Science and Medicine in Sport*, 24(12), pp. 1245-1254.
- Jürimäe, T., Hurbo, T. & Jürimäe, J., 2009. Relationship of handgrip strength with anthropometric and body composition variables in prepubertal children. *HOMO*, 60(3), pp. 225-238.
- Kagawa, Masaharu & Uenishi, Kazuhiro & Mori, Miki & Uchida, Hayato & Kerr, Deborah & Binns, Colin & Hills, Andrew. (2010). Obesity screening for young Japanese males and females using skin fold measurements: The classification revisited. *Asia Pacific journal of clinical nutrition*. 19. 289-93.
- Kang, Y., Park, S., Kim, S. & Koh, H., 2020. Handgrip Strength Among Korean Adolescents With Metabolic Syndrome in 2014–2015. *Journal of Clinical Densitometry*, 23(2), pp. 271-277.
- Kathera, C. & Viswanath, B., 2021. Chapter 3 - Next-generation probiotics and obesity—A mini systematic review. *Recent Developments in Applied Microbiology and Biochemistry*, Volume 2, pp. 21-28.
- Khariri & Adriani, L., 2020. Dominasi Penyakit Tidak Menular dan Pola Makan yang Tidak Sehat. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 6(1), pp. 649-652.
- Kim, K.-B. & Shin, Y.-A., 2020. Males with Obesity and Overweight. *J Obes Metab Syndr*, 29(1), pp. 18-25.



- Kim, M., Won, C. W. & Kim, M., 2018. Muscular grip strength normative values for a Korean population from the Korea National Health and Nutrition Examination Survey, 2014–2015. *PLoS One Journal*, 13(8).
- Kim TN, Park MS, Ryu JY, Choi HY, Hong HC, Yoo HJ, Kang HJ, Song W, Park SW, Baik SH, Newman AB, Choi KM. Impact of visceral fat on skeletal muscle mass and vice versa in a prospective cohort study: the Korean Sarcopenic Obesity Study (KSOS). *PLoS One*. 2014 Dec 17;9(12):e115407.
- Kooi, A.-L. L. F. v. d., Snijder, M. B., Peters, R. J. G. & Valkengoed, I. G. M. v., 2015. The Association of Handgrip Strength and Type 2 Diabetes Mellitus in Six Ethnic Groups: An Analysis of the HELIUS Study. *PLOS ONE*.
- Kumar, S. & Dhanwal, D. K., 2018. Central obesity & dyslipidemia in HIV patients on antiretroviral therapy. *Indian J Med Res.*, 148(4), p. 366–368.
- Kusumawardani, H. D., Juwantoro, D. & Samsudin, M., 2020. Berat Badan dan Fungsi Tiroid Tikus Hiperkolesterolemia. *Media Gizi Mikro Indonesia*, 12(1).
- Labott BK, Bucht H, Morat M, Morat T, Donath L. Effects of Exercise Training on Handgrip Strength in Older Adults: A Meta-Analytical Review. *Gerontology*. 2019;65(6):686–698.
- Lapauw, B. & Kaufman, J.-M., 2020. MANAGEMENT OF ENDOCRINE DISEASE: Rationale and current evidence for testosterone therapy in the management of obesity and its complications. *European Journal of Endocrinology* , 183(6), pp. <https://doi.org/10.1530/EJE-20-0394>.
- Lemieux FC, Filion ME, Barbat-Artigas S, Karelis AD, Aubertin-Leheudre M. Relationship between different protein intake recommendations with muscle mass and muscle strength. *Climacteric*. 2014 Jun;17(3):294–300.
- Lemon, S. C., Rosal, M. C., Zapka, J. B. & Amy Andersen, V., 2009. Contributions of weight perceptions to weight loss attempts: Differences by body mass index and gender. *Body Image*, 6(2), pp. 90–96.
- Li CW, Yu K, Shyh-Chang N, Jiang Z, Liu T, Ma S, Luo L, Guang L, Liang K, Ma W, Miao H, Cao W, Liu R, Jiang LJ, Yu SL, Li C, Liu HJ, Xu LY, Liu RJ, Zhang XY, Liu GS. Pathogenesis of sarcopenia and the relationship with fat mass: descriptive review. *J Cachexia Sarcopenia Muscle*. 2022 Apr;13(2):781–794.
- Lim YZ, Wong J, Hussain SM, Estee MM, Zolio L, Page MJ, Harrison CL, Wluka AE, Wang Y, Ciccuttini FM. Recommendations for weight management in osteoarthritis: A systematic review of clinical practice guidelines. *Osteoarthr Cartil Open*. 2022 Aug 5;4(4):100298.
- López-Bueno R, Andersen LL, Calatayud J, Casaña J, Smith L, Jacob L, Koyanagi A, López-Gil JF, Cruz BP. 2022. Longitudinal association of handgrip strength with all-cause and cardiovascular mortality in older adults using a causal framework. *Experimental Gerontology*, Volume 168.
- Lopez-Lopez, J.P., Cohen, D.D., Ney-Salazar, D. 2021. The prediction of Metabolic Syndrome alterations is improved by combining waist circumference and handgrip strength measurements compared to either alone. *Cardiovasc Diabetol*, 20(68), pp. <https://doi.org/10.1186/s12933-021-01256-z>.
- Lu, CH., Lee, CH., Wu, LW. 2023. Gender-specific impacts of thigh skinfold thickness and grip strength for predicting osteoporosis in type 2 diabetes. *Diabetology & Metabolic Syndrome* , Volume 15.
- acek P, Biskup M, Terek-Derszniak M, Stachura M, Krol H, Gozdz S, Zak M. 2020. Optimal Body Fat Percentage Cut-Off Values in Predicting the Obesity-Related Cardiovascular Risk Factors: A Cross-Sectional Cohort Study. *Diabetes Metab Syndr Obes*. 12;13:1587–1597.
- Makizako, H., Nakai, Y., Tomioka, K. & Taniguchi, Y., 2019. Prevalence of sarcopenia defined using the Asia Working Group for Sarcopenia criteria in Japanese community-dwelling older adults: A systematic review and meta-analysis. *Physical Therapy Research*, 22(2), pp. 53–57.



- Masrul, 2018. Epidemi obesitas dan dampaknya terhadap status kesehatan masyarakat serta sosial ekonomi bangsa. *Majalah Kedokteran Andalas*, 41(3), pp. 152-162.
- Massy-Westropp, N. M. et al., 2011. Hand Grip Strength: age and gender stratified normative data in a population-based study. *BMC Research Notes*.
- McGrath, R. P., Kraemer, W. J., Snih, S. A. & Peterson, M. D., 2018. Handgrip Strength and Health in Aging Adults. *Sports Medicine*, Volume 48, p. 1993–2000.
- McLaughlin T, Deng A, Yee G, Lamendola C, Reaven G, Tsao PS, Cushman SW, Sherman A. Inflammation in subcutaneous adipose tissue: relationship to adipose cell size. *Diabetologia*. 2010 Feb;53(2):369-77.
- McLean RR, Shardell MD, Alley DE, Cawthon PM, Fragala MS, Harris TB, Kenny AM, Peters KW, Ferrucci L, Guralnik JM, Kritchevsky SB, Kiel DP, Vassileva MT, Xue QL, Perera S, Studenski SA, Dam TT. Criteria for clinically relevant weakness and low lean mass and their longitudinal association with incident mobility impairment and mortality: the foundation for the National Institutes of Health (FNIH) sarcopenia project. *J Gerontol A Biol Sci Med Sci*. 2014 May;69(5):576-83.
- Morgan, P. J., Hollis, J. L. & Teixeira, P. J., 2012. Effectiveness of male-only weight loss and weight loss maintenance interventions: a systematic review with meta-analysis.. *Obes Rev*, Volume 13, p. 393–408.
- Andrew J. Murton, Kanagaraj Marimuthu, Joanne E. Mallinson, Anna L. Selby, Kenneth Smith, Michael J. Rennie, Paul L. Greenhaff; Obesity Appears to Be Associated With Altered Muscle Protein Synthetic and Breakdown Responses to Increased Nutrient Delivery in Older Men, but Not Reduced Muscle Mass or Contractile Function. *Diabetes* 1 September 2015; 64 (9): 3160–3171.
- Muslim, M., 2020. Manajemen Stress pada Masa Pandemi Covid-19. *ESENSI: Jurnal Manajemen Bisnis*, 23(2).
- Myers J, McAuley P, Lavie CJ, Despres JP, Arena R, Kokkinos P. Physical activity and cardiorespiratory fitness as major markers of cardiovascular risk: their independent and interwoven importance to health status. *Prog Cardiovasc Dis*. 2015 Jan-Feb;57(4):306-14.
- NCD-RisC, 2016. *Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants.*, London, England: Lancet.
- Nicolaïdis, S., 2019. Environment and obesity. *Metabolism*, Volume 100.
- Nilsson, P. M., Tuomilehto, J. & Rydén, L., 2020. The metabolic syndrome – What is it and how should it be managed?. *European Journal of Preventive Cardiology*, 26(2).
- Nopriyanto D, Aminuddin M, Samsugito I, Puspasari D, Ruminem R, Syukmana M. 2019. Meningkatkan Peran Serta Masyarakat dalam Upaya Menurunkan Peningkatan Penyakit Tidak Menular (PTM). *Jurnal Pengabdian dan Pemberdayaan Masyarakat*, 3(2).
- Nugroho, P. S. & Fahrurrozi, D. S., 2018. Risiko Obesitas Terhadap Diabetes Melitus di Indonesia; Studi Data Indonesian Family Life Survey V. *JPKMI*, 5(3).
- Nurinayah, A., Nugraha, S. & Adawiyah, A. R., 2022. Hubungan Penyakit Kronis dan Multimorbiditas dengan Kekuatan Genggaman Lansia di Kota Bandung dan Kabupaten Bandung Tahun 2022. *Jurnal Untuk Masyarakat Sehat (JUKMAS)*, 6(2).
- Nurmina, Julia, M. & Huriyati, E., 2018. Hubungan Obesitas Sentral dan Aktivitas Fisik dengan Kekuatan Genggaman Tangan pada Penduduk Indonesia Usia  $\geq 40$  Tahun (Analisis Data IFLS 5). *Repository UGM*.
- Nurmina, Julia, M. & Huriyati, E., 2018. Hubungan Obesitas Sentral Dan Aktivitas Fisik Dengan Kekuatan Genggaman Tangan Pada Penduduk Indonesia Usia  $\geq 40$  Tahun (Analisis Data IFLS 5). *Tesis. Universitas Gadjah Mada*.
- Nuzzo, J. L., 2023. Narrative Review of Sex Differences in Muscle Strength, Endurance, Activation, Size, Fiber Type, and Strength Training Participation Rates, Preferences, Motivations, Injuries, and Neuromuscular Adaptations. *Journal of Strength and Conditioning Research*, 37(2), pp. 494-536.



- Oktay Akkus, A. O., Uzunlulu, M. & Kizilgul, M., 2012. Evaluation of Skin and Subcutaneous Adipose Tissue Thickness for Optimal Insulin Injection. *Journal of Diabetes & Metabolism*, 3(8).
- Ollin, S. N. & Sari, R. A., 2021. Hubungan Kelemahan Otot Dasar Panggul Dengan Terjadinya Inkontinensi Pada Pra Lansia. *Jurnal Fisioterapi dan Rehabilitasi*, 5(2).
- Omer, T., 2020. The causes of obesity: an in-depth review. *MedCrave*, 10(4).
- O'Leary MF, Wallace GR, Davis ET, Murphy DP, Nicholson T, Bennett AJ, Tsintzas K, Jones SW. Obese subcutaneous adipose tissue impairs human myogenesis, particularly in old skeletal muscle, via resistin-mediated activation of NF $\kappa$ B. *Sci Rep.* 2018 Oct 18;8(1):15360.
- Padilla, C. J., Ferreyro, F. A. & Arnold, W. D., 2021. Anthropometry as a readily accessible health assessment of older adults. *Experimental Gerontology*, Volume 153.
- Paek, J. & Choi, Y. J., 2019. Association between hand grip strength and impaired health-related quality of life in Korean cancer survivors: a cross-sectional study. *BMJ Open*, 9(9), pp. doi:10.1136/bmjopen-2019-030938.
- Palacio-Agüero, A., Díaz-Torrente, X. & Dourado, D. Q. S., 2020. Relative handgrip strength, nutritional status and abdominal obesity in Chilean adolescents. *PLoS ONE*, 15(6).
- Pangasibuan, D. M., 2016. Hubungan antara Kekuatan Genggaman Tangan dengan Indeks Massa Tubuh pada Mahasiswa Fakultas Kedokteran Universitas Muhammadiyah Sumatera Utara Angkatan 2016. *Skripsi*.
- Panma, Y. & Clara, H., 2022. Penyegaran Kader Kesehatan sebagai Upaya Peningkatan Pengetahuan Tentang Pencegahan Hipertensi dan Diabetes Melitus. *Jurnal Masyarakat Mandiri*, 5(2).
- Parinduri, F. K., Djokosujono, K. & Parinduri, S. K., 2021. Faktor Dominan Obesitas Sentral pada Usia 40-60 Tahun Di Indonesia (Analisis Data Indonesian Family Life Survey 5 Tahun 2014/2015). *Hearty: Jurnal Kesehatan Masyarakat*, 9(2), pp. 58-70.
- Pertiwi, M. P., Purwaningtyas, D. R. & Putri, I. E., 2022. Hubungan Aktivitas Fisik, Pengetahuan, Kesehatan Mental dan Asupan Energi Dengan Kejadian Obesitas Sentral. *Tarumanagara Medical Journal*, 4(2), pp. 308-319.
- Poberezhets V, Skoczyński S, Demchuk A, Oraczewska A, Tobiczyk E, Mostovoy Y, Barczyk A/ 2020. Impact of comorbidities on the deterioration of skeletal muscle dysfunction among COPD patients. *European Respiratory Journal*, 56(700), pp. DOI: 10.1183/13993003.congress-2020.700.
- Pomahacova R, Paterova P, Nykodymová E, Sykora J, Krsek M. Pediatric Cushing's disease: Case reports and retrospective review. Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub. 2022 Dec 6.
- Ponti F, Santoro A, Mercatelli D, Gasperini C, Conte M, Martucci M, Sangiorgi L, Franceschi C, Bazzocchi A. Aging and Imaging Assessment of Body Composition: From Fat to Facts. *Front Endocrinol (Lausanne)*. 2020 Jan 14;10:861.
- Ponti F, Santoro A, Mercatelli D, Gasperini C, Conte M, Martucci M, Sangiorgi L, Franceschi C, Bazzocchi A. Aging and Imaging Assessment of Body Composition: From Fat to Facts. *Front Endocrinol (Lausanne)*. 2020 Jan 14;10:861.
- Pratiwi, A. D. I., Sumarni, T. & Susanti, M. P. I., 2021. Gambaran Kekuatan Otot pada Lansia di Ryukyu Medicals Okinawa Jepang. *Seminar Nasional Penelitian dan Pengabdian Kepada Masyarakat*.
- Priambudi, T. G. N. & Syaukani, A. A., 2022. Perbedaan Pengaruh Latihan Handgrip & Dumbell Terhadap Peningkatan Kekuatan Genggaman Jari Pada Pemain Bulu Tangkis. *Jurnal Porkes (Jurnal Pendidikan Olahraga Kesehatan & Rekreasi)*, 5(1), pp. 23-34.
- Primasoni, N., 2022. Hubungan antara Indeks Massa Tubuh (IMT) dengan fleksibilitas otot hamstring atlet sepak bola junior Daerah Istimewa Yogyakarta. *JORPRES (Jurnal Olahraga Prestasi)*, 18(2), pp. 66-72.
- Purwitasari, D. I., Muninggar, J. & Wibowo, N. A., 2020. Identifikasi Dampak Jenis Olahraga Terhadap Kekuatan Genggaman Tangan (Studi Kasus Pada Mahasiswa Jurusan Pendidikan Olahraga UKSW). *Jurnal Sains dan Edukasi Sains*, 3(1).



- Putrawan, B. P. & Kuswardhani, R. T., 2011. Faktor-Faktor yang Menentukan Kekuatan Genggaman Tangan pada Pasien Lanjut Usia di Panti Wredha Tangtu dan Poliklinik Geriatri RSUP Sanglah - Denpasar. *Jurnal Penyakit Dalam*, 12(2).
- Putri, E. M. P., Hendrianingtyas, M. & SL, E. K., 2018. Hubungan Lingkar Pinggang dan Lingkar Lengan Atas Dengan HbA1c pada Obesitas : Studi Kasus Pada Mahasiswa Fakultas Kedokteran Universitas Diponegoro. *Jurnal Kedokteran Diponegoro*, 7(2).
- Putri, R. N., Nugraheni, S. A. & Pradigdo, S. F., 2022. Faktor-Faktor yang Berhubungan dengan Kejadian Obesitas Sentral pada Remaja Usia 15-18 Tahun di Provinsi DKI Jakarta (Analisis Riskesdas 2018). *Media Kesehatan Masyarakat Indonesia*, 21(3).
- Rajabi, R., Rajabi, F. & Ardashani, M. K., 2020. Reliability and Validity of Iranian Slim Guide Skinfold Caliper to Measure Subcutaneous Fat. *Journal of Advanced Sport Technology*, 5(2), pp. 47-58.
- Riskesdas, 2018. *Hasil Utama Riskesdas 2018.*, s.l.: Kementerian Kesehatan Badan dan Pengembangan Kesehatan RI.
- Rolland Y, Lauwers-Cances V, Cristini C, Abellan van Kan G, Janssen I, Morley JE, Vellas B. Difficulties with physical function associated with obesity, sarcopenia, and sarcopenic-obesity in community-dwelling elderly women: the EPIDOS (Epidemiologie de l'OSTeoporose) Study. *Am J Clin Nutr*. 2009 Jun;89(6):1895-900.
- Saadeddine D, Itani L, Rossi AP, Pellegrini M, El Ghoch M. Strength and Performance Tests for Screening Reduced Muscle Mass in Elderly Lebanese Males with Obesity in Community Dwellings. *Diseases*. 2021; 9(1):23.
- Sakuma, K., Aoi, W. & Yamaguchi, A., 2015. Current understanding of sarcopenia: possible candidates modulating muscle mass. *Pflugers Arch*, Volume 467, p. 213–229.
- Salam, T. A., Armelia, L. & Arsyad, M., 2022. Quality Of Life Chronic Kidney Disease Patients Undergoing Continuous Ambulatory Peritoneal Dialysis at Hermina Hospital Bekasi Reviews from Medical Science and Islam. *Junior Medical Journal*, 1(2).
- Salsabila, K. N., Berawi, K. N. & Oktaria, D., 2022. The Relations Of Stress Level Towards Fasting Blood Glucose On Men With Central Obesity In University Of Lampung. *Medical Profession Journal of Lampung*, 12(2), pp. 212-216.
- Santiago, L. N., Martinsa, P. C. & Silva, D. A. S., 2022. Association between excess peripheral, central and general adiposity with high blood pressure in adolescents in southern Brazil. *J Hum Growth Dev*, 32(1), pp. 120-128.
- Santrock, J. W., 2011. *Life-Span Development*. 13rd edn ed. New York: McGraw-Hill.
- Saraswati, S. K, Rahmaningrum FD, Pahsya MNZ, Paraita N. 2021. Literature Review : Faktor Risiko Penyebab Obesitas. *Media Kesehatan Masyarakat Indonesia*, 20(1), pp. DOI : 10.14710/mkmi.20.1.70-74.
- Sardinha LB, Carnero EA, Martins S, Branco T, Teixeira PJ. Body surface area estimation and its impact on predicting appendicular skeletal muscle mass with a mechanistic model based on the Reference Man. *Acta Diabetol*. 2003 Oct;40 Suppl 1:S29-31.
- Sasongko, R., Lusiantari, R. & Dewi, M., 2014. Hubungan Kadar Lemak Tubuh Dengan Tebal Lipatan Kulit Trisep dan Subskapular pada Mahasiswa Laki-Laki Fakultas Kedokteran Universitas Islam Indonesia Angkatan 2014. *Skripsi*.
- Setiorini, A., 2021. Kekuatan Otot pada Lansia. *Anggi Setiorini*, 5(1).
- Shah B, Tombeau Cost K, Fuller A, Birken CS, Anderson LN. Sex and gender differences in childhood obesity: contributing to the research agenda. *BMJ Nutr Prev Health*. 2020 Sep 9;3(2):387-390.
- Sigit FS, Tahapary DL, Trompet S, Sartono E, Willems van Dijk K, Rosendaal FR, de Mutsert R. The prevalence of metabolic syndrome and its association with body fat distribution in middle-aged individuals from Indonesia and the Netherlands: a cross-sectional analysis of two population-based studies. *Diabetol Metab Syndr*. 2020 Jan 7;12:2.
- Silalahi, S., Turana, Y. & Handajani, Y. S., 2021. Hubungan Obesitas, Hiperglikemia, dan Hipertensi Terhadap Sarkopenia pada Lansia. *Damianus Journal of Medicine*, 20(2), pp. 120-126.



- Silva, B. G. C. d., Silva, I. C. M. d. & Ekelund, U., 2019. Associations of physical activity and sedentary time with body composition in Brazilian young adults. *Scientific Reports volume*, 9(5444).
- Silva, T. L. d., Nogueira, V. d. S. C. S. & Mulder, A. P., 2021. Sarcopenia and poor muscle quality associated with severe obesity in young adults and middle-aged adults. *Clinical Nutrition ESPEN*, Volume 45, pp. 299-305.
- Sofa, I. M., 2018. ejadian Obesitas, Obesitas Sentral, dan Kelebihan Lemak Viseral pada Lansia Wanita. *Amerta Nutrition*, 2(3),. *Amerta Nutrition*, 2(3), p. 228–236.
- Solikhah, D., Sulchan, M. & Candra, A., 2020. Correlation Of Body Fat Percentage With Eosinophil Count In Elderly People With Sarcopenic Obesity. *Journal of Nutrition and Health*, 8(2).
- Soraya, G. & Murbawani, E. A., 2010. Kekuatan Genggam pada Lansia Wanita Aktif dan Tidak Aktif Berolahraga. *Media Medika Indonesiana*, 44(2).
- Stenholm S, Mehta NK, Elo IT, Heliövaara M, Koskinen S, Aromaa A. Obesity and muscle strength as long-term determinants of all-cause mortality--a 33-year follow-up of the Mini-Finland Health Examination Survey. *Int J Obes (Lond)*. 2014 Aug;38(8):1126-32.
- Stephan Y, Sutin AR, Canada B, Deshayes M, Kekäläinen T, Terracciano A. Five-factor model personality traits and grip strength: Meta-analysis of seven studies. *J Psychosom Res*. 2022 Sep;160:110961.
- Sudargo, T., Freitag, H., Kusmayanti, N. A. & Rosiyani, F., 2014. *Pola Makan dan Obesitas*. 1st ed. Yogyakarta: Gadjah Mada University Press.
- Sudayasa, IP, Rahman MF, Eso A, Jamaluddin J, Parawansah P, Alifariki LO, Arimaswati A, Kholidha AN. 2020. Deteksi Dini Faktor Risiko Penyakit Tidak Menular Pada Masyarakat Desa Andepali Kecamatan Sampara Kabupaten Konawe. *Journal of Community Engagement in Health*, 3(1), pp. 60-66.
- Sulistyarini T, Yoshimura A, Anam MS, Mexitalia M, Yamauchi T. 2017. Hubungan antara Status Gizi dengan Kekuatan Genggaman Tangan pada Anak-anak di Pedesaan. *Medica Hospitalia*, 4(3), pp. 195-200.
- Suryadinata, R. V. & Sukarno, D. A., 2019. Pengaruh Aktivitas Fisik Terhadap Risiko Obesitas pada Usia Dewasa. *The Indonesian Journal of Public Health*, 14(1), pp. 106-116.
- Susanti, P., 2021. Hubungan Indeks Masa Tubuh (IMT) dengan Persen Lemak Tubuh, dan Lemak Visceral di Kota Semarang. *Jurnal Gizi*, 20(1).
- Susantini, P., 2021. Hubungan Indeks Masa Tubuh (IMT) dengan Persen Lemak Tubuh, dan Lemak Visceral di Kota Semarang. *Jurnal Gizi*, 10(1).
- Tjiptoherijanto, P. & Nagib, L., 2008. *Pengembangan sumber daya manusia : di antara peluang dan tantangan*. 1 ed. Jakarta: Lembaga Ilmu Pengetahuan Indonesia..
- Tomlinson, D. J., Erskine, R. M., Winwood, C. I. M. .. K. & Pearson, G. O. ., 2016. The impact of obesity on skeletal muscle strength and structure through adolescence to old age. *Biogerontology*, Volume 17, p. 467–483.
- Tomlinson DJ, Erskine RM, Morse CI, Winwood K, Onambélé-Pearson G. The impact of obesity on skeletal muscle strength and structure through adolescence to old age. *Biogerontology*. 2016 Jun;17(3):467-83.
- Triyanti, T. & Ardila, P., 2019. Fat Intake As A Dominant Factor of Central Obesity Among Women. *Jurnal Gipas*, 3(2).
- Tyagi, R., Tungdim, M. G., Bhardwaj, S. & Anzeiger, S. K. A., 2008. Age, altitude and gender differences in body dimensions. *Anthropologischer Anzeiger*, 66(4).
- Valenzuela, P. L., Maffiuletti, N. A., Tringali, G. & Sartorio, A. D. C. &. A., 2020. Obesity-associated poor muscle quality: prevalence and association with age, sex, and body mass index. *BMC Musculoskeletal Disorders*, 21(200).
- Wahyudi, S. N., 2019. Pengaruh Derajat Stres Psikologis Terhadap Peningkatan Berat Badan pada Mahasiswa Fakultas Kedokteran Universitas Muhammadiyah Malang Angkatan 2016.. *Undergraduate (S1) thesis, Universitas Muhammadiyah Malang*.



- Wijayanti, 1. D. N., Sukmaningtyas, H. & Fitrianti, D. Y., 2018. Kesesuaian Metode Pengukuran Persentase Lemak Tubuh Skinfold Caliper dengan Metode Bioelectrical Impedance Analysis. *Jurnal Kedokteran Diponegoro*, 7(2).
- Wiśniowska-Szurlej A, Ćwirlej-Sozańska A, Wołoszyn N, Sozański B, Wilmowska-Pietruszyńska A. Association between Handgrip Strength, Mobility, Leg Strength, Flexibility, and Postural Balance in Older Adults under Long-Term Care Facilities. *Biomed Res Int.* 2019 Sep 23;2019:1042834.
- Wong MCS, Huang J, Wang J, Chan PSF, Lok V, Chen X, Leung C, Wang HHX, Lao XQ, Zheng ZJ. Global, regional and time-trend prevalence of central obesity: a systematic review and meta-analysis of 13.2 million subjects. *Eur J Epidemiol.* 2020 Jul;35(7):673-683.
- Yang, L., Smith, L. & Hamer, M., 2019. Gender-specific risk factors for incident sarcopenia: 8-year follow-up of the English longitudinal study of ageing. *BMJ Journal*, 73(1).
- Yang, Y. & Wu, Y., 2022. The association between skinfold thicknesses and estimated glomerular filtration rate in adolescents: a cross-sectional study. *BMC Nephrology*, 23(96).
- Yoo, J.-I., Choi, H. & Ha, Y.-C., 2017. Mean hand grip strength and cut-off value for sarcopenia in Korean adults using KNHANES VI. *J Korean Med Sci*, Volume 32, pp. 868-872.
- Yoshizumi T, Shirabe K, Nakagawara H, Ikegami T, Harimoto N, Toshima T, Yamashita Y, Ikeda T, Soejima Y, Maehara Y. Skeletal muscle area correlates with body surface area in healthy adults. *Hepatol Res.* 2014 Mar;44(3):313-8.
- Yudantoko, A, 2013. *Program Pelatihan Kesejahteraan Kesehatan Masyarakat dengan Konsep "Dusun Siaga Kesehatan" di Dusun Pajimatan – Payaman Utara, Girirejo, Imogiri, Bantul, YOGYAKARTA*. Jakarta, Kementerian Riset, Teknologi, dan Pendidikan Tinggi.
- Zee, H. A. V. D., 1998. *The hunger winter: occupied Holland 1944–1945*. Nebraska: University of Nebraska Press.
- Zhu Y, Lin Q, Zhang Y, Deng H, Hu X, Yang X, Yao B. Mid-upper arm circumference as a simple tool for identifying central obesity and insulin resistance in type 2 diabetes. *PLoS One*. 2020 May 21;15(5):e0231308.
- Zoico E, Di Francesco V, Mazzali G, Vettor R, Fantin F, Bissoli L, Guariento S, Bosello O, Zamboni M. Adipocytokines, fat distribution, and insulin resistance in elderly men and women. *J Gerontol A Biol Sci Med Sci*. 2004 Sep;59(9):M935-9.