

DAFTAR PUSTAKA

- [1] F. Ardente, M. Beccali, M. Cellura, and M. Mistretta, "Energy and environmental benefits in public buildings as a result of retrofit actions," *Renew. Sustain. Energy Rev.*, vol. 15, no. 1, pp. 460–470, 2011, doi: 10.1016/j.rser.2010.09.022.
- [2] Q. He, H. Zhao, L. Shen, L. Dong, Y. Cheng, and K. Xu, "Factors influencing residents' intention toward green retrofitting of existing residential buildings," *Sustain.*, vol. 11, no. 15, pp. 1–23, 2019, doi: 10.3390/su11154246.
- [3] N. Kok, N. Miller, and P. Morris, "The Economics of Green Retrofits," *J. Sustain. Real Estate*, vol. 4, no. 1, pp. 4–22, 2012, doi: 10.1080/10835547.2012.12091838.
- [4] M. Khairi, A. Jaapar, and Z. Yahya, "The Application, Benefits and Challenges of Retrofitting the Existing Buildings," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 271, no. 1, 2017, doi: 10.1088/1757-899X/271/1/012030.
- [5] S. K. Sharma *et al.*, "Retrofitting Existing Buildings to Improve Energy Performance," *Sustain.*, vol. 14, no. 2, pp. 1–14, 2022, doi: 10.3390/su14020666.
- [6] M. Gavioli, E. Tetri, R. R. Baniya, and L. Halonen, "Lighting Retrofitting : Improving Energy Efficiency and," *28th CIE Sess. June 28 – July 4*, no. Dubois 2011, pp. 1903–1911, 2015.
- [7] J. Zhang, K. Lv, X. Zhang, M. Ma, and J. Zhang, "Study of Human Visual Comfort Based on Sudden Vertical Illuminance Changes," *Buildings*, vol. 12, no. 8, 2022, doi: 10.3390/buildings12081127.
- [8] G. Spear, "The Effects of Lighting Design on Mood, Attention, and Stress," Reed College, 2018.
- [9] P. Iacomussi, M. Radis, G. Rossi, and L. Rossi, "Visual comfort with LED lighting," *Energy Procedia*, vol. 78, no. November, pp. 729–734, 2015, doi: 10.1016/j.egypro.2015.11.082.
- [10] M. Gavioli, "LIGHTING RETROFITTING IMPROVING ENERGY



- EFFICIENCY AND LIGHTING QUALITY,” Aalto University, 2015.
- [11] B. Wang, X. Liu, and Y. Yang, “Energy efficiency retrofitting of lighting in university libraries based on illumination suitability analysis,” *Light Eng.*, vol. 26, no. 3, pp. 132–139, 2018, doi: 10.33383/2008-135.
 - [12] A. T. Dianagri, W. E. Sari, and B. I. R. Harsitanto, “Simulation of Natural Daylighting Optimization in College Library,” *J. Phys. Conf. Ser.*, vol. 1858, no. 1, pp. 6–13, 2021, doi: 10.1088/1742-6596/1858/1/012030.
 - [13] F. Yilmaz, “Energy efficient lighting system retrofit for retail environments,” *A/Z ITU J. Fac. Archit.*, vol. 13, no. 1, pp. 209–224, 2016, doi: 10.5505/itujfa.2016.30502.
 - [14] M. Bonomolo, C. Baglivo, G. Bianco, P. M. Congedo, and M. Beccali, “Cost optimal analysis of lighting retrofit scenarios in educational buildings in Italy,” *Energy Procedia*, vol. 126, pp. 171–178, 2017, doi: 10.1016/j.egypro.2017.08.137.
 - [15] M. C. Dubois *et al.*, “Performance Evaluation of Lighting and Daylighting Retrofits: Results from IEA SHC Task 50,” *Energy Procedia*, vol. 91, no. 0, pp. 926–937, 2016, doi: 10.1016/j.egypro.2016.06.259.
 - [16] D. L. DiLaura, K. W. Houser, R. G. Mistrick, and G. R. Steffy, *The Lighting Handbook*, 6th ed. Dornbirn: Zumtobel Lighting GmbH, 2018.
 - [17] G. 1957-T. A.-T. T.- Gordon, *Interior lighting for designers LK*, 4th ed. New Jersey: John Wiley & Sons, Inc., 2013.
 - [18] A. K. R. Choudhury, “Characteristics of light sources,” *Princ. Colour Appear. Meas.*, pp. 1–52, 2014, doi: 10.1533/9780857099242.1.
 - [19] N. Ohta and A. Robertson, *Colorimetry: Fundamentals and Applications*, First., vol. 1. West Sussex: John Wiley & Sons, Ltd, 2015.
 - [20] The Society of Light and Lighting, *The SLL Lighting Handbook*. London: Stones the Printers Ltd, 2009.
 - [21] R. Ganslandt and H. Hoffmann, *Handbook of Lighting Design*, 1st ed. Lüdenscheid: ERCO Leuchten GmbH, 2012.
 - [22] T. Kruisselbrink, R. Dangol, and A. Rosemann, “Photometric measurements of lighting quality: An overview,” *Build. Environ.*, vol. 138, no. 2018, pp.



- 42–52, 2018, doi: 10.1016/j.buildenv.2018.04.028.
- [23] BADAN STANDARDISASI NASIONAL, “Pengukuran Intensitas Pencahayaan di Tempat Kerja,” 7062, 2019.
- [24] BADAN STANDARDISASI NASIONAL, “Konservasi energi pada sistem pencahayaan,” 6197, 2020.
- [25] Z. Turlej, “Elements of the Daily and Artificial Lighting,” *Proc. Elektrotechnical Inst.*, no. 251, pp. 183–196, 2011.
- [26] Internatioanl Energy Agency, “Daylight in Buildings: A Source Book on Daylighting Systems and Components,” Washington, 2000.
- [27] P. Tregenza and M. Wilson, *Daylighting: Architecture and Lighting Design*, 1st ed. Oxon: Routledge, 2011.
- [28] A. Tabbah, G. Fischl, and M. Aries, “Evaluating Digital Twin Light Quantity Data Exchange between a Virtual and Physical Environment,” *E3S Web Conf.*, vol. 08005, pp. 1–7, 2022, doi: <https://doi.org/10.1051/e3sconf/202236208005>.
- [29] K. Skarżyński and A. Rutkowska, “A comparison of the calculations and measurements for a lighting design of the same room,” *Prz. Elektrotechniczny*, vol. 96, no. 11, pp. 11–14, 2020, doi: 10.15199/48.2020.11.03.
- [30] R. Singh and R. Rawal, “Effect of surface reflectance on lighting efficiency in interiors,” *Proc. Build. Simul. 2011 12th Conf. Int. Build. Perform. Simul. Assoc.*, pp. 2301–2308, 2011.
- [31] Corian, “LIGHT REFLECTANCE VALUES OF DUPONT™ CORIAN® SOLID SURFACE COLORS,” 2011.
- [32] J. Luo, Z. Yang, H. Yi, and Z. Yang, “Study on the Reflection Characteristics of Ceramic Tile Building Materials to Solar Radiation,” *Esse 2017*, pp. 153–170, 2017, doi: 10.1515/9783110540048-016.
- [33] S. Khoshroonejad, “A Comparison of Daylight Prediction Methods,” Eastern Mediterranean University, 2010.

