UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abd Ghani, A., Adachi, S., Shiga, H., Neoh, T. L., Adachi, S., & Yoshii, H. (2017). Effect of different dextrose equivalents of maltodextrin on oxidation stability in encapsulated fish oil by spray drying. *Bioscience, Biotechnology, and Biochemistry*, *81*(4), 705–711. https://doi.org/10.1080/09168451.2017.1281721

Abu, M. N., Samat, S., Kamarapani, N., Nor Hussein, F., Wan Ismail, W. I., & Hassan, H. F. (2015). Tinospora crispa ameliorates insulin resistance induced by high fat diet in wistar rats. *Evidence-based Complementary and Alternative Medicine, 2015*. https://doi.org/10.1155/2015/985042

Afoakwa, E. O. (2016). *Chocolate Science and Technology, 2nd Edition*. John Wiley & Sons. https://www.wiley.com/en-us/Chocolate+Science+and+Technology%2C+2nd+Edition-p-9781118913789

Afoakwa, E. O., Paterson, A., Fowler, M., & Vieira, J. (2008a). Effects of tempering and fat crystallisation behaviour on microstructure, mechanical properties and appearance in dark chocolate systems. *Journal of Food Engineering*, *89*(2), 128–136. https://doi.org/10.1016/j.jfoodeng.2008.04.021

Afoakwa, E. O., Paterson, A., Fowler, M., & Vieira, J. (2008b). Modelling tempering behaviour of dark chocolates from varying particle size distribution and fat content using response surface methodology. *Innovative Food Science & Emerging Technologies*, *9*(4), 527–533. https://doi.org/10.1016/j.ifset.2008.02.002

Agustiningsih, Wildan, A., & Mindaningsih. (2010). *OPTIMASI CAIRAN PENYARI PADA PEMBUATAN EKSTRAK DAUN PANDAN WANGI (Pandanus amaryllifous Roxb) SECARA MASERASI TERHADAP KADAR FENOLIK DAN FLAVONOID TOTAL*. *6*(2).

Al-Adhroey, A. H., Nor, Z. M., Al-Mekhlafi, H. M., & Mahmud, R. (2010). Ethnobotanical study on some Malaysian anti-malarial plants: A community based survey. *Journal of Ethnopharmacology*, *132*(1), 362–364. https://doi.org/10.1016/j.jep.2010.08.006

Alara, O. R., Abdurahman, N. H., & Ukaegbu, C. I. (2021). Extraction of phenolic compounds: A review. *Current Research in Food Science*, *4*, 200–214. https://doi.org/10.1016/j.crfs.2021.03.011

Albak, F., & Tekin, A. R. (2014). *Development of Functional Chocolate with Spices and Lemon Peel Powder by using Response Surface Method: Development of Functional Chocolate*.

Allen, L., de Benoist, B., Dary, O., & Hurrel, R. (2006). Global Progress—Food Fortification. Dalam *World Health Organization*.

Almoosawi, S., Fyfe, L., Ho, C., & Al-Dujaili, E. (2010). The effect of polyphenol-rich dark chocolate on fasting capillary whole blood glucose, total cholesterol, blood pressure and glucocorticoids in healthy overweight and obese subjects. *British Journal of Nutrition*, *103*(6), 842–850. https://doi.org/10.1017/S0007114509992431

Altimiras, P., Pyle, L., & Bouchon, P. (2007). Structure–fat migration relationships during storage of cocoa butter model bars: Bloom development and possible

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

mechanisms. *Journal of Food Engineering*, *80*(2), 600–610. https://doi.org/10.1016/j.jfoodeng.2006.06.022

Anantharaju, P. G., Gowda, P. C., Vimalambike, M. G., & Madhunapantula, S. V. (2016). An overview on the role of dietary phenolics for the treatment of cancers. *Nutrition Journal*, *15*(1), 99. https://doi.org/10.1186/s12937-016-0217-2

Andriani, M., Permana, I. D. G. M., & Widarta, I. W. R. (2019). PENGARUH SUHU DAN WAKTU EKSTRAKSI DAUN BELIMBING WULUH (Averrhoa bilimbi L.) TERHADAP AKTIVITAS ANTIOKSIDAN DENGAN METODE ULTRASONIC ASSISTED EXTRACTION (UAE). *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, *8*(3), 330–340.

Arana, I. (2012). *Physical Properties of Foods: Novel Measurement Techniques and Applications*. CRC Press.

Armenta, S., Garrigues, S., & de la Guardia, M. (2015). The role of green extraction techniques in Green Analytical Chemistry. *TrAC Trends in Analytical Chemistry*, *71*, 2–8. https://doi.org/10.1016/j.trac.2014.12.011

Arruda, H. S., Silva, E. K., Pereira, G. A., Angolini, C. F. F., Eberlin, M. N., Meireles, M. A. A., & Pastore, G. M. (2019). Effects of high-intensity ultrasound process parameters on the phenolic compounds recovery from araticum peel. *Ultrasonics Sonochemistry*, *50*, 82–95. https://doi.org/10.1016/j.ultsonch.2018.09.002

A_S00. (2018, Juni 26). *Answer to "Why doesnt curry powder completely dissolve when heating in oil?"* Seasoned Advice. https://cooking.stackexchange.com/a/90588

Azwanida, N. (2015). A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Medicinal & Aromatic Plants*, *04*(03). https://doi.org/10.4172/2167-0412.1000196

Bajaj, P., & Kaur, G. (2022). Acute Sleep Deprivation-Induced Anxiety and Disruption of Hypothalamic Cell Survival and Plasticity: A Mechanistic Study of Protection by Butanol Extract of Tinospora cordifolia. *Neurochemical Research*, *47*(6), 1692–1706. https://doi.org/10.1007/s11064-022-03562-8

Barthold, S., Hittinger, M., Primavessy, D., Zapp, A., Groß, H., & Schneider, M. (2019). Preparation of maltodextrin nanoparticles and encapsulation of bovine serum albumin – Influence of formulation parameters. *European Journal of Pharmaceutics and Biopharmaceutics*, *142*, 405–410. https://doi.org/10.1016/j.ejpb.2019.07.003

Batista, N. N., de Andrade, D. P., Ramos, C. L., Dias, D. R., & Schwan, R. F. (2016). Antioxidant capacity of cocoa beans and chocolate assessed by FTIR. *Food Research International*, *90*, 313–319. https://doi.org/10.1016/j.foodres.2016.10.028

Beckett, S. T. (2008). *Industrial Chocolate Manufacture and Use* (1 ed.). John Wiley & Sons, Ltd. https://doi.org/10.1002/9781444301588

Beckett, S. T. (2019). *The Science of Chocolate*. Royal Society of Chemistry.

Belščak-Cvitanović, A., Komes, D., Benković, M., Karlović, S., Hečimović, I., Ježek, D., & Bauman, I. (2012). Innovative formulations of chocolates enriched with plant polyphenols from Rubus idaeus L. leaves and characterization of their physical, bioactive and sensory properties. *Food*

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Research International, *48*(2), 820–830. https://doi.org/10.1016/j.foodres.2012.06.023

Bendicho, C., De La Calle, I., Pena, F., Costas, M., Cabaleiro, N., & Lavilla, I. (2012). Ultrasound-assisted pretreatment of solid samples in the context of green analytical chemistry. *TrAC Trends in Analytical Chemistry*, *31*, 50–60. https://doi.org/10.1016/j.trac.2011.06.018

Bhusari, S. N., Muzaffar, K., & Kumar, P. (2014). Effect of carrier agents on physical and microstructural properties of spray dried tamarind pulp powder. *Powder Technology*, *266*, 354–364. https://doi.org/10.1016/j.powtec.2014.06.038

Bi, Y., Lu, Y., Yu, H., & Luo, L. (2019). Optimization of ultrasonic-assisted extraction of bioactive compounds from Sargassum henslowianum using response surface methodology. *Pharmacognosy Magazine*, *15*(60), 156. https://doi.org/10.4103/pm.pm_347_18

Bolenz, S., & Manske, A. (2013). Impact of fat content during grinding on particle size distribution and flow properties of milk chocolate. *European Food Research and Technology*, *236*(5), 863–872. https://doi.org/10.1007/s00217-013-1944-7

Bordin Schumacher, A., Brandelli, A., Schumacher, E. W., Carrion Macedo, F., Pieta, L., Venzke Klug, T., & Vogt de Jong, E. (2009). Development and evaluation of a laboratory scale conch for chocolate production. *International Journal of Food Science & Technology*, *44*(3), 616–622. https://doi.org/10.1111/j.1365-2621.2008.01877.x

Borrmann, D., Pierucci, A. P. T. R., Leite, S. G. F., & Leão, M. H. M. da R. (2013). Microencapsulation of passion fruit (Passiflora) juice with n-octenylsuccinate-derivatised starch using spray-drying. *Food and Bioproducts Processing*, *91*(1), 23–27. https://doi.org/10.1016/j.fbp.2012.08.001

Bouafia, M., Colak, N., Ayaz, F. A., Benarfa, A., Harrat, M., Gourine, N., & Yousfi, M. (2021). The optimization of ultrasonic-assisted extraction of Centaurea sp. Antioxidative phenolic compounds using response surface methodology. *Journal of Applied Research on Medicinal and Aromatic Plants*, *25*, 100330. https://doi.org/10.1016/j.jarmap.2021.100330

Boverhof, D. R., Bramante, C. M., Butala, J. H., Clancy, S. F., Lafranconi, M., West, J., & Gordon, S. C. (2015). Comparative assessment of nanomaterial definitions and safety evaluation considerations. *Regulatory Toxicology and Pharmacology*, *73*(1), 137–150. https://doi.org/10.1016/j.yrtph.2015.06.001

Briones, V., Aguilera, J. M., & Brown, C. (2006). Effect of surface topography on color and gloss of chocolate samples. *Journal of Food Engineering*, *77*(4), 776–783. https://doi.org/10.1016/j.jfoodeng.2005.08.004

Budiastra, M. S., Usman Ahmad,I Wayan. (2017, Oktober 26). *Aplikasi Gelombang Ultrasonik untuk Meningkatkan Rendemen Ekstraksi dan Efektivitas Antioksi dan Kulit Manggis | Jurnal Keteknikan Pertanian*. https://jurnal.ipb.ac.id/index.php/jtep/article/view/18513

Caligiani, A., Palla, L., Acquotti, D., Marseglia, A., & Palla, G. (2014). Application of 1H NMR for the characterisation of cocoa beans of different geographical

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

origins and fermentation levels. *Food Chemistry*, *157*, 94–99. https://doi.org/10.1016/j.foodchem.2014.01.116

Chau, C.-F., Wu, S.-H., & Yen, G.-C. (2007). The development of regulations for food nanotechnology. *Trends in Food Science & Technology*, *18*(5), 269–280. https://doi.org/10.1016/j.tifs.2007.01.007

Choiriyah, N. A. (2015). *Nanoenkapsulasi Ekstrak Fenolik Rosella dengan Enkapsulan Inulin, Kombinasi dengan Kitosan dan Maltodekstrin Menggunakan Metode Spray Drying* [Universitas Gadjah Mada]. http://etd.repository.ugm.ac.id/penelitian/detail/89114

Cidell, J. L., & Alberts, H. C. (2006). Constructing quality: The multinational histories of chocolate. *Geoforum*, *37*(6), 999–1007. https://doi.org/10.1016/j.geoforum.2006.02.006

Covas, M.-I., Nyyssönen, K., Poulsen, H. E., Kaikkonen, J., Zunft, H.-J. F., Kiesewetter, H., Gaddi, A., de la Torre, R., Mursu, J., Bäumler, H., Nascetti, S., Salonen, J. T., Fitó, M., Virtanen, J., & Marrugat, J. (2006). The Effect of Polyphenols in Olive Oil on Heart Disease Risk Factors. *Annals of Internal Medicine*, *145*(5), 333–341. https://doi.org/10.7326/0003-4819-145-5-200609050-00006

Da Porto, C., Porretto, E., & Decorti, D. (2013). Comparison of ultrasound-assisted extraction with conventional extraction methods of oil and polyphenols from grape (Vitis vinifera L.) seeds. *Ultrasonics Sonochemistry*, *20*(4), 1076–1080. https://doi.org/10.1016/j.ultsonch.2012.12.002

Dale, S. (2017). Chocolate compounds and coatings. Dalam *Beckett's Industrial Chocolate Manufacture and Use* (hlm. 479–491). John Wiley & Sons, Ltd. https://doi.org/10.1002/9781118923597.ch19

de Kruif, C. G., Weinbreck, F., & de Vries, R. (2004). Complex coacervation of proteins and anionic polysaccharides. *Current Opinion in Colloid & Interface Science*, *9*(5), 340–349. https://doi.org/10.1016/j.cocis.2004.09.006

de Souza, V. B., Thomazini, M., Echalar Barrientos, M. A., Nalin, C. M., Ferro-Furtado, R., Genovese, M. I., & Favaro-Trindade, C. S. (2018). Functional properties and encapsulation of a proanthocyanidin-rich cinnamon extract (Cinnamomum zeylanicum) by complex coacervation using gelatin and different polysaccharides. *Food Hydrocolloids*, *77*, 297–306. https://doi.org/10.1016/j.foodhyd.2017.09.040

Decroix, L., Soares, D. D., Meeusen, R., Heyman, E., & Tonoli, C. (2018). Cocoa Flavanol Supplementation and Exercise: A Systematic Review. *Sports Medicine*, *48*(4), 867–892. https://doi.org/10.1007/s40279-017-0849-1

Destandau, E., Michel, T., & Elfakir, C. (2013). Microwave-Assisted Extraction. Dalam *RSC Green Chemistry* (hlm. 113–156). https://doi.org/10.1039/9781849737579-00113

Dewan, D. A. (2018). *Analisis Senyawa Aktif Batang Brotowali (Tinospora crispa L. Miers) dan Efeknya terhadap Leukopoisis dan Trombopoisis pada Sumsum Tulang Tikus Wistar (Rattus norvegicus)* [Universitas Gadjah Mada]. http://etd.repository.ugm.ac.id/penelitian/detail/161469

Diana, L. (2016). *Hubungan Antara Pola Konsumsi Makanan Jajanan Dengan Appetite (Nafsu Makan) Pada Anak Sekolah Usia 9-11 Tahun Di SDN*

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Balongrejo 1 Kecamatan Sugihwaras Kabupaten Bojonegoro. [Sarjana, Universitas Brawijaya]. https://doi.org/10/13._DAFTAR_PUSTAKA.PDF

Đorđević, V., Balanč, B., Belščak-Cvitanović, A., Lević, S., Trifković, K., Kalušević, A., Kostić, I., Komes, D., Bugarski, B., & Nedović, V. (2015). Trends in Encapsulation Technologies for Delivery of Food Bioactive Compounds. *Food Engineering Reviews*, *7*(4), 452–490. https://doi.org/10.1007/s12393-014-9106-7

Efraim, P., Marson, G. C., Jardim, D. C. P., Garcia, A. O., & Yotsuynagi, K. (2011). Influence of phytosterols addition in the rheology and sensory attributes of dark chocolate. *Procedia Food Science*, *1*, 1633–1637. https://doi.org/10.1016/j.profoo.2011.09.241

Elboughdiri, N. (2018). Effect of Time, Solvent-Solid Ratio, Ethanol Concentration and Temperature on Extraction Yield of Phenolic Compounds From Olive Leaves. *Engineering, Technology & Applied Science Research*, *8*(2), 2805–2808. https://doi.org/10.48084/etasr.1983

Entegris. (2019). *Particle Size Analysis Overview*.

Ezhilarasi, P. N., Karthik, P., Chhanwal, N., & Anandharamakrishnan, C. (2013). Nanoencapsulation Techniques for Food Bioactive Components: A Review. *Food and Bioprocess Technology*, *6*(3), 628–647. https://doi.org/10.1007/s11947-012-0944-0

Fadilah, M. A. N. (2021). *PENGEMBANGAN PROSES PENGOLAHAN COKELAT TAHAN PANAS DENGAN PENAMBAHAN HIDROGEL BERBASIS XANTHAN GUM DAN PENGGUNAAN GULA SEMUT* [Universitas Gadjah Mada]. http://etd.repository.ugm.ac.id/penelitian/detail/202372

Faridi Esfanjani, A., Assadpour, E., & Jafari, S. M. (2018). Improving the bioavailability of phenolic compounds by loading them within lipid-based nanocarriers. *Trends in Food Science & Technology*, *76*, 56–66. https://doi.org/10.1016/j.tifs.2018.04.002

Fayeulle, N., Vallverdu-Queralt, A., Meudec, E., Hue, C., Boulanger, R., Cheynier, V., & Sommerer, N. (2018). Characterization of new flavan-3-ol derivatives in fermented cocoa beans. *Food Chemistry*, *259*, 207–212. https://doi.org/10.1016/j.foodchem.2018.03.133

FDA. (2014). *CFR - Code of Federal Regulations Title 21* (Patent No. 21CFR163.124). https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?fr=163.124

Fitriah, S. (2015). *Pengaruh Ekstrak Batang Brotowali (Tinospora crispa) terhadap Kematian Larva Nyamuk Aedes aegypti dan Sumbangsihnya pada Mata Pelajaran Biologi di SMA/MA*. Universitas Islam Negeri Raden Fatah.

Frascareli, E. C., Silva, V. M., Tonon, R. V., & Hubinger, M. D. (2011). PHYSICOCHEMICAL PROPERTIES OF COFFEE OIL MICROCAPSULES PRODUCED BY SPRAY DRYING. *AGROBIO ENVASES*. III Jornadas Internacionais, Brasil.

Furlán, L. T. R., Baracco, Y., Zaritzky, N., & Campderrós, M. E. (2016). *INFLUENCE OF SUCRALOSE AND STEVIA ON THE PHYSICOCHEMICAL PROPERTIES OF FREE SUGAR CHOCOLATE*. *07*.

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Genc Polat, D., Durmaz, Y., Konar, N., Toker, O. S., Palabiyik, I., & Tasan, M. (2020). Using encapsulated Nannochloropsis oculata in white chocolate as coloring agent. *Journal of Applied Phycology*, *32*(5), 3077–3088. https://doi.org/10.1007/s10811-020-02205-1

Gouin, S. (2004). Microencapsulation: Industrial appraisal of existing technologies and trends. *Trends in Food Science & Technology*, *15*(7), 330–347. https://doi.org/10.1016/j.tifs.2003.10.005

Goula, A. M., & Adamopoulos, K. G. (2008). Effect of Maltodextrin Addition during Spray Drying of Tomato Pulp in Dehumidified Air: II. Powder Properties. *Drying Technology*, *26*(6), 726–737. https://doi.org/10.1080/07373930802046377

Grenha, A., Gomes, M. E., Rodrigues, M., Santo, V. E., Mano, J. F., Neves, N. M., & Reis, R. L. (2010). Development of new chitosan/carrageenan nanoparticles for drug delivery applications. *Journal of Biomedical Materials Research. Part A*, *92*(4), 1265–1272. https://doi.org/10.1002/jbm.a.32466

Hamid, Thakur, N. S., & Thakur, A. (2020). Microencapsulation of wild pomegranate flavedo phenolics by lyophilization: Effect of maltodextrin concentration, structural morphology, functional properties, elemental composition and ingredient for development of functional beverage. *LWT*, *133*, 110077. https://doi.org/10.1016/j.lwt.2020.110077

Hashemi Gahruie, H., Eskandari, M. H., Mesbahi, G., & Hanifpour, M. A. (2015). Scientific and technical aspects of yogurt fortification: A review. *Food Science and Human Wellness*, *4*(1), 1–8. https://doi.org/10.1016/j.fshw.2015.03.002

Helmyati, S., Yuliati, E., Pamungkas, N. P., & Hendarta, N. Y. (2018). *Fortifikasi Pangan Berbasis Sumber Daya Nusantara: Upaya Mengatasi Masalah Defisiensi Zat Gizi Mikro di Indonesia*. UGM PRESS.

Hidayat, R. S. H., & Napitupulu, R. M. (2015). *Kitab Tumbuhan Obat*. AGRIFLO.

Ignat, I., Volf, I., & Popa, V. I. (2011). A critical review of methods for characterisation of polyphenolic compounds in fruits and vegetables. *Food Chemistry*, *126*(4), 1821–1835. https://doi.org/10.1016/j.foodchem.2010.12.026

Ishihara, S., & Tsutomu, H. (2017). *Method for producing chocolate compound food* (Patent No. JP6063717B2). https://patents.google.com/patent/JP6063717B2/en

Jain, A., Dasgupta, N., Ranjan, S., Singh, V., Singh, H., Purohit, S. D., Mishra, N. C., Yadav, N. P., Haque, S., Mishra, B. N., & Samanta, S. K. (2021). Whey protein based electrosprayed nanospheres for encapsulation and controlled release of bioactive compounds from Tinospora cordifolia extract. *Innovative Food Science & Emerging Technologies*, *69*, 102671. https://doi.org/10.1016/j.ifset.2021.102671

Jakobek, L. (2015). Interactions of polyphenols with carbohydrates, lipids and proteins. *Food Chemistry*, *175*, 556–567. https://doi.org/10.1016/j.foodchem.2014.12.013

Jardim, D. C. P., Orse, A. G., Efraim, P., & Moura, S. C. S. R. de. (2011). Kinetic of white chocolate color loss. *Procedia Food Science*, *1*, 1026–1030. https://doi.org/10.1016/j.profoo.2011.09.153

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Jovanović, A. A., Đorđević, V. B., Zdunić, G. M., Pljevljakušić, D. S., Šavikin, K. P., Gođevac, D. M., & Bugarski, B. M. (2017). Optimization of the extraction process of polyphenols from Thymus serpyllum L. herb using maceration, heat- and ultrasound-assisted techniques. *Separation and Purification Technology*, *179*, 369–380. https://doi.org/10.1016/j.seppur.2017.01.055

Joye, I. J., & McClements, D. J. (2013). Production of nanoparticles by anti-solvent precipitation for use in food systems. *Trends in Food Science & Technology*, *34*(2), 109–123. https://doi.org/10.1016/j.tifs.2013.10.002

Kavya, B., Kavya, N., Ramarao, V., & Venkateshwarlu, G. (2015). Tinospora cordifolia (Willd.) Miers: Nutritional, ethnomedical and therapeutic utility. *International Journal of Research in Ayurveda and Pharmacy (IJRAP)*, *6*(2), 195–198.

Kha, T. C., Nguyen, M. H., & Roach, P. D. (2010). Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (Momordica cochinchinensis) fruit aril powder. *Journal of Food Engineering*, *98*(3), 385–392. https://doi.org/10.1016/j.jfoodeng.2010.01.016

Khan, I., Saeed, K., & Khan, I. (2019). Nanoparticles: Properties, applications and toxicities. *Arabian Journal of Chemistry*, *12*(7), 908–931. https://doi.org/10.1016/j.arabjc.2017.05.011

Komari. (2013). Karakterisasi dan sifat fisik sistem koaservasi gelatin—Gum akasia. *Jurnal Kefarmasian Indonesia*, *3*(2), 70–76.

Komes, D., Belščak-Cvitanović, A., Škrabal, S., Vojvodić, A., & Bušić, A. (2013). The influence of dried fruits enrichment on sensory properties of bitter and milk chocolates and bioactive content of their extracts affected by different solvents. *LWT - Food Science and Technology*, *53*(1), 360–369. https://doi.org/10.1016/j.lwt.2013.02.016

Konan, Y. N., Gurny, R., & Allémann, E. (2002). Preparation and characterization of sterile and freeze-dried sub-200 nm nanoparticles. *International Journal of Pharmaceutics*, *233*(1), 239–252. https://doi.org/10.1016/S0378-5173(01)00944-9

Konar, N., Poyrazoglu, E. S., & Artik, N. (2015). Influence of calcium fortification on physical and rheological properties of sucrose-free prebiotic milk chocolates containing inulin and maltitol. *Journal of Food Science and Technology*, *52*(4), 2033–2042. https://doi.org/10.1007/s13197-013-1229-y

Kosaraju, J., Chinni, S., Roy, P. D., Kannan, E., Antony, A. S., & Kumar, M. N. S. (2014). Neuroprotective effect of Tinospora cordifolia ethanol extract on 6-hydroxy dopamine induced Parkinsonism. *Indian Journal of Pharmacology*, *46*(2), 176–180. https://doi.org/10.4103/0253-7613.129312

Kresnady, B., & Lentera, T. (2003). *Khasiat & Manfaat Brotowali*. AgroMedia.

Krishnan, S., Kshirsagar, A. C., & Singhal. (2005). The use gum Arabic and modified starch in the microencapsulation of a food flavoring | Request PDF. *Carbohydrate Polymers*, *62*(4), 309–315. https://doi.org/10.1016/j.carbpol.2005.03.020

Kusumawardani, I. N. S. (2022). *Proses Pengolahan Cokelat Tahan Panas dengan Penambahan Hidrogel Berbasis Karagenan dan Penggunaan Pemanis*

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Gula Semut [Universitas Gadjah Mada]. http://etd.repository.ugm.ac.id/penelitian/detail/213888

Lahrita, L., Kato, E., & Kawabata, J. (2015). Uncovering potential of Indonesian medicinal plants on glucose uptake enhancement and lipid suppression in 3T3-L1 adipocytes. *Journal of Ethnopharmacology*, *168*, 229–236. https://doi.org/10.1016/j.jep.2015.03.082

Lee, S.-T., Mi, F.-L., Shen, Y.-J., & Shyu, S.-S. (2001). Equilibrium and kinetic studies of copper(II) ion uptake by Chitosan-tripolyphosphate chelating resin. *Polymer*, *42*, 1879–1892. https://doi.org/10.1016/S0032-3861(00)00402-X

Lestari, T., Nurmala, A., & Nurmalasari, M. (2015). Penetapan kadar polifenol dan aktivitas antibakteri ekstrak etanol daun sintrong (Crassocephalum crepidiodes (Benth.) S. Moore). *Jurnal Kesehatan Bakti Tunas Husada*, *13*(1), 107–112. https://doi.org/10.36465/jkbth.v13i1.20

Lim, Y. P., Pang, S. F., Yusoff, M. M., Abdul Mudalip, S. K., & Gimbun, J. (2019). Correlation between the extraction yield of mangiferin to the antioxidant activity, total phenolic and total flavonoid content of Phaleria macrocarpa fruits. *Journal of Applied Research on Medicinal and Aromatic Plants*, *14*, 100224. https://doi.org/10.1016/j.jarmap.2019.100224

Lohani, U. C., & Muthukumarappan, K. (2021). Study of continuous flow ultrasonication to improve total phenolic content and antioxidant activity in sorghum flour and its comparison with batch ultrasonication. *Ultrasonics Sonochemistry*, *71*, 105402. https://doi.org/10.1016/j.ultsonch.2020.105402

Lokman, F. E., Gu, H. F., Wan Mohamud, W. N., Yusoff, M. M., Chia, K. L., & Östenson, C. G. (2013). Antidiabetic effect of oral borapetol B compound, isolated from the plant tinospora crispa, by stimulating insulin release. *Evidence-based Complementary and Alternative Medicine*, *2013*. https://doi.org/10.1155/2013/727602

Lončarević, I., Pajin, B., Fišteš, A., Tumbas Šaponjac, V., Petrović, J., Jovanović, P., Vulić, J., & Zarić, D. (2018). Enrichment of white chocolate with blackberry juice encapsulate: Impact on physical properties, sensory characteristics and polyphenol content. *LWT*, *92*, 458–464. https://doi.org/10.1016/j.lwt.2018.03.002

Lončarević, I., Pajin, B., Petrović, J., Nikolić, I., Maravić, N., Ačkar, Đ., Šubarić, D., Zarić, D., & Miličević, B. (2021). White Chocolate with Resistant Starch: Impact on Physical Properties, Dietary Fiber Content and Sensory Characteristics. *Molecules*, *26*(19), 5908. https://doi.org/10.3390/molecules26195908

Lončarević, I., Pajin, B., Tumbas Šaponjac, V., Petrović, J., Vulić, J., Fišteš, A., & Jovanović, P. (2019). Physical, sensorial and bioactive characteristics of white chocolate with encapsulated green tea extract. *Journal of the Science of Food and Agriculture*, *99*(13), 5834–5841. https://doi.org/10.1002/jsfa.9855

Magagna, F., Guglielmetti, A., Liberto, E., Reichenbach, S. E., Allegrucci, E., Gobino, G., Bicchi, C., & Cordero, C. (2017). Comprehensive Chemical Fingerprinting of High-Quality Cocoa at Early Stages of Processing: Effectiveness of Combined Untargeted and Targeted Approaches for

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Classification and Discrimination. *Journal of Agricultural and Food Chemistry*, *65*(30), 6329–6341. https://doi.org/10.1021/acs.jafc.7b02167

Mahajan, S., Singh, D., Sharma, R., Singh, G., & Bedi, N. (2021). PH-Independent Dissolution and Enhanced Oral Bioavailability of Aripiprazole-Loaded Solid Self-microemulsifying Drug Delivery System. *AAPS PharmSciTech*, *22*(1), 24. https://doi.org/10.1208/s12249-020-01882-y

Mahindrakar, K. V., & Rathod, V. K. (2020). Ultrasonic assisted aqueous extraction of catechin and gallic acid from Syzygium cumini seed kernel and evaluation of total phenolic, flavonoid contents and antioxidant activity. *Chemical Engineering and Processing - Process Intensification*, *149*, 107841. https://doi.org/10.1016/j.cep.2020.107841

Martínez-Ramos, T., Benedito-Fort, J., Watson, N. J., Ruiz-López, I. I., Che-Galicia, G., & Corona-Jiménez, E. (2020). Effect of solvent composition and its interaction with ultrasonic energy on the ultrasound-assisted extraction of phenolic compounds from Mango peels (Mangifera indica L.). *Food and Bioproducts Processing*, *122*, 41–54. https://doi.org/10.1016/j.fbp.2020.03.011

Massounga Bora, A. F., Ma, S., Li, X., & Liu, L. (2018). Application of microencapsulation for the safe delivery of green tea polyphenols in food systems: Review and recent advances. *Food Research International*, *105*, 241–249. https://doi.org/10.1016/j.foodres.2017.11.047

Masters, K. (1985). Spray drying handbook. *Spray Drying Handbook*. https://www.cabdirect.org/cabdirect/abstract/19880428422

McGuire, R. G. (1992). Reporting of Objective Color Measurements. *HortScience*, *27*(12), 1254–1255. https://doi.org/10.21273/HORTSCI.27.12.1254

Medina-Torres, N., Ayora-Talavera, T., Espinosa-Andrews, H., Sánchez-Contreras, A., & Pacheco, N. (2017). Ultrasound Assisted Extraction for the Recovery of Phenolic Compounds from Vegetable Sources. *Agronomy*, *7*(3), Article 3. https://doi.org/10.3390/agronomy7030047

Mehta, C., & Patel, N. (1996). *SPSS exact tests*.

Meier, B. P., Noll, S. W., & Molokwu, O. J. (2017). The sweet life: The effect of mindful chocolate consumption on mood. *Appetite*, *108*, 21–27. https://doi.org/10.1016/j.appet.2016.09.018

Meng, C. C., Jalil, A., & Ismail, A. (2009). Phenolic and Theobromine Contents of Commercial Dark, Milk and White Chocolates on the Malaysian Market. *Molecules*, *14*(1), 200–209. https://doi.org/10.3390/molecules14010200

Mishra, P., Mishra, S., & Mahanta, C. L. (2014). Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (Emblica officinalis) juice powder. *Food and Bioproducts Processing*, *92*(3), 252–258. https://doi.org/10.1016/j.fbp.2013.08.003

Mongia, G., & Ziegler, G. R. (2000). The role of particle size distribution of suspended solids in defining the flow properties of milk chocolate. *International Journal of Food Properties*, *3*(1), 137–147. https://doi.org/10.1080/10942910009524621

Muhammad, D. R. A., Saputro, A. D., Rottiers, H., Van de Walle, D., & Dewettinck, K. (2018). Physicochemical properties and antioxidant activities of chocolates enriched with engineered cinnamon nanoparticles.

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

European Food Research and Technology, *244*(7), 1185–1202. https://doi.org/10.1007/s00217-018-3035-2

Muhammad, D. R. A., Tuenter, E., Patria, G. D., Foubert, K., Pieters, L., & Dewettinck, K. (2021). Phytochemical composition and antioxidant activity of Cinnamomum burmannii Blume extracts and their potential application in white chocolate. *Food Chemistry*, *340*, 127983. https://doi.org/10.1016/j.foodchem.2020.127983

Munsel, A. H. (2009). X-Rite.

Nambiar, R. B., Sellamuthu, P. S., & Perumal, A. B. (2017). Microencapsulation of Tender Coconut Water by Spray Drying: Effect of Moringa oleifera Gum, Maltodextrin Concentrations, and Inlet Temperature on Powder Qualities. *Food and Bioprocess Technology*, *10*(9), 1668–1684. https://doi.org/10.1007/s11947-017-1934-z

Nidhin, M., Indumathy, R., Sreeram, K. J., & Nair, B. U. (2008). Synthesis of iron oxide nanoparticles of narrow size distribution on polysaccharide templates | SpringerLink. *Bulletin of Materials Science*, 93–96.

Ningsih, N., Yasni, S., Departemen Ilmu dan Teknologi Pangan, Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor, Indonesia, Yuliani, S., & Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian, Bogor, Indonesia. (2017). SINTESIS NANOPARTIKEL EKSTRAK KULIT MANGGIS MERAH DAN KAJIAN SIFAT FUNGSIONAL PRODUK ENKAPSULASINYA. *Jurnal Teknologi dan Industri Pangan*, *28*(1), 27–35. https://doi.org/10.6066/jtip.2017.28.1.27

Oroian, M., Ursachi, F., & Dranca, F. (2020). Influence of ultrasonic amplitude, temperature, time and solvent concentration on bioactive compounds extraction from propolis. *Ultrasonics Sonochemistry*, *64*, 105021. https://doi.org/10.1016/j.ultsonch.2020.105021

Parisi, O. I., Puoci, F., Restuccia, D., Farina, G., Iemma, F., & Picci, N. (2014). Chapter 4 - Polyphenols and Their Formulations: Different Strategies to Overcome the Drawbacks Associated with Their Poor Stability and Bioavailability. Dalam R. R. Watson, V. R. Preedy, & S. Zibadi (Ed.), *Polyphenols in Human Health and Disease* (hlm. 29–45). Academic Press. https://doi.org/10.1016/B978-0-12-398456-2.00004-9

Pascua, Y., Koç, H., & Foegeding, E. A. (2013). Food structure: Roles of mechanical properties and oral processing in determining sensory texture of soft materials. *Current Opinion in Colloid & Interface Science*, *18*(4), 324–333. https://doi.org/10.1016/j.cocis.2013.03.009

Patel, K., Panchal, N., & Ingle, D. P. (2019). Review of Extraction Techniques. *International Journal of Advanced Research in Chemical Science*, *6*(3), 6–21.

Patel, M. B., & Mishra, S. (2011). Hypoglycemic activity of alkaloidal fraction of Tinospora cordifolia. *Phytomedicine*, *18*(12), 1045–1052. https://doi.org/10.1016/j.phymed.2011.05.006

Pathare, P. B., Opara, U. L., & Al-Said, F. A.-J. (2013). Colour Measurement and Analysis in Fresh and Processed Foods: A Review. *Food and Bioprocess Technology*, *6*(1), 36–60. https://doi.org/10.1007/s11947-012-0867-9

Peters, R. J. B., Bouwmeester, H., Gottardo, S., Amenta, V., Arena, M., Brandhoff, P., Marvin, H. J. P., Mech, A., Moniz, F. B., Pesudo, L. Q., Rauscher, H.,

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Schoonjans, R., Undas, A. K., Vettori, M. V., Weigel, S., & Aschberger, K. (2016). Nanomaterials for products and application in agriculture, feed and food. *Trends in Food Science & Technology*, *54*, 155–164. https://doi.org/10.1016/j.tifs.2016.06.008

Phienwej, H., Swasdichira, I. si, Amnuoypol, S., Pavasant, P., & Sumrejkanchanakij, P. (2015). Tinospora crispa extract inhibits MMP-13 and migration of head and neck squamous cell carcinoma cell lines. *Asian Pacific Journal of Tropical Biomedicine*, *5*(9), 738–743. https://doi.org/10.1016/j.apjtb.2015.07.001

Popov-Raljić, J. V., & Laličić-Petronijević, J. G. (2009). Sensory Properties and Color Measurements of Dietary Chocolates with Different Compositions During Storage for Up to 360 Days. *Sensors*, *9*(3), Article 3. https://doi.org/10.3390/s90301996

Praman, S., Mulvany, M. J., Williams, D. E., Andersen, R. J., & Jansakul, C. (2013). Crude extract and purified components isolated from the stems of Tinospora crispa exhibit positive inotropic effects on the isolated left atrium of rats. *Journal of Ethnopharmacology*, *149*(1), 123–132. https://doi.org/10.1016/j.jep.2013.06.010

Priandana, K., S, A. Z., & Sukarman, S. (2016). Mobile Munsell Soil Color Chart Berbasis Android Menggunakan Histogram Ruang Citra HVC dengan Klasifikasi KNN. *Jurnal Ilmu Komputer dan Agri-Informatika*, *3*(2), 93. https://doi.org/10.29244/jika.3.2.93-101

Purnomo, W., Khasanah, L. U., & Anandito, B. K. (2016). Pengaruh Ratio Kombinasi Maltodekstrin, Karagenan dan Whey Terhadap Karakteristik Mikroenkapsulan Pewarna Alami Daun Jati (Tectona Grandis L. F.). *Jurnal Aplikasi Teknologi Pangan*, *3*(3), Article 3. https://jatp.ift.or.id/index.php/jatp/article/view/113

Qian, J., Li, Y., Gao, J., He, Z., & Yi, S. (2020). The effect of ultrasonic intensity on physicochemical properties of Chinese fir. *Ultrasonics Sonochemistry*, *64*, 104985. https://doi.org/10.1016/j.ultsonch.2020.104985

Quintanilla-Carvajal, M. X., Camacho-Díaz, B. H., Meraz-Torres, L. S., Chanona-Pérez, J. J., Alamilla-Beltrán, L., Jimenéz-Aparicio, A., & Gutiérrez-López, G. F. (2010). Nanoencapsulation: A new trend in food engineering processing. *Food Engineering Reviews*, *2*(1), 39–50. https://doi.org/10.1007/s12393-009-9012-6

Rafsanjani, M. K., & Putri, W. D. R. (2015). Karakterisasi ekstrak kulit jeruk bali menggunakan metode ultrasonic bath (kajian perbedaan pelarut dan lama ekstraksi). *Jurnal Pangan dan Agroindustri*, *3*(4), 1473–1480.

Raj, R., Rahal, A., & Bharadwaj, M. (2020). Effect of feeding Tinospora cordifolia and Mentha arvensis on growth and nutrient utilization in crossbred calves. *JOURNAL OF ENTOMOLOGY AND ZOOLOGY STUDIES*, *9*, 1682–1686.

Ramakrishnan, Y., Adzahan, N. M., Yusof, Y. A., & Muhammad, K. (2018). Effect of wall materials on the spray drying efficiency, powder properties and stability of bioactive compounds in tamarillo juice microencapsulation. *Powder Technology*, *328*, 406–414. https://doi.org/10.1016/j.powtec.2017.12.018

Renate, D., Pratama, F., Yuliati, K., & Priyanto, G. (2014). Model Kinetika Degradasi Capsaicin Cabai Merah Giling pada Berbagai Kondisi Suhu

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Penyimpanan. *AgriTECH*, *34*(3), Article 3. https://doi.org/10.22146/agritech.9462

Ribeiro, M. L. F. F., Roos, Y. H., Ribeiro, A. P. B., & Nicoletti, V. R. (2020). Effects of maltodextrin content in double-layer emulsion for production and storage of spray-dried carotenoid-rich microcapsules. *Food and Bioproducts Processing*, *124*, 208–221. https://doi.org/10.1016/j.fbp.2020.09.004

Rosidah, I., Bahua, H., Mufidah, R., & Pongtuluran, O. B. (2015). Pengaruh Kondisi Proses Ekstraksi Batang Brotowali (Tinospora crispa (L) Hook.f & Thomson) Terhadap Aktivitas Hambatan Enzim Alfa Glukosidase. *Media Penelitian dan Pengembangan Kesehatan*, *25*(4), 203–210. https://doi.org/10.22435/mpk.v25i4.4586.203-210

Saloko, S., Purnama, D., Setiaji, B., & Pranoto, Y. (2012). STRUCTURAL ANALYSIS OF SPRAY-DRIED COCONUT SHELL LIQUID SMOKE POWDER [Analisis Struktural Bubuk Asap Cair Batok Kelapa Hasil Pengeringan Semprot]. *Jurnal Teknologi dan Industri Pangan*, *23*, 173–179. https://doi.org/10.6066/jtip.2012.23.2.173

Saloko, S., Purnama, D., Setiaji, B., Pranoto, Y., & Anal, A. (2013). Encapsulation of coconut shell liquid smoke in chitosan-maltodextrin based nanoparticles. *International Food Research Journal*, *20*, 1269–1276.

Saputro, A. D. (2017). *Structure-function relations of palm sap sigar in dark chocolate*. Ghent University.

Saputro, A. D., Van de Walle, D., Kadivar, S., Bin Sintang, M. D., Van der Meeren, P., & Dewettinck, K. (2017). Investigating the rheological, microstructural and textural properties of chocolates sweetened with palm sap-based sugar by partial replacement. *European Food Research and Technology*, *243*(10), 1729–1738. https://doi.org/10.1007/s00217-017-2877-3

Saputro, A. D., Walle, D., Aidoo, R., Amoafo Mensah, M., Delbaere, C., De Clercq, N., Durme, J., & Dewettinck, K. (2017). Quality attributes of dark chocolates formulated with palm sap-based sugar as nutritious and natural alternative sweetener. *European Food Research and Technology*, *243*. https://doi.org/10.1007/s00217-016-2734-9

Setyadi, P., Yoga, N. G., & Riyanta, T. A. (2020). ANALISA PENGUJIAN TERHADAP PROSES PEMBUATAN BUBUK DENGAN METODE SPRAY DRYER DENGAN CAMPURAN MALTODEXTRIN. *Prosiding Seminar Nasional NCIET*, *1*(1), Article 1. https://doi.org/10.32497/nciet.v1i1.45

Shahidi, F., & Ambigaipalan, P. (2015). Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects – A review. *Journal of Functional Foods*, *18*, 820–897. https://doi.org/10.1016/j.jff.2015.06.018

Sharma, H., Rao, P. S., & Singh, A. K. (2021). Fifty years of research on Tinospora cordifolia: From botanical plant to functional ingredient in foods. *Trends in Food Science & Technology*, *118*, 189–206. https://doi.org/10.1016/j.tifs.2021.10.003

Sharma, H., Singh, A. K., Borad, S., & Deshwal, G. K. (2021). Processing stability and debittering of Tinospora cordifolia (giloy) juice using ultrasonication

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

for potential application in foods. *LWT*, *139*, 110584. https://doi.org/10.1016/j.lwt.2020.110584

Sharma, P., Dwivedee, B. P., Bisht, D., Dash, A. K., & Kumar, D. (2019). The chemical constituents and diverse pharmacological importance of Tinospora cordifolia. *Heliyon*, *5*(9), e02437. https://doi.org/10.1016/j.heliyon.2019.e02437

Silva-Weiss, A., Bifani, V., Ihl, M., Sobral, P. J. A., & Gómez-Guillén, M. C. (2013). Structural properties of films and rheology of film-forming solutions based on chitosan and chitosan-starch blend enriched with murta leaf extract. *Food Hydrocolloids*, *31*(2), 458–466. https://doi.org/10.1016/j.foodhyd.2012.11.028

Sim, S. Y. J., Ng, J. W., Ng, W. K., Forde, C. G., & Henry, C. J. (2016). Plant polyphenols to enhance the nutritional and sensory properties of chocolates. *Food Chemistry*, *200*, 46–54. https://doi.org/10.1016/j.foodchem.2015.12.092

Sim, Y. Y., Jess Ong, W. T., & Nyam, K. L. (2019). Effect of various solvents on the pulsed ultrasonic assisted extraction of phenolic compounds from Hibiscus cannabinus L. leaves. *Industrial Crops and Products*, *140*, 111708. https://doi.org/10.1016/j.indcrop.2019.111708

Siró, I., Kápolna, E., Kápolna, B., & Lugasi, A. (2008). Functional food. Product development, marketing and consumer acceptance—A review. *Appetite*, *51*(3), 456–467. https://doi.org/10.1016/j.appet.2008.05.060

Sokmen, A., & Gunes, G. (2006). Influence of some bulk sweeteners on rheological properties of chocolate. *LWT - Food Science and Technology*, *39*(10), 1053–1058. https://doi.org/10.1016/j.lwt.2006.03.002

Soria, A. C., & Villamiel, M. (2010). Effect of ultrasound on the technological properties and bioactivity of food: A review. *Trends in Food Science & Technology*, *21*(7), 323–331. https://doi.org/10.1016/j.tifs.2010.04.003

Srihari, E., FSri Lingganingrum, F., Hervita, & Wijaya S., H. (2010). *PENGARUH PENAMBAHAN MALTODEKSTRIN PADA PEMBUATAN SANTAN KELAPA BUBUK*. 1–7. http://eprints.undip.ac.id/22039/

Stortz, T. A., & Marangoni, A. G. (2011). Heat resistant chocolate. *Trends in Food Science & Technology*, *22*(5), 201–214. https://doi.org/10.1016/j.tifs.2011.02.001

Suhaimi, S. H., Hasham, R., Hafiz Idris, M. K., Ismail, H. F., Mohd Ariffin, N. H., & Abdul Majid, F. A. (2019). Optimization of Ultrasound-Assisted Extraction Conditions Followed by Solid Phase Extraction Fractionation from Orthosiphon stamineus Benth (Lamiace) Leaves for Antiproliferative Effect on Prostate Cancer Cells. *Molecules*, *24*(22), 4183. https://doi.org/10.3390/molecules24224183

Talbot, G. (2008). Vegetable Fats. Dalam *Industrial Chocolate Manufacture and Use* (hlm. 415–433). John Wiley & Sons, Ltd. https://doi.org/10.1002/9781444301588.ch19

Terry, P., Lagergren, J., Hansen, H., Wolk, A., & Nyrén, O. (2001). Fruit and vegetable consumption in the prevention of oesophageal and cardia cancers. *European Journal of Cancer Prevention: The Official Journal of the European Cancer Prevention Organisation (ECP)*, *10*(4), 365–369. https://doi.org/10.1097/00008469-200108000-00010

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Tiwari, B. K. (2015). Ultrasound: A clean, green extraction technology. *TrAC Trends in Analytical Chemistry*, *71*, 100–109. https://doi.org/10.1016/j.trac.2015.04.013

Toker, O. S., Konar, N., Palabiyik, I., Rasouli Pirouzian, H., Oba, S., Polat, D. G., Poyrazoglu, E. S., & Sagdic, O. (2018). Formulation of dark chocolate as a carrier to deliver eicosapentaenoic and docosahexaenoic acids: Effects on product quality. *Food Chemistry*, *254*, 224–231. https://doi.org/10.1016/j.foodchem.2018.02.019

Toker, O. S., Konar, N., Pirouzian, H. R., Oba, S., Polat, D. G., Palabiyik, İ., Poyrazoglu, E. S., & Sagdic, O. (2018). Developing functional white chocolate by incorporating different forms of EPA and DHA - Effects on product quality. *LWT*, *87*, 177–185. https://doi.org/10.1016/j.lwt.2017.08.087

Tolstoguzov, V. (2003). Some thermodynamic considerations in food formulation. *Food Hydrocolloids*, *17*(1), 1–23. https://doi.org/10.1016/S0268-005X(01)00111-4

Tontul, I., & Topuz, A. (2017). Spray-drying of fruit and vegetable juices: Effect of drying conditions on the product yield and physical properties. *Trends in Food Science & Technology*, *63*, 91–102. https://doi.org/10.1016/j.tifs.2017.03.009

Torun, M., Dincer, C., Topuz, A., Sahin–Nadeem, H., & Ozdemir, F. (2015). Aqueous extraction kinetics of soluble solids, phenolics and flavonoids from sage (Salvia fruticosa Miller) leaves. *Journal of Food Science and Technology*, *52*(5), 2797–2805. https://doi.org/10.1007/s13197-014-1308-8

Ulfa, A. N. (2018). *PENGARUH KADAR PVP K30 TERHADAP MUTU FISIK TABLET EKSTRAK BATANG BROTOWALI (Tinospora crispa L.)* [Undergraduate, University of Muhammadiyah Malang]. https://eprints.umm.ac.id/39968/

Upreti, P., & Chauhan, R. S. (2018). Effect of leaf powder of giloy (Tinospora cordifolia) in fish feed on survival and growth of post larvae of Catla catla. *Journal of Applied and Natural Science*, *10*(1), Article 1. https://doi.org/10.31018/jans.v10i1.1594

Valenzuela, C., & Aguilera, J. M. (2015). Effects of maltodextrin on hygroscopicity and crispness of apple leathers. *Journal of Food Engineering*, *144*, 1–9. https://doi.org/10.1016/j.jfoodeng.2014.07.010

Vieira, G. S., Cavalcanti, R. N., Meireles, M. A. A., & Hubinger, M. D. (2013). Chemical and economic evaluation of natural antioxidant extracts obtained by ultrasound-assisted and agitated bed extraction from jussara pulp (Euterpe edulis). *Journal of Food Engineering*, *119*(2), 196–204. https://doi.org/10.1016/j.jfoodeng.2013.05.030

Viuda-Martos, M., Ruiz-Navajas, Y., Fernández-López, J., & Pérez-Álvarez, J. A. (2010). Spices as Functional Foods. *Critical Reviews in Food Science and Nutrition*, *51*(1), 13–28. https://doi.org/10.1080/10408390903044271

Wahyudi, T., Panggabean, T. R., & Pujiyanto. (2008). *Panduan Lengkap Kakao Manajemen Agribisnis dari Hulu hingga Hilir*. Penebar Swadaya.

Watson, M. A., Lea, J. M., & Bett-Garber, K. L. (2017). Spray drying of pomegranate juice using maltodextrin/cyclodextrin blends as the wall

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

material. *Food Science & Nutrition*, *5*(3), 820–826. https://doi.org/10.1002/fsn3.467

Widyasanti, A., Halimah, T., & Rohdiana, D. (2018). Ekstraksi Teh Putih Berbantu Ultrasonik pada Berbagai Amplitudo. *Jurnal Aplikasi Teknologi Pangan*, *7*(3). https://ejournal2.undip.ac.id/index.php/jatp/article/view/2295

Yanus, R. L., Sela, H., Borojovich, E. J. C., Zakon, Y., Saphier, M., Nikolski, A., Gutflais, E., Lorber, A., & Karpas, Z. (2014). Trace elements in cocoa solids and chocolate: An ICPMS study. *Talanta*, *119*, 1–4. https://doi.org/10.1016/j.talanta.2013.10.048

Yates, P. (2009). 3—Formulation of chocolate for industrial applications. Dalam G. Talbot (Ed.), *Science and Technology of Enrobed and Filled Chocolate, Confectionery and Bakery Products* (hlm. 29–52). Woodhead Publishing. https://doi.org/10.1533/9781845696436.1.29

Yinbin, L., Wu, L., Weng, M., Tang, B., Lai, P., & Chen, J. (2018). Effect of different encapsulating agent combinations on physicochemical properties and stability of microcapsules loaded with phenolics of plum (Prunus salicina lindl.). *Powder Technology*, *340*, 459–464. https://doi.org/10.1016/j.powtec.2018.09.049

Yogaswara, I. B., Wartini, N. M., & Wrasiati, L. P. (2017). KARAKTERISTIK ENKAPSULAT EKSTRAK PEWARNA BUAH PANDAN (Pandanus tectorius) PADA PERLAKUAN ENKAPSULAN GELATIN DAN MALTODEKSTRIN. *JURNAL REKAYASA DAN MANAJEMEN AGROINDUSTRI*, *5*(4), Article 4.

Yuan, Y., Gao, Y., Zhao, J., & Mao, L. (2008). Characterization and stability evaluation of β-carotene nanoemulsions prepared by high pressure homogenization under various emulsifying conditions. *Food Research International*, *41*(1), 61–68. https://doi.org/10.1016/j.foodres.2007.09.006

Yusoff, I. M., Mat Taher, Z., Rahmat, Z., & Chua, L. S. (2022). A review of ultrasound-assisted extraction for plant bioactive compounds: Phenolics, flavonoids, thymols, saponins and proteins. *Food Research International*, *157*, 111268. https://doi.org/10.1016/j.foodres.2022.111268

Zhang, C., Ada Khoo, S. L., Chen, X. D., & Quek, S. Y. (2020). Microencapsulation of fermented noni juice via micro-fluidic-jet spray drying: Evaluation of powder properties and functionalities. *Powder Technology*, *361*, 995–1005. https://doi.org/10.1016/j.powtec.2019.10.098

Zheng, M., Jin, Z., & Zhang, Y. (2007). Effect of cross-linking and esterification on hygroscopicity and surface activity of cassava maltodextrins. *Food Chemistry*, *103*(4), 1375–1379. https://doi.org/10.1016/j.foodchem.2006.10.053

Ziegler, G. R., Mongia, G., & Hollender, R. (2001). The Role of Particle Size Distribution of Suspended Solids in Defining the Sensory Properties of Milk Chocolate. *International Journal of Food Properties*, *4*(2), 353–370. https://doi.org/10.1081/JFP-100105199

Zorzenon, M. R. T., Formigoni, M., da Silva, S. B., Hodas, F., Piovan, S., Ciotta, S. R., Jansen, C. A., Dacome, A. S., Pilau, E. J., Mareze-Costa, C. E., Milani, P. G., & Costa, S. C. (2020). Spray drying encapsulation of stevia extract with maltodextrin and evaluation of the physicochemical and

UNIVERSITAS
GADJAH MADA
Kinetika Perubahan Sifat Fisik White Chocolate dengan Ekstrak Brotowali (Tinospora crispa L. Miers) yang Dienkapsulasi
GILANG ARYA NUGRAHA, Dr. Devi Yuni Susanti, S.TP., M.Sc.; Arifin Dwi Saputro, S.TP., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

functional properties of produced powders. *Journal of Food Science*, *85*(10), 3590–3600. https://doi.org/10.1111/1750-3841.15437

Zuidam, N. J., & Shimoni, E. (2010). Overview of Microencapsulates for Use in Food Products or Processes and Methods to Make Them. Dalam N. J. Zuidam & V. Nedovic (Ed.), *Encapsulation Technologies for Active Food Ingredients and Food Processing* (hlm. 3–29). Springer. https://doi.org/10.1007/978-1-4419-1008-0_2

Żyżelewicz, D., Budryn, G., Oracz, J., Antolak, H., Kręgiel, D., & Kaczmarska, M. (2018). The effect on bioactive components and characteristics of chocolate by functionalization with raw cocoa beans. *Food Research International*, *113*, 234–244. https://doi.org/10.1016/j.foodres.2018.07.017

Żyżelewicz, D., Krysiak, W., Nebesny, E., & Budryn, G. (2014). Application of various methods for determination of the color of cocoa beans roasted under variable process parameters. *European Food Research and Technology*, *238*(4), 549–563. https://doi.org/10.1007/s00217-013-2123-6

Żyżelewicz, D., Krysiak, W., Oracz, J., Sosnowska, D., Budryn, G., & Nebesny, E. (2016). The influence of the roasting process conditions on the polyphenol content in cocoa beans, nibs and chocolates. *Food Research International*, *89*, 918–929. https://doi.org/10.1016/j.foodres.2016.03.026