

DAFTAR PUSTAKA

- Abdul-Rahman, S. M., & Abass, A. F. (2021). Preparation of Edible *Biofilms* Made from Chitosan with Pomegranate Peel Extract and Study Its Barrier, Mechanical and Antioxidant Properties. *IOP Conf. Series: Earth and Environmental Science*, 761, 1–9.
- Afifah, N., Sholichah, E., Indrianti, N., & Darmajana, D. A. (2018). Pengaruh Kombinasi Plasticizer Terhadap Karakteristik Edible *Biofilm* dari Karagenan dan Lilin Lebah. *Jurnal Biopropal Industri*, 9(1), 49–60.
- Alyanak, D. (2004). Water Vapour Permeable Edible Membranes. Izmir Institute of Technology.
- Anandito, R. B. K., Nurhartadi, E., & Bukhori, A. (2012). Pengaruh Gliserol Terhadap Karakteristik Edible *Biofilm* Berbahan Dasar Tepung Jali (*Coix lacryma-jobi L.*). *Jurnal Teknologi Hasil Pertanian*, 5(2), 17–23.
- Anggraeni, N. D. (2008). Analisa SEM (Scanning Electron Microscopy) dalam Pemantauan Proses Oksidasi Magnetite Menjadi Hematite. *Rekayasa Dan Aplikasi Teknik Mesin Di Industri*, 50–56.
- Appendini, P., & Hotchkiss, J. H. (2002). Review of antimicrobial food packaging. *Innovative Food Science & Emerging Technologies*, 3(2), 113–126.
- Aprianda, R., Fachraniah, & Rihayat, T. (2018). *Pemanfaatan Kitosan sebagai Biofilm dengan Penambahan Turmeric Essential Oil untuk Meningkatkan Aktivitas Antibakteri*. 2598–3954.
- Apriyanti, A. F., Mahatmanti, F. W., & Sugiyo, W. (2013). Kajian Sifat Fisik-Mekanik Dan Antibakteri Plastik Kitosan Termodifikasi Gliserol. *Indonesian Journal of Chemical Science*, 2(2), 148–153.
- Arham, R., Mulyati, M. T., Metusalach, M., & Salengke, S. (2016). Physical and mechanical properties of agar based edible *biofilm* with glycerol plasticizer. *International Food Research Journal*, 23(4), 1669–1675.
- Arinana, A., Aldina, R., Nandika, D., Rauf, A., Harahap, I. S., Sumertajaya, M., & Bahtiar, E. T. (2016). Termite diversity in urban landscape, South Jakarta, Indonesia. *Insects*, 7(2), 2227–2233.
- Arshad, M. A., & Schnitzer, M. (1987). The chemistry of a termite fungus comb. *Plant Soil*, 98(2), 247–256.
- Artharn, A., Prodpran, T., & Benjakul, S. (2009). Round scad protein-based *biofilm*: Storage stability and its effectiveness for shelf-life extension of dried fish powder. *LWT - Food Science and Technology*, 42(7), 1238–1244.
- Astina, D., Nugroho, T. T., & Linggawati, A. (2017). Penentuan Aktivitas Enzim Laccase *Rhus Vernicifera* Menggunakan Guaiacol Sebagai Substrat. *Jurnal Penelitian Farmasi Indonesia*, 5(2), 75–79.
- ASTM. (2010). *ASTM E8/E8M-09: Standart Test Methods for Tension Testing of Metallic Material*. ASTM International: West Conshohocken.
- Batra, L. R., & Batra, S. W. T. (1966). Fungus-Growing Termites of Tropical India and Associated Fungi. *Journal of the Kansas Entomological Society*, 39(4), 725–738.
- Bhuvaneshwari. Sangem., Sruthi, D., Sivasubramanian, Velmurugan., Kalyani, N., & Sugunabai, J. (2011). Development and characterization of chitosan

- biofilm*. *International Journal of Engineering Research and Applications (IJERA)*, 1(2), 292–299.
- Biduski, B., Silva, F. T. da, Silva, W. M. da, Halal, S. L. de M. el, Pinto, V. Z., Dias, A. R. G., & Zavareze, E. da R. (2017). Impact of acid and oxidative modifications, single or dual, of sorghum starch on biodegradable *biofilms*. *Food Chemistry*, 214, 53–60. <https://doi.org/10.1016/j.foodchem.2016.07.039>
- Bigi, F., Hossein Haghighi, Siesler, H. W., Licciardello, F., & Pulvirenti, A. (2021). Characterization of chitosan-hydroxypropyl methylcellulose blend *biofilms* enriched with nettle or sage leaf extract for active food packaging applications. *Food Hydrocolloids*, 120, 1–11.
- Bitencourt, C. M., Fávoro-Trindade, C. S., Sobral, P. J. A., & Carvalho, R. A. (2014). Gelatin-based *biofilms* additivated with curcuma ethanol extract: Antioxidant activity and physical properties of *biofilms*. *Food Hydrocolloids*, 40, 145–152. <https://doi.org/10.1016/j.foodhyd.2014.02.014>
- Bonilla, J., & Sobral, P. J. A. (2018). Gelatinchitosan edible *biofilm* activated with Boldo extract for improving microbiological and antioxidant stability of sliced Prato cheese. *International Journal of Food Science and Technology*, 54(5), 1617–1624.
- Bourbon, A. I., Pinheiro, A. C., Cerqueira, M. A., Rocha, C. M. R., Avides, M. C., Quintas, M. A. C., & Vicente, A. A. (2011). Physico-chemical characterization of chitosan-based edible *biofilms* incorporating bioactive compounds of different molecular weight. *Journal of Food Engineering*, 106(2), 111–118.
- Bourtoom, T., & Chinnan, M. S. (2008). Preparation and properties of rice starch–chitosan blend biodegradable *biofilm*. *LWT - Food Science and Technology*, 41(9), 1633–1641. <https://doi.org/10.1016/j.lwt.2007.10.014>
- Brás, T., Rosa, D., Gonçalves, A. C., Gomes, A. C., Alves, V. D., Crespo, J. G., Duarte, M. F., & Neves, L. A. (2020). Development of bioactive *biofilms* based on chitosan and *Cynara cardunculus* leaves extract for wound dressings. *International Journal of Biological Macromolecules*, 163, 1707–1718.
- Bremer, R., Polnaya, F. J., & Pattipeilohy, J. (2012). Sifat Mekanik dan Laju Transmisi Uap Air Edible *Biofilm* Pati Ubi Jalar. *Seminar Nasional Pangan*.
- Buckle, K. A. (2007). *Ilmu Pangan* (H. Purnomo & Adionio, Eds.). UI Press.
- Butler, B. L., Vergano, P. J., Testin, R. F., Bunn, J. M., & Wiles, J. L. (1996). Mechanical and Barrier Properties of Edible Chitosan *Biofilms* as affected by Composition and Storage. *Journal of Food Science*, 61(5), 953–956.
- Cahyani, V. R. (2014). *Petunjuk Praktikum Mikrobiologi Pangan*. Universitas Sebelas Maret.
- Cahyono, B. (2005). *Teknik Budidaya dan Analisis Usaha Tani Bawang Daun*. Kanisius.
- Caner, C., Vergano, P. J., & Wiles, J. L. (1998). Chitosan *Biofilm* Mechanical and Permeation Properties as Affected by Acid, Plasticizer, and Storage. *Journal of Food Science*, 63(6), 1049–1053.

- Chamanara, V., Shabanpour, B., Gorgin, S., & Khomeiri, M. (2012). An investigation on characteristics of rainbow trout coated using chitosan assisted with thyme essential oil. *International Journal of Biological Macromolecules*, 50(3), 540–544.
- Choe, E., & Min, D. B. (2006). Mechanism and Factors For Edible Oil Oxidation: Comprehensive Reviews. *Food Science and Food Safety*, 5(4), 169–186.
- Coniwanti, P., Laila, L., & Alfira, M. R. (2014). Pembuatan *biofilm* plastik biodegradabel dari pati jagung dengan penambahan kitosan dan pemlastis gliserol. *Jurnal Teknik Kimia*, 20(4), 22–30.
- Contessa, C. R., da Rosa, G. S., & Moraes, C. C. (2021). New Active Packaging Based on Biopolymeric Mixture Added with Bacteriocin as Active Compound. *International Journal of Molecular Sciences*, 22(10628), 1–20.
- Cordeiro, N., Gouveia, C., Moraes, A. G. O., & Amico, S. C. (2011). Natural fibers characterization by inverse gas chromatography. *Carbohydrate Polymers*, 84(1), 110–117. <https://doi.org/10.1016/j.carbpol.2010.11.008>
- Costa-Júnior, E. S., Barbosa-Stancioli, E. F., Mansur, A. A. P., Vasconcelos, W. L., & Mansur, H. S. (2009). Preparation and characterization of chitosan/poly(vinyl alcohol) chemically crosslinked blends for biomedical applications. *Carbohydrate Polymers*, 76, 472–481.
- Darni, Y., Lismeri, L., Hanif, M., Sarkowi, S., & Evaniya, D. S. (2020). Peningkatan Kuat Tarik Bioplastik dengan Filler Microfibrillated Cellulose dari Batang Sorgum. *Jurnal Teknik Kimia Indonesia*, 18(2), 37. <https://doi.org/10.5614/jtki.2019.18.2.1>
- de Carli, C., Aylanc, V., Mouffok, K. M., Santamaria-Echart, A., Barreiro, F., Tom´as, A., Pereira, C., Rodrigues, P., Vilas-Boas, M., & Falc˜ao, S. I. (2022). Production of chitosan-based biodegradable active *biofilms* using bio-waste enriched with polyphenol propolis extract envisaging food packaging applications. *International Journal of Biological Macromolecules*, 213, 486–497.
- de FINE LICHT, H. H., BOOMSMA, J. J., & AANEN, D. K. (2006). Presumptive horizontal symbiont transmission in the fungus-growing termite *Macrotermes natalensis*. *Molecular Ecology*, 15(11), 3131–3138. <https://doi.org/10.1111/j.1365-294X.2006.03008.x>
- Demarger-Andre, S., & Domard, A. (1994). Chitosan carboxylic acid salts in solution and in the solid state. *Carbohydrate Polymers*, 23(3), 211–219.
- Donhowe, G., & Fennema, O. (1993). Water Vapor and Oxygen Permeability of Wax *Biofilms*. *Journal of the American Oil Chemists' Society*, 70, 867–873.
- Ebadi, Z., Ghaisari, H., Tajeddin, B., & Shekarforoush, S. S. (2020). Production and evaluation of the chemical and mechanical properties of nanocellulose and nanowood starch-based biodegradable *biofilms* potential candidates for moisture absorbers for food packaging. *Food Science and Nutrition*, 9, 2227–2233.
- El-Hefian, E. A., Nasef, M. M., & Yahaya, A. H. (2010). The Preparation and Characterization of Chitosan / Poly (Vinyl Alcohol) Blended *Biofilms*. *E-Journal of Chemistry*, 7(4), 1212–1219.

- Erma, D., Supriyadi, S., & Santoso, U. (2022). Characterization of Chitosan-Based Active *Biofilm* with Addition of Young Coconut (*Cocos nucifera*) Leaf Extract. *AgriTECH*, 42(3), 283–294.
- Ester, A., & Mukarlina, R. (2017). Aktivitas Ekstrak Metanol Daun Sembung Rambat (*Mikania micrantha* Kunth) Terhadap Pertumbuhan *Phytophthora* sp. Im5 dari Batang Jeruk Siam (*Citrus nobilis* var. *microcarpa*). *Protobiont*, 6, 63–67.
- Estikomah, S. A. (2017). Uji Kadar Lemak Keju Cheddar Dengan Variasi Bahan Baku (Sapi, Kambing) Serta Variasi Jenis Starter (*Streptococcus lactis*, *Rhizopus oryzae*). *Phamasipha*, 1(1), 1–6.
- Fagundes, C., Palou, L., Monteiro, A. R., & Pérez-Gago, M. B. (2014). Effect of antifungal hydroxypropyl methylcellulose-beeswax edible coatings on gray mold development and quality attributes of cold-stored cherry tomato fruit. *Postharvest Biology and Technology*, 92, 1–8. <https://doi.org/10.1016/j.postharvbio.2014.01.006>
- Fatnasari, A., Nocianitri, K. A., & Suparhana, I. P. (2018). Pengaruh Konsentrasi Gliserol Terhadap Karakteristik Edible *Biofilm* Pati Ubi Jalar (*Ipomoea batatas* L.). *Scientific Journal of Food Technology*, 5(1), 27–35.
- Florencia, O. M. (2022). *Aktivitas Antimikroba Active Packaging Biofilm Berbasis Kitosan Dengan Penambahan Ekstrak Etil Asetat Fungus Comb Sarang Rayap Indo-Malayan (Macrotermes Gilvus H.)*. Universitas Gadjah Mada.
- Floris, B., Galloni, P., Conte, V., & Sabuzi, F. (2021). Tailored Functionalization of Natural Phenols to Improve Biological Activity. *Biomolecules*, 11(9), 1325. <https://doi.org/10.3390/biom11091325>
- Fung, F., Wang, H.-S., & Menon, S. (2018). Food safety in the 21st century. *Biomedical Journal*, 41(2), 88–95. <https://doi.org/10.1016/j.bj.2018.03.003>
- Gan, L., Jiang, G., Yang, Y., Zheng, B., Zhang, S., Li, X., Tian, Y., & Peng, B. (2022). Development and characterization of levan/pullulan/chitosan edible *biofilms* enriched with ϵ -polylysine for active food packaging. *Food*, 388, 1–10. <https://doi.org/https://doi.org/10.1016/j.foodchem.2022.132989>
- Guilbert, S., & Gontard, N. (2005). Agro-polymers for edible and biodegradable *biofilms*: Review of agricultural polymeric materials, physical and mechanical characteristics. In *Innovations in Food Packaging* (pp. 263–276). Elsevier. <https://doi.org/10.1016/B978-012311632-1/50048-6>
- Habib, M. R., & Karim, M. R. (2009). Antimicrobial and Cytotoxic Activity of Di-(2-ethylhexyl) Phthalate and Anhydrosophoradiol-3-acetate Isolated from *Calotropis gigantea* (Linn.) Flower. *Mycobiology*, 37(1), 31. <https://doi.org/10.4489/MYCO.2009.37.1.031>
- Hadi, Y., Massijaya, M., & Arinana, A. (2016). Subterranean Termite Resistance of Polystyrene-Treated Wood from Three Tropical Wood Species. *Insects*, 7(3), 37. <https://doi.org/10.3390/insects7030037>
- Haghighi, H., Licciardello, F., Fava, P., Siesler, H. W., & Pulvirenti, A. (2020). Recent advances on chitosan-based *biofilms* for sustainable food packaging applications. *Food Packaging and Shelf Life*, 26.
- Haile, D. M., de Smet, S., Claeys, E., & Vossen, E. (2013). Effect of light, packaging condition and dark storage durations on colour and lipid

- oxidative stability of cooked ham. *Journal of Food Science and Technology*, 50(2), 239–247. <https://doi.org/10.1007/s13197-011-0352-x>
- Handayani, A. (2021). Pengaruh Penambahan Sorbitol Dan Selulosa Eceng Gondok (*Eichornia crassipes*) Terhadap Karakteristik Plastik Biodegradabel Pati Tapioka. Universitas Gadjah Mada.
- Handayani, P. A., & Wijayanti, H. (2015). Pembuatan *Biofilm* Plastik Biodegradable Dari Limbah Biji Durian (*Durio Zibethinus Murr*). *Jurnal Bahan Alam Terbarukan*, 4(1), 21–26.
- Hartatik, Y. D., Nuriyah, L., & Iswarin. (2014). Pengaruh Komposisi Kitosan terhadap Sifat Mekanik dan Biodegradable Bioplastik. *Brawijaya Physics Student Journal*, 2(1).
- Hernández-Muñoz, P., Almenar, E., del Valle, V., Velez, D., & Gavara, R. (2008). Effect of chitosan coating combined with postharvest calcium treatment on strawberry (*Fragaria × ananassa*) quality during refrigerated storage. *Food Chemistry*, 110(2), 428–435.
- Hidayah, N., Hisan, A. K., Solikin, A., Irawati, & Mustikaningtyas, D. (2016). Uji Efektivitas Ekstrak Sargassum muticum Sebagai Alternatif Obat Bisul Akibat Aktivitas *Staphylococcus aureus*. *Journal of Creativity Students*, 1(1), 1–9.
- Higuera, L., López-Carballo, G., Hernández-Muñoz, P., Catalá, R., & Gavara, R. (2014). Antimicrobial packaging of chicken fillets based on the release of carvacrol from chitosan/cyclodextrin *biofilms*. *International Journal of Food Microbiology*, 188, 53–59.
- Houbraken, J. (2022). *Aspergillus flavus*. In *Encyclopedia of Dairy Sciences* (pp. 554–560). Elsevier. <https://doi.org/10.1016/B978-0-12-818766-1.00013-1>
- Husni, P., Junaedi, J., & Gozali, D. (2020). Potensi Kitosan Bersumber dari Limbah Cangkang Rajungan (*Portunus pelagicus*) dalam Bidang Farmasi. *Majalah Farmasetika*, 5(1). <https://doi.org/10.24198/mfarmasetika.v5i1.23804>
- Ikhsani, A. P., & Dewata, I. (2022). Optimization Of Additional Chitosan On Mechanical Properties Edible *Biofilm* From Avocado Seed Starter. *Jurnal Kependudukan Dan Pembangunan Lingkungan*, 3(1), 15–22.
- Ilah, F. N. (2015). Pengaruh penambahan ekstrak etanol daun salam (*Eugenia polyanthum*) dan daun beluntas (*Pluchea indicaless*) terhadap sifat fisik, aktivitas antibakteri dan aktivitas antioksidan pada jagung edible biofilm berbasis pati jagung.
- Imran, Y. L., Hutomo, G. S., & Rahim, A. (2014). Sintesis dan karakteriasi bioplastik berbasis pati sago (*Metroxylon sp*). *E-Journal Agrotekbis*, 2(1), 38–46.
- Jayawardana, B. C., Liyanage, R., Lalantha, N., Iddamalagoda, S., & Weththasinghe, P. (2015). Antioxidant and antimicrobial activity of drumstick (*Moringa oleifera*) leaves in herbal chicken sausages. *LWT - Food Science and Technology*, 64(2), 1204–1208. <https://doi.org/10.1016/j.lwt.2015.07.028>
- Kaya, M., Ravikumara, P., Ilkc, S., Mujtabaa, M., Akyuzd, L., Labidie, J., Salaberriae, A. M., Cakmaka, Y. S., & Erkulf, S. K. (2018). Production and characterization of chitosan based edible *biofilms* from *Berberis crataegina*'s fruit extract and seed oil. *Production and Characterization of*

Chitosan Based Edible Biofilms from Berberis Crataegina's Fruit Extract and Seed Oil, 45, 287–297.

- Kittur, F. S., Kumar, K. R., & Tharanathan, R. N. (1998). Functional packaging properties of chitosan *biofilms*. *Z Lebensm Unters Forsch A*, 44–47.
- Klossner, R. R., Queen, H. A., Coughlin, A. J., & Krause, W. E. (2008). Correlation of chitosan's rheological properties and its ability to electrospin. *Biomacromolecules*, 9(10), 2947–2953.
- Konaté, S., le Roux, X., Verdier, B., & Lepage, M. (2003). Effect of underground fungus-growing termites on carbon dioxide emission at the point and landscape scales in an African savanna. *Functional Ecology*, 17(3), 305–314.
- Krochta JM, & Mulder-Johnston D. (1997). Edible and biodegradable polymer *biofilms*: Challenges and opportunities. *Food Technology*, 51, 61–74.
- Kuete, V. (2013). Bioactivity of Plant Constituents against Vancomycin-Resistant Enterococci. In *Fighting Multidrug Resistance with Herbal Extracts, Essential Oils and Their Components* (pp. 23–30). Elsevier. <https://doi.org/10.1016/B978-0-12-398539-2.00003-3>
- Kumari, P., Barman, K., Patel, V. B., Siddiqui, M. W., & Kole, B. (2015). Reducing postharvest pericarp browning and preserving health promoting compounds of litchi fruit by combination treatment of salicylic acid and chitosan. *Scientia Horticulturae*, 197, 555–563.
- Kusumawardhani, D., Nandika, D., Karlinasari, L., ARINANA, A., & BATUBARA, I. (2021). Architectural and physical properties of fungus comb from subterranean termite *Macrotermes gilvus* (Isoptera: Termitidae) mound. *Biodiversitas Journal of Biological Diversity*, 22(4). <https://doi.org/10.13057/biodiv/d220406>
- Kusumawati, D. H., & Putri, W. D. R. (2013). Karakteristik Fisik dan kimia Edible *Biofilm* Pati Jagung yang Diinkorporasi dengan Perasan Temu Hitam. *Jurnal Pangan Dan Agroindustri*, 1(1), 90–100.
- Laohakunjit, N., & Noomhorm, A. (2004). Effect of Plasticizers on Mechanical and Barrier Properties of Rice Starch *Biofilm*. *Starch - Stärke*, 56(8), 348–356. <https://doi.org/10.1002/star.200300249>
- Lee, D. S., & Robertson, G. L. (2021). Interactive influence of decision criteria, packaging *biofilm*, storage temperature and humidity on shelf life of packaged dried vegetables. *Food Packaging and Shelf Life*, 28, 1–8.
- Lee, K.-Y., Yang, H.-J., & Song, K. bin. (2016). Application of a puffer fish skin gelatin *biofilm* containing *Moringa oleifera* Lam. leaf extract to the packaging of Gouda cheese. *Journal of Food Science and Technology*, 53(11), 3876–3883.
- Lieberman, E. R., & Gilbert, S. G. (2007). Gas permeation of collagen *biofilms* as affected by cross-linkage, moisture, and plasticizer content. *Journal of Polymer Science: Polymer Symposia*, 41(1), 33–43. <https://doi.org/10.1002/polc.5070410106>
- Liu, J., Liu, S., Zhang, X., Kan, J., & Jin, C. (2019). Effect of gallic acid grafted chitosan *biofilm* packaging on the postharvest T quality of white button

- mushroom (*Agaricus bisporus*). *Postharvest Biology and Technology*, 147, 39–47.
- Ma, Q., Zhang, Y., & Zhong, Q. (2016). Physical and antimicrobial properties of chitosan *biofilms* incorporated with lauric arginate, cinnamon oil, and ethylenediaminetetraacetate. *LWT - Food Science and Technology*, 65, 173–179. <https://doi.org/10.1016/j.lwt.2015.08.012>
- Maizura, M., Fazilah, A., Norziah, M. H., & Karim, A. A. (2007). Antibacterial Activity and Mechanical Properties of Partially Hydrolyzed Sago Starch?Alginate Edible *Biofilm* Containing Lemongrass Oil. *Journal of Food Science*, 72(6), C324–C330. <https://doi.org/10.1111/j.1750-3841.2007.00427.x>
- McHugh, T. H., & Krochta, J. M. (1994). Glycerol-Plasticized Whey Protein Edible *Biofilms*: Integrated Oxygen Permeability and Tensile Property Evaluation. *Journal of Agricultural and Food Chemistry*, 42(4), 841–845.
- Min, S. J., Kong, I., Rajan, E. M., Phing, P. L., & Yusof, Y. A. (2021). Development Of Edible Chitosan *Biofilm* Incorporated With Pomegranate Peel Extract For The Packaging Of Beef. *Malaysian Journal of Analytical Sciences*, 25(3), 532–545.
- Moradi, M., Tajik, H., Rohani, S. M. R., Oromiehie, A. R., Malekinejad, H., Aliakbarlu, J., & Hadian, M. (2012). Characterization of antioxidant chitosan *biofilm* incorporated with *Zataria multiflora* Boiss essential oil and grape seed extract. *LWT - Food Science and Technology*, 46(2), 477–484.
- Morales, G., Sierra, P., Mancilla, A., Paredes, A., Loyola, L. A., Gallardo, O., & Borquez, J. (2003). Secondary Metabolites From Four Medicinal Plants From Northern Chile: Antimicrobial Activity And Biototoxicity Against *Artemia salina*. *Journal of the Chilean Chemical Society*, 48(2). <https://doi.org/10.4067/S0717-97072003000200002>
- Mottaleb, M. A., & Sarker, S. D. (2012). *Accelerated Solvent Extraction for Natural Products Isolation* (pp. 75–87). https://doi.org/10.1007/978-1-61779-624-1_4
- Mufreni, A. N. (2016). Pengaruh Desain Produk, Bentuk Kemasan Dan Bahan Kemasan Terhadap Minat Beli Konsumen (Studi Kasus Teh Hijau Serbuk Tocha. *Jurnal Ekonomi Manajemen*, 2(2).
- Mulyani, T. S., Sudaryati, H. P., & Rodhu, E. (2010). Sifat Fisik dan Mekanis Edible *Biofilm* Dari Tepung Porang (*Amorphophallus oncophyllus*) dan Karboksimetilselulosa. *Jurnal Teknologi Pertanian*, 11(3), 196–201.
- Mustapa, R., Restuhadi, F., & Efendi, R. (2017). PEMANFAATAN KITOSAN SEBAGAI BAHAN DASAR PEMBUATAN EDIBLE *BIOFILM* DARI PATI UBI JALAR KUNING. *Jurnal Online Mahasiswa Faperta Universitas Riau*, 4(2), 1–12.
- Muzzarelli, R. A. A. (1977). *Chitin Chemistry* (3rd ed.). Pergamon Press.
- Muzzarelli, R. A. A. (1997). *Chitin Handbook* (M. G. Peter, Ed.). European Chitin Society.
- Nadarajah, K. (2005). *Development and characterization of antimicrobial edible biofilms from crawfish chitosan*. Louisiana State University.

- Nahwi, N. F. (2016). *Analisis penambahan plasticizer gliserol pada karakteristik edible biofilm dan pati kulit pisang raja, tongkol jagung, dan bonggol enceng gondok*.
- Nairfana, I., & Ramdhani, M. (2021). Karakteristik Fisik Edible *Biofilm* Pati Jagung (*Zea mays* L) Termodifikasi Kitosan dan Gliserol. *Jurnal Sains Teknologi & Lingkungan*, 7(1), 91–102. <https://doi.org/10.29303/jstl.v7i1.224>
- Nandika, D., Karlinasari, L., Arinana, A., Batubara, I., Sitanggang, P. S., Santoso, D., Witasari, L. D., Rachmayanti, Y., Firmansyah, D., Sudiana, I. K., & Hertant, D. M. (2021). Chemical Components of Fungus Comb from Indo-Malayan Termite *Macrotermes gilvus* Hagen Mound and Its Bioactivity against Wood-Staining Fungi. *Forests*, 12(11).
- Niamsa, N., & Baimark, Y. (2009). Preparation and Characterization of Highly Flexible Chitosan *Biofilms* for Use as Food Packaging. *American Journal of Food Technology*, 4(4), 162–169.
- No, H. K., Meyers, S. P., Prinyawiwatkul, W., & Xu, Z. (2007). Applications of chitosan for improvement of quality and shelf life of foods: A review. *Journal of Food Science*, 72(5), 87–100.
- Nobile, M. A., Gammariello, D., Conte, A., & Attanasio, M. (2009). A combination of chitosan, coating and modified atmosphere packaging for prolonging Fior di latte cheese shelf life. *Carbohydrate Polymers*, 78(1), 151–156.
- Nugrahani, I., Manosa, E. Y., & Chintya, L. (2019). FTIR-derivative as a green method for simultaneous content determination of caffeine, paracetamol, and acetosal in a tablet compared to HPLC. *Vibrational Spectroscopy*, 104, 1–10.
- Nurhayati, & Agusman. (2011). Edible *biofilm* kitosan dari limbah udang sebagai pengemas ramah lingkungan. *Squalen*, 6, 48–52.
- Nurilmala, M., Suptijah, P., & Nurfianti, D. (2007). PENGGUNAAN KITOSAN SEBAGAI PEMBENTUK GEL PADA BAKSO IKAN KURISI (*Nemipterus nematophorus*). *Buletin Teknologi Hasil Perikanan*, 35–46.
- Nurindra, A. P., Alamsjah, M. A., & Sudarno. (2015). Characterization of Edible *Biofilm* from Propagules Mangrove Lindur (*Bruguiera Gymnorhiza*) Starch with Addition of Carboxymethyl Cellulose (CMC) as Plasticizer. *Jurnal Ilmiah Perikanan & Kelautan*, 7(2), 125–132.
- Ojagh, S. M., Rezaei, M., Razavi, S. H., & Hosseini, S. M. H. (2010). Effect of chitosan coatings enriched with cinnamon oil on the quality of refrigerated rainbow trout. *Food Chemistry*, 120(1), 193–198. <https://doi.org/10.1016/j.foodchem.2009.10.006>
- Ornum JU. (1992). Shrimp Waste Must It Be Wasted. *Indofish*, 6, 48–52.
- Pagella, C., Spigno, G., & de Faveri, D. M. (2002). Characterization of Starch Based Edible Coatings. *Food and Bioproducts Processing*, 80(3), 193–198. <https://doi.org/10.1205/096030802760309214>
- Pillai, C. K. S., Paul, W., & Sharma, C. P. (2009). Chitin and chitosan polymers: Chemistry, solubility and fiber formation. *Progress in Polymer Science*, 34(7), 641–678.
- Purwanti, A. (2010). Analisis Kuat Tarik dan Elongasi Plastik Kitosan Terplastisasi Sorbitol. *Jurnal Teknologi*, 3(2), 99–106.

- Putra, A. D., Johan, V. S., & Efendi, R. (2017). Penambahan Sorbitol Sebagai Plasticizer Dalam Pembuatan Edible *Biofilm* Pati Sukun . *JOM Fakultas Pertanian*, 4(2), 1–1514.
- Qian, G., Li, S., & Wen, H. (2011). Fungal diversity of fungus comb in termite nests. *Mycosystema*, 30, 556–565.
- R., N. F. N., & Nur Hanani, Z. A. (2017). Physicochemical characterization of kappa-carrageenan (*Euchema cottoni*) based *biofilms* incorporated with various plant oils. *Carbohydrate Polymers*, 157, 1479–1487. <https://doi.org/10.1016/j.carbpol.2016.11.026>
- Rachtanapun, P., Klunklin, W., Jantrawut, P., Jantanasakulwong, K., Phimolsiripol, Y., Seesuriyachan, P., Leksawasdi, N., Chaiyaso, T., Ruksiriwanich, W., Phongthai, S., Sommano, S. R., Punyodom, W., Reungsang, A., & Ngo, T. M. P. (2021). Characterization of Chitosan *Biofilm* Incorporated with Curcumin Extract. *Polymers*, 13(963), 1–15.
- Rambabu, K., Bharath, G., Banat, F., Show, P. L., & Cocolletzi, H. H. (2019). Mango leaf extract incorporated chitosan antioxidant *biofilm* for active food packaging. *International Journal of Biological Macromolecules*, 126, 1234–1243.
- Rawal, J. R., & Priya, S. (2016). Determination of Bioactive Components of *Cynodon dactylon* by GC-MS Analysis & it's In Vitro Antimicrobial Activity. *International Journal Of Pharmacy & Life Sciences*, 7(1), 4880–4885.
- Remya, S., Mohan, C. O., Bindu, J., Sivaraman, G. K., Venkateshwarlu, G., & Ravishankar, C. N. (2016). Effect of chitosan based active packaging *biofilm* on the keeping quality of chilled stored barracuda fish. *Journal of Food Science and Technology*, 53(1), 685–693. <https://doi.org/10.1007/s13197-015-2018-6>
- Rinaudo, M., & Domard, A. (1989). Solution Properties of Chitosan. *Elsevier Applied Science*, 71–86.
- Rodríguez, M., Osés, J., Ziani, K., & Maté, J. I. (2006). Combined effect of plasticizers and surfactants on the physical properties of starch based edible *biofilms*. *Food Research International*, 39(8), 840–846. <https://doi.org/10.1016/j.foodres.2006.04.002>
- Rokilah, R., Prarudiyanto, A., & Werdiningsih, W. (2018). Pengaruh Kombinasi Kemasan Dan Masa Simpan Terhadap Beberapa Komponen Mutu Bumbu Plecingan Instan. *Jurnal Ilmiah Rekayasa Pertanian Dan Biosistem*, 6(1), 60–68. <https://doi.org/10.29303/jrpb.v6i1.76>
- Rouland-Lefèvre, D., Inoue, T., & Johjima, T. (2006). Termitomyces/Termite Interactions. In *Intestinal Microorganisms of Termites and Other Invertebrates* (pp. 335–350). Springer.
- Sanchís, E., González, S., Ghidellia, C., Sheth, C. C., Mateos, M., Palou, L., & Pérez-Gago, M. B. (2016). Browning inhibition and microbial control in fresh-cut persimmon (*Diospyros kaki* Thunb. cv. Rojo Brillante) by apple pectin based edible coatings. *Postharvest Biology and Technology*, 112, 186–193. <https://doi.org/https://doi.org/10.1016/j.postharvbio.2015.09.024>

- Sanford, P., & Thorllef, A. (2003). World market of chitin and its derivatives. *Elservier Science Publicity Co. Inc.* .
- Setiani, W., Sudiarti, T., & Rahmidar, L. (2013). Preparasi Dan Karakterisasi Edible *Biofilm* Dari Poliblend Pati Sukun-Kitosan. *Jurnal Kimia VALENSI*, 3(2), 100–109. <https://doi.org/10.15408/jkv.v3i2.506>
- Shi, R., Zhang, Z., Liu, Q., Han, Y., Zhang, L., Chen, D., & Tian, W. (2007). Characterization of citric acid/glycerol co-plasticized thermoplastic starch prepared by melt blending. *Carbohydrate Polymers*, 69(4), 748–755. <https://doi.org/10.1016/j.carbpol.2007.02.010>
- Simarmata, E. O., Hartiati, A., & Harsojuwono, B. A. (2020). Karakteristik Komposit Bioplastik dalam Variasi Rasio Pati Umbi Talas (*Xanthosoma sagittifolium*) - Kitosan. *Jurnal Ilmiah Teknologi Pertanian AGROTECHNO*, 5(2), 75–80.
- Sinaga, A. S. (2019). Segmentasi Ruang Warna L^*a^*b . *Jurnal Mantik Penusa*, 3(1), 43–46.
- Sinaga, R. F., Ginting, G. M., Ginting, M. H. S., & Hasibuan, R. (2014). Pengaruh Penambahan Gliserol terhadap Sifat Kekuatan Tarik Dan Pemanjangan Saat Putus Bioplastik Dari Pati Umbi Talas. *Jurnal Teknik Kimia USU*, 3(2), 19–24. <https://doi.org/10.32734/jtk.v3i2.1608>
- Siripatrawan, U., & Vitchayakitti, W. (2016). Improving functional properties of chitosan *biofilms* as active food packaging by incorporating with propolis. *Food Hydrocolloids*, 61, 695–702. <https://doi.org/10.1016/j.foodhyd.2016.06.001>
- Sitompul, A. J. W. S., & Zubaidah, E. (2017). Pengaruh jenis dan konsentrasi plasticizer terhadap sifat fisik edible *biofilm* kolang kaling (*Arenga pinnata*). *Jurnal Pangan Dan Agroindustri*, 5(1), 13–25.
- Skurtys, Acevedo, O., Pedreschi, Enrione, F., Osorio, J., & Aguilera J.M., F. (2011). *Food hydrocolloid edible biofilms and coating*.
- Sogiana, M. B., Kemala, T., & Sjahrizza, A. (2013). Pencirian bioplastik tepung tapioka terplastisasi gliserol dengan penambahan karaginan muhammad bagja sogiana. *IPB Repository*.
- Srinivasa, P., Ramesh, P., & Tharanathan, R. (2007). Effect of plasticizers and fatty acids on mechanical and permeability characteristics of chitosan *biofilms*. *Journal of Food Hydrocolloids*, 21, 1113–1122.
- Subekti, N., Duryadi, D., Nandika, D., Surjokusumo, S., & Anwar, S. (2008). Sebaran Dan Karakter Morfologi Rayap Tanah *Macrotermes GILVUS* Hagen Di Habitat Hutan Alam. *Jurnal Ilmu Dan Teknologi Hasil Hutan* , 1(1), 27–33.
- Supeni, G., & Irawan, S. (2012). Pengaruh Penggunaan Kitosan Terhadap Sifat Barrier Edible *Biofilm* Tapioka Termodifikasi. *Jurnal Kimia Kemasan*, 34(1), 199–206.
- Suppakul, P., Miltz, J., Sonneveld, K., & Bigger, S. W. (2003). Active packaging technologies with an emphasis on antimicrobial packaging and its applications. *Journal of Food Science*, 68(2), 408–420. <https://doi.org/https://doi.org/10.1111/j.1365-2621.2003.tb05687.x>

- Suryaningrum, Th. D., Basmal, J., & Nurochmawati, N. (2005). Studi pembuatan edible *biofilm* dari karaginan. *Jurnal Penelitian Perikanan Indonesia*, 11(4), 1–13.
- Susanti, Jasruddin, & Subaer. (2015). Sintesis komposit bioplastic berbahan dasar tepung tapioka dengan penguat serat bambu. *Jurnal Sains Dan Pendidikan Fisika*, 11(2), 179–184.
- Suzuki, K., Nakano, N., Tanaka, R., Uyeda, M., & Shibata, M. (1988). Cell Aggregation Factor Produced by *Streptomyces* sp. Strain No. A-3315. *Agricultural and Biological Chemistry*, 52(10), 2589–2595. <https://doi.org/10.1080/00021369.1988.10869084>
- Syamsu, K. (2008). *Karakteristik Bioplastik Poli-β-hidroksialkanoat yang Dihasilkan oleh Ralstonia eutropha pada Substrat Hidrosilat Pati Sagu dengan Pemplastis Isopropil Palmitat*. 3(2).
- Taspirin. (2013, December 19). *Serba Serbi kemasan Pangan*. Kementerian Kesehatan RI Direktorat Jenderal Kesehatan Masyarakat.
- Tian, Q., Liu, S., Sun, X., Sun, H., Xue, Z., & Mu, T. (2015). Theoretical studies on the dissolution of chitosan in 1-butyl-3-methylimidazolium acetate ionic liquid. *Carbohydrate Research*, 408, 107–113.
- Tripathi, S., Mehrotra, G. K., & Dutta, P. K. (2009). Physicochemical and bioactivity of cross-linked chitosan–PVA *biofilm* for food packaging applications. *International Journal of Biological Macromolecules*, 45(4), 372–376.
- Vásconeza, M. B., Flores, S. K., Campos, C. A., Alvarado, J., & Gerschenson, L. N. (2009). Antimicrobial activity and physical properties of chitosan-tapioca starch based edible *biofilms* and coatings. *Food Research International*, 42(7), 762–769.
- Vermeiren, L., Devlieghere, F., Beest, M. van, Kruijf, N. de, & Debevere, J. (1999). Development in the active packaging of foods. *Trends in Food Science & Technology*, 10(3), 77–86.
- Vlachos, N., Skopelitis, Y., Psaroudaki, M., Konstantinidou, V., Chatzilazarou, A., & Tegou, E. (2006). Applications of Fourier transform-infrared spectroscopy to edible oils. *Analytica Chimica Acta*, 573–574, 459–465. <https://doi.org/10.1016/j.aca.2006.05.034>
- Wang, Q., Tian, F., Feng, Z., Fan, X., Pan, Z., & Zhou, J. (2015). Antioxidant activity and physicochemical properties of chitosan *biofilms* incorporated with *Lycium barbarum* fruit extract for active food packaging. *International Journal of Food Science & Technology*, 50(2), 458–464. <https://doi.org/10.1111/ijfs.12623>
- Widyastuti, N., & Aminudin. (2013). Pengembangan edible coating ekstrak daun randu dan pengaruhnya terhadap kualitas mentimun. *Bisaintifika*, 5(2), 106–113.
- Wihodo, M., & Moraru, C. I. (2013). Physical and chemical methods used to enhance the structure and mechanical properties of protein *biofilms*: a review. *Journal of Food Engineering*, 114(3), 292–302.
- Witasari, L. D., Wahyu, K. W., Anugrahani, B. J., Kurniawan, D. C. K., Haryanto, A. H., Nandika, D., Karlinasari, L., Arinana, A., Batubara, I., Santoso, D.,

- Rachmayanti, Y., Firmansyah, D. F., Sudiana, I. K., & Hertanto, D. M. (2022). Antimicrobial activities of fungus comb extracts isolated from Indomalayan termite (*Macrotermes gilvus* Hagen) mound. *AMB Express*, *12*(14), 1–10.
- Wong, D. W. S., Gastineau, F. A., Gregorski, K. S., Tillin, S. J., & Pavlath, A. E. (1992). Chitosan-lipid *biofilms*: microstructure and surface energy. *Journal of Food Agricultural and Food Chemistry*, *40*(4), 540–544.
- Xu, Y. X., Kim, K. M., Hanna, M. A., & Nag, D. (2005). Chitosan–starch composite *biofilm*: preparation and characterization. *Industrial Crops and Products*, *21*(2), 185–192.
- Yang, J.-F., Yang, C.-H., Liang, M.-T., Gao, Z.-J., Wu, Y.-W., & Chuang, L.-Y. (2016). Chemical Composition, Antioxidant, and Antibacterial Activity of Wood Vinegar from Litchi chinensis. *Molecules*, *21*(9), 1150. <https://doi.org/10.3390/molecules21091150>
- Yildirim, S., Röcker, B., Pettersen, M. K., Nilsen-Nygaard, J., Ayhan, Z., Rutkaite, R., Radusin, T., Suminska, P., Marcos, B., & Coma, V. (2018). Active Packaging Applications for Food. *Comprehensive Reviews in Food Science and Food Safety*, *17*(1), 165–199. <https://doi.org/10.1111/1541-4337.12322>
- Yulianti, R., & Ginting, E. (2012). Perbedaan Karakteristik Fisik Edible *Biofilm* Dari Umbi-Umbian Yang Dibuat Dengan Penambahan Plasticizer. *Penelitian Pertanian Tanaman Pangan*, *31*(2).
- Zhang, L., Chen, D., Yu, D., Regenstein, J. M., Jiang, Q., Dong, J., Chen, W., & Xia, W. (2022). Modulating physicochemical, antimicrobial and release properties of chitosan/zein bilayer *biofilms* with curcumin/nisin-loaded pectin nanoparticles. *Food Hydrocolloids*, *133*, 1–13.
- Zhong, Y., Song, X., & Li, Y. (2011). Antimicrobial, physical and mechanical properties of kudzu starch–chitosan composite *biofilms* as a function of acid solvent types. *Carbohydrate Polymers*, *8*(1), 335–342.