



DAFTAR PUSTAKA

- Ahlina, F.N., Nugraheni, N., Salsabila, I.A., Haryanti, S., Da'i, M. and Meiyanto, E., 2020. Revealing the reversal effect of galangal (*Alpinia galanga* L.) extract against oxidative stress in metastatic breast cancer cells and normal fibroblast cells intended as a co-chemotherapeutic and anti-ageing agent. *Asian Pacific Journal of Cancer Prevention*, 21(1) : 107-117.
- Aliyah, A. N., Lintangsari, G., Maran, G. G., Hermawan, A., & Meiyanto, E., 2021. Cinnamon oil as a co-chemotherapy agent through inhibition of cell migration and MMP-9 expression on 4T1 cells. *Journal of Complementary & Integrative Medicine*. Advance online publication.
- Andrzej Czyski, 2019, Determination of the Lipophilicity of Ibuprofen, Naproxen, Ketoprofen, and Flurbiprofen with Thin-Layer Chromatography. *Journal of Chemistry*.
- ATCC, 2022. ‘4T1 | ATCC’. URL : <https://www.atcc.org/products/crl-2539?nt=wobj> -20-q#detailed-product-images (diakses tanggal 15/06/2023).
- Bao, L., Haque, A., Jackson, K., Hazari, S., Moroz, K., Jetly, R., Dash, S., 2011. Increased Expression of P-Glycoprotein Is Associated with Doxorubicin Chemoresistance in the Metastatic 4T1 Breast Cancer Model. *Am. J. Pathol.* 178: 838–852.
- Bou Zerdan, M., Ghorayeb, T., Saliba, F., Allam, S., Bou Zerdan, M., Yaghi, M., Bilani, N., Jaafar, R., & Nahleh, Z., 2022. Triple Negative Breast Cancer: Updates on Classification and Treatment in 2021. *Cancers*, 14(5) : 1253.
- Cao, H., Chai, T.T., Wang, X., Morais-Braga, M.F.B., Yang, J.H., Wong, F.C., Wang, R., Yao, H., Cao, J., Cornara, L. and Burlando, B., 2017. Phytochemicals from fern species: potential for medicine applications. *Phytochemistry Reviews*, 16 : 379-440.
- Carrick, S., Parker, S., Thornton, C., Ghersi, D., Simes, J. and Wilcken, N., 2009. Single agent versus combination chemotherapy for metastatic breast cancer. *Cochrane Database of Systematic Reviews*, (2).
- Chang, H.C., Huang, G.J., Agrawal, D.C., Kuo, C.L., Wu, C.R. and Tsay, H.S., 2007. Antioxidant activities and polyphenol contents of six folk medicinal ferns used as “Gusuibu”. *Botanical studies*, 48(4) : 397-406.
- Chai, T.T., Yeoh, L.Y., Ismail, N.M., Ong, H.C., Manan, F.A. and Wong, F.C., 2015. Evaluation of glucosidase inhibitory and cytotoxic potential of five selected edible and medicinal ferns. *Tropical Journal of Pharmaceutical Research*, 14(3) : 449-454.
- Cheong, A., McGrath, S., Robinson, T., Maliki, R., Spurling, A., Lock, P., Rephaeli, A., Nudelman, A., Parker, B.S., Pepe, S. and Cutts, S.M., 2021. A switch in mechanism of action prevents doxorubicin-mediated cardiac damage. *Biochemical Pharmacology*, 185.
- Chinnikrishnan, P., Aziz Ibrahim, I. A., Alzahrani, A. R., Shahzad, N., Sivaprakasam, P., & Pandurangan, A. K., 2023. The Role of Selective Flavonoids on Triple-Negative Breast Cancer: An Update. *Separations*, 10(3) : 207.



- Damasuri, A.R. and Sholikhah, E.N., 2020. Cytotoxicity of ((E)-1-(4-aminophenyl)-3-phenylprop-2-en-1-one)) on Hela cell line. *Indonesian Journal of Pharmacology and Therapy*, 1(2).
- Elasbali, A. M., Al-Soud, W. A., Al-Oanzi, Z. H., Qanash, H., Alharbi, B., Binsaleh, N. K., ... & Adnan, M., 2022. Cytotoxic activity, cell cycle inhibition, and apoptosis-inducing potential of *Athyrium hohenackerianum* (Lady Fern) with its phytochemical profiling. *Evidence-Based Complementary and Alternative Medicine*.
- Ferrari, P., Scatena, C., Ghilli, M., Bargagna, I., Lorenzini, G., & Nicolini, A., 2022. Molecular Mechanisms, Biomarkers and Emerging Therapies for Chemotherapy Resistant TNBC. *International Journal of Molecular Sciences*, 23(3) : 1665.
- Haryanti, S., Zulfin, U. M., Salsabila, I. A., Wulandari, F., & Meiyanto, E., 2022. The Cytotoxic and Anti-Migratory Properties of *Caesalpinia sappan* and *Ficus septica*, in Combination with Doxorubicin on 4T1 TNBC Cells with Nephroprotective Potential. *Asian Pacific Journal of Cancer Prevention*, 23(2) : 743–753.
- Hou, De-Xing; Kumamoto, Takuma (2010). *Flavonoids as Protein Kinase Inhibitors for Cancer Chemoprevention: Direct Binding and Molecular Modeling*. *Antioxidants & Redox Signaling*, 13(5) : 691–719.
- Jenie, R. I., Santoso, R. A., Salsabila, I. A., Nugraheni, N., & Meiyanto, E. 2021. *Alpinia galanga* extract induces senescence in human epidermal growth factor receptor 2-overexpressing breast cancer cells. *Thai Journal of Pharmaceutical Sciences*, 7.
- Jarial, R., Shard, A., Thakur, S., Sakinah, M., Zularisam, A. W., Rezania, S., ... & Singh, L., 2018. Characterization of flavonoids from fern *Cheilanthes tenuifolia* and evaluation of antioxidant, antimicrobial and anticancer activities. *Journal of King Saud University-Science*, 30(4) : 425-432.
- Jawad B., Poudel L., Podgornik R., Steinmetz N. F., Ching W., 2019. Molecular Mechanism and Binding Free Energy of Doxorubicin intercalation in DNA. *Physical Chemistry Chemical Physics*.
- Johnson, M., Irudayaraj, V. and Dominic, R.S., 2012. Isoperoxidase analysis on *Thelypteris ciliata* (Wall. ex Benth.) Holttum (Thelypteridaceae). *Asian Pacific Journal of Tropical Biomedicine*, 2(1) : S27-S29.
- Kaur, P., Nagaraja, G.M., Zheng, H., Gizachew, D., Galukande, M., Krishnan, S., Asea, A. 2012. A mouse model for triple negative breast cancer tumor initiating cells (TNBC-TICs) exhibits similar aggressive phenotype to the human disease. *BMC Cancer*, 12 : 120.
- Komala, I., Sitorus, S., Dewi, F. R., Nurmeilis, N., & Hendarmin, L. A., 2022. Cytotoxic Activity of the Indonesian Fern *Angiopteris angustifolia* C. Presl and Liverwort *Mastigophora diclados* (Birs. ex Web) Nees Against Breast Cancer Cell Lines (MCF-7). *Jurnal Kimia Valensi*, 8(1) : 79-84.
- Kozhukharova, I., Zemelko, V., Kovaleva, Z., Alekseenko, L., Lyublinskaya, O., & Nikolsky, N., 2018. Therapeutic doses of doxorubicin induce premature senescence of human mesenchymal stem cells derived from menstrual



- blood, bone marrow and adipose tissue. *International Journal of Hematology*, 107(3) : 286–296.
- Kumara, P., Sunil, K., & Arun Kumar, B., 2018. Determination of DPPH Free Radical Scavenging Activity by RP-HPLC. *Rapid Sensitive*.
- Lai, H., & Lim, Y., 2011. Evaluation of antioxidant activities of the methanolic extracts of selected ferns in Malaysia. *International Journal of Environmental Science and Development*, 2(6) : 442.
- Li, J., Cai, P., Shalviri, A., Henderson, J.T., He, C., Foltz, W.D., Prasad, P., Brodersen, P.M., Chen, Y., DaCosta, R. and Rauth, A.M., 2014. A multifunctional polymeric nanotheranostic system delivers doxorubicin and imaging agents across the blood–brain barrier targeting brain metastases of breast cancer. *ACS nano*, 8(10) : 9925-9940.
- Liang, N. & Kitts, D.D., 2014. Antioxidant property of coffee components: assessment of methods that define mechanisms of action. *Molecules*, 19(11) : 19180-19208.
- Liu, W., Feng, Y., Yu, S., Fan, Z., Li, X., Li, J. and Yin, H., 2021. The flavonoid biosynthesis network in plants. *International journal of molecular sciences*, 22(23) : 12824.
- Lu'ma, Alfita & Anggarani, Mirwa., 2022. Determination of Flavonoid Concentration, Phenolic Concentration, and Antioxidant Activity of Allium cepa L Extract. *Prisma Sains : Jurnal Pengkajian Ilmu dan Pembelajaran Matematika dan IPA IKIP Mataram*.
- Luque-Bolívar, A., Pérez-Mora, E., Villegas, V. E., & Rondón-Lagos, M., 2020. Resistance and overcoming resistance in breast cancer. *Breast Cancer: Targets and Therapy*, 211-229.
- Marjoni, M.R. and Zulfisa, A., 2017. Antioxidant activity of methanol extract/fractions of senggani leaves (*Melastoma candidum* D. Don). *Pharm Anal Acta*, 8(8) : 1-6.
- Mattioli, R., Lippe, P., Massacesi, C., Cappelletti, C., Nacciariti, D., Bisonni, R., Graziano, F., Menichetti, E.T., Imperatori, L., Testa, E. and Laici, G., 2004. Long-survival in Responding Patients with Metastatic Breast Cancer Treated with Doxorubicin-Docetaxel Combination: A Multicentre Phase II Trial. *Anticancer research*, 24(5B) : 3257-3262.
- Meiyanto, E., Husnaa, U., Kastian, R.F., Putri, H., Larasati, Y.A., Khumaira, A., Pamungkas, D.D.P., Jenie, R.I., Kawaichi, M., Lestari, B. and Yokoyama, T., 2021. The target differences of anti-tumorigenesis potential of curcumin and its analogues against HER-2 positive and triple-negative breast cancer cells. *Advanced Pharmaceutical Bulletin*, 11(1) : 188.
- Mokhtari, R.B., Homayouni, T.S., Baluch, N., Morgatskaya, E., Kumar, S., Das, B. and Yeger, H., 2017. Combination therapy in combating cancer. *Oncotarget*, 8(23) : 38022.
- Mosmann T., 1983. Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J Immunol Methods*.65(1-2):55-63.



- Nedeljković, M., & Damjanović, A., 2019. Mechanisms of Chemotherapy Resistance in Triple-Negative Breast Cancer—How We Can Rise to the Challenge. *Cells*, 8(9) : 957.
- Nordin, N., Yeap, S. K., Rahman, H. S., Zamberi, N. R., Mohamad, N. E., Abu, N., Masarudin, M. J., Abdullah, R., & Alitheen, N. B., 2020. Antitumor and anti-metastatic effects of citral-loaded nanostructured lipid carrier in 4T1-induced breast cancer mouse model. *Molecules*, 25(11).
- Nugraheni, N., Ahlina, F. N., Salsabila, I. A., Haryanti, S., & Meiyanto, E., 2021. *Anti-senescence activity of Indonesian black pepper essential oil (Piper nigrum L.) on ovarian CHO-K1 and fibroblast NIH-3T3 cells*. 8.
- Nurhasnawati, Henny & Sundu, Reksi & Sapri, Sapri & Supriningrum, Risa & Kuspradini, Harlinda & Arung, Enos., 2019. Antioxidant activity, total phenolic and flavonoid content of several indigenous species of ferns in East Kalimantan, Indonesia. *Biodiversitas Journal of Biological Diversity*. 20 : 576-580.
- Pan, D., Machado, L., Bica, C. G., Machado, A. K., Steffani, J. A., & Cadoná, F. C. .,2022. In Vitro Evaluation of Antioxidant and Anticancer Activity of Lemongrass (*Cymbopogon citratus* (D.C.) Stapf). *Nutrition and Cancer*, 74(4) : 1474–1488.
- Paul, K.R., Irudayaraj, V., Johnson, M. and Patric, D.R., 2011. Phytochemical and anti-bacterial activity of epidermal glands extract of *Christella parasitica* (L.) H. Lev. *Asian Pacific Journal of Tropical Biomedicine*, 1(1) : 8-11.
- Paulsamy, S., Moorthy, D., Nandakumar, K., & Saradha, M., 2013. Evaluation of in vitro antioxidant potential of methanolic extracts of the ferns, *Actiniopteris radiata* (Sw) Link. and *Equisetum ramosissimum* Desf. *Int J Res Dev Pharm L Sci*, 2(3) : 451-455.
- Ponte, L.G.S., Pavan, I.C.B., Mancini, M.C.S., da Silva, L.G.S., Morelli, A.P., Severino, M.B., Bezerra, R.M.N. and Simabuco, F.M., 2021. The hallmarks of flavonoids in cancer. *Molecules*, 26(7) : 2029.
- Procházková, D., Boušová, I. and Wilhelmová, N., 2011. Antioxidant and prooxidant properties of flavonoids. *Fitoterapia*, 82(4):513-523.
- Pujiaستuti, E., & El'Zeba, D., 2021. Perbandingan Kadar Flavonoid Total Ekstrak Etanol 70% dan 96% Kulit Buah Naga Merah *Hylocereus Polyrhizus* dengan Spektrofotometri. *Cendekia Journal of Pharmacy*, 5(1) : 28-43.
- Rajesh, K.D., Vasantha, Subramani, Panneerselvam, Annamalai, Rajesh, N.V. and Jeyathilakan, Narayanaperumal, 2016. Phytochemical analysis, in vitro antioxidant potential and gas chromatography-mass spectrometry studies of *Dicranopteris linearis*. *Asian J. Pharm. Clin. Res*, 9(2) : 1-6.
- Salsabila, I. A., Nugraheni, N., Ahlina, F. N., Haryanti, S., & Meiyanto, E., 2021. Synergistic cotreatment potential of soursop (*Annona muricata* L.) leaves extract with Doxorubicin on 4T1 cells with antisenescence and anti-reactive-oxygen-species properties. *Iranian Journal of Pharmaceutical Research: IJPR*, 20(2) : 57.
- Santi, M., Frusca, V., Ermini, M. L., Mapanao, A. K., Sarogni, P., Gonnelli, A., ... & Voliani, V., 2023. Hybrid nano-architectures loaded with metal



- complexes for the co-chemotherapy of head and neck carcinomas. *Journal of Materials Chemistry B*, 11(2) : 325-334.
- Shraim, A.M., Ahmed, T.A., Rahman, M.M. and Hijji, Y.M., 2021. Determination of total flavonoid content by aluminum chloride assay: A critical evaluation. *LWT*, 150 : 111932.
- Sztalmachova, M., Gumulec, J., Raudenska, M., Polanska, H., Holubova, M., Balvan, J., Hudcova, K., Knopfova, L., Kizek, R., Adam, V., Babula, P., & Masarik, M., 2015. Molecular response of 4T1-induced mouse mammary tumours and healthy tissues to zinc treatment. *International Journal of Oncology*, 46(4) : 1810–1818.
- Tao, K., Fang, M., Alroy, J. and Sahagian, G.G., 2008. Imagable 4T1 model for the study of late stage breast cancer. *BMC cancer*, 8(1) : 1-19.
- Teixeira, P. V., Fernandes, E., Soares, T. B., Adega, F., Lopes, C. M., & Lúcio, M., 2023. Natural Compounds: Co-Delivery Strategies with Chemotherapeutic Agents or Nucleic Acids Using Lipid-Based Nanocarriers. *Pharmaceutics*, 15(4) : 1317.
- Tomšík, Pavel. 2014. *Ferns and Lycopods-A Potential Treasury of Anticancer Agents but Also a Carcinogenic Hazard*. *Phytotherapy Research*, 28(6) : 798–810.
- Wang, X., 2016. *Frequency analysis of vibration energy harvesting systems*. Academic Press.
- Wang, X., Wang, M., Cao, J., Wu, Y., Xiao, J., & Wang , Q., 2017. Analysis of flavonoids and antioxidants in extracts of ferns from Tianmu Mountain in Zhejiang Province (China). *Industrial Crops and Products*, 97:137-145.
- Wang, Y., Qian, J., Yang, M., Xu, W., Wang, J., Hou, G., Ji, L., & Suo, A., 2019. Doxorubicin/cisplatin co-loaded hyaluronic acid/chitosan-based nanoparticles for in vitro synergistic combination chemotherapy of breast cancer. *Carbohydrate Polymers*, 225.
- WFO, 2023. ‘*Thelypteris tenera* (Roxb.) C.V.Morton ex Fraser-Jenk’. URL : <http://www.worldfloraonline.org/taxon/wfo-0001035998> (diakses tanggal 03/07/2023)
- Widodo, I., Dwianingsih, E.K., Triningsih, E., Utoro, T. and Soeripto, S., 2014. Clinicopathological features of Indonesian breast cancers with different molecular subtypes. *Asian Pacific Journal of Cancer Prevention*, 15(15):6109-6113.
- Zha, J., Wu, X., Gong, G. and Koffas, M.A., 2019. Pathway enzyme engineering for flavonoid production in recombinant microbes. *Metabolic Engineering Communications*, 9.
- Zhao, N., C Woodle, M., & Mixson, A. J., 2018. Advances in Delivery Systems for Doxorubicin. *Journal of Nanomedicine & Nanotechnology*, 09(05).
- Zulfin, U., Rahman, A., Hanifa, M., Utomo, R., Haryanti, S., & Meiyanto, E., 2021. Reactive oxygen species and senescence modulatory effects of rice bran extract on 4T1 and NIH-3T3 cells co-treatment with doxorubicin. *Asian Pacific Journal of Tropical Biomedicine*, 11(4):174.