



## DAFTAR PUSTAKA

- [1] V. K. Pai, M. Balrai, S. Mogaveera, and D. Aeloor, “Face recognition using convolutional neural networks,” in *2018 2nd International Conference on Trends in Electronics and Informatics (ICOEI)*, 2018, pp. 165–170.
- [2] P. Nurmala, W. Gazali, and W. Budiharto, “Sistem kontrol akses berbasis real time face recognition dan gender information,” *ComTech*, vol. 6, no. 2, pp. 198–207, 2015.
- [3] I. W. S. E. Putra, A. Y. Wijaya, and R. Soelaiman, “Klasifikasi citra menggunakan convolutional neural network (cnn) pada caltech 101,” *Jurnal Teknik ITS*, vol. 5, no. 1, pp. A65–A69, 2016.
- [4] K. Fukushima, “Neocognitron: A self-organizing neural network model for a mechanism of pattern recognition unaffected by shift in position,” *Biological Cybernetics*, vol. 36, no. 4, pp. 193–202, 1980.
- [5] A. Coates, A. Ng, and H. Lee, “An analysis of single-layer networks in unsupervised feature learning,” in *Proceedings of the Fourteenth International Conference on Artificial Intelligence and Statistics*, ser. Proceedings of Machine Learning Research, G. Gordon, D. Dunson, and M. Dudík, Eds., vol. 15. Fort Lauderdale, FL, USA: PMLR, 11–13 Apr 2011, pp. 215–223. [Online]. Available: <https://proceedings.mlr.press/v15/coates11a.html>
- [6] S. Kak, F. Mustafa Alfiky, and P. Valente, “A review of person recognition based on face model,” vol. 4, pp. 157–168, 01 2018.
- [7] A. T. Lopes, E. de Aguiar, A. F. De Souza, and T. Oliveira-Santos, “Facial expression recognition with convolutional neural networks: Coping with few data and the training sample order,” *Pattern Recognition*, vol. 61, pp. 610–628, 2017. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0031320316301753>
- [8] P. Simard, D. Steinkraus, and J. Platt, “Best practices for convolutional neural networks applied to visual document analysis,” in *Seventh International Conference on Document Analysis and Recognition, 2003. Proceedings.*, 2003, pp. 958–963.
- [9] O. Arriaga, M. Valdenegro, and P. Plöger, “Real-time convolutional neural networks for emotion and gender classification,” 10 2017.
- [10] R. Zhao, T. Liu, J. Xiao, D. P.-K. Lun, and K.-M. Lam, “Deep multi-task learning for facial expression recognition and synthesis based on selective feature sharing,” *2020 25th International Conference on Pattern Recognition (ICPR)*, pp. 4412–4419, 01 2021.
- [11] S. Ren, K. He, R. Girshick, and J. Sun, “Faster r-cnn: Towards real-time object detection with region proposal networks,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 39, no. 06, pp. 1137–1149, 06 2017.



- [12] A. O. Vorontsov and A. Averkin, “Comparison of different convolution neural network architectures for the solution of the problem of emotion recognition by facial expression,” in *Proceedings of the VIII International Conference "Distributed Computing and Grid-technologies in Science and Education" (GRID)*, vol. 2276, 2018, pp. 342–345.
- [13] M. F. Aza, N. Suciati, and S. C. Hidayati, “Performance study of facial expression recognition using convolutional neural network,” in *2020 6th International Conference on Science in Information Technology (ICSITech)*, 2020, pp. 121–126.
- [14] D. H. Ballard and C. M. Brown, *Computer Vision*. Englewood Cliffs, NJ: Prentice Hall, 1982, 1982.
- [15] M. Sonka, V. Hlavaca, and R. Boyle, *Image Processing, Analysis and Machine Vision*, 4th ed. Springer New York, NY, 2015.
- [16] E. da Silva and G. Mendonca, *Digital Image Processing*, 12 2005, pp. 891–910.
- [17] P. Domingos, “A few useful things to know about machine learning,” *Communications of the ACM*, vol. 55, no. 10, p. 78–87, oct 2012. [Online]. Available: <https://doi.org/10.1145/2347736.2347755>
- [18] T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, 2nd ed. Springer New York, NY, 2009.
- [19] S. J. Pan and Q. Yang, “A survey on transfer learning,” *IEEE Transactions on Knowledge and Data Engineering*, vol. 22, no. 10, pp. 1345–1359, 2010.
- [20] L. Li, X. Mu, S. Li, and H. Peng, “A review of face recognition technology,” *IEEE Access*, vol. 8, pp. 139 110–139 120, 2020.
- [21] W. Sriratana, S. Mukma, N. Tammarugwattana, and K. Sirisantisamrid, “Application of the opencv-python for personal identifier statement,” in *2018 International Conference on Engineering, Applied Sciences, and Technology (ICEAST)*, 2018, pp. 1–4.
- [22] K. Goyal, K. Agarwal, and R. Kumar, “Face detection and tracking: Using opencv,” in *2017 International conference of Electronics, Communication and Aerospace Technology (ICECA)*, vol. 1, 2017, pp. 474–478.
- [23] H. Adusumalli, D. Kalyani, R. Sri, M. Pratapteja, and P. V. R. D. P. Rao, “Face mask detection using opencv,” in *2021 Third International Conference on Intelligent Communication Technologies and Virtual Mobile Networks (ICICV)*, 2021, pp. 1304–1309.
- [24] M. A. Banyu, “The comparison and evaluation of implementing different algorithms in a multi orientation face recognition system,” Bachelor’s Thesis, Dept. of Computer Science and Electronics, Universitas Gadjah Mada, Yogyakarta, Indonesia, 2022.
- [25] (2014) 21 facial expressions identified. SBSNews. [Online]. Available: <https://www.sbs.com.au/news/article/21-facial-expressions-identified/94s7pmxps>



- [26] A. Mollahosseini, B. Hasani, and M. H. Mahoor, “AffectNet: A database for facial expression, valence, and arousal computing in the wild,” *IEEE Transactions on Affective Computing*, vol. 10, no. 1, pp. 18–31, jan 2019. [Online]. Available: <http://mohammadmahoor.com/affectnet/>
- [27] Y. LeCun, Y. Bengio, and G. Hinton, “Deep learning,” *Nature*, vol. 521, pp. 436–444, 2015.
- [28] A. Kiwelekar, G. Mahamunkar, L. Netak, and V. Nikam, “Deep learning techniques for geospatial data analysis,” pp. 63–81, 08 2020.
- [29] S. K. Sarvepalli, “Deep learning in neural networks: The science behind an artificial brain,” 10 2015.
- [30] A. J. Dhruv, R. Patel, and N. Doshi, “Python: The most advanced programming language for computer science applications,” *Proceedings of the International Conference on Culture Heritage, Education, Sustainable Tourism, and Innovation Technologies*, pp. 292–299, 2020.
- [31] K. R. Srinath, “Python – the fastest growing programming language,” in *International Research Journal of Engineering and Technology*, 2017.
- [32] C. Szegedy, V. Vanhoucke, S. Ioffe, J. Shlens, and Z. Wojna, “Rethinking the inception architecture for computer vision,” in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 2818–2826.
- [33] K. He, X. Zhang, S. Ren, and J. Sun, “Deep residual learning for image recognition,” in *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 770–778.
- [34] A. Krizhevsky, I. Sutskever, and G. E. Hinton, “Imagenet classification with deep convolutional neural networks,” *Commun. ACM*, vol. 60, no. 6, p. 84–90, may 2017. [Online]. Available: <https://doi.org/10.1145/3065386>
- [35] K. Simonyan and A. Zisserman, “Very deep convolutional networks for large-scale image recognition,” *arXiv 1409.1556*, 09 2014.
- [36] J. Hu, L. Shen, and G. Sun, “Squeeze-and-excitation networks,” in *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2018, pp. 7132–7141.
- [37] K. Kousalya, R. Mohana, E. Jithendiran, R. Kanishk, and T. Logesh, “Prediction of best optimizer for facial expression detection using convolutional neural network,” in *2022 International Conference on Computer Communication and Informatics (ICCCI)*, 2022, pp. 1–7.
- [38] Y. Taigman, M. Yang, M. Ranzato, and L. Wolf, “Deepface: Closing the gap to human-level performance in face verification,” in *2014 IEEE Conference on Computer Vision and Pattern Recognition*, 2014, pp. 1701–1708.
- [39] S. Minaee, M. Minaei, and A. Abdolrashidi, “Deep-emotion: Facial expression recognition using attentional convolutional network,” *Sensors*, vol. 21, no. 9, 2021. [Online]. Available: <https://www.mdpi.com/1424-8220/21/9/3046>