



## DAFTAR PUSTAKA

- Annisa, R. (2014) *AKTIVITAS ANTIANGIOGENESIS EKSTRAK AIR DAUN PANDAN PANTAI (Pandanus tectorius Soland) TERHADAP MEMBRAN KORIOALANTOIS EMBRIO AYAM*. Universitas Gadjah Mada.
- Bainbridge, P. (2013) ‘Wound healing and the role of fibroblasts’, *Journal of Wound Care*, 22(8), pp. 407–412.
- Baransano, N., Dimara, L. and Menufandu, H. (2019) ‘Kelimpahan dan Keanekaragaman Teripang Pada Daerah Sasisen dan Non-Sasisen Di Perairan Pulau Numfor’, *Jurnal Ilmu Kelautan dan Perikanan Papua*, 2(1), pp. 8–14. doi: 10.31957/acr.v2i1.983.
- Blacher, S. *et al.* (2005) ‘Quantification of angiogenesis in the chicken chorioallantoic membrane (CAM)’, *Image Analysis and Stereology*, 24(3), pp. 169–180. doi: 10.5566/ias.v24.p169-180.
- Chen, L. *et al.* (2021) ‘Utilisation of chick embryo chorioallantoic membrane as a model platform for imaging-navigated biomedical research’, *Cells*, 10(2), pp. 1–41. doi: 10.3390/cells10020463.
- Deryugina, E. I. and Quigley, J. P. (2008) ‘Evaluation of five enzymic kits for determination of triglyceride concentrations in plasma’, *Methods Enzymol*, 28(444), pp. 21–41. doi: 10.1016/S0076-6879(08)02802-4.
- Eroschenko, V. P. (2010) *Atlas Histologi difiore dengan Korelasi Fungsional*. 12th edn. Jakarta: EGC.
- Fatimatuzzahroh, F., Firani, N. K. and Kristianto, H. (2015) ‘Efektifitas Ekstrak Bunga Cengkeh (Syzgium aromaticum) terhadap Jumlah Pembuluh Darah Kapiler pada Proses Penyembuhan Luka Insisi Fase Proliferasi’, *Majalah Kesehatan FKUB*, 2(2), pp. 92–98.
- Hartati, S. T., Hendrotjahjo, D. W. and Samusamu, A. S. (2020) ‘Status Pemulihan Stok Teripang di Perairana Kepulauan Seribu’, *Jurnal Riset Jakarta*, 13(1), pp. 7–16.
- Hendrawan, S. *et al.* (2022) ‘EFEK ANTIOKSIDAN PEMBERIAN EKSTRAK PLASENTA DOMBA ORAL PADA TIKUS SPRAGUE DAWLEY’, *Jurnal Medika Hutama*, 03(03), pp. 2576–2584.
- Herliany, N. E., Nofridiansyah, E. and Sasongko, B. (2016) ‘STUDI PENGOLAHAN TERIPANG KERING’, *Enggano*, 1(2), pp. 11–16.
- Inayah, N., Ningsih, R. and Adi, T. K. (2012) ‘UJI TOKSISITAS DAN IDENTIFIKASI AWAL GOLONGAN SENYAWA AKTIF EKSTRAK ETANOL DAN N-HEKSANA TERIPANG PASIR (*Holothuria scabra*) KERING PANTAI KENJERAN SURABAYA’, *Alchemy*, 2(1), pp. 92–100. doi: 10.18860/al.v0i0.2292.
- Kareh, M. *et al.* (2018) ‘Anti-proliferative and anti-inflammatory activities of the sea cucumber *Holothuria polii* aqueous extract’, *SAGE Open Medicine*, 6, p. 205031211880954. doi: 10.1177/2050312118809541.
- Khoirunnissa, I. and Sumiwi, S. A. (2019) ‘Review Artikel: Peran Flavonoid Pada Berbagai Aktifitas Farmakologi’, *Farmaka*, 17(2), pp. 131–142. Available at: <https://jurnal.unpad.ac.id/farmaka/article/view/21922>.
- Klagsbrun, M. and Moses, M. A. (1999) ‘Molecular angiogenesis’, *Chemistry and Biology*, 6(8), pp. 217–224. doi: 10.1016/S1074-5521(99)80081-7.
- Kornthong, N. *et al.* (2021) ‘Identification and localization of growth factor genes in the sea cucumber, *Holothuria scabra*’, *Heliyon*, 7(11), pp. 1–12. doi:



- 10.1016/j.heliyon.2021.e08370.
- Kubon, M. et al. (2010) *Ex ovo culture: An in vivo model for microsensor implants*. Reutlingen.
- Kumayanjati, B. (2020) ‘Teripang Sebagai Salah Satu Sumber Kolagen’, *Oseana*, 45(1), pp. 17–27. doi: 10.14203/oseana.2020.vol.45no.1.51.
- Lokman, N. A. et al. (2012) ‘Chick chorioallantoic membrane (CAM) assay as an in vivo model to study the effect of newly identified molecules on ovarian cancer invasion and metastasis’, *International Journal of Molecular Sciences*, 13(8), pp. 9959–9970. doi: 10.3390/ijms13089959.
- Lombardi, F. et al. (2020) ‘Type I Collagen Suspension Induces Neocollagenesis and Myodifferentiation in Fibroblasts in Vitro’, *BioMed Research International*, 2020, pp. 1–11. doi: 10.1155/2020/6093974.
- Mitchell, R. N. and Schoen, F. J. (2010) ‘Blood Vessels’, in *Pathologic Basis of Disease*. 8th edn. Philadelphia: Saunders Elsevier, pp. 1–65.
- Naomi, R., Ridzuan, P. M. and Bahari, H. (2021) ‘Current insights into collagen type I’, *Polymers*, 13(16), pp. 1–19. doi: 10.3390/polym13162642.
- Oedjoe, M. D. R. (2017) ‘Composition of Nutritional Content of Sea Cucumbers (Holothuroidea) in Mania Waters, Sabu Raijua Regency, East Nusa Tenggara’, *Journal of Aquaculture Research & Development*, 08(07), pp. 10–12. doi: 10.4172/2155-9546.1000502.
- Onibala, M. L. M. et al. (2023) ‘Efektivitas Gel Ekstrak Etanol 70% Daun Anggrek Oncidium (Oncidium Aliceara alice) terhadap Penyembuhan Luka Kulit Dorsum Tikus Sprague Dawley’, *Jurnal Kefarmasian Indonesia*, 13(1), pp. 30–40.
- Owczarzy, A. et al. (2020) ‘Collagen - Structure, Properties and Application’, *Engineering of Biomaterials*, 156, pp. 17–23. doi: 10.34821/eng.biomat.156.2020.17-23.
- Papetti, M. and Herman, I. M. (2002) ‘Mechanisms of normal and tumor-derived angiogenesis’, *American Journal of Physiology - Cell Physiology*, 282, pp. 947–970. doi: 10.1152/ajpcell.00389.2001.
- Plikus, M. V. et al. (2021) ‘Fibroblasts: Origins, definitions, and functions in health and disease’, *Cell*, 184(15), pp. 3852–3872. doi: 10.1016/j.cell.2021.06.024.
- Pranoto, E. N., Ma'ruf, W. F. and Pringgenies, D. (2012) ‘Kajian Aktivitas Bioaktif Ekstrak Teripang Pasir (*Holothuria Scabra*) Terhadap Jamur Candida Albicans’, *Jurnal Pengolahan dan Bioteknologi Hasil Perikanan*, 1(2), pp. 1–8.
- Prior, B. M. et al. (2004) ‘What makes vessels grow with exercise training: Skeletal and Cardiac Muscle Blood Flow What makes vessels grow with exercise training ?’, *Journal of Applied Physiology*, 97, pp. 1119–1128.
- Purcell, S. W. (2014) *Processing sea cucumbers into beche-de-mer : A manual for Pacific Island fishers*. Lismore: Southern Cross University.
- Rahman, V. R., Bratadiredja, M. A. and Saptarini, N. M. (2021) ‘Potensi Kolagen sebagai Bahan Aktif Sediaan Farmasi’, *Majalah Farmasetika*, 6(3), pp. 253–286. doi: 10.24198/mfarmasetika.v6i3.33621.
- Reilly, D. M. and Lozano, J. (2021) ‘Skin collagen through the lifestages: importance for skin health and beauty’, *Plastic and Aesthetic Research*, 8(2), pp. 1–24. doi: 10.20517/2347-9264.2020.153.



- Rini, B. I. and Small, E. J. (2005) ‘Biology and clinical development of vascular endothelial growth factor-targeted therapy in renal cell carcinoma’, *Journal of Clinical Oncology*, 23(5), pp. 1028–1043. doi: 10.1200/JCO.2005.01.186.
- Rosdiana, A. and Hadisaputri, Y. E. (2016) ‘Review Artikel: Studi Pustaka Tentang Prosedur Kultur Sel’, *Farmaka*, 14(1), pp. 236–249.
- Rosenthal, N. and Harvey, R. P. (2010) *Heart Development and Regeneration*. 1st edn. London: Academic Press.
- Saallah, Suryani *et al.* (2021) ‘Comparative Study of The Yield and Physicochemical Properties of Collagen from Sea Cucumber (*Holothuria scabra*), Obtained through Dialysis and the Ultrafiltration Membrane’, *Molecules*, 26(9), pp. 1–11. doi: 10.3390/molecules26092564.
- Sadili, D. *et al.* (2015) ‘Pedoman Umum Identifikasi dan Monitoring Teripang.pdf’, pp. 1–92.
- Safithri, M. *et al.* (2018) ‘Potensi Kolagen Teripang Emas Sebagai Inhibitor Tirosinase’, *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(2), pp. 295–303. doi: 10.17844/jphpi.v21i2.23085.
- Sonoda, H. *et al.* (2006) ‘Multiple processing forms and their biological activities of a novel angiogenesis inhibitor vasohibin’, *Biochemical and Biophysical Research Communications*, 342(2), pp. 640–646. doi: <https://doi.org/10.1016/j.bbrc.2006.01.185>.
- Sroyraya, M. *et al.* (2017) ‘Nutritional components of the sea cucumber *Holothuria scabra*’, *Functional Foods in Health and Disease*, 7(3), pp. 168–181. doi: 10.31989/ffhd.v7i3.303.
- Sumbayak, E. M. (2015) ‘Fibroblas : Struktur dan Peranannya dalam Penyembuhan Luka’, *Jurnal Kedokteran Meditek*, 21(6), pp. 1–6. Available at: <http://ejournal.ukrida.ac.id/ojs/index.php/Meditek/article/view/1169>.
- Suntoro, H. (1983) *Staining Method*. 1st edn. Jakarta: Bhratara Karya Aksara.
- Suptijah, P., Indriani, D. and Wardoyo, S. E. (2018) ‘ISOLASI DAN KARAKTERISASI KOLAGEN DARI KULIT IKAN PATIN (*Pangasius sp.*)’, *Jurnal Sains Natural*, 8(1), pp. 1–8. doi: 10.31938/jsn.v8i1.106.
- Suryaningrum, T. D. (2008) ‘Teripang : Potensinya sebagai bahan nutraceutical dan teknologi pengolahannya’, *Squalen*, 3(2), pp. 63–69.
- Syahputra, G. *et al.* (2021) ‘Extraction and Characterization of Collagen from Sand Sea Cucumber (*Holothuria scabra*)’, *Jurnal Ilmu Pertanian Indonesia*, 26(3), pp. 319–327. doi: 10.18343/jipi.26.3.319.
- Tracy, L. E., Minasian, R. A. and Caterson, E. J. (2016) ‘Extracellular Matrix and Dermal Fibroblast Function in the Healing Wound’, *Advances in Wound Care*, 5(3), pp. 119–136. doi: 10.1089/wound.2014.0561.
- Valdes, T. I., Kreutzer, D. and Moussy, F. (2002) ‘The chick chorioallantoic membrane as a novel in vivo model for the testing of biomaterials’, *Journal of Biomedical Materials Research*, 62(2), pp. 273–282. doi: 10.1002/jbm.10152.
- Vimalraj, S., Renugaa, S. and Dhanasekaran, A. (2023) ‘Chick embryo chorioallantoic membrane: A biomaterial testing platform for tissue engineering applications’, *Process Biochemistry*, 124(October 2022), pp. 81–91. doi: 10.1016/j.procbio.2022.11.007.
- Wirawati, I., Setyastuti, A. and Purwati, P. (2019) *Timun Laut Dari Perairan*



UNIVERSITAS  
GADJAH MADA

**Pengaruh Ekstrak Etanolik Teripang Pasir (*Holothuria scabra* Jaeger, 1833) terhadap Jumlah Fibroblas**

**dan Pembuluh Darah pada Membran Korioalantois Embrio Ayam**

Zaenab Nurahmah, Zulyati Rohmah, S.Si., M.Si., Ph.D.Eng.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

*Dangkal Indonesia*. Jakarta: PT. Media Sains Nasional.

Yuliana, Y., Ilyas, A. and Suriani, S. (2017) 'Isolasi Senyawa Bioaktif Antibakteri Pada Ekstrak Etanol Teripang Pasir (*Holothuria scabra*) di Kepulauan Selayar', *Al-Kimia*, 5(1), pp. 71–80. doi: 10.24252/al-kimia.v5i1.2340.