



DAFTAR PUSTAKA

- Adinugraha, M. P., Marseno, D. W., & Haryadi. (2005). Synthesis and characterization of sodium carboxymethylcellulose from cavendish banana pseudo stem (*Musa cavendishii* LAMBERT). *Carbohydrate Polymers*, 62(2), 164–169. <https://doi.org/10.1016/J.CARBPOL.2005.07.019>
- Agustriono, F. R., & Hasanah, A. N. (2016). Pemanfaatan Limbah Sebagai Bahan Baku Sintesis Karboksilmetil Selulosa : Review. *Faramaka*, 14(3), 87–94.
- Ambjörnsson, H. A., Schenzel, K., & Germgård, U. (2013). Carboxyl methyl cellulose produced at different mercerization conditions and characterized by NIR FT Raman spectroscopy in combination with multivariate analytical methods. *BioResources*, 8(2), 1918–1932.
- Anindyawati, T. (2010). Potensi Selulase Dalam Mendegradasi Lignoselulosa Limbah Pertanian Untuk Pupuk Organik. *Berita Selulosa*, 45(2), 70–77.
- Anonim. (2009). *Institute of Medicine Food and Nutrition Board Committee on Food Chemicals Codex Revised Monograph-Sodium Carboxymethylcellulose*. National Academy press.
- [AOAC] Association of Official Analytical Chemists. (2005). *Official Method of Analysis of The Association of Official Analytical of Chemist*. Association of Official Analytical Chemist, Inc.
- Asmoro, N. W., Afriyanti, & Ismawati. (2018). Rendemen Selulosa Hasil Ekstraksi Batang Tanaman Jagung (*Zea mays*) Menggunakan Variasi Lama Blanching Dan Konsentrasi NaOH. *Jurnal Ilmu Dan Teknologi Pangan*, 4(1), 284–288. <http://www.profood.unram.ac.id/index.php/profood>
- Awasthi, M., Kaur, J., & Rana, S. (2013). Bioethanol Production Through Water Hyacinth, Eichhronia Crassipes Via Optimization of The Pretreatment Conditions. *International Journal of Emerging Technology and Advanced Engineering*, 3, 42–46. www.ijetae.com
- Ayuningtiyas, S., & Dwi Desiyana, F. (2017). Pembuatan Karboksimetil Selulosa Dari Kulit Pisang Kepok Dengan Variasi Konsentrasi Natrium Hidroksida, Natrium Monokloroasetat, Temperatur dan Waktu Reaksi. *Jurnal Teknik Kimia USU*, 6(3).
- Badan Pusat Statistik. (2022). *Statistik Kelapa Sawit Indonesia 2021*. Badan Pusat Statistik.
- Badan Standardisasi Nasional. (2019). *Natrium karboksimetil selulosa teknis*. www.bsn.go.id
- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., & Escalera, L. A. (2008). Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Talanta*, 76(5), 965–977. <https://doi.org/10.1016/J.TALANTA.2008.05.019>
- Biorata, A. M. (2012). *Optimasi Proses Selulase Dari Bacillus sp. BPPT CC RK 2 Menggunakan Metode Respon Permukaan Dengan Variasi Rasio C/N Dan Waktu Fermentasi*.



- Bono, A., Ying, P. H., Yan, F. Y., Muei, C. L., Sarbatly, R., & Krishnaiah, D. (2009). Synthesis and characterization of carboxymethyl cellulose from. *Advances in Natural and Applied Sciences*, 3(1), 5–11.
- BSN. (1995). *Natrium karboksil metil selulosa teknis*. <https://akses-sni.bsn.go.id/viewsni/baca/1651>
- BSN. (2019). *Natrium Karboksimetil Selulosa Teknis*. www.bsn.go.id
- Dabutar, A. H., Fatarina, E., & Mulyaningsih, S. (2023). Optimasi Evaporasi Dan Maserasi Pembuatan Sabun Cair Lidah Buaya. *Journal of Chemical Engineering*, 4(1).
- Dewati Samah, S., Futeri, R., Rika Putri, G., & Ikhlas Armin, M. (2022). Karakterisasi Kimia CMC (Carboxymethyl Cellulose) Umbi Ganyong. *Journal of Research on Chemistry and Engineering*, 3(2), 72–78. <https://doi.org/10.52759/reactor.v3i2.61>
- Dimawarnita, F. (2017). Pemanfaatan Tandan Kosong Kelapa Sawit untuk Produksi Jamur Tiram (*Pleurotus sp.*) dan Enzim Ligninase Utilization of Oil Palm Empty Fruit Bunches for Oyster Mushroom Growth (*Pleurotus sp.*) and Ligninolytic Enzyme Activity. *Jurnal Mikologi Indonesia*, 1(2), 100–108. www.jmi.mikoina.or.id
- Dutta, S. K., Halder, G., & Mandal, M. K. (2014). Modeling and optimization of bi-directional delignification of rice straw for production of bio-fuel feedstock using central composite design approach. *Energy*, 71, 579–587. <https://doi.org/10.1016/J.ENERGY.2014.04.108>
- Ferdiansyah, M., Marseno, D. W., & Pranoto, Y. (2016). Kajian Karakteristik Karboksimetil Selulosa (CMC) dari Pelepah Kelapa Sawit sebagai Upaya Diversifikasi Bahan Tambahan Pangan yang Halal. *Jurnal Aplikasi Teknologi Pangan*, 5(4), 136–139. <https://doi.org/10.17728/jatp.198>
- French, A. D. (2017). Glucose, not cellobiose, is the repeating unit of cellulose and why that is important. *Cellulose*, 24(11), 4605–4609.
- Futeri, R. (2016). Synthesis Carboxyl Methyl Cellulose (CMC) with Addition Method from Durian Seed. *Pharmacia Lettre*, 8(19), 262–268. www.scholarsresearchlibrary.com
- Futeri, R., Samah, S. D., & Putra, R. P. (2019). *Pembuatan CMC (Carboxymethyl Cellulose) dari Limbah Ampas Tebu Menggunakan Reaktor Semi Continue*.
- Gautam, P., Kumar, S., Vishwakarma, S., & Gautam, A. (2022). Synergistic optimization of electrocoagulation process parameters using response surface methodology for treatment of hazardous waste landfill leachate. *Chemosphere*, 290, 133255. <https://doi.org/10.1016/J.CHEMOSPHERE.2021.133255>
- Huang, C. M. Y., Chia, P. X., Lim, C. S. S., Nai, Q., Ding, D. Y., Bei Seow, P., Wong, C. W., & Chan, E. W. C. (2017). Synthesis and Characterisation of Carboxymethyl Cellulose from Various Agricultural Wastes. *Cellulose Chemistry and Technology*, 51(8), 665–672.
- Hutomo, G., & Marseno, D. W. (2012). *Sintesis dan Karakterisasi Turunan Selulosa dari POD Husk Kakao (*Theobroma cacao L.*)*. Universitas Gadjah Mada.



- Isroi, Cifriadi, A., Panji, T., Wibowo, N. A., & Syamsu, K. (2017). Bioplastic production from cellulose of oil palm empty fruit bunch. *IOP Conference Series: Earth and Environmental Science*, 65(1). <https://doi.org/10.1088/1755-1315/65/1/012011>
- Kamal, N. (2012). *Karakterisasi dan Potensi Pemanfaatan Limbah Sawit*.
- Khuri, A. I., & Mukhopadhyay, S. (2010). Response surface methodology. *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(2), 128–149. <https://doi.org/10.1002/wics.73>
- Klunklin, W., Jantanasakulwong, K., Phimolsiripol, Y., Leksawasdi, N., Seesuriyachan, P., Chaiyaso, T., Insomphun, C., Phongthai, S., Jantrawut, P., Sommano, S. R., Punyodom, W., Reungsang, A., Ngo, T. M. P., & Rachtanapun, P. (2021). Synthesis, characterization, and application of carboxymethyl cellulose from asparagus stalk end. *Polymers*, 13(1), 1–15. <https://doi.org/10.3390/polym13010081>
- Kopania, E., Wietecha, J., & Ciechańska, D. (2012). Studies on Isolation of Cellulose Fibres from Waste Plant Biomass. *Fibers & Textiles*, 20, 167–172.
- Kumari, M., Survase, S. A., & Singhal, R. S. (2008). Production of schizophyllan using *Schizophyllum commune* NRCM. *Bioresource Technology*, 99(5), 1036–1043. <https://doi.org/10.1016/J.BIORTECH.2007.02.029>
- Lam, Y. L., Muniandy, S., Kamaruddin, H., Mansor, A., & Janarthanan, P. (2015). Radiation cross-linked carboxymethyl sago pulp hydrogels loaded with ciprofloxacin: Influence of irradiation on gel fraction, entrapped drug and in vitro release. *Radiation Physics and Chemistry*, 106, 213–222. <https://doi.org/10.1016/j.radphyschem.2014.07.018>
- LIPI. (2017). *Tidak Hanya dari Kayu, Sumber Lignoselulosa Juga Bisa dari Limbah* | Lembaga Ilmu Pengetahuan Indonesia. <http://lipi.go.id/berita/tidak-hanya-dari-kayu-sumber-lignoselulosa-juga-bisa-dari-limbah/19044>
- Mahendra, A., & Mitarlis. (2017). Sintesis dan Karakterisasi Carboxymethyl Cellulose (CMC) dari Selulosa Eceng Gondok (*Eichhornia crassipes*). *UNESA Journal of Chemistry*, 6(1).
- Majdi, H., Esfahani, J. A., & Mohebbi, M. (2019). Optimization of convective drying by response surface methodology. *Computers and Electronics in Agriculture*, 156, 574–584. <https://doi.org/10.1016/j.compag.2018.12.021>
- Manjeri, G., Muhamad, R., & Tan, S. G. (2014). Oryctes rhinoceros Beetles, an Oil Palm Pest in Malaysia. In *Mini-Review Article Annual Research & Review in Biology* (Vol. 4, Issue 22). www.sciedomain.org
- Mohammad Padzil, F. N., Lee, S. H., Ainun, Z. M. A. ari, Lee, C. H., & Abdullah, L. C. (2020). Potential of oil palm empty fruit bunch resources in nanocellulose hydrogel production for versatile applications: A review. In *Materials* (Vol. 13, Issue 5). MDPI AG. <https://doi.org/10.3390/ma13051245>
- Montgomery, D. C. (2012). *Design and analysis of experiments* (Eight). John Wiley & Sons, Inc.



- Ngadi, N., & Saadiah Lani, N. (2014). *Jurnal Teknologi Extraction and Characterization of Cellulose from Empty Fruit Bunch (EFB) Fiber* (Vol. 68, Issue 5). www.jurnalteknologi.utm.my
- Nuryanti, & Salimy, D. H. (2008). Metode Permuakaan Respon Dan Aplikasinya Pada Optimasi Eksperimen Kimia. *Risalah Lokakarya Komputasi Dalam Sains Dan Teknologi Nuklir*, 373–391.
- Octaviani, M. A., Retno, D., Dewi, S., & Asrini, L. J. (2017a). Optimasi Faktor Yang Berpengaruh Pada Kualitas Lilin Di UD.X Dengan Metode Response Surface. *Jurnal Ilmiah Widya Teknik*, 16, 2017.
- Octaviani, M. A., Retno, D., Dewi, S., & Asrini, L. J. (2017b). Optimasi Faktor Yang Berpengaruh Pada Kualitas Lilin Di UD.X Dengan Metode Response Surface. *Jurnal Ilmiah Widya Teknik*, 16(1), 29–38.
- Othman, N. E. A., Ismail, F., Aziz, A. A., & Wahab, N. A. (2021). Preparation and characterization of palm-based sodium carboxymethyl cellulose for application in food additive. *Biointerface Research in Applied Chemistry*, 11(5), 13053–13063. <https://doi.org/10.33263/BRIAC115.1305313063>
- Pakem, G. K., Ginting, K. B., Kleden, M. A., & Matematika, J. (2019). Penerapan Metode Respon Permuakaan Dalam Optimalisasi Laba Usaha Pertanian Tanaman Kangkung Darat. *Jurnal Diferensial*, 01.
- Parid, D. M., Aliaa, N. ', Rahman, A., Baharuddin, A. S., Mohammed, A. P., Johari, A. M., Zubaidah, S., & Razak, A. (2018). Synthesis and Characterization of Carboxymethyl Cellulose from Oil Palm Empty Fruit Bunch Stalk Fibres. *BioResources*, 13(1), 535–554.
- Pitaloka, A. B., Hidayah, N. A., Saputra, A. H., & Nasikin, M. (2015). Pembuatan CMC dari Selulosa Eceng Gondok dengan Media Reaksi Campuran Larutan Isopropanol-Isobutanol Untuk Mendapatkan Viskositas dan Kemurnian Tinggi. *Integrasi Proses*, 5(2), 108–114.
- Pongsumpun, P., Iwamoto, S., & Siripatrawan, U. (2020). Response surface methodology for optimization of cinnamon essential oil nanoemulsion with improved stability and antifungal activity. *Ultrasonics Sonochemistry*, 60, 104604. <https://doi.org/10.1016/J.ULTSONCH.2019.05.021>
- Pratama, J. H., Rohmah, R. L., Amalia, A., & Saraswati, T. E. (2019). Isolasi Mikroselulosa dari Limbah Eceng Gondok (*Eichornia crassipes*) dengan Metode Bleaching-Alkalinas. *ALCHEMY Jurnal Penelitian Kimia*, 15(2), 239. <https://doi.org/10.20961/alchemy.15.2.30862.239-250>
- Priatni, H. L. (2019). Evaluasi Kualitas Na0CMC Hasil Sintesis Selulosa Eceng Gondok Dengan Crosslinker Asam Suksinat dan Epiklorohidrin. *Farmaka*, 17(2), 32–47.
- Pushpamalar, V., Langford, S. J., Ahmad, M., & Lim, Y. Y. (2006). Optimization of reaction conditions for preparing carboxymethyl cellulose from sago waste. *Carbohydrate Polymers*, 64(2), 312–318. <https://doi.org/10.1016/j.carbpol.2005.12.003>
- Rachtanapun, P., Luangkamin, S., Tanprasert, K., & Suriyattem, R. (2012a). Carboxymethyl cellulose film from durian rind. *LWT - Food Science and Technology*, 48(1), 52–58. <https://doi.org/10.1016/J.LWT.2012.02.029>



- Rachtanapun, P., Luangkamin, S., Tanprasert, K., & Suriyatem, R. (2012b). Carboxymethyl cellulose film from durian rind. *LWT - Food Science and Technology*, 48(1), 52–58. <https://doi.org/10.1016/j.lwt.2012.02.029>
- Ramli, R., Junadi, N., Beg, M. D. H., & Yunus, R. M. (2015). Microcrystalline Cellulose (MCC) From Oil Palm Empty Fruit Bunch (EFB) Fiber via Simultaneous Ultrasonic and Alkali Treatment. *Chemical, Nuclear, Materials and Metallurgical Engineering*, 9(1), 8–11.
- Rasid, N. S. A., Zainol, M. M., & Amin, N. A. S. (2021). Synthesis and characterization of carboxymethyl cellulose derived from empty fruit bunch. *Sains Malaysiana*, 50(9), 2523–2535. <https://doi.org/10.17576/jsm-2021-5009-03>
- Safitri, D., Rahim, A. E., Prismawiryanti, & Sikanna, R. (2017). Sintesis Karboksimetil Selulosa (CMC) Dari Selulosa Kulit Durian (*Durio zibethinus*). *KOVALEN*, 3(1), 58–68.
- Salimi, Y. K., Hasan, A. S., & Botutihe, D. N. (2021). Sintesis dan Karakterisasi Carboxymethyl Cellulose Sodium (Na-CMC) dari Selulosa Eceng Gondok (*Eichhornia crassipes*) dengan Media Reaksi Etanol-Isobutanol. *Jamb.J.Chem*, 3(1), 1–11.
- Shanmugam, B. K., Vardhan, H., Raj, M. G., Kaza, M., Sah, R., & Hanumanthappa, H. (2022). Regression modeling and residual analysis of screening coal in screening machine. *International Journal of Coal Preparation and Utilization*, 42(9), 2849–2864. <https://doi.org/10.1080/19392699.2021.1923488>
- Shiyan, S., Hertiani, T., Martien, R., & Nugroho, A. K. (2018). Optimization of a novel kinetic-assisted infundation for rich-egcg and polyphenols of white tea (*Camellia sinensis*) using central composite design. *International Journal of Applied Pharmaceutics*, 10(6), 259–267. <https://doi.org/10.22159/ijap.2018v10i6.29654>
- Silsia, D., Efendi, Z., & Timotius, F. (2018). Karakterisasi Karboksimetil Selulosa (CMC) dari Pelepah Kelapa Sawit. *Jurnal Agroindustri*, 8(1), 53–61. <https://doi.org/10.31186/jagroindustri.8.1.53-61>
- StatEase. (2023). *Dealing with Aliased Models*. <https://www.statease.com/docs/v11/contents/analysis/dealing-with-aliased-models/>
- Susi, S., Ainuri, M., Wagiman, W., & Falah, M. A. F. (2022). Effect of delignification and bleaching stages on cellulose purity of oil palm empty fruit bunches. *IOP Conference Series: Earth and Environmental Science*, 1116(1). <https://doi.org/10.1088/1755-1315/1116/1/012018>
- Susi, S., Ainuri, M., Wagiman, W., & Falah, M. A. F. (2023). High-Yield Alpha-Cellulose from Oil Palm Empty Fruit Bunches by Optimizing Thermochemical Delignification Processes for Use as Microcrystalline Cellulose. *International Journal of Biomaterials*, 2023. <https://doi.org/10.1155/2023/9169431>
- Takene, C. M. (2019). *Pembuatan dan Karakterisasi Carboxymethyl Cellulosa (CMC) dari Limbah Tandan Kosong Kelapa Sawit (*Elaeis guineensis* Jack) Melalui Proses Karboksilmelasi*. Institut Pertanian Bogor.



UNIVERSITAS
GADJAH MADA

OPTIMASI PRODUKSI CARBOXYL METHYL CELLULOSE (CMC) MENGGUNAKAN SELULOSA
TANDAN KOSONG KELAPA SAWIT
(*Elaeis guineensis jacq.*) YANG POTENSIAL SEBAGAI BAHAN PENGENTAL INDUSTRI
Yusuf Herdyan Kusworo, Dr. Ir. Makhmudun Ainuri, M.Si.; Megita Ryanjani Tanuputri, S.T.P., M.Sc., Ph.D.
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Vincentius Calvin, A., Rulianto Utomo, A., & Setijawati, E. (2018). Pengaruh Proporsi Na-CMC (Sodium Carboxylmethyl Cellulose) dan Tapioka Terhadap Karakteristik Fisikokimia Bumbu Lembar. *Teknologi Pangan Dan Gizi*, 17(2), 104–110.
- Wijayani, A., Ummah, K., & Tjahjani, S. (2005). Karakterisasi Karboksimetil Selulosa (CMC) dari Eceng Gondok (*Eichornia crassipes* (Mart.) Solms). *Indo. J. Chem*, 5(3), 228–231.
- Wüstenberg, T. (2015). *Cellulose and Cellulose Derivatives in the Food Industry: Fundamentals and Applications*. Wiley-VCH GMBH&Co. <https://doi.org/https://doi.org/10.1002/9783527682935.ch03>