

REFERENCES

- Adachi, F., Yamamoto, A., Takakura, K. I., & Kawahara, R. (2013). Occurrence of fluoroquinolones and fluoroquinolone-resistance genes in the aquatic environment. *Science of the Total Environment*, 444, 508–514. <https://doi.org/10.1016/j.scitotenv.2012.11.077>
- Aldred, K. J., Breland, E. J., Vlčková, V., Strub, M. P., Neuman, K. C., Kerns, R. J., & Osheroff, N. (2014). Role of the water-metal ion bridge in mediating interactions between quinolones and Escherichia coli topoisomerase IV. *Biochemistry*, 53(34), 5558–5567. <https://doi.org/10.1021/bi500682e>
- Aldred, K. J., Kerns, R. J., & Osheroff, N. (2014). Mechanism of quinolone action and resistance. In *Biochemistry* (Vol. 53, Issue 10, pp. 1565–1574). American Chemical Society. <https://doi.org/10.1021/bi5000564>
- Amin, M. B., Saha, S. R., Islam, M. R., Haider, S. M. A., Hossain, M. I., Chowdhury, A. S. M. H. K., Rousham, E. K., & Islam, M. A. (2021). High prevalence of plasmid-mediated quinolone resistance (PMQR) among E. coli from aquatic environments in Bangladesh. *PLoS ONE*, 16(12 December). <https://doi.org/10.1371/journal.pone.0261970>
- Amos, G. C. A., Gozzard, E., Carter, C. E., Mead, A., Bowes, M. J., Hawkey, P. M., Zhang, L., Singer, A. C., Gaze, W. H., & Wellington, E. M. H. (2015). Validated predictive modelling of the environmental resistome. *The ISME Journal*, 9(6), 1467–1476. <https://doi.org/10.1038/ismej.2014.237>
- Andriole, V. T. (n.d.). *Overview of Quinolone Development • CID 2005:41 (Suppl 2) • S113 The Quinolones: Past, Present, and Future*. https://academic.oup.com/cid/article/41/Supplement_2/S113/307164
- Appelbaum, P. C., & Hunter, P. A. (2000). The fluoroquinolone antibacterials: past, present and future perspectives. In *International Journal of Antimicrobial Agents* (Vol. 16). www.ischemo.org
- Ardebili, A., Rastegar Lari, A., Beheshti, M., Rastegar Lari, E., Lari, R. A., & Lari, R. E. (2015). Association between mutations in gyrA and parC genes of Acinetobacter baumannii clinical isolates and ciprofloxacin resistance. www.ncbi.nlm.nih.gov/BLAST/
- Bisacchi, G. S. (2015). Origins of the Quinolone Class of Antibacterials: An Expanded “Discovery Story.” In *Journal of Medicinal Chemistry* (Vol. 58, Issue 12, pp. 4874–4882). American Chemical Society. <https://doi.org/10.1021/jm501881c>
- Cabello, F. C. (2006). Heavy use of prophylactic antibiotics in aquaculture: a growing problem for human and animal health and for the environment. *Environmental Microbiology*, 8(7), 1137–1144. <https://doi.org/10.1111/j.1462-2920.2006.01054.x>
- Cavaco, L. M., Hasman, H., Xia, S., & Aarestrup, F. M. (2009). qnrD, a novel gene conferring transferable quinolone resistance in Salmonella enterica serovar Kentucky and Bovismorbificans strains of human origin. *Antimicrobial Agents and Chemotherapy*, 53(2), 603–608. <https://doi.org/10.1128/AAC.00997-08>

- Centers for Disease Control and Prevention. (2021). *Antibiotic Class Definitions*.
- Clermont, O., Bonacorsi, P., & Bingen, E. (2000). Rapid and Simple Determination of the Escherichia coli Phylogenetic Group. In *APPLIED AND ENVIRONMENTAL MICROBIOLOGY* (Vol. 66, Issue 10).
- Clermont, O., Gordon, D., & Denamur, E. (2015). Guide to the various phylogenetic classification schemes for Escherichia coli and the correspondence among schemes. *Microbiology*, *161*(5), 980–988. <https://doi.org/https://doi.org/10.1099/mic.0.000063>
- Clinical and Laboratory Standards Institute. (2019). *Performance standards for antimicrobial susceptibility testing*.
- Collignon, P. C., Conly, J. M., Andremont, A., McEwen, S. A., Aidara-Kane, A., for the World Health Organization Advisory Group, B. M. on I. S. of A. R. (WHO-A., Agerso, Y., Andremont, A., Collignon, P., Conly, J., Dang Ninh, T., Donado-Godoy, P., Fedorka-Cray, P., Fernandez, H., Galas, M., Irwin, R., Karp, B., Matar, G., McDermott, P., ... for the World Health Organization Advisory Group, B. M. on I. S. of A. R. (WHO-A. (2016). World Health Organization Ranking of Antimicrobials According to Their Importance in Human Medicine: A Critical Step for Developing Risk Management Strategies to Control Antimicrobial Resistance From Food Animal Production. *Clinical Infectious Diseases*, *63*(8), 1087–1093. <https://doi.org/10.1093/cid/ciw475>
- Colomer-Lluch, M., Jofre, J., & Muniesa, M. (2014). Quinolone resistance genes (qnrA and qnrS) in bacteriophage particles from wastewater samples and the effect of inducing agents on packaged antibiotic resistance genes. *Journal of Antimicrobial Chemotherapy*, *69*(5), 1265–1274. <https://doi.org/10.1093/jac/dkt528>
- Correia, S., Poeta, P., Hébraud, M., Capelo, J. L., & Igrejas, G. (2017). Mechanisms of quinolone action and resistance: where do we stand? In *Journal of Medical Microbiology* (Vol. 66, Issue 5, pp. 551–559). Microbiology Society. <https://doi.org/10.1099/jmm.0.000475>
- Dalhoff, A. (2012). Global fluoroquinolone resistance epidemiology and implications for clinical use. In *Interdisciplinary Perspectives on Infectious Diseases* (Vol. 2012). <https://doi.org/10.1155/2012/976273>
- Drlica, K., Malik, M., Kerns, R. J., & Zhao, X. (2008). Quinolone-mediated bacterial death. In *Antimicrobial Agents and Chemotherapy* (Vol. 52, Issue 2, pp. 385–392). <https://doi.org/10.1128/AAC.01617-06>
- Emmerson, A. M., & Jones, A. M. (2003). The quinolones: Decades of development and use. In *Journal of Antimicrobial Chemotherapy* (Vol. 51, Issue SUPPL. 1, pp. 13–20). <https://doi.org/10.1093/jac/dkg208>
- Fàbrega, A., Madurga, S., Giralt, E., & Vila, J. (2009). Mechanism of action of and resistance to quinolones. In *Microbial Biotechnology* (Vol. 2, Issue 1, pp. 40–61). John Wiley and Sons Ltd. <https://doi.org/10.1111/j.1751-7915.2008.00063.x>
- Fernández, C., González-Doncel, M., Pro, J., Carbonell, G., & Tarazona, J. V. (2010). Occurrence of pharmaceutically active compounds in surface waters of the henares-jarama-tajo river system (madrid, spain) and a potential risk characterization. *Science*

of the Total Environment, 408(3), 543–551.
<https://doi.org/10.1016/j.scitotenv.2009.10.009>

- Forterre, P., & Gadhelle, D. (2009). Phylogenomics of DNA topoisomerases: Their origin and putative roles in the emergence of modern organisms. *Nucleic Acids Research*, 37(3), 679–692. <https://doi.org/10.1093/nar/gkp032>
- Fournier, B., Zhao, X., Lu, T., Drlica, K., & Hooper, D. C. (2000). *Selective Targeting of Topoisomerase IV and DNA Gyrase in Staphylococcus aureus: Different Patterns of Quinolone-Induced Inhibition of DNA Synthesis* (Vol. 44, Issue 8). <https://journals.asm.org/journal/aac>
- Fuzi, M., Rodriguez Baño, J., & Toth, A. (2020). Global Evolution of Pathogenic Bacteria With Extensive Use of Fluoroquinolone Agents. In *Frontiers in Microbiology* (Vol. 11). Frontiers Media S.A. <https://doi.org/10.3389/fmicb.2020.00271>
- Guillard, T., Cambau, E., Chau, F., Massias, L., De Champs, C., & Fantin, B. (2013). Ciprofloxacin treatment failure in a murine model of pyelonephritis due to an AAC(6')-Ib-cr-producing Escherichia coli strain susceptible to ciprofloxacin in vitro. *Antimicrobial Agents and Chemotherapy*, 57(12), 5830–5835. <https://doi.org/10.1128/AAC.01489-13>
- Guo, M. S., Haakonsen, D. L., Zeng, W., Schumacher, M. A., & Laub, M. T. (2018). A Bacterial Chromosome Structuring Protein Binds Overtwisted DNA to Stimulate Type II Topoisomerases and Enable DNA Replication. *Cell*, 175(2), 583–597.e23. <https://doi.org/https://doi.org/10.1016/j.cell.2018.08.029>
- Hiasa, H., Yousef, D. O., & Marians, K. J. (1996). DNA Strand Cleavage Is Required for Replication Fork Arrest by a Frozen Topoisomerase-Quinolone-DNA Ternary Complex*. *Journal of Biological Chemistry*, 271(42), 26424–26429. <https://doi.org/https://doi.org/10.1074/jbc.271.42.26424>
- Hooper, D. C., & Jacoby, G. A. (2015). Mechanisms of drug resistance: quinolone resistance. *Annals of the New York Academy of Sciences*, 1354(1), 12–31. <https://doi.org/https://doi.org/10.1111/nyas.12830>
- Hooper, D. C., & Jacoby, G. A. (2016). Topoisomerase inhibitors: Fluoroquinolone mechanisms of action and resistance. *Cold Spring Harbor Perspectives in Medicine*, 6(9). <https://doi.org/10.1101/cshperspect.a025320>
- Iranzad, M., & Hakemi-Vala, M. (2017). The Role of parC , parE , and qnrB Genes in Ciprofloxacin-Resistant Escherichia coli Isolates from Urinary Tract Infections. *Archives of Pediatric Infectious Diseases*, 5.
- Johnson, J. R., Sannes, M. R., Croy, C., Johnston, B., Clabots, C., Kuskowski, M., Bender, J., Smith, K. E., Winokur, P., & Belongia, E. (2007). *Drug-Resistant E. coli from Humans and Poultry*. www.cdc.gov/eid
- Kohanski, M. A., Dwyer, D. J., & Collins, J. J. (2010). How antibiotics kill bacteria: from targets to networks. *Nature Reviews Microbiology*, 8(6), 423–435. <https://doi.org/10.1038/nrmicro2333>
- Koster, D. A., Crut, A., Shuman, S., Bjornsti, M. A., & Dekker, N. H. (2010). Cellular strategies for regulating DNA supercoiling: A single-molecule perspective. In *Cell*

(Vol. 142, Issue 4, pp. 519–530). Elsevier B.V.
<https://doi.org/10.1016/j.cell.2010.08.001>

- Kusama, Y., Ishikane, M., Tanaka, C., Kimura, Y., Yumura, E., Hayakawa, K., Muraki, Y., Yamasaki, D., Tanabe, M., & Ohmagari, N. (2019). Regional Variation of Antimicrobial Use in Japan from 2013–2016, as Estimated by the Sales Data. *Japanese Journal of Infectious Diseases*, 72(5), 326–329. <https://doi.org/10.7883/yoken.JJID.2018.417>
- Kusama, Y., Muraki, Y., Mochizuki, T., Kurai, H., Gu, Y., & Ohmagari, N. (2020). Relationship between drug formulary and frequently used cephalosporins, macrolides and quinolones in Japanese hospitals. *Journal of Infection and Chemotherapy*, 26(2), 211–215. <https://doi.org/https://doi.org/10.1016/j.jiac.2019.08.013>
- Leshner, G. Y., Froelich, E. J., Gruett, M. D., Bailey, J. H., & Brundage, R. P. (1962). 1,8-NAPHTHYRIDINE DERIVATIVES. A NEW CLASS OF CHEMOTHERAPEUTIC AGENTS. *Journal of Medicinal and Pharmaceutical Chemistry*, 91, 1063–1065.
- Levine, C., Hiasa, H., & Mariani, K. J. (1998). DNA gyrase and topoisomerase IV: biochemical activities, physiological roles during chromosome replication, and drug sensitivities. *Biochimica et Biophysica Acta (BBA) - Gene Structure and Expression*, 1400(1), 29–43. [https://doi.org/https://doi.org/10.1016/S0167-4781\(98\)00126-2](https://doi.org/https://doi.org/10.1016/S0167-4781(98)00126-2)
- Lihan, S., Lee, S. Y., Toh, S. C., & Leong, S. S. (2021). Plasmid-mediated antibiotic resistant escherichia coli in sarawak rivers and aquaculture farms, Northwest of Borneo. *Antibiotics*, 10(7). <https://doi.org/10.3390/antibiotics10070776>
- Marti, E., Variatza, E., & Balcazar, J. L. (2014). The role of aquatic ecosystems as reservoirs of antibiotic resistance. In *Trends in Microbiology* (Vol. 22, Issue 1, pp. 36–41). <https://doi.org/10.1016/j.tim.2013.11.001>
- Martinez-Garcia, M., White, C. I., Franklin, F. C. H., & Sanchez-Moran, E. (2021). The role of topoisomerase II in DNA repair and recombination in arabidopsis thaliana. *International Journal of Molecular Sciences*, 22(23). <https://doi.org/10.3390/ijms222313115>
- Martínez-Martínez, L., Pascual, A., & Jacoby, G. A. (1998). Quinolone resistance from a transferable plasmid. *The Lancet*, 351(9105), 797–799. [https://doi.org/https://doi.org/10.1016/S0140-6736\(97\)07322-4](https://doi.org/https://doi.org/10.1016/S0140-6736(97)07322-4)
- Murray, C. J. L., Ikuta, K. S., Sharara, F., Swetschinski, L., Robles Aguilar, G., Gray, A., Han, C., Bisignano, C., Rao, P., Wool, E., Johnson, S. C., Browne, A. J., Chipeta, M. G., Fell, F., Hackett, S., Haines-Woodhouse, G., Kashef Hamadani, B. H., Kumaran, E. A. P., McManigal, B., ... Naghavi, M. (2022). Global burden of bacterial antimicrobial resistance in 2019: a systematic analysis. *The Lancet*, 399(10325), 629–655. [https://doi.org/https://doi.org/10.1016/S0140-6736\(21\)02724-0](https://doi.org/https://doi.org/10.1016/S0140-6736(21)02724-0)
- Nishimura, E., Nishiyama, M., Nukazawa, K., Suzuki, Y., Massimiliano, M., & Purchase, D. (2021). *antibiotics Comparison of Antibiotic Resistance Profile of Escherichia coli between Pristine and Human-Impacted Sites in a River.* <https://doi.org/10.3390/antibiotics>

- Nouri, R., Ahangarzadeh Rezaee, M., Hasani, A., Aghazadeh, M., & Asgharzadeh, M. (2016). The role of *gyrA* and *parC* mutations in fluoroquinolones-resistant *Pseudomonas aeruginosa* isolates from Iran. *Brazilian journal of microbiology : [publication of the Brazilian Society for Microbiology]*, 47(4), 925–930. <https://doi.org/10.1016/j.bjm.2016.07.016>
- Odonkor, S. T., & Ampofo, J. K. (2013). *Escherichia coli* as an indicator of bacteriological quality of water: an overview. *Microbiology Research*, 4(1), 2. <https://doi.org/10.4081/mr.2013.e2>
- Olesen, S. W., Barnett, M. L., Macfadden, D. R., Brownstein, J. S., Hernández-Díaz, S., Lipsitch, M., & Grad, Y. H. (2018). The distribution of antibiotic use and its association with antibiotic resistance. *ELife*, 7. <https://doi.org/10.7554/eLife.39435>
- O’Neill, J. (2014). *Antimicrobial Resistance: Tackling a crisis for the health and wealth of nations*.
- Onseedang, S., & Ratthawongjirakul, P. (2016). Rapid Detection of Genomic Mutations in *gyrA* and *parC* Genes of *Escherichia coli* by Multiplex Allele Specific Polymerase Chain Reaction. *Journal of Clinical Laboratory Analysis*, 30(6), 947–955. <https://doi.org/10.1002/jcla.21961>
- Park, C. H., Ari, R., A, J. G., Daniel, S., & C, H. D. (2006). Prevalence in the United States of *aac(6’)-Ib-cr* Encoding a Ciprofloxacin-Modifying Enzyme. *Antimicrobial Agents and Chemotherapy*, 50(11), 3953–3955. <https://doi.org/10.1128/aac.00915-06>
- Pham, T. D. M., Ziora, Z. M., & Blaskovich, M. A. T. (2019). Quinolone antibiotics. In *MedChemComm* (Vol. 10, Issue 10, pp. 1719–1739). Royal Society of Chemistry. <https://doi.org/10.1039/c9md00120d>
- Poirel, L., Cattoir, V., & Nordmann, P. (2012). Plasmid-mediated quinolone resistance; interactions between human, animal, and environmental ecologies. *Frontiers in Microbiology*, 3(FEB). <https://doi.org/10.3389/fmicb.2012.00024>
- Prestinaci, F., Pezzotti, P., & Pantosti, A. (2015). Antimicrobial resistance: A global multifaceted phenomenon. In *Pathogens and Global Health* (Vol. 109, Issue 7, pp. 309–318). Maney Publishing. <https://doi.org/10.1179/2047773215Y.0000000030>
- Qin, T. T., Kang, H. Q., Ma, P., Li, P. P., Huang, L. Y., & Gu, B. (2015). SOS response and its regulation on the fluoroquinolone resistance. In *Annals of Translational Medicine* (Vol. 3, Issue 22). AME Publishing Company. <https://doi.org/10.3978/j.issn.2305-5839.2015.12.09>
- Redgrave, L. S., Sutton, S. B., Webber, M. A., & Piddock, L. J. V. (2014). Fluoroquinolone resistance: Mechanisms, impact on bacteria, and role in evolutionary success. In *Trends in Microbiology* (Vol. 22, Issue 8, pp. 438–445). Elsevier Ltd. <https://doi.org/10.1016/j.tim.2014.04.007>
- Robicsek, A., Jacoby, G. A., & Hooper, D. C. (2006). The worldwide emergence of plasmid-mediated quinolone resistance. *The Lancet Infectious Diseases*, 6(10), 629–640. [https://doi.org/10.1016/S1473-3099\(06\)70599-0](https://doi.org/10.1016/S1473-3099(06)70599-0)
- Schoeffler, A. J., May, A. P., & Berger, J. M. (2010). A domain insertion in *Escherichia coli* GyrB adopts a novel fold that plays a critical role in gyrase function. *Nucleic Acids Research*, 38(21), 7830–7844. <https://doi.org/10.1093/nar/gkq665>

- Seol, Y., & Neuman, K. C. (2016). The dynamic interplay between DNA topoisomerases and DNA topology. In *Biophysical Reviews* (Vol. 8, Issue 3, pp. 221–231). Springer Verlag. <https://doi.org/10.1007/s12551-016-0206-x>
- Steven, B., D, P. J., Yunyi, W., Koto, H., L, S. L., S, C. P., A, L. J., Robert, A., & H, G. C. (2004). Crystal Structures of Escherichia coli Topoisomerase IV ParE Subunit (24 and 43 Kilodaltons): a Single Residue Dictates Differences in Novobiocin Potency against Topoisomerase IV and DNA Gyrase. *Antimicrobial Agents and Chemotherapy*, 48(5), 1856–1864. <https://doi.org/10.1128/aac.48.5.1856-1864.2004>
- Sutormin, D. A., Galivondzhyan, A. K., Polkhovskiy, A. V., Kamalyan, S. O., Severinov, K. V., & Dubiley, S. A. (2021). Diversity and Functions of Type II Topoisomerases. *Acta Naturae*, 13(1), 59–75. <https://doi.org/10.32607/actanaturae.11058>
- Tran, J. H., & Jacoby, G. A. (2002). Mechanism of plasmid-mediated quinolone resistance. *Proceedings of the National Academy of Sciences*, 99(8), 5638–5642. <https://doi.org/10.1073/pnas.082092899>
- Tretter, E. M., & Berger, J. M. (2012). Mechanisms for defining supercoiling set point of DNA gyrase orthologs: I. A nonconserved acidic C-terminal tail modulates escherichia coli gyrase activity. *Journal of Biological Chemistry*, 287(22), 18636–18644. <https://doi.org/10.1074/jbc.M112.345678>
- Van, T. T., Minejima, E., Chiu, C. A., & Butler-Wu, S. M. (2019). Don't get wound up: revised fluoroquinolone breakpoints for enterobacteriaceae and pseudomonas aeruginosa. *Journal of Clinical Microbiology*, 57(7). <https://doi.org/10.1128/JCM.02072-18>
- Vetting, M. W., Park, C. H., Hegde, S. S., Jacoby, G. A., Hooper, D. C., & Blanchard, J. S. (2008). Mechanistic and structural analysis of aminoglycoside N-acetyltransferase AAC(6')-Ib and its bifunctional, fluoroquinolone-active AAC(6')-Ib-cr variant. *Biochemistry*, 47(37), 9825–9835. <https://doi.org/10.1021/bi800664x>
- Wang, M., Guo, Q., Xu, X., Wang, X., Ye, X., Wu, S., Hooper, D. C., & Wang, M. (2009). New plasmid-mediated quinolone resistance gene, qnrC, found in a clinical isolate of Proteus mirabilis. *Antimicrobial Agents and Chemotherapy*, 53(5), 1892–1897. <https://doi.org/10.1128/aac.01400-08>
- Wang, M., Tran, J. H., Jacoby, G. A., Zhang, Y., Wang, F., & Hooper, D. C. (2003). Plasmid-mediated quinolone resistance in clinical isolates of Escherichia coli from Shanghai, China. *Antimicrobial Agents and Chemotherapy*, 47(7), 2242–2248. <https://doi.org/10.1128/AAC.47.7.2242-2248.2003>
- Weidlich, D., & Klostermeier, D. (2020). Functional interactions between gyrase subunits are optimized in a species-specific manner. *Journal of Biological Chemistry*, 295(8), 2299–2312. <https://doi.org/https://doi.org/10.1074/jbc.RA119.010245>
- Wolfson, J. S., & Hooper, D. C. (1989). Fluoroquinolone Antimicrobial Agents. In *CLINICAL MICROBIOLOGY REVIEWS* (Vol. 2, Issue 4).
- World Health Organization. (2018). *Critically Important Antimicrobials for Human Medicine 6th Revision 2018 Ranking of medically important antimicrobials for risk management of antimicrobial resistance due to non-human use.*

- Wu, D., Ding, Y., Yao, K., Gao, W., & Wang, Y. (2021). Antimicrobial Resistance Analysis of Clinical *Escherichia coli* Isolates in Neonatal Ward. *Frontiers in Pediatrics*, 9. <https://doi.org/10.3389/fped.2021.670470>
- Yamane, K., Wachino, J. I., Suzuki, S., Kimura, K., Shibata, N., Kato, H., Shibayama, K., Konda, T., & Arakawa, Y. (2007). New plasmid-mediated fluoroquinolone efflux pump, QepA, found in an *Escherichia coli* clinical isolate. *Antimicrobial Agents and Chemotherapy*, 51(9), 3354–3360. <https://doi.org/10.1128/AAC.00339-07>
- Yamasaki, D., Tanabe, M., Muraki, Y., Kato, G., Ohmagari, N., & Yagi, T. (2018). The first report of Japanese antimicrobial use measured by national database based on health insurance claims data (2011–2013): comparison with sales data, and trend analysis stratified by antimicrobial category and age group. *Infection*, 46(2), 207–214. <https://doi.org/10.1007/s15010-017-1097-x>
- Yan, L., Liu, D., Wang, X.-H., Wang, Y., Zhang, B., Wang, M., & Xu, H. (2017). Bacterial plasmid-mediated quinolone resistance genes in aquatic environments in China. *Scientific Reports*, 7(1), 40610. <https://doi.org/10.1038/srep40610>
- Yang, Y., Xu, C., Cao, X., Lin, H., & Wang, J. (2017). Antibiotic resistance genes in surface water of eutrophic urban lakes are related to heavy metals, antibiotics, lake morphology and anthropic impact. *Ecotoxicology*, 26(6), 831–840. <https://doi.org/10.1007/s10646-017-1814-3>
- Yoshida, H., Bogaki, M., Nakamura, M., & Nakamura, S. (1990). Quinolone Resistance-Determining Region in the DNA Gyrase *gyrA* Gene of *Escherichia coli*. In *ANTIMICROBIAL AGENTS AND CHEMOTHERAPY*.
- Yoshida, H., Bogaki, M., Nakamura, M., Yamanaka, L. M., & Nakamura, S. (1991). Quinolone Resistance-Determining Region in the DNA Gyrase *gyrB* Gene of *Escherichia coli*. In *ANTIMICROBIAL AGENTS AND CHEMOTHERAPY* (Vol. 35, Issue 8).
- Zellweger, R. M., Carrique-Mas, J., Limmathurotsakul, D., Day, N. P. J., Thwaites, G. E., Baker, S., Network, on behalf of the S. A. A. R., & Network, M. of the S. A. A. R. (2017). A current perspective on antimicrobial resistance in Southeast Asia. *Journal of Antimicrobial Chemotherapy*, 72(11), 2963–2972. <https://doi.org/10.1093/jac/dkx260>