



## DAFTAR ACUAN

- Abima F., Bahar, M., Chairani, A. (2017). Uji efektivitas ekstrak daun binahong (*Anredera cordifolia* (Ten.) Steenis) terhadap isolate bakteri *Escherichia coli* jajanan cilok secara in vitro dengan metode difusi. *Jurnal Profesi Medika*, 11(1): 1-6.
- Al-Bukhaiti, W. Q., Noman, A., Qasim, A. S., Al-Farga, A. (2017). Gas Chromatography: Principles, Advantages and Applications in Food Analysis. *International Journal of Science Innovations and Discoveries*, 6(1): 123-128.
- Amanda, K. A., Mustofa, S., Nasution, S. H. (2019). Review efek antioksidan pada kemuning (*Murraya paniculata* (L.) Jack). *Majority*, 8(2): 265-272.
- Andila, P. S., Wibawa, P. A. H., Li'aini, T. W. A. S., Tirta, G., Bangun, T. M. (2020). *Seri Koleksi Kebun Raya Eka Karya Bali: Tanaman Berpotensi Penghasil Minyak Atsiri*. Jakarta: LIPI Press, pp. 86-89.
- Angane, M., Swift, S., Huang, K., Butts, C. A., Quek, S. Y. (2022). Essential Oils and Their Major Components: An Updated Review on Antimicrobial Activities, Mechanism of Action and Their Potential Application in the Food Industry. *Foods*, 11(3): 464.
- Anggita, D., Nuraisyah, S., Wiriansya, E. P. (2022). Mekanisme kerja antibiotik. *Umi Medical Journal*, 7(1): 46-58.
- Asfiyah, S. and Supaya. (2020). Modifikasi Deanstark Upaya Efisiensi Proses Distilasi Uap Minyak Biji Pala dalam Praktikum Kimia Organik. *Indonesia Journal of Laboratory*, 2(2): 10-15.
- Astiti, A., Sutikno, Utaminingsih. (2021). Morfologi trikoma mahkota dan kelopak beberapa varietas bunga krisan (*Chrysanthemum morifolium* Ramat.). *Al-Hayat: Journal of Biology and Applied Biology*, 4(2): 87-95.
- Aviany, H. B., & Pujiyanto, S. (2020). Analisis efektivitas probiotik di dalam produk kecantikan sebagai antibakteri terhadap bakteri *Staphylococcus epidermidis*. *Berkala Bioteknologi*, 3(2): 24-30.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahunul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of Food Engineering*, 117(4), 426–436.
- Balouuiri, M., Sadiki, M., Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: a review. *Journal of Pharmaceutical Analysis*, 6(1): 71-79.
- Bogut, A., Niedzwiadek, J., Koziol-Montewka, M., Strzelec-Nowak, D., Blacha, J., Mazurkiewicz, T., Plewik, D. (2014). Characterization of *Staphylococcus epidermidis* and *Staphylococcus warneri* small-colony variants associated with prosthetic-join infections. *Journal of Medical Microbiology*, 63(2): 176-185.
- Chen, T. K., Yang, H. H., Fang, S. C., Yang, T. T., Ko, S. S. (2016). Hybrid-cut: An improved sectioning method for recalcitrant plant tissue sampel. *Journal of Visualized Experiments*, 1(117): 1-11.



- Chowdhury, J.U., Bhuiyan, M.N.I., Yusuf, M. (2008). Chemical composition of the leaf essential oils of *Murraya koenigii* (L.) Spreng and *Murraya paniculata* (L.) Jack. *Bangladesh J. Pharmacol*, 3, 59–63.
- Cowan, M. M. (1999). Plant Product as Antimicrobial Agent. *Clinical Microbiology Review*, 12(4): 564-582.
- Davis, W. W., and Stout, T. R. (1971). Disc plate method of microbiological antibiotic assay, I: factors influencing variability and error. *Appl Microbiol*, 22(4): 659-665.
- Devi, E.R. (2015). Pengembangan Lks Materi Alga dengan Memanfaatkan Media Preparat Whole Mount Mikroalga. *Jurnal Berkala Ilmiah Pendidikan Biologi*, 4(3): 949- 956.
- Dhifi, W., Bellili, S., Jazi, S., Bahloul, N., & Mnif, W. (2016). Essential Oils' Chemical Characterization and Investigation of Some Biological Activities: A Critical Review. *Medicines*, 3(4), 25.
- Evert, R. F. (2006). *Esau's Plant anatomy: meristems, cells, and tissues of the plant body: their structure, function, and development*. 3<sup>rd</sup> Ed. USA: A John Wiley & Sons, Inc., Publication. pp. 447-495.
- Faricha, A., Rival, M., Suwito. (2014). Sistem identifikasi gas menggunakan sensor surface acoustic wave dan metode kromatografi. *Jurnal Teknik ITS*, 3(2): 157-162.
- Gunardi, G., & Shanti, K. D. (2007). Profil kromatografi dan aktivitas antibakteri ekstrak etanol daun kemuning (*Murraya paniculata* (L.) Jack.) terhadap bakteri *Escherichia coli* secara in vitro. *Jurnal Kimia Sains dan Aplikasi*, 10(3): 78-85.
- Hajšlová, J., & ajka, T. (2007). *Food Toxicant Analysis*. Chapter 12: Gas chromatography-mass spectrometry (GC-MS). UK: Elsevier, pp. 419.
- Humphries, R. M., Kircher, S., Ferrell, A., Krause, K. M., Malherbe, R., Hsiung, A., Burnham, C. A. D. (2018). The continued value of disk diffusion for assessing antimicrobial susceptibility in clinical laboratories: report from the clinical and laboratory standards institute methods development and standardization working group. *Jurnal of Clinical Micobiology*, 56(8): 1-10.
- ITIS (Integrated taxonomic information system). (2023). Taxonomic Hierarchy: *Murraya paniculata* (L.) Jack., [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=825225#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=825225#null)
- Jasmansyah, Fitriyani, P., Sujono, H., Aisyah, L. S. (2020). Uji aktivitas antimikrobia minyak atsiri tanaman pegagan (*Centella asiatica* (L.) Urb.). *Jurnal Kartika Kimia*, 3(1): 43-47.
- Jayanudin. (2011). Komposisi kimia minyak atsiri daun cengkeh dari proses penyulingan uap. *Jurnal Teknik Kimia Indonesia*, 10(1): 37-42.
- Kanthal, L. K., Dey, A., Satyavathi, K., & Bhojaraju, P. (2014). GC-MS analysis of bio-active compounds in methanolic extract of *Lactuca runcinata* DC. *Pharmacognosy Research*, 6(1), 58–61. <https://doi.org/10.4103/0974-8490.122919>
- Karimela, E. J., Ijong, F. G., Palawe, J. F. P., Mandeno, J. A. (2018). Isolasi dan identifikasi *Staphylococcus epidermidis* pada ikan asap Pinekuhe. *Jurnal Teknologi Perikanan dan Kelautan*, 9(1): 35-42.



- Li, J., Xie, S., Ahmed, S., Wang, F., Gu, Y., Zhang, C., Chai, X., Wu, Y., Cai, J., Cheng, G. (2017). Antimicrobial activity and resistance: influencing factors. *Fornt. Pharmacol*, 8, 364.
- Lv, H.-N., Guo, X.-Y., Tu, P.-F., & Jiang, Y. (2013). Comparative Analysis of the Essential Oil Composition of *Murraya paniculata* and *M. exotica*. In *NPC Natural Product Communications*, 8(10): 1473-1475.
- Maghfiroh, L., Rahayu, T., Hayati, A. 2018. Profil histokimia dan analisis in silico senyawa metabolit sekunder pada daun zaitun (*Olea europaea* L.). *Jurnal Ilmiah Sains Alami*, 1(1): 74-86.
- Mahfud, M., & Zidan Darmawan, M. (2017). Extraction of essential oil from Bangle (*Zingiber purpureum* Roxb.) by hydrodistillation and steam distillation methods. *Journal of Chemical Technology and Metallurgy*, 52(5): 791-796.
- Mahmudah, A. F., Kusumastuti, Y., Petrus, H. T. B. M., Purwestri, Y. A. (2022). Antibacterial Effectiveness of Synthesized Copper Nanoparticles by Ultrasonication Assisted Method. *Advances in Biological Sciences Research*, 22, 47-481.
- Masango, P. (2005). Cleaner production of essential oils by steam distillation. *Journal of Cleaner Production*, 13(8): 833–839. <https://doi.org/10.1016/j.jclepro.2004.02.039>
- Mohideen, M., Mahadi, N. N. S. J., Suhaimi, N. A. N., Kamaruzaman, N. A., & Azlan, A. Y. H. N. 2022. Antibacterial Properties of Essential Oil Extracted from Kaffir Lime (*Citrus Hystrix*) Peel. *Biomedical and Pharmacology Journal*, 15(1), 179–186.
- Murargo, Y. P. N. (2021). *Research series: Potensi Kosmetik Natura Indonesia dan Persyaratan Berkelanjutan sebagai Referensi Pasar di Uni Eropa*. Brussel: Kedutaan Besar Republik Indunesia Brussel. pp. 2.
- Nugroho, L. H. 2018. *Struktur dan produk jaringan sekretori tumbuhan*. Yogyakarta: Gadjah Mada University Press. pp. 104-105.
- Nugroho, L. H., and Verpoorte, R. (2002). Secondary metabolism in *Tobacco*. *Plant Cell, Tissue and Organ Culture*, 68, 105-125.
- Nugroho, L. H., Purnomo, Sumardi, I. (2012). *Struktur dan perkembangan tumbuhan*. Depok: Penebar Swadaya. pp. 17-33.
- Nugroho, L. Hartanto. (2014). Peran anatomi dalam studi biosintesis dan akumulasi metabolit sekunder pada tumbuhan, *Pidato Pengukuhan Jabatan Guru Besar Fakultas Biologi Universitas Gadjah Mada*. 24 Juni 2014. <https://www.ugm.ac.id/id/berita/9070-prof-l-hartanto-nugroho-raih-guru-besar>
- Nursal, W., Sri, Wilda, S. (2006). Bioaktifitas ekstrak jahe (*Zingiber officinale* Roxb.) dalam menghambat pertumbuhan koloni bakteri *Escherichia coli* dan *Bacillus subtilis*. *Jurnal Biogenesis*, 2(2): 64-66.
- Otto, M. (2012). Molecular basis of *Staphylococcus epidermidis* infections. In *Seminars in Immunopathology*, 34(2): 201–214.
- Patel, K., Panchal, N., & Ingle, P. (2019). Review of Extraction Techniques Extraction Methods: Microwave, Ultrasonic, Pressurized Fluid, Soxhlet Extraction, Etc. *International Journal of Advanced Research in Chemical Science*, 6(3): 6-21. <https://doi.org/10.20431/2349-0403.0603002>



- Paul, I., Dutta, M., & Mitra, A. (2021). Characterization of osmophore activity and secondary metabolite localization in fragrant ephemeral flowers of *Murraya paniculata* (Linn.) Jack (Rutaceae). *Revista Brasileira de Botanica*, 44(4): 941–955.
- Platt, K. A., & Thomson, W. W. (1992). Idioblast oil cells of avocado: distribution, ultrastructure, histochemistry. *International Journal of Plant Sciences*, 153(3): 301-310. <http://www.journals.uchicago.edu/t-and-c>
- Prabuseenivasan, S., Jayakumar, M., Ignacimuthu, S. (2006). In vitro antibacterial activity of some plant essential oils. *BMC Complementary and Alternative Medicine*, 6(39): 1-8.
- Putra, I. G. A. M., Wrasiati, L. P., Yuarini, D. A. A. (2022). Identifikasi senyawa penyusun minuman herbal serai-gula lontar menggunakan gas chromatography-mass spectrometry. *Jurnal Ilmu dan Teknologi Pangan*, 11(4): 593-600.
- Putra, I. M. A. S. (2015). Uji aktivitas antibakterik ekstrak etanol daun sirsak (*Annonae nuricata* L.) dengan metode difusi agar cakram terhadap *Escherichia coli*. *Jurnal Ilmiah Medicamento*, 1(1): 15-19.
- Rajendran, M. P., Pallaiyan, B. B., Selvaraj, N. (2014). Chemical composition, antibacterial and antioxidant profile of essential oil from *Murraya koenigii* (L.) leaves. *Avicenna Journal of Phytomedicine*, 4(3): 200-2014.
- Retnowati, Y., Bialangi, N., & Posangi, N. W. (2011). Pertumbuhan bakteri *Staphylococcus aureus* pada media yang diekspos dengan infus daun sambiloto (*Andrographis*). *Sainstek*, 6(2):
- Semarayani, C. I. M., Aziz, S. A., Melati, M. (2018). Essensial oil production of *Murraya paniculata* (L.) Jack at different harvest times. *Advances in Horticultural Science*, 32(4): 471-477.
- Setiawan, S., & Suling, P. L. (2018). Gangguan kelenjar keringat apokrin: bromhidrosis dan kromhidrosis. *Jurnal Biomedik*, 10(2): 80-84.
- Silva, F. F. A., Fernandes, C. C., Santiago, M. B., Martins, C. H. G., Vieira, T. M., Crotti, A. E. M., Miranda, M. L. D. (2020). Chemical composition and in vitro antibacterial activity of essensial oils from *Murraya paniculata* (L.) Jack (Rutaceae) ripe and unripe fruits against bacterial genera *Mycobacterium* and *Streptococcus*. *Brazilian Journal of Pharmaceutical Sciences*, 56: 1-9.
- Sipahelut, S. G. (2019). Perbandingan komponen aktif minyak atsiri dari daging buah pala kering cabinet dryer melalui metode distilasi air dan air-uap. *Agritekno Jurnal Teknologi Pertanian*, 8(1): 8-13.
- Siskawati, Y., Bernadette, I., & Menaldi, S. L. (2014). Patogenesis dan penatalaksanaan bau badan. *MDVI*, 41(1): 32-41.
- Syahadat, R. M., & Aziz, S. A. (2012). Pengaruh komposisi media dan fertigasi pupuk organik terhadap kandungan bioaktif daun tanaman kemuning (*Murraya paniculata* (L.) Jack) di pembibitan. *Buletin Littro*, 23(2): 142-147.
- Tesfaye, B., & Tefera, T. (2017). Extraction of essential oil from Neem seed by using Soxhlet extraction methods. *International Journal of Advanced Engineering, Management and Science*, 3(6): 646-650.
- Tihurua, E. F., Astuti, I. P., Qugayah. (2012). Anatomi helaian daun *Murraya* Spp. (Rutaceae) di Jawa. *Berita Biologi*, 11(3): 411-419.



- W2Drug. (2023). Data from: Pass Online Prediction Biological Potential Compounds. <http://www.way2drug.com/passonline/>
- Wagay, N. A., Shah, M. A., Ahmad, N. (2017). Anatomical study and phytochemical analysis of *Murraya paniculata* (L.) Jack. *World Journal of Pharmacy and Pharmaceutical Sciences*, 6(1): 1155-1166.
- Wardani, A. K., Fitriana, Y., Malfadinata, S. (2020). Uji aktivitas antibakteri penyebab jerawat *Staphylococcus epidermidis* menggunakan ekstrak daun ashibata (*Angelica keiskei*). *Lumbung Farmasi: Jurnal Ilmu Kefarmasian*, 1(1): 14-19.
- Wijayanti, G. E., Setyawan, P., Kurniawati, D. I. (2017). A simple parafin embedded protocol for fish egg, embryo and larvae. *Scripta Biologi*, 4(2):85-89.
- Yanis, I. F., Alamsjah, F., Agustien, A., Maideliza, T. (2020). Potensi antibakteri dari ekstrak segar daun kersen (*Muntingia calabura* L.) dalam menghambat pertumbuhan bakteri *Shigella dysentriae*. *Jurnal Biologi Universitas Andalas*, 8(1): 14-19.
- Zarsky, V., & Cvrckova, F. (2014). *Plant Cell Morphogenesis: Methods in Molecular Biology*. New York: Spring Science & Business Media, pp. 1-24.