

DAFTAR PUSTAKA

- Aidah, S. N. 2020. Ensiklopedi Singkong: Deskripsi, Filosofi, Manfaat, Budidaya, dan Peluang Bisnisnya. Tim Penerbit KBM Indonesia, Yogyakarta.
- Amalia, D. W., Zulnazri, R. Dewi. 2022. Pemanfaatan ekstrak kulit jeruk nipis (*Citrus aurantifolia*) untuk pembuatan pestisida nabati. Jurnal Ilmiah Mahasiswa Agroekoteknologi: 1003-1009.
- Aslamiyah, A. 2017. Uji efektivitas antirayap minyak atsiri kulit buah jeruk manis (*Citrus sinensis* L.) terhadap rayap tanah (*Coptotermes* sp.) dan identifikasi menggunakan GC-MS. Skripsi Fakultas Sains dan Teknologi Universitas Islam Negeri Maulana Malik Ibrahim.
- Awan. H., H. Haryanto, dan B. Supeno. 2018. Distribusi dan karakteristik hama kutu putih ubi kayu (*Phenacoccus manihoti*) di Pulau Lombok. Jurnal HPT Tropika. 1 (1): 1-15.
- Backus, E. A. 1994. History, development, and applications of the AC electronic monitoring system for insect feeding: 1–51.
- Beck, S. D. 1965. Resistance of plants to insect. Annual Rev. Entomology. (10): 207-217.
- Calatuyud, P. A., Y. Rahbe, W. F. Tjallingii, M. Tertuliano, dan B. L. Ru. 1994. Electrically recorded feeding behavior of cassava mealybug on host and non-host plants. Journal of Entomologia Experimentalis et Applicata. 72: 219-232.
- Capinera, J. L. 2008. Encyclopedia of Entomology 2nd Edition. Springer Science Business Media, Florida.
- Cecilia, L. V. C. S., E. Prado dan . Souza. 2016. Probing behavior of *Dismicoccus brevipes* mealybug in pineapple plants. Journal Agricultural Research in the Tropics. 46 (4): 458-463.
- Chen, C., S. Ye, H. J. Hu, C. M. Xue, dan X. Yu. 2018. Use of electrical penetration graphs (EPG) and quantitative PCR to evaluate the relationship between feeding behavior and *Pandora neophidis* infection levels in green peach aphids, *Myzus persicae*. Journal of Insect Physiology. (104): 9-14.
- Civolani, S., S. Cassanelli, M. Chicca, J. L. Rison, A. Bassi, J. M. Alvarez, I. B. Annan,

- G. Parrella, M. Giorgini, and E. A. Fano. 2014. An EPG study o the probing behavior of adult *Bemisia tabaci* biotype Q (Hemiptera: Aleyrodidae) following exposure to cyantraniliprole. *Journal of Economic Entomology*. 107 (3): 910-919.
- Dari, A. W., A. C. Narsa, dan N. M. Zamruddin. 2020. Aktivitas kulit jeruk dalam bidang Farmasi. *Proceeding of Mulawarman Pharmaceuticals Conferences*: 125-151.
- Golmohammadi, M., A. Borghei, A. Zenouzi, N. Ashrafi, dan M. J. Taherzadeh. 2018. Optimization of essential oil extraction form orange peels using steam explosion. *Journal Heliyon*. 4 (11): 1-18.
- Gulay F.K., Tavman A., Dulger B., Turker G. 2009. Antimicrobial activity of Turkish citrus peel oils. *Pak J Bot*. 41 (6): 3207-3212.
- Hayoto, A. C. Pary, dan S. Bachtiar. 2017. Pengaruh pemetikan tunas terhadap hasil panen ubi kayu. *Jurnal Biology Science dan Education*. 6 (2): 104-112.
- Huang, F., W. F. Tjallingii, P. Zhang, J. Zhang, Y. Lu, and J. Lin. 2012. EPG waveform characteristics of solenopsis mealybug stylet penetration on catton. *Journal Entomologia Experimentalis et Applicata*. 143 (1): 47-54.
- Istanto, M., K. Untung, Mulyadi, Y. A. Trisyono, dan T. Yuwono. 2006. Komposisi dan konsentrasi senyawa dalam minyak atsiri jeruk manis dan jeruk besar terhadap perkembangan tungau *Panonychus citri* McGregor. *Jurnal Hortikultura*. 16 (1): 40-49.
- Iheagwam, E.U. and Eluwa, M. C. 1983. The effects of temperature on the development of the immature stages of the Cassava Mealybug, *Phenacoccus manihoti* Mat-Ferr. (Homoptera, Pseudococcidae). *Deut Entomol Z*. 30: 17–22.
- IITA (Intenational Institute of Tropical Agriculture). 1990. *Cassava Tropical Africa*, Nigeria.
- Lema, K. M. and Herren H. R. 1985. The influence of constant temperature on population growth rates of the cassava mealybug, *Phenacoccus manihoti*. *Entomol Exp Appl*. 38: 165–169.
- Maluta, N. K. P., J. R. S. Lopes, E. F. Olive, J. N. Castillo, and A. L. Lourencao. 2020. Foliar spraying of tomato plants with systemic insecticides: effects on feeding behavior, mortality and oviposition of *Bemisia tabaci* (Hemiptera: Aleyrodidae) and

- inoculation efficiency of tomato chlorosis virus. *Journal Insect*. 11 (9): 2-14.
- Mustafa, T., D. R. Horton, W. R. Cooper, K. D. Swisher, R. S. Zack, H. R. Pappu dan J. E. Munyaneza. 2015. Use of *Electrical penetration graph* technology to examine transmission of '*Candidatus liberibacter sola nacearum*' to potato by three haplotypes of potato psyllid (*Bactericera cockerelli*; Hemiptera: Trioziidae). *Jurnal Plos One*: 1-20.
- Nandika, D., Rismayadi, Y., dan Diba. F. 2003. *Rayap Biologi dan Pengendaliannya*. Muhammadiyah University Press, Surakarta.
- Nurmasari, F. 2020. Identifikasi keanekaragaman dan pola sebaran hama kutu putih dan musuh alaminya pada tanaman singkong (*Manihot esculenta*) di Kabupaten Banyuwangi. *Journal of Tropical Biology*. 8 (3): 171-177.
- Nursal, E., Sudharto P. S., dan Desmier, R. 1997. *Pengaruh Konsentrasi Ekstrak Bahan Pestisida Nabati Terhadap Hama*. Balai Penelitian Tanaman Obat, Bogor.
- Obok, E., A. Wetten, and J. Allainguillaume. 2018. Electropenetrography application and molecular-based virus detection in mealybug (Hemiptera: Pseudococcidae) vectors of *Cacao swollen shoot virus* on *Theobroma cacao* L. *Journal Annals of Agricultural Sciences*. 63: 55-65.
- Octriana, L. dan M. Istanto. 2021. Efektivitas minyak sereh wangi dalam mengendalikan kutu putih papaya *Pracoccus marginatus* L. *Jurnal Budidaya Pertanian*. 17 (1): 15-22.
- Parsa, S., Kondo, T., & Winotai, A. 2012. The cassava mealybug (*Phenacoccus manihoti*) in Asia: first records, potential distribution, and an identification key. *Journal Plos One*. 7 (10).
- Rahma, F. 2021. Bertumbuh dan mengakar sejarah pembudidayaan ketela pohon di Indonesia. *Jurnal Metahumaniora*. 11 (2): 222-235.
- Recatala, V. S., dan W. Freddy, T. 2015. A new application of the *Electrical penetration graph* (EPG) for acquiring and measuring electrical signal in phloem sieve elements. *Journal of Visualized Experiments*. (101): 1-8.
- Saleh, N. M., Rahayu, S. W., Indiati, B. S., Radjit, S., dan Wahyuningsih. 2013. *Hama, Penyakit, dan Gulma pada Tanaman Ubi Kayu*. IAARD Perss. Jakarta.
- Setiyanto, A. E. R., Abdullah, M. W. W. Sakti, A. P. Ranti, S. N. Cahyani, dan H. S.

- Zulfatim. Buah-Buahan Indonesia: Tinjauan Biologi dan Kesehatan. Media Nusa Creative, Malang.
- Sumartini. 2016. Biopestisida untuk Pengendalian Hama dan Penyakit Tanaman Aneka Kacang dan Umbi. Iptek Tanaman Pangan. 11(2) : 159-166.
- Suranto, A. 2004. Khasiat dan Manfaat Madu Herbal. AgroMedia Pustaka, Jakarta.
- Tjallingii, W. 1985. Electrical nature of recorded signals during stylet penetration by aphids. *Entomologia experimentalis et applicata*. 38 (2): 177-186.
- Tjallingii, W. F. 1987. Stylet penetration activities by aphids: New correlations with electrical penetration graphs. *Proceedings of the 6th International Symposium on Insect-Plant Relationships*: 301-306.
- Tjallingii, W. F. 2006. Salivary secretions by aphids interacting with proteins of phloem wound responses. *Journal of Experimental Botany*. 57 (4): 739–745.
- Wang, Q., G. Qi, Y. He, and L. Lyu. 2023. Feeding behavior of the notorious invasive mealybug, *Phenacoccus solenopsis* to exotic weeds using EPG. *Journal of Asia-Pacific Entomology*. 26: 1-5.
- Wariah. C. 2010. Vitamin c retention and acceptability of orange (*Citrus nobilis var. microcarpa*). Juice during storage in refrigerator. *Jurnal Agri Sains*. 1 (1): 50-55.
- Wheatley, C. and G. Chuzel. 1993. Cassava: The Nature of the Tuber and the Use as a Raw Material.
- Winarno, F. G. 2002. Kimia Pangan dan Gizi. PT Gramedia Pustaka Utama. Jakarta.
- Wu, B., E. Chun, R. Xie, G. W. Knox, M. Gu, dan H. Qin. 2022. Real-time feeding behavior monitoring by *Electrical penetration graph* rapidly reveals host plant susceptibility to crapemyrtle bark scale (Hemiptera: Eriococcidae). *Journal Insects*. 13 (495): 1-16.