

DAFTAR PUSTAKA

- Ahmed, E. M. (2015). Hydrogel: Preparation, characterization, and applications: A review. *Journal of Advanced Research*, 6(2), 105–121. <https://doi.org/10.1016/j.jare.2013.07.006>
- Astuti, R. T., Darmanto, Y., & Wijayanti, I. (2014). Pengaruh Penambahan Isolat Protein Kedelai Terhadap Karakteristik Bakso Dari Surimi Ikan Swangi (*Priacanthus tayenus*). *Jurnal Pengolahan Dan Bioteknologi Hasil Perikanan*, 3(3), 47–54.
- Berghout, J. A. M., Boom, R. M., & van der Goot, A. J. (2015). Understanding the differences in gelling properties between lupin protein isolate and soy protein isolate. *Food Hydrocolloids*, 43, 465–472. <https://doi.org/10.1016/j.foodhyd.2014.07.003>
- Chang, Y. H., Su, H. J., & Shiau, S. Y. (2009). Rheological and textural characteristics of black soybean touhua (soft soybean curd) prepared with glucono- δ -lactone. *Food Chemistry*, 115(2), 585–591. <https://doi.org/10.1016/j.foodchem.2008.12.056>
- Chen, Z., Wang, C., Gao, X., Chen, Y., Kumar Santhanam, R., Wang, C., Xu, L., & Chen, H. (2019). Interaction characterization of preheated soy protein isolate with cyanidin-3-O-glucoside and their effects on the stability of black soybean seed coat anthocyanins extracts. *Food Chemistry*, 271(March 2018), 266–273. <https://doi.org/10.1016/j.foodchem.2018.07.170>
- Chung, C., Rojanasasithara, T., Mutilangi, W., & McClements, D. J. (2015). Enhanced stability of anthocyanin-based color in model beverage systems through whey protein isolate complexation. *Food Research International*, 76, 761–768. <https://doi.org/10.1016/j.foodres.2015.07.003>
- David, S., Shani Levi, C., Fahoum, L., Ungar, Y., Meyron-Holtz, E. G., Shpigelman, A., & Lesmes, U. (2018). Revisiting the carrageenan controversy: Do we really understand the digestive fate and safety of carrageenan in our foods? *Food and Function*, 9(3), 1344–1352. <https://doi.org/10.1039/c7fo01721a>

- Fernandes, I., Faria, A., Calhau, C., de Freitas, V., & Mateus, N. (2014). Bioavailability of anthocyanins and derivatives. *Journal of Functional Foods*, 7(1), 54–66. <https://doi.org/10.1016/j.jff.2013.05.010>
- Francis, F. P., & Chidambaram, R. (2019). Hybrid hydrogel dispersed low fat and heat resistant chocolate. *Journal of Food Engineering*, 256(September 2018), 9–17. <https://doi.org/10.1016/j.jfoodeng.2019.03.012>
- Gadri, A., Mulyanti, D., & Aprilianti, S. (2013). FORMULASI PEMBALUT LUKA HIDROGEL BERBASIS I-KARAGENAN DENGAN METODE FREEZING AND THAWING CYCLE. *Prosiding SNaPP2014*, 163–170.
- Gan, L., Shang, S., Hu, E., Yuen, C. W. M., & Jiang, S. X. (2015). Konjac glucomannan/graphene oxide hydrogel with enhanced dyes adsorption capability for methyl blue and methyl orange. *Applied Surface Science*, 357, 866–872. <https://doi.org/10.1016/j.apsusc.2015.09.106>
- Gao, X., Kang, Z., Zhang, W., Li, Y., & Zhou, G. (2015). Combination of κ - Carrageenan and Soy Protein Isolate Effects on Functional Combination of κ - Carrageenan and Soy Protein Isolate Effects on Functional Properties of Chopped Low-Fat Pork Batters During Heat-Induced Gelation. *Food and Bioprocess Technology*, December 2016. <https://doi.org/10.1007/s11947-015-1516-x>
- Giusti, M. M., & Wrolstad, R. E. (2001). Characterization and Measurement of Anthocyanins by UV-Visible Spectroscopy. In *Current Protocols in Food Analytical Chemistry* (p. F1.2.1-F1.2.13). <https://doi.org/10.1002/0471142913.faf0102s00>
- Günter, E. A., Martynov, V. V., Belozerov, V. S., Martinson, E. A., & Litvinets, S. G. (2020). Characterization and swelling properties of composite gel microparticles based on the pectin and κ -carrageenan. *International Journal of Biological Macromolecules*, 164, 2232–2239. <https://doi.org/10.1016/j.ijbiomac.2020.08.024>
- Guo, J., Giusti, M. M., & Kaletunç, G. (2018). Encapsulation of purple corn and blueberry extracts in alginate-pectin hydrogel particles: Impact of processing and storage parameters on encapsulation efficiency. *Food Research*

International, 107(July 2017), 414–422.
<https://doi.org/10.1016/j.foodres.2018.02.035>

Hashim, S. B. H., Elrasheid Tahir, H., Liu, L., Zhang, J., Zhai, X., Ali Mahdi, A., Nureldin Awad, F., Hassan, M. M., Xiaobo, Z., & Jiyong, S. (2022). Intelligent colorimetric pH sensing packaging films based on sugarcane wax/agar integrated with butterfly pea flower extract for optical tracking of shrimp freshness. *Food Chemistry*, 373(PB), 131514.
<https://doi.org/10.1016/j.foodchem.2021.131514>

He, Z., Xu, M., Zeng, M., Qin, F., & Chen, J. (2016). Preheated milk proteins improve the stability of grape skin anthocyanins extracts. *Food Chemistry*, 210, 221–227. <https://doi.org/10.1016/j.foodchem.2016.04.116>

Jeyaraj, E. J., Lim, Y. Y., & Choo, W. S. (2021). Extraction methods of butterfly pea (*Clitoria ternatea*) flower and biological activities of its phytochemicals. *Journal of Food Science and Technology*, 58(6), 2054–2067.
<https://doi.org/10.1007/s13197-020-04745-3>

Jones, O. G., & McClements, D. J. (2011). Recent progress in biopolymer nanoparticle and microparticle formation by heat-treating electrostatic protein-polysaccharide complexes. *Advances in Colloid and Interface Science*, 167(1–2), 49–62. <https://doi.org/10.1016/j.cis.2010.10.006>

Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and anthocyanins: Colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food and Nutrition Research*, 61(1).
<https://doi.org/10.1080/16546628.2017.1361779>

Lei, Y., Ma, L., Ouyang, H., Peng, W., Xu, F., Wang, P., Jin, L., & Li, S. (2023). Influence of soy protein isolate on the gel properties of walnut protein isolate- κ -carrageenan treated with NaCl. *Journal of Future Foods*, 3(4), 364–373.
<https://doi.org/10.1016/j.jfutfo.2023.03.007>

Li, J., Jia, X., & Yin, L. (2021). Hydrogel: Diversity of Structures and Applications in Food Science. *Food Reviews International*, 37(3), 313–372.
<https://doi.org/10.1080/87559129.2020.1858313>

Li, L., Ni, R., Shao, Y., & Mao, S. (2014). Carrageenan and its applications in drug

- delivery. *Carbohydrate Polymers*, 103(1), 1–11.
<https://doi.org/10.1016/j.carbpol.2013.12.008>
- Li, Y., Zhang, Z., & Abbaspourrad, A. (2021). Improved thermal stability of phycocyanin under acidic conditions by forming soluble complexes with polysaccharides. *Food Hydrocolloids*, 119(April), 106852.
<https://doi.org/10.1016/j.foodhyd.2021.106852>
- Liu, H. H., Chien, J. T., & Kuo, M. I. (2013). Ultra high pressure homogenized soy flour for tofu making. *Food Hydrocolloids*, 32(2), 278–285.
<https://doi.org/10.1016/j.foodhyd.2013.01.005>
- Liu, L., Zhang, D., Song, X., Guo, M., Wang, Z., Geng, F., Zhou, X., & Nie, S. (2022). Compound hydrogels derived from gelatin and gellan gum regulates the release of anthocyanins in simulated digestion. *Food Hydrocolloids*, 127(December 2021), 107487.
<https://doi.org/10.1016/j.foodhyd.2022.107487>
- Lu, Z., Lee, P. R., & Yang, H. (2023). Kappa-carrageenan improves the gelation and structures of soy protein isolate through the formation of hydrogen bonding and electrostatic interactions. *Food Hydrocolloids*, 140(February), 108585. <https://doi.org/10.1016/j.foodhyd.2023.108585>
- Manzocco, L., Anese, M., Calligaris, S., Quarta, B., & Nicoli, M. C. (2012). Use of monoglyceride hydrogel for the production of low fat short dough pastry. *Food Chemistry*, 132(1), 175–180. <https://doi.org/10.1016/j.foodchem.2011.10.049>
- Mulyani, E., Choiriyah, E., Sulasti, S., & Anggraini, M. W. (2022). *Hasil Survei Komoditas Perikanan Potensi Rumput Laut 2021 Seri-2* (P. A. Sari (ed.)). Badan Pusat Statistik.
<https://www.bps.go.id/publication/2022/08/29/269de33bab6e3d52bbae5b6/hasil-survei-komoditas-perikanan-potensi-rumput-laut-2021-seri-2.html>
- Navikaite, V., Simanaviciute, D., Klimaviciute, R., Jakstas, V., & Ivanauskas, L. (2016). Interaction between κ - And ι -carrageenan and anthocyanins from *Vaccinium myrtillus*. *Carbohydrate Polymers*, 148, 36–44.
<https://doi.org/10.1016/j.carbpol.2016.04.059>
- Netramai, S., Kijchavengkul, T., & Samsudin, H. (2020). Development of

Colorimetric Film with Butterfly Pea (*Clitoria ternatea* L.) Extract for Application in Intelligent Packaging Development of Colorimetric Indicators for pH and CO₂ from Bio-based Materials and Plant Extract, for Short Shelf-life Foods View p. *The 22nd Food Innovation Asia Conference 2020 (FIAC 2020) Future Food Innovation for Better Health and Wellness, June.* <https://www.researchgate.net/publication/342330530>

Pocan, P., Knapkiewicz, M., Rachocki, A., & Oztop, M. H. (2021). Detection of Authenticity and Quality of the Turkish Delights (Lokum) by Means of Conventional and Fast Field Cycling Nuclear Magnetic Resonance Relaxometry. *Journal of Agricultural and Food Chemistry*, 69(41), 12089–12101. <https://doi.org/10.1021/acs.jafc.1c00943>

Praptiningsih, Y., & Rahma, A. (2013). Karakteristik es krim susu kacang tunggak (*Vigna unguiculata* L.) dengan variasi jumlah karagrenan dan whipping cream. *Jurnal Agroteknologi*, 7(02), 150–156.

Rani, S., & Kumar, R. (2019). A Review on Material and Antimicrobial Properties of Soy Protein Isolate Film. *Journal of Polymers and the Environment*, 27(8), 1613–1628. <https://doi.org/10.1007/s10924-019-01456-5>

Rasyid, A. (2003). Beberapa Catatan Tentang Karaginan. *Oseana*, XXVIII(4), 1–6. <http://oseanografi.lipi.go.id/perpustakaan/repository/showpdf/285>

Rizqiati, H., Febrisiantosa, A., Shauma, C. A., & Khasanah, R. (2020). *PENGARUH ISOLAT PROTEIN KEDELAI TERHADAP KARAKTERISTIK FISIK DAN KIMIA KEFIR BUBUK* *Effect of Soy Protein Isolate on Physical and Chemical Characteristics of Kefir Powder*. 8(3), 111–121.

Rosida, D. F., & Taqwa, A. A. (2019). KAJIAN PENGEMBANGAN PRODUK SALAK SENASE (*Salacca zalacca* (Gaert.) Voss) BANGKALAN MADURA SEBAGAI PERMEN JELLY. *Jurnal Agroteknologi*, 13(01), 62. <https://doi.org/10.19184/j-agt.v13i01.10874>

Soedirga, L. C., & Marchellin, M. (2021). Physicochemical Properties of Jelly Candy Made with Pectin from Red Dragon Fruit Peel in Combination with Carrageenan. *Caraka Tani: Journal of Sustainable Agriculture*, 37(1), 1. <https://doi.org/10.20961/carakatani.v37i1.53798>

- Syafa'Atullah, A. Q., Amira, A., Hidayati, S., & Mahfud, M. (2020). Anthocyanin from butterfly pea flowers (*Clitoria ternatea*) by ultrasonic-assisted extraction. *AIP Conference Proceedings*, 2237(June). <https://doi.org/10.1063/5.0005289>
- Tang, M. xue, Zhu, Y. dan, Li, D., Adhikari, B., & Wang, L. jun. (2019). Rheological, thermal and microstructural properties of casein/ κ -carrageenan mixed systems. *Lwt*, 113(March), 108296. <https://doi.org/10.1016/j.lwt.2019.108296>
- Ullah, F., Othman, M. B. H., Javed, F., Ahmad, Z., & Akil, H. M. (2015). Classification, processing and application of hydrogels: A review. *Materials Science and Engineering C*, 57, 414–433. <https://doi.org/10.1016/j.msec.2015.07.053>
- Verfaillie, D., Janssen, F., Van Royen, G., & Wouters, A. G. B. (2023). A systematic study of the impact of the isoelectric precipitation process on the physical properties and protein composition of soy protein isolates. *Food Research International*, 163(November 2022), 112177. <https://doi.org/10.1016/j.foodres.2022.112177>
- Wang, W., Liu, F., & Gao, Y. (2016). Quercetagenin loaded in soy protein isolate- κ -carrageenan complex: Fabrication mechanism and protective effect. *Food Research International*, 83, 31–40. <https://doi.org/10.1016/j.foodres.2016.02.012>
- Wang, Z., Zeng, L., Fu, L., Chen, Q., He, Z., Zeng, M., Qin, F., & Chen, J. (2022). Effect of Ionic Strength on Heat-Induced Gelation Behavior of Soy Protein Isolates with Ultrasound Treatment. *Molecules*, 27(23). <https://doi.org/10.3390/molecules27238221>
- Wu, C., Ma, W., Chen, Y., Navicha, W. B., Wu, D., & Du, M. (2019). The water holding capacity and storage modulus of chemical cross-linked soy protein gels directly related to aggregates size. *Lwt*, 103(November 2018), 125–130. <https://doi.org/10.1016/j.lwt.2018.12.064>
- Wulandari, A., Sunarti, T. C., Fahma, F., & Noor, E. (2019). Karakteristik Mikrokapsul Antosianin Ubi Jalar Ungu Dengan Teknik Spray Drying. *Jurnal Teknologi Industri Pertanian*, 29(1), 34–44.

<https://doi.org/10.24961/j.tek.ind.pert.2019.29.1.34>

- Yan, W., Zhang, B., Yadav, M. P., Feng, L., Yan, J., Jia, X., & Yin, L. (2020). Corn fiber gum-soybean protein isolate double network hydrogel as oral delivery vehicles for thermosensitive bioactive compounds. *Food Hydrocolloids*, 107(March), 105865. <https://doi.org/10.1016/j.foodhyd.2020.105865>
- Yang, C., Zhang, Z., Liu, L., Li, Y., Dong, X., & Chen, W. (2022). Fabrication of soy protein isolate/ κ -carrageenan hydrogels for release control of hydrophilic compounds: Flax lignans. *International Journal of Biological Macromolecules*, 223(PA), 821–829. <https://doi.org/10.1016/j.ijbiomac.2022.11.007>
- Yang, H., Li, J., Wang, Y., & Gan, C. (2018). Identification of water-soluble Monascus yellow pigments using HPLC-PAD-ELSD, high-resolution ESI-MS, and MS-MS. *Food Chemistry*, 245(May 2017), 536–541. <https://doi.org/10.1016/j.foodchem.2017.10.121>
- Yegappan, R., Selvaprithviraj, V., Amirthalingam, S., & Jayakumar, R. (2018). Carrageenan based hydrogels for drug delivery, tissue engineering and wound healing. *Carbohydrate Polymers*, 198(June), 385–400. <https://doi.org/10.1016/j.carbpol.2018.06.086>
- Zhang, Q., Gu, L., Su, Y., Chang, C., Yang, Y., & Li, J. (2021). Development of soy protein isolate/ κ -carrageenan composite hydrogels as a delivery system for hydrophilic compounds: Monascus yellow. *International Journal of Biological Macromolecules*, 172, 281–288. <https://doi.org/10.1016/j.ijbiomac.2021.01.044>
- Zheng, H., Beamer, S. K., Matak, K. E., & Jaczynski, J. (2019). Effect of κ -carrageenan on gelation and gel characteristics of Antarctic krill (*Euphausia superba*) protein isolated with isoelectric solubilization/precipitation. *Food Chemistry*, 278(August 2018), 644–652. <https://doi.org/10.1016/j.foodchem.2018.11.080>