

## DAFTAR PUSTAKA

- Abraham, J., and R. Chauhan. 2018. Profiling of red pigment produced by *Streptomyces* sp. JAR6 and its bioactivity. 3 Biotech 8(22): 1-9
- Adachi, N., S. Tsukamoto, Y. Inoue, & K. Azegami. 2012. Control of bacterial seedling rot and seedling blight of rice by bacteriophage. The American Phytopathological Society. 96(7): 1033-1036.
- Agrios G.N. 2005. Plant Pathology. 5th Ed. Academic Press. New York. 332 – 334
- Agustin, D.A., E.Q. A'yun., T.I. Marsya, dan R.R. Kusuma. 2021. Potensi plant growth promoting bacteria (PGPB) sebagai pemacu ketahanan tanaman padi terhadap hawar malai padi. Journal of Agricultural Science 6(2): 96-105
- Algburi. A., N. Comito., D. Kashtanov., L.M.T. Dicks, and M.L. Chikindas. 2017. Control of biofilm formation: antibiotics and beyond. Applied and Environmental Microbiology 83(3): 1-16
- Almalki, M.A. 2020. Isolation and characterization of polyketide drug molecule from *Streptomyces* species with antimicrobial activity against clinical pathogens. Journal of Infection and Public Health 13: 125-130
- Araujo-Melo, R.D.O., T.H.B. De Oliveira., C.V.J. De Oliveira., J.M. De Araujo., K.X.R.V. De Sena, and L.C.B.B. Coelho. 2019. Actinobacteria: A renewable source of bioactive molecules with medical, industrial and pharmacological importance. Advances and Trends in Biotechnology and Genetics 1: 62-79
- Arwiyanto, T., Y.M.S. Maryudani, dan N.N. Azizah. 2007. Sifat-sifat fenotipik *Pseudomonas fluorescens*, agensia pengendalian hayati penyakit lincat pada tembakau Temanggung. Biodiversitas 8(2): 147-151
- Asysyuura., A.A. nawangsih., K.H. Mutaqin, dan Sudir. 2017. Identifikasi patotipe *Xanthomonas oryzae* pv. *oryzae* dari tanaman padi di Sulawesi selatan. Jurnal Fitopatologi Indonesia 13(3): 73-80
- Badan Pusat Statistik, 2021. Produksi Padi Tahun 2021 Turun 0,43 persen (angka tetap). <https://www.bps.go.id/pressrelease/2022/03/01/1909/produksi-padi-tahun-2021-turun-0-43-persen--angka-tetap-.html> diakses 22 Desember 2022 pukul 19.00
- Badan Pusat Statistik. 2022. Jumlah Penduduk Pertengahan Tahun (Ribu Jiwa), 2020-2022. <https://www.bps.go.id/indicator/12/1975/1/jumlah-penduduk-pertengahan-tahun.html> diakses pada 21 Februari 2023 pukul 21.45
- Badan Pusat Statistika. 2022. Luas Panen dan Produksi Padi di Indonesia 2022 (angka sementara). <https://www.bps.go.id/pressrelease/2022/10/17/1910/pada-2022--luas-panen-padi-diperkirakan-sebesar-10-61-juta-hektare-dengan-produksi-sekitar-55-67-juta-ton-gkg.html#:~:text=Luas%20panen%20padi%20pada%202022,sebesar%2010%20C41%20juta%20hektare>. Diakses pada 3 Juni 2022
- Baugh, S., A.S. Ekanayaka., L.J.V. Piddock, and M.A. Webber. 2012. Loss of or inhibition of all multidrug resistance efflux pumps of *Salmonella enterica* serovar Typhimurium result in impaired ability to form a biofilm. Journal of Antimicrobial Chemotherapy 67: 2409-2417
- Bjarnsholt, A., M. Alhede., P.O. Jensen., A.K. Nielsen., H.K. Johansen., P. Homoe., N. Hoiby., M. Givskov, and K.K. Moller. 2015. Antibiofilm properties of acetic acid. Advance in Wound Care 4(7): 363-371

- Boles, B.R., M. Thoendel, and P.K. Singh. 2004. Self-generated diversity produces “insurance effect” in biofilm communities. *Proceedings of the National Academy of Sciences of the United States of America* 101(47): 16630-16635.
- Crawford, D.L., J.M. Lynvh., J.M. Whipps, and M.A. Ousley. 1993. Isolation and characterization of actinomycete antagonists of a fungal root pathogen. *Applied and Environmental Microbiology* 59(11): 3899-3905
- Danaatmadja, Y., S. Subandiyah., T. Joko, dan C.V. Sari. 2009. Isolasi dan karakterisasi *Ralstonia syzygii*. *Jurnal Perlindungan Tanaman Indonesia* 15(1): 7-12
- DeLisa, M.P, and W.E. Bentley. 2002. Bacterial autoinduction: looking outside the cell for new metabolic engineering targets. *Microbial Cell Factories* 1(5): 1-9
- Djatmiko, H.A., B. Prakoso, dan N. Prihatiningsih. 2011. Penentuan patotipe dan keragaman genetik *Xanthomonas oryzae* pv. *oryzae* pada tanaman padi di wilayah karesidenan Banyumas. *Jurnal HPT Tropika* 11(1): 35-46
- Dow, J.M., L. Crossman., K. Findlay, and J.L. Tang. 2003. Biofilm dispersal in *Xanthomonas campestris* is controlled by cell-cell signaling and is required for full virulence to plants. *Proceedings of the National Academy of Science* 100(19): 10995-11000
- EPPO. 2007. *Xanthomonas oryzae*. *Bulletin OEPP/EPPO Bulletin* 37(3):543-553
- Fardiyanti, R., Kasrina, dan H. Bustama. 2021. Ragam jenis *Streptomyces* sp. pada rizosfer tanaman suku liliaceae di kawasan desa sumber bening, Rejang Lebong, Bengkulu. *Konservasi Hayati* 17(1): 29-34
- Hadianto, W., L. Hakim & Bakhtiar. 2015. Ketahanan beberapa genotipe padi terhadap penyakit hawar daun bakteri. *Jurnal hpt tropika* 15(2): 152-163.
- Ham, Y., & Kim, T. J. (2018). Anthranilamide from *Streptomyces* spp. inhibited *Xanthomonas oryzae* biofilm formation without affecting cell growth. *Applied Biological Chemistry*, 61(6), 673–680.
- Hastuti, R.D., Y. Lestari., R. Saraswati., A. Suwanto, and Chaerani. 2012. Capability of *Streptomyces* spp. in controlling bacterial leaf blight disease in rice plants. *American Journal of Agricultural and Biological Sciences* 7(2): 217-223
- Hop, D.V., P.T.P. Hoa., N.D. Quang., P.H. Ton., T.H. Ha., N.V. Hung., N.T. Van., T.V. Hai., N.T.K. Quy., N.T.A. Dao, and V.T. Thom. 2014. Biological control of *Xanthomonas oryzae* pv. *oryzae* causing rice bacterial blight disease by *Streptomyces toxytricini* VN08-A-12, isolated from soil and leaf-litter samples in Vietnam. *Biocontrol Science* 19(3): 103-111
- IRRI *Rice Knowledge Bank*. tanpa tahun. <http://www.knowledgebank.irri.org/decision-tools/rice-doctor/rice-doctor-fact-sheets/item/bacterial-blight>. Diakses pada 6 Mei 2023
- Ismail, S., B. Jiang., Z. Nasimi., M. Inam-ul-Haq., N. Yamamoto., A.D. Ofori., N. Khan., M. Arshad., K. Abbas, and A. Zheng. 2020. Investigation of *Streptomyces scabies* causing potato scab by various detection techniques, its pathogenicity and determination of host disease resistance in potato germplasm. *Pathogens* 9(769): 1-26
- Joko, T., H. Hirata, and S. Tsuyumu. 2007. Sugar transporter (MfsX) of the major facilitator superfamily is required for flagella mediated pathogenesis in *Dickeya dadantii* 3937. *Journal of General Plant Pathology* 73: 266-273
- Karkouri, A., Assou, S. A., & el Hassouni, M. 2019. Isolation and screening of actinomycetes producing antimicrobial substances from an extreme Moroccan biotope. *The Pan African Medical Journal*, 33.

- Kawuri, E. 2016. Isolasi dan identifikasi *Streptomyces* sp. pada rhizosfer tanaman pisang (*Musa paradisiaca*) di desa Pendem Jembrana Bali. *Jurnal Metamorfosa* 3(2): 140-148
- Kurniawati, S., K.H. Mutaqin, dan Giyanto. 2015. Eksplorasi dan uji senyawa bioaktif bakteri agensia hayati untuk pengendalian penyakit kresek padi. *Jurnal HPT Tropika* 15(2): 170-179
- Li, H., C. Yu., H. Chen., F. Tia., C. He. 2015. PXO\_00987, a putative acetyltransferase, is required for flagellin glycosylation, and regulates flagellar motility, exopolysaccharide production, and biofilm formation in *Xanthomonas oryzae* pv. *oryzae*. *Microbial Pathogenesis* 85: 50-57.
- Minas, W., J.E. Bailey and W. Duetz. 2000. Streptomycetes in micro-culture: growth, production of secondary metabolites, and storage and retrieval in the 96-well format. *Antonie van Leeuwenhoek* 78: 297-305
- Monareh, J, and T.B. Ogie. 2020. Disease control using biopesticide on rice plant (*Oryza sativa* L.). *Jurnal Agroekoteknologi Terapan* 1(1): 11-13
- Nellawati, N.L.C.A., R. Kawuri, dan N.L. Arpiwi. 2016. Uji daya hambat *Streptomyces roseoflavus* AL2 terhadap *Xanthomonas* sp. penyebab penyakit hawar daun bakteri (HDB) pada tanaman padi (*Oryza sativa* L.) *Jurnal Metamorfosa* 3(1):1-7
- Nurfitriani, R., N.P.R.A. Krishanti., A. Akhdiya, dan A.T. Wahyudi. 2016. Penapisan bakteri filosfer penghasil senyawa bioaktif anti *Xanthomonas oryzae* pv. *oryzae* penyebab penyakit hawar daun bakteri pada padi. *Jurnal Sumberdaya Hayati* 2(1): 19-24
- Nuryanto, S.B, dan T.S. Kadir. 2012. Epidemiologi, prototipe, dan strategi pengendalian penyakit hawar daun bakteri pada tanaman padi. *Iptek Tanaman Pangan* 7(2): 79-88
- Pankey, G.A, and L.D. Sabath. 2004. Clinical relevance of bacteriostatic versus bactericidal mechanism of action in the treatment of gram positif bacterial infection. *Clinical Infectious Disease* 38(6): 864-870
- Prabawati, A., A. Susilowati, dan Sugiyarto. 2019. Bakteri filosfer padi sebagai kandidat agen biokontrol terhadap *Xanthomonas oryzae* pv. *oryzae* (Xoo) penyebab penyakit hawar daun bakteri. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia* 5(2): 256-262
- Pratiwi, S.U.T., E.L. Lagemdijk., S. Weert., R. Idroes., T. Hertiani., C.V. Hondel. 2015. Effect of *Cinnamum burmannii* Nees ex Bl. and *Massoia aromatic* Becc. Essential oil on Planctonic Growth and Biofilm formation of *Pseudomonas aeruginosa* and *Staphylococcus aureus* In Vitro. *International Journal of Applied Research in Natural Product.*, 8 (2). 1-13.
- Preda, V.G, and O. Sandulescu. 2019. Communication in the key: biofilm, quorum sensing, formation and prevention. *Discoveries (Craiova)* 7(3): 1-11
- Priyadarshini, A., S. Singdevsachan., S. Tripathy., Y. Mohanta., J. Patra, and B. Sethi. 2016. Isolation and identification of actinomycetes from mangrove soil and extraction of secondary metabolites for antibacterial activity. *British Biotechnology Journal*, 12(2), 1–13.
- Procopio, R.E.D.L., I.R.D. Silva., M.K. Martins., J.C.D. Azevedo and J.M.D. Araujo. 2012. Antibiotics produced by *Streptomyces*. *The Brazilian Journal of Infectious Disease* 16(5): 466-471
- Purnamaningsih, N.A., H. Kalor, dan S. Atun. 2017. Uji aktivitas antibakteri ekstrak temulawak (*Curcuma xanthorrhiza*) terhadap bakteri *Escherichia coli* ATCC

- 11229 dan *Staphylococcus aureus* ATCC 25923. Jurnal Penelitian Saintek 22(2): 140-147
- Purnomo, E., Mukarlina, dan Rahmawati. 2017. Uji antagonis bakteri *Streptomyces* spp. terhadap jamur *Phytophthora palmivora* BBK01 penyebab busuk buah pada tanaman kakao. Jurnal Protobiont 6(3): 1-7
- Raharini, A.O., R. Kawuri, dan K. Khalimi. 2012. Penggunaan *Streptomyces* sp. sebagai biokontrol penyakit layu pada tanaman cabai merah (*Capsicum annuum* L.) yang disebabkan oleh *Fusarium oxysporum* f.sp *capsica*. Agrotrop 2(2): 151-159
- Rembang, J.H.W., A.W. Rauf, and O.M. Sondach. Karakter morfologi padi sawah local di lahan petani Sulawesi Utara. Buletin Plasma Nutfah 24(1): 1-8
- Sari, S.P.W., F.R. Puspita., N.Iriyani., S.U.T. Pratiwi, dan T. Hertiani. 2014. Penelusuran potensi kalupaga, temu putri dan senggugu sebagai penghambat pembentukan biofilm. Jurnal Ilmu Kefarmasian Indonesia 12(1): 17-24
- Sausa, C.D.S., A.C.F. Soares and M.D.S. Garrido. 2008. Characterization of Streptomycetes with potential to promote plant growth and biocontrol. Sci. Agric. 65(1): 50-55
- Serdani, A.D., L.Q. Aini, dan A.L. Abadi. 2018. Isolasi dan identifikasi bakteri endofit dari tanaman padi (*Oryza sativa*) sebagai pengendali penyakit hawar daun bakteri akibat *Xanthomonas oryzae* pv. *oryzae*. Jurnal Viabel Pertanian 12(1): 18-26
- Setyawati, T.R., R. Kurniatuhadi dan A.H. Yanti. 2021. Karakter Morfologi Koloni Streptomyces Spp. yang diisolasi dari Substrat Habitat Cacing Nipah (*Namalycastis Rhodochorde*) pada Medium Berbeda. Prosiding Seminar Nasional Penerapan Ilmu Pengetahuan dan Teknologi: kampus merdeka meningkatkan kecerdasan sumber daya manusia melalui interdisipliner ilmu pengetahuan dan teknologi: Pontianak, 24 Agustus 2021. Hal 147-154
- Shafiei, S.N., K. Ahmad., N.F.M. Ikhsan., S.I. Ismail, and K. Sijam. 2021. Suppression of *Xanthomonas oryzae* pv. *oryzae* biofilm formation by acacia mangium mathaol leaf extract. Brazilian Journal of Biology 81(1): 11-17
- Shahidi, G.H, and S. Aghighi. 2005. Chitinolytic and microsclerostatic activity of iranian strains of *Streptomyces plicatus* and *Frankia* sp. on olive isolate of *Verticillium dahliae*. Biotechnology 4(2): 108-113
- Singh, A., R. Gupta., S. Tandon, and R. Pandey. 2017. Thyme oil reduces biofilm formation and impairs virulence of *Xanthomonas oryzae*. Frontiers in Microbiology 8: 1-16
- Sopialena. 2018. Pengendalian Hayati dengan Memberdayakan Potensi Mikroba. Mulawarman University Press. Samarinda
- Sudir., B. Nuryanto, dan T.S. Kadir. 2012. Epidemiologi, patotipe, dan strategi pengendalian penyakit hawar daun bakteri pada tanaman padi. Iptek Tanaman Pangan 7(2): 79-87
- Suryadi, Y., D.N Susilowati, I. Made Samudra. 2021. Penggunaan formulasi *Bacillus firmus* E65- berbasis talek untuk pengendalian penyakit hawar daun bakteri. Gontor AGROTECH Science Journal. 7(2): 183-214
- Swings, J., M.V.D. Mooter., L. Vauterin., B. Hoste., M. Gilins., T.W. Mew, and K. Kersters. 1990. Reclassification of the causal agents of bacterial blight (*Xanthomonas campestris* pv. *oryzae*) and bacterial leaf streak (*Xanthomonas campestris* pv. *oryzicola*) of rice as pathovars of *Xanthomonas oryzae* (ex Ishiyama 1992) sp.nov.,nom.rev. International Journal of Systematic and Evolutionary Microbiology 40(3): 309-311



- USDA. Classification for kingdom plantae down to species *Oryza sativa* L. <https://plants.usda.gov/home/classification/24211>. Diakses pada 3 Juni 2023
- Wahyudi, A.T., S. Meliah, dan A.A. Nawangsih. 2011. *Xanthomonas oryzae* pv. *oryzae* bakteri penyebab hawar daun pada padi: isolasi, karakterisasi, dan telaah mutagenesis dengan transposon. Makara Sains 15(1): 89-96
- Wahyudi, A.R., J.A. Priyanto., H.N. Fijrina., H.D. Mariastuti., dan A.A. Nawangsih. 2019. *Streptomyces* spp. from rhizosphere soil of maize with potential as plant growth promoter. Biodiversitas 20(9): 2547-2553
- Xue, D., F. Tian., F. Yang., H. Chen., X. Yuan., C.H. Yang., Y. Chen., Q. Wang, and C. He. 2018. Phosphodiesterase EdpX1 promotes *Xanthomonas oryzae* pv. *oryzae* virulence, exopolysaccharide production and biofilm formation. Applied and Environmental Microbiology 84(22):
- Yulianti, T. 2013. Pemanfaatan endofit sebagai agensia pengendali hayati hama dan penyakit tanaman. Buletin Tanaman Tembakau, Serat & Minyak Industri 5(1): 40-49