



## DAFTAR PUSTAKA

- Acik, G., Cansoy, C. E., & Kamaci, M. (2019). Effect of flow rate on wetting and optical properties of electrospun poly(vinyl acetate) micro-fibers. *Colloid and Polymer Science*, 297(1), 77–83. <https://doi.org/10.1007/s00396-018-4443-3>
- Ahmad, N. A., Heng, L. Y., Salam, F., Zaid, M. H. M., & Hanifah, S. A. (2019). A colorimetric ph sensor based on clitoria sp and brassica sp for monitoring of food spoilage using chromametry. *Sensors (Switzerland)*, 19(21). <https://doi.org/10.3390/s19214813>
- Andersen, F. A. (1996). Amended final safety assessment of polyvinyl acetate. *Journal of the American College of Toxicology*, 15(2), 166–176. <https://doi.org/10.3109/10915819609043794>
- Bhardwaj, N., & Kundu, S. C. (2010). Electrospinning: A fascinating fiber fabrication technique. *Biotechnology Advances*, 28(3), 325–347. <https://doi.org/10.1016/j.biotechadv.2010.01.004>
- Boonmak, N., Niyompanich, J., Chuysinuan, P., Niamlang, P., Ekabutr, P., & Supaphol, P. (2018). Preparation of mangosteen extract-loaded poly(vinyl acetate) for use as an antibacterial spray-on dressing. *Journal of Drug Delivery Science and Technology*, 46(January), 322–329. <https://doi.org/10.1016/j.jddst.2018.05.033>
- Bozkaya, O., Arat, E., Gün Gök, Z., Yiğitoğlu, M., & Vargel, İ. (2022). Production and characterization of hybrid nanofiber wound dressing containing Centella asiatica coated silver nanoparticles by mutual electrospinning method. *European Polymer Journal*, 166(January). <https://doi.org/10.1016/j.eurpolymj.2022.111023>
- Busscher, H. J., Stokroos, I., Golverdingen, J. G., & Shakenraad, J. M. (1991). Adhesion and Spreading of Human Fibroblasts on Superhydrophobic FEP-Teflon. *Cells and Materials*, 1(3), 243–249. <http://digitalcommons.usu.edu/cellsandmaterialshttp://digitalcommons.usu.edu/cellsandmaterials/vol1/iss3/5>
- Chen, K., Hu, H., Zeng, Y., Pan, H., Wang, S., Zhang, Y., Shi, L., Tan, G., Pan, W., & Liu, H. (2022). Recent advances in electrospun nanofibers for wound dressing. *European Polymer Journal*, 178(August), 111490. <https://doi.org/10.1016/j.eurpolymj.2022.111490>
- Cushnie, T. P. T., & Lamb, A. J. (2011). Recent advances in understanding the antibacterial properties of flavonoids. *International Journal of Antimicrobial Agents*, 38(2), 99–107. <https://doi.org/10.1016/j.ijantimicag.2011.02.014>
- Derakhshandeh, H., Kashaf, S. S., Aghabaglou, F., Ghanavati, I. O., & Tamayol, A. (2018). Smart Bandages: The Future of Wound Care. *Trends in Biotechnology*, 36(12), 1259–1274. <https://doi.org/10.1016/j.tibtech.2018.07.007>



- Fourie, J., Taute, F., du Preez, L., & de Beer, D. (2021). Novel chitosan-poly(vinyl acetate) biomaterial suitable for additive manufacturing and bone tissue engineering applications. *Journal of Bioactive and Compatible Polymers*, 36(5), 394–413. <https://doi.org/10.1177/08839115211043279>
- Hadizadeh, M., Naeimi, M., Rafienia, M., & Karkhaneh, A. (2021). Materials Science & Engineering C A bifunctional electrospun nanocomposite wound dressing containing surfactin and curcumin: In vitro and in vivo studies. *Materials Science & Engineering C*, 129(March), 112362. <https://doi.org/10.1016/j.msec.2021.112362>
- Haider, A., Haider, S., & Kang, I. K. (2018). A comprehensive review summarizing the effect of electrospinning parameters and potential applications of nanofibers in biomedical and biotechnology. *Arabian Journal of Chemistry*, 11(8), 1165–1188. <https://doi.org/10.1016/j.arabjc.2015.11.015>
- Hebbar, R. S., Isloor, A. M., & Ismail, A. F. (2017). Contact Angle Measurements. In *Membrane Characterization*. Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63776-5.00012-7>
- Hodge, J. G., Zamierowski, D. S., Robinson, J. L., & Mellott, A. J. (2022). Evaluating polymeric biomaterials to improve next generation wound dressing design. In *Biomaterials Research* (Vol. 26, Issue 1). BioMed Central. <https://doi.org/10.1186/s40824-022-00291-5>
- Houghton, A., Appelhagen, I., & Martin, C. (2021). Natural blues: Structure meets function in anthocyanins. *Plants*, 10(4), 1–22. <https://doi.org/10.3390/plants10040726>
- Huang, Y., Song, J., Yang, C., Long, Y., & Wu, H. (2019). Scalable manufacturing and applications of nanofibers. *Materials Today*, 28(September), 98–113. <https://doi.org/10.1016/j.mattod.2019.04.018>
- Huhtamäki, T., Tian, X., Korhonen, J. T., & Ras, R. H. A. (2018). Surface-wetting characterization using contact-angle measurements. *Nature Protocols*, 13(7), 1521–1538. <https://doi.org/10.1038/s41596-018-0003-z>
- Indrianingsih, A. W., Wulanjati, M. P., Windarsih, A., Bhattacharjya, D. K., Suzuki, T., & Katayama, T. (2021). In vitro studies of antioxidant, antidiabetic, and antibacterial activities of Theobroma cacao, Annona muricata and Clitoria ternatea. *Biocatalysis and Agricultural Biotechnology*, 33(April). <https://doi.org/10.1016/j.bcab.2021.101995>
- Inkson, B. J. (2016). Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization. In *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100040-3.00002-X>
- Isoglu, I. A., & Koc, N. (2020). Centella Asiatica Extract Containing Bilayered Electrospun Wound Dressing. *Fibers and Polymers*, 21(7), 1453–1465. <https://doi.org/10.1007/s12221-020-9956-y>
- Jamil, N., & Pa'Ee, F. (2018). Antimicrobial activity from leaf, flower, stem, and



root of *Clitoria ternatea* - A review. *AIP Conference Proceedings*, 2002(August 2018), 1–6. <https://doi.org/10.1063/1.5050140>

Jannesari, M., Varshosaz, J., Morshed, M., & Zamani, M. (2011). Composite poly(vinyl alcohol)/poly(vinyl acetate) electrospun nanofibrous mats as a novel wound dressing matrix for controlled release of drugs. *International Journal of Nanomedicine*, 6, 993–1003. <https://doi.org/10.2147/ijn.s17595>

Jeong, H. G., Kim, Y. E., & Kim, Y. J. (2013). Fabrication of poly(vinyl acetate)/polysaccharide biocomposite nanofibrous membranes for tissue engineering. *Macromolecular Research*, 21(11), 1233–1240. <https://doi.org/10.1007/s13233-013-1155-x>

Juny, Kurnia, & Nuzantry. (2015). *Definisi Kulit*. 21. [http://eprints.undip.ac.id/46777/3/Juny\\_kurnia\\_nuzantry\\_22010111110060\\_Lap.KTI\\_Bab2.pdf](http://eprints.undip.ac.id/46777/3/Juny_kurnia_nuzantry_22010111110060_Lap.KTI_Bab2.pdf)

Kamoun, E. A., Loutfy, S. A., Hussein, Y., & Kenawy, E. R. S. (2021). Recent advances in PVA-polysaccharide based hydrogels and electrospun nanofibers in biomedical applications: A review. *International Journal of Biological Macromolecules*, 187(April), 755–768. <https://doi.org/10.1016/j.ijbiomac.2021.08.002>

Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and anthocyanins: Colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food and Nutrition Research*, 61(1), 0–21. <https://doi.org/10.1080/16546628.2017.1361779>

Kim, H.-J., Roy, S., & Rhim, J.-W. (2022). Gelatin/agar-based color-indicator film integrated with *Clitoria ternatea* flower anthocyanin and zinc oxide nanoparticles for monitoring freshness of shrimp. *Food Hydrocolloids*, 124(August 2021), 107294. <https://doi.org/10.1016/j.foodhyd.2021.107294>

Kiti, K., Thanomsilp, C., & Suwantong, O. (2022). The potential use of colorimetric pH sensor from *Clitoria ternatea* flower for indicating bacterial infection in wound dressing application. *Microchemical Journal*, 177(June 2021). <https://doi.org/10.1016/j.microc.2022.107277>

Krishnan K, A., & Thomas, S. (2019). Recent advances on herb-derived constituents-incorporated wound-dressing materials: A review. In *Polymers for Advanced Technologies* (Vol. 30, Issue 4, pp. 823–838). <https://doi.org/10.1002/pat.4540>

Kuntzler, S. G., Costa, J. A. V., Brizio, A. P. D. R., & Morais, M. G. de. (2020). Development of a colorimetric pH indicator using nanofibers containing Spirulina sp. LEB 18. *Food Chemistry*, 328(October 2019), 126768. <https://doi.org/10.1016/j.foodchem.2020.126768>

Kusrini, E., Tristantini, D., Izza, N., Melin, A., Wulandari, F., Ngai, F. E. (2022). POTENSI BUNGA TELANG ( *Clitoria ternatea* L ) SEBAGAI Antifungi *Candida albicans* , *Malasezia furfur* , *Pitosporum*. *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 1(2), 30–36.



- Liu, G. S., Yan, X., Yan, F. F., Chen, F. X., Hao, L. Y., Chen, S. J., Lou, T., Ning, X., & Long, Y. Z. (2018). In Situ Electrospinning Iodine-Based Fibrous Meshes for Antibacterial Wound Dressing. *Nanoscale Research Letters*, 13. <https://doi.org/10.1186/s11671-018-2733-9>
- Mokhena, T. C., & John, M. J. (2020). Cellulose nanomaterials: new generation materials for solving global issues. In *Cellulose* (Vol. 27, Issue 3). Springer Netherlands. <https://doi.org/10.1007/s10570-019-02889-w>
- Morris, J. B. (2009). Characterization of butterfly pea (*Clitoria ternatea* L.) accessions for morphology, phenology, reproduction and potential nutraceutical, pharmaceutical trait utilization. *Genetic Resources and Crop Evolution*, 56(3), 421–427. <https://doi.org/10.1007/s10722-008-9376-0>
- Motasadizadeh, H., Azizi, S., Shaabani, A., Sarvestani, M. G., Sedghi, R., & Dinarvand, R. (2022). Development of PVA/Chitosan-g-Poly (N-vinyl imidazole)/TiO<sub>2</sub>/curcumin nanofibers as high-performance wound dressing. *Carbohydrate Polymers*, 296(April). <https://doi.org/10.1016/j.carbpol.2022.119956>
- Park, J. Y., Lee, I. H., & Bea, G. N. (2008). Optimization of the electrospinning conditions for preparation of nanofibers from polyvinylacetate (PVAc) in ethanol solvent. *Journal of Industrial and Engineering Chemistry*, 14(6), 707–713. <https://doi.org/10.1016/j.jiec.2008.03.006>
- Peila, R., Varesano, A., Vineis, C., Bobba, V., Bobba, J., Piriou, A., & Barazzotto, M. (2021). Fabric dyeing with colorimetric pH-responsive colours. *Coloration Technology*, 137(2), 123–133. <https://doi.org/10.1111/cote.12511>
- Pourjavaher, S., Almasi, H., Meshkini, S., Pirsa, S., & Parandi, E. (2017). Development of a colorimetric pH indicator based on bacterial cellulose nanofibers and red cabbage (*Brassica oleraceae*) extract. *Carbohydrate Polymers*, 156, 193–201. <https://doi.org/10.1016/j.carbpol.2016.09.027>
- Pratap Gowd, M. J. S., Manoj Kumar, M., Sai Shankar, A., Sujatha, B., & Sreedevi, E. (2012). Evaluation of three medicinal plants for anti-microbial activity. *AYU (An International Quarterly Journal of Research in Ayurveda)*, 33(3), 423. <https://doi.org/10.4103/0974-8520.108859>
- Rawdkuen, S., Faseha, A., Benjakul, S., & Kaewprachu, P. (2020). Application of anthocyanin as a color indicator in gelatin films. *Food Bioscience*, 36(February 2018), 100603. <https://doi.org/10.1016/j.fbio.2020.100603>
- Rezvani Ghomi, E., Khalili, S., Nouri Khorasani, S., Esmaeely Neisiany, R., & Ramakrishna, S. (2019). Wound dressings: Current advances and future directions. *Journal of Applied Polymer Science*, 136(27). <https://doi.org/10.1002/app.47738>
- Sabra, S., Ragab, D. M., Agwa, M. M., & Rohani, S. (2020). Recent advances in electrospun nanofibers for some biomedical applications. *European Journal of Pharmaceutical Sciences*, 144(January), 105224. <https://doi.org/10.1016/j.ejps.2020.105224>



- Schmidt, C., Fronza, M., Goettert, M., Geller, F., Luik, S., Flores, E. M. M., Bittencourt, C. F., Zanetti, G. D., Heinzmann, B. M., Laufer, S., & Merfort, I. (2009). Biological studies on Brazilian plants used in wound healing. *Journal of Ethnopharmacology*, 122(3), 523–532. <https://doi.org/10.1016/j.jep.2009.01.022>
- Schneider, L. A., Korber, A., Grabbe, S., & Dissemond, J. (2007). Influence of pH on wound-healing: A new perspective for wound-therapy? *Archives of Dermatological Research*, 298(9), 413–420. <https://doi.org/10.1007/s00403-006-0713-x>
- Siti Azima, A. M., Noriham, A., & Manshoor, N. (2017). Phenolics, antioxidants and color properties of aqueous pigmented plant extracts: Ardisia colorata var. elliptica, Clitoria ternatea, Garcinia mangostana and Syzygium cumini. *Journal of Functional Foods*, 38, 232–241. <https://doi.org/10.1016/j.jff.2017.09.018>
- T.Madhavi, C. N. D. M. L. B. D. P. R., & Sushma, N. J. (2014). Identification of Bioactive Compounds By Ftir Analysis and in Vitro. *Identification of Bioactive Compounds By Ftir Analysis and in Vitro*, 4(09), 3894–3903.
- Taemeh, M. A., Shiravandi, A., Korayem, M. A., & Daemi, H. (2020). Fabrication challenges and trends in biomedical applications of alginate electrospun nanofibers. *Carbohydrate Polymers*, 228(October 2019), 115419. <https://doi.org/10.1016/j.carbpol.2019.115419>
- Tena, N., Martín, J., & Asuero, A. G. (2020). State of the art of anthocyanins: Antioxidant activity, sources, bioavailability, and therapeutic effect in human health. *Antioxidants*, 9(5). <https://doi.org/10.3390/antiox9050451>
- Utami, S. N. H., Maas, A., Radjagukguk, B., & Purwanto, B. H. (2013). Sifat Fisik, Kimia dan FTIR Spektrofotometri Gambut Hidrofobik Kalimantan Tengah. *Journal of Tropical Soils*, 14(2), 159–166. <https://doi.org/10.5400/jts.2009.v14i2.159-166>
- Wan, L. Y., Wang, H., Gao, W., & Ko, F. (2015). An analysis of the tensile properties of nanofiber mats. *Polymer*, 73, 62–67. <https://doi.org/10.1016/j.polymer.2015.07.018>
- Yousefi, I., Pakravan, M., Rahimi, H., Bahador, A., Farshadzadeh, Z., & Haririan, I. (2017). An investigation of electrospun Henna leaves extract-loaded chitosan based nanofibrous mats for skin tissue engineering. *Materials Science and Engineering C*, 75, 433–444. <https://doi.org/10.1016/j.msec.2017.02.076>
- Zheng, L., Huo, X. S., & Yuan, Y. (2008). Strength, Modulus of Elasticity, and Brittleness Index of Rubberized Concrete. *Journal of Materials in Civil Engineering*, 20(11), 692–699. [https://doi.org/10.1061/\(asce\)0899-1561\(2008\)20:11\(692\)](https://doi.org/10.1061/(asce)0899-1561(2008)20:11(692))