

DAFTAR PUSTAKA

- Ahmad, A. R., Juwita, J., & Ratulangi, S. A. D. (2015). Penetapan kadar fenolik dan flavonoid total ekstrak metanol buah dan daun patikala (*Etligeria elatior* (Jack) RM SM). *J. Pharm. Sci. Res* 2(1), 1.
- Ahmad, F. Albutti, A., Tariq, M. H., Din, G., Tahir ul Qamar, M., & Ahmad, S. (2022). Discovery of potential antiviral compounds against hendra virus by targeting its receptor-binding protein (G) using computational approaches. *Molecules* 27, 554.
- Alizadeh, S. R., & Ebrahimzadeh, M. A. (2022). O-Glycoside quercetin derivatives: Biological activities, mechanisms of action, and structure–activity relationship for drug design, a review. *Phytother Res*, 36(2), 778-807.
- Amalia L, Sukrasno AK, Fidrianny I, Inggriani R. Antihypertensive potency of wild cosmos (*Cosmos caudatus* Kunth) leaf extract. *J Pharmacol Toxicol*. 2012; 7:359–68.
- Andarwulan, N., D. Kurniasih, R.A. Apriady, H. Rahmat, A.V. Roto and B.W. Bolling, (2012). Polyphenols, carotenoids and ascorbic acid in underutilized medicinal vegetables. *J. Funct. Foods*, 4(1): 339-347.
- Azwanida, Z. N., Jonathan, O. E., & Melanie-Jaynes, H. (2020). Antioxidant, anti-collagenase, anti-elastase and anti-tyrosinase activities of an aqueous *Cosmos caudatus kunth* (Asteraceae) leaf extract. *Trop. J. Nat. Prod. Res* 4(12), 1124–1130. <https://doi.org/10.26538/tjnpr/v4i12.15>
- Baby, S., Johnson, A.J., Govindan, B., Lukose, S., Gopakuma, B., Koshy, K.C., 2013, UV Induced Visual Cues in Grasses, *Sci. Report*, 3, 2738.
- Banda G C, Monjerezi M, Sumani J. (2022). Phytoconstituents and Antimycobacterial Activities of Root Extracts and Fractions from *Vernonia glabra*, (Steetz) Vatke. *J. Chem*
- Batubara, I., Darusman, L. K., Mitsunaga, T., Rahminiwati, M., & Djauhari, E. (2010). Potency of Indonesian medicinal plants as tyrosinase inhibitor and antioxidant agent. *J. Bio Sci*, 10(2), 138-144.
- Bunawan, S. N., Bunawan, H., Baharum, N., Amin, N. M., & Noor, N. M. (2014). *Cosmos Caudatus Kunth: A Traditional Medicinal Herb*. *Glob. J. Pharmacol*. 8(3), 420–426. <https://doi.org/10.5829/idosi.gjp.2014.8.3.8424>
- Cai, W., Chen, Y., Xie, L., Zhang, H., & Hou, C., (2013), Characterization and density functional theory study of the antioxidant activity of quercetin and its sugar-containing analogues, *Eur. Food Res. Technol*, 238(1), 121–128.
- Chan EWC, Wong SK, Chan HT. (2016). Ulam herbs of *oenanthe javanica* and *cosmos caudatus*: an overview on their medicinal properties. *J. Nat Rem*. 16(4):137-47

- Cheng, S. H., Khoo, H. E., Ismail, A., Abdul-Hamid, A., & Barakatun-Nisak, M. Y. (2016). Influence of extraction solvents on *Cosmos caudatus* leaf antioxidant properties. *Iran. J. Sci. Technol*, 40(1), 51–58. <https://doi.org/10.1007/s40995-016-0007-x>
- Chookalaii, H., Riahi, H., Shariatmadari, Z., Mazarei, Z., & Hashtroudi, M. S. (2020). Enhancement of total flavonoid and phenolic contents in *plantago major* L. With plant growth promoting cyanobacteria. *J. Agric. Sci. Technol*, 22(2), 505–518.
- Cimpoi, C., & Hodisan, T. (1997). Mobile Phase Optimization in Thin Layer Chromatography (TLC). *Rev Anal Chem*, 16(4), 299-322
- Clayden, J., Greeves, N., & Warren, S. (2012). Organic chemistry. *Oxford University Press*.
- Cole, A. C., Jensen, J. L., Ntai, I., Tran, K. L. T., Weaver, K. J., Forbes, D. C., & Davis, J. H. (2002). Novel Brønsted acidic ionic liquids and their use as dual solvent– catalysts. *Journal of the American Chemical Society*, 124(21), 5962–5963.
- Dai, Z.; Wang, L.; Chen, Y.; Wang, H.; Bai, L.; Yuan, Z. (2014). A Pipeline for Improved QSAR Analysis of Peptides: Physiochemical Property Parameter Selection via BMSF, near-Neighbor Sample Selection via Semivariogram, and Weighted SVR Regression and Prediction. *Amino Acids*, 46, 1105–1119.
- Dawidowicz, A. L., Wianowska, D., & Olszowy, M. (2012). On practical problems in estimation of antioxidant activity of compounds by DPPH method (Problems in estimation of antioxidant activity). *Food Chem*, 131(3), 1037–1043. <https://doi.org/10.1016/j.foodchem.2011.09.067>
- De Luca V, Salim V, Thamm A, Masada SA, Yu F (2014) Making iridoids/secoiridoids and monoterpenoid indole alkaloids: progress on pathway elucidation. *Curr Opin Plant Biol* 19:35–42
- Demirkiran, O., Sabudak, T., Ozturk, M., & Topcu, G. (2013). Antioxidant and tyrosinase inhibitory activities of flavonoids from *Trifolium nigrescens* Subsp. *petrisavi*. *J. Agric. Food Chem*, 61(51), 12598-12603.
- de Sousa, N. F., Scotti, L., de Moura, É. P., dos Santos Maia, M., Rodrigues, G., de Medeiros, H. I. R., ... & Scotti, M. T. (2022). Computer Aided Drug Design Methodologies with Natural Products in the Drug Research Against Alzheimer's Disease. *Curr Neuropharmacology*, 20(5), 857-885.
- De Vivo, M., Masetti, M., Bottegoni, G., & Cavalli, A. (2016). Role of Molecular Dynamics and Related Methods in Drug Discovery. *J. Med Chem*, 59(9), 4035–4061. doi:10.1021/acs.jmedchem.5b01684

- Ding, C., Fan, X., & Wu, G. (2017). Peroxiredoxin 1—an antioxidant enzyme in cancer. *J. Cell. Mol. Med*, 21(1), 193-202.
- Du, J. B., Tang, Y. L., Long, Z. W., Hu, S. H., & Li, T. (2014). Theoretical calculation of spectra of dibutyl phthalate and dioctyl phthalate. *Russ. J. Phys. Chem*, 88, 819-822.
- Fessenden R J, Fessenden J S. (1986). Organic Chemistry, Third Edition. Alih Bahasa: Pudjaatmaka A H. Kimia Organik Edisi Ketiga Jilid 2. Jakarta: Penerbit Erlangga.
- Filippi, C., Buda, F., Guidoni, L., & Sinicropi, A. (2012). Bathochromic shift in green fluorescent protein: a puzzle for QM/MM approaches. *J. Chem. Theory Comput*, 8(1), 112-124
- Firdaus, M. D., Artanti, N., Hanafi, M., & Hanafi, M. (2021). Phytochemical Constituents , and *In vitro* Antidiabetic and Antioxidant Properties of Various Extracts of Kenikir (*Cosmos caudatus*) Leaves. *Pharmacogn J*, 13(4), 890–895.
- Fita, F. E., Listianingsih, D., Hapsari, Y. A., Pradana, R. G., S, E. I., & Arifin, I. (2015). Efek Sitotoksik Kombinasi Ekstrak Metanol Daun Kenikir (*Cosmos caudatus*, Kunth) dan Doksorubisin Terhadap Sel Kanker Payudara T47D Secara In-Vitro dan In-Silico. *Seminar Nasional Peluang Herbal Sebagai Alternatif Medicine*, 51–56. <https://doi.org/10.1017/CBO9781107415324.004>
- Fujieda, N., Umakoshi, K., Ochi, Y., Nishikawa, Y., Yanagisawa, S., Kubo, M., ... & Itoh, S. (2020). Copper–oxygen dynamics in the tyrosinase mechanism. *Angew*, 132(32), 13487-13492.
- Fuzzati, N., Dyatmiko, W., Rahman, A., & Hostettmann, K. (1995). Phenylpropane derivatives from roots of *Cosmos caudatus*. *Phytochem*, 39(2), 409-412.
- Gandjar I G, Rohman A. (2007) Kimia Farmasi Analisis. Yogyakarta: Pustaka Pelajar.
- Galloway, W. R., & Spring, D. R. (2009). Is synthesis the main hurdle for the generation of diversity in compound libraries for screening?. *Exp Op. Drug Discovery*, 4(5), 467-472.
- Gani, U., Vishwakarma, R. A., & Misra, P. (2021). Membrane transporters: the key drivers of transport of secondary metabolites in plants. *Plant Cell Reports*, 40(1), 1-18.
- Glaab, E. (2016). Building a virtual ligand screening pipeline using free software: a survey. *Brief. Bioinformatics*, 17(2), 352-366.

- Griep, L. O., Verschuren, W. M., Kromhout, D., Ocke, M. C., & Geleijnse, J. M. (2011). Raw and processed fruit and vegetable consumption and 10-year stroke incidence in a population based cohort study in The Netherlands. *Eur. J. Clin. Nutr*, 65, 791–799
- Gu Y, Han J, Jiang C, Zhang Y. (2020). Biomarkers, oxidative stress and autophagy in skin aging. *Ageing Res Rev*. 59:1-12.
- Hashim, M., Ahmad, B., Drouet, S., Hano, C., Abbasi, B. H., & Anjum, S. (2021). Comparative effects of different light sources on the production of key secondary metabolites in plants *In vitro* cultures. *Plants*, 10(8), 1521.
- Hassan Baig, M., Ahmad, K., Roy, S., Mohammad Ashraf, J., Adil, M., Haris Siddiqui, M., Choi, I. (2016). Computer aided drug design: success and limitations. *Curr. pharm. design*, 22(5), 572-581.
- Herlina, N., Riyanto, S., Martono, S., & Rohman, A. (2018). Antioxidant activities, phenolic and flavonoid contents of methanolic extract of *Stelechocarpus burahol* fruit and its fractions. *Dhaka University Journal of Pharmaceutical Sciences*, 17(2), 153-159.
- Hikmawanti, N. P. E., Fatmawati, S., Arifin, Z., Cahyaningrum, N., & Arif Fauzan, M. (2021). The Effect of Pre-Extraction Preparation on Antioxidant Compounds of *Sauropus androgynus* (L.) Merr. Leaves Extracts. *Pharm. Sci. Res*, 8(3), 2.
- Hossain, M. dkk. (2013) Identification of potential targets in *Staphylococcus aureus* N315 using computer aided protein data analysis. *Bioinformation* 9, 187.
- Hughes, J.P.; Rees, S. Kalindjian, S.B. Philpott, K.L. (2011), Principles of early drug discovery. *Br. J. Pharmacol*. 162(6), 1239-49;
- Idakwo G, Luttrell J, Chen M, Hong H, Zhou Z, Gong P, dkk. 2018. A review on machine learning methods for *In silico* toxicity prediction. *J Environ Sci Heal - Part C Environ Carcinog Ecotoxicol* ;36(4):169–91
- Ikhrar, M. S., Yudistira, A., & Wewengkang, D. S. (2019). Uji Aktivitas Antioksidan *Stylissa* sp. dengan Metode DPPH (1, 1-difenil-2-pikrilhidrazil). *Pharmacon*, 8(4), 961-967.
- Imokawa G and Ishida K. (2015). Biological mechanisms underlying the ultraviolet radiation-induced formation of skin wrinkling and sagging I: reduced skin elasticity, highly associated with enhanced dermal elastase activity, triggers wrinkling and sagging. *Int J Mol Sci*. 16(4):7753- 7775.
- Irianti, T., Ritmaleni, Putri, N., Addina, J., & Farida, S. (2018). Aktivitas Penangkapan Radikal 2-2 Difenil-1-Pikril Hidrazil Ekstrak Etanol Herba Patikan Kebo (*Euphorbia Hirta* L.), Daun Jati (*Tectona Grandis* Linn .) Dan Fraksi Air Serta Fraksi Air (*Tectona Grandis* Linn .) Leaf And Water

Fraction With Water. *JTOI*, 11(1), 1–10.

- Irianti T, Purnomo H, Kuswandi. (2019). Uji Penangkapan Radikal 2,2-Difenil-1-pikrilhidrazil oleh Ekstrak Etanol Bunga Kecombrang (*Nicolaia speciosa* (Bl.) Horan) dan Buah Talok (*Muntingia calabura* L.). *JTOI*; 12 (1): 41-53
- Irianti T, Puspitasari A. (2015). The Activity of Radical Scavenging of 2,2-Diphenyl-1-pyrcilhydrazil (DPPH) by Ethanolic Extracts of Mengkudu Leaves (*Morinda citrifolia* L.), Brotowali Stem (*Tinospora crispa* L.), Its Water Fraction and Its Hydrolized Fraction. *Trad. Med. J*; 20 (3): 140-148.
- Isnindar, S. W., & Setyowati, E. P. (2011). Isolasi dan identifikasi senyawa antioksidan daun Kesemek (*Diospyros kaki Thunb.*) dengan metode DPPH (2, 2-difenil-1-pikrilhidrazil). *MOT*, 16(3), 157-164.
- Javadi, N., Abas, F., Hamid, A. A., Simoh, S., Shaari, K., Ismail, I. S., ... & Khatib, A. (2014). GC-MS-based metabolite profiling of *Cosmos caudatus* leaves possessing alpha-glucosidase inhibitory activity. *J. Food Sci*, 79(6), C1130-C1136.
- Jia, L., Zhang, L., Ye, Y. hua, Li, J. lin, Cong, M., & Yuan, T. (2019). Effect and Mechanism of *Elaeagnus angustifolia* Flower and Its Major Flavonoid Tiliroside on Inhibiting Non-enzymatic Glycosylation. *J. Agri. Food Chem*, 67(50), 13960–13968. <https://doi.org/10.1021/acs.jafc.9b06712>
- Kang, N. J., Shin, S. H., Lee, H. J., & Lee, K. W. (2011). Polyphenols as small molecular inhibitors of signaling cascades in carcinogenesis. *Pharmacol. Ther*, 130, 310–324
- Katsila, T., Spyroulias, G. A., Patrinos, G. P., & Matsoukas, M. T. (2016). Computational approaches in target identification and drug discovery. *Comput. Biotech. J*, 14, 177-184.
- Ko RK, Kim GO, Hyun CG, Jung DS, Lee NH. (2011). Compounds with *tyrosinase* inhibition, elastase inhibition and DPPH radical scavenging activities from the branches of *Distylium racemosum* Sieb. et Zucc. *Phytother Re*. 25:1451–1456
- Ladwani AMA, Salman M & Abdel Hameed ES. (2018). Chemical composition of *Ocimum basilicum* L. essential oil from different regions in the Kingdom of Saudi Arabia by using Gas chromatography mass spectrometer. *J. Med. Plants Stud*, 6(1), 14-19
- Lee, S.Y.; Baek, N.; Nam, T.-G. (2016). Natural, semisynthetic and synthetic tyrosinase inhibitors. *J. Enzym. Inhib. Med. Chem*, 31, 1–13.
- Lee, S. Y., Mediani, A., Ismail, I. S., Maulidiani, & Abas, F. (2019). Antioxidants and α -glucosidase inhibitors from *Neptunia oleracea* fractions using 1 H NMR-based metabolomics approach and UHPLC-MS/MS. *BMC Complement Altern. Med*, 19(1), 1–15. <https://doi.org/10.1186/s12906-018->

2413-4

- Li, H., Yu, S., Liu, F., Xie, C., & Li, L. (2007). Synthesis of dioctyl phthalate using acid functionalized ionic liquid as catalyst. *Catal. Commun.*, 8(11), 1759-1762.
- Liang, C. P., Chang, C. H., Liang, C. C., Hung, K. Y., & Hsieh, C. W. (2014). In vitro antioxidant activities, free radical scavenging capacity, and tyrosinase inhibitory of flavonoid compounds and ferulic acid from *Spiranthes sinensis* (Pers.) Ames. *Molecules*, 19(4), 4681-4694.
- Litescu, S.C., Eremia, S. & Radu, G. L., 2010, Methods for the Determination of Antioxidant Capacity in Food and Raw Materials, *Adv. Exp. Med. Biol.*, 698, 241-249
- Llorent-Martínez, E. J., Ortega-Barrales, P., Zengin, G., Mocan, A., Simirgiotis, M. J., Ceylan, R., Uysal, S., & Aktumsek, A. (2017). Evaluation of antioxidant potential, enzyme inhibition activity and phenolic profile of *Lathyrus cicera* and *Lathyrus digitatus*: Potential sources of bioactive compounds for the food industry. *Food Chem. Toxicol* 107, 609–619. <https://doi.org/10.1016/j.fct.2017.03.002>
- Lu, A., Yuan, S. M., Xiao, H., Yang, D. S., Ai, Z. Q., Li, Q. Y., Wu, X. M. (2022). QSAR study of phenolic compounds and their anti-DPPH radical activity by discriminant analysis. *Sci. Rep.*, 12(1), 1-9.
- Luisi, G., Stefanucci, A., Zengin, G., Dimmito, M. P., & Mollica, A. (2018). Antioxidant and tyrosinase inhibitory in vitro activity of amino acids and small peptides: New hints for the multifaceted treatment of neurologic and metabolic disfunctions. *Antioxidants*, 8(1), 7.
- Mediani, A., Abas, F., Khatib, A., Maulidiani, H., Shaari, K., Choi, Y. H., & Lajis, N. H. (2012). 1H-NMR-based metabolomics approach to understanding the drying effects on the phytochemicals in *Cosmos caudatus*. *Food Res. Intern.*, 49(2), 763–770. <https://doi.org/10.1016/j.foodres.2012.09.022>
- Mediani, A., Abas, F., Khatib, A., & Tan, C. P. (2013). *Cosmos Caudatus* as a potential source of polyphenolic compounds: Optimisation of oven drying conditions and characterisation of its functional properties. *Molecules*, 18(9), 10452–10464. <https://doi.org/10.3390/molecules180910452>
- Merz Jr, K. M., Ringe, D., & Reynolds, C. H. (2010). Drug design: structure-and ligand-based approaches. *Cambridge University Press*.
- Michiels, J.A.; Kevers, C.; Pincemail, J.; Defraigne, J.O.; Dommes, J. (2012). Extraction Conditions Can Greatly Influence Antioxidant Capacity Assays in Plant Food Matrices. *Food Chem*, 130, 986–993.
- Moshawih S, Manraj SC, Zuraini A, Zainul A. (2017). A comprehensive review on *Cosmos caudatus* (Ulam Raja): pharmacology, ethnopharmacology, and phytochemistry. *Int Res J Educ Sci.*; 1(1):14-31.

- Murthy, H.N.; Lee, E.-J.; Paek, K.-Y. (2014). Production of secondary metabolites from cell and organ cultures: Strategies and approaches for biomass improvement and metabolite accumulation. *Plant Cell Tissue Organ. Cult.*, 118, 1–16.
- Mustafa RA, Hamid AA, Mohamed S, Bakar FA. (2010). Total phenolic compounds, flavonoids, and radical scavenging activity of 21 selected tropical plants. *J Food Sci.* 75(1):C28-35.
- Muthuvel, A. Jothibas, M. Manoharan. C. (2020). Synthesis of copper oxide nanoparticles by chemical and biogenic methods: photocatalytic degradation and *In vitro* antioxidant activity, *Nanotechnol. Environ. Eng.* 5 (2)
- Murugesu, S., Ibrahim, Z., Ahmed, Q. U., Uzir, B. F., Nik Yusoff, N. I., Perumal, V., Abas, F., Shaari, K., & Khatib, A. (2019). Identification of α -glucosidase inhibitors from *Clinacanthus nutans* leaf extract using liquid chromatography-mass spectrometry-based metabolomics and protein-ligand interaction with molecular docking. *J. Pharml A*, 9(2), 91–99. <https://doi.org/10.1016/j.jpha.2018.11.001>
- Nabilah, M. (2020). *Aktivitas Penangkapan Radikal 2,2-Difenil-1-Pikril Hidrazil (Dpph) Ekstrak Etanol, Fraksi Air, Serta Fraksi Air Terhidrolisis Asam Dari Daun Kenikir (Cosmos caudatus H.B.K)*. Skripsi. Universitas Gadjah Mada.
- Nurhayati, B., Rahayu, I. G., Rinaldi, S. F., Zaini, W. S., Afifah, E., Arumwardana, S., Widya Kusuma, H. S., Rizal, & Widowati, W. (2018). The antioxidant and cytotoxic effects of *Cosmos caudatus* Ethanolic Extract on Cervical Cancer. *Ind Biomed J*, 10(3), 243–249. <https://doi.org/10.18585/inabj.v10i3.441>
- Oktaviani, E. (2018). Penentuan Kadar Flavanoid Dan Aktivitas Antioksidan Formula Serbuk Minuman Instan Ekstrak Belimbing Manis (*Averrhoa Carambola* L.). *FITOFARMAKA: JIF*, 8(1), 1-12.
- Ozgen Senay, Kivircim K., O., Selamoglu Z., (2016), Antioxidant Activity of Quercetin: A Mechanistic Review, *TURJAF*, 4(12): 1134-1138
- Petko, A., Ivanka, T. & Pajeva, Ilza. (2015). Computational studies of free radical-scavenging properties of phenolic compounds. *Curr. Top. Med. Chem.* 15(2), 85–104. <https://doi.org/10.2174/1568026615666141209143702>
- Prabakaran, G., Manivarman, S., & Bharanidharan, M. (2022). Catalytic synthesis, ADMET, QSAR and molecular modeling studies of novel chalcone derivatives as highly potent antioxidant agents. *Mat. T: Proceed*, 48, 400-408.
- Prachayasittikul, V., Worachartcheewan, A., Shoombuatong, W., Songtawee, N., Simeon, S., Prachayasittikul, V., & Nantasenamat, C. (2015). Computer-aided drug design of bioactive natural products. *Curr Top Med Chem*, 15(18), 1780-1800.

- Priani, S. E., & Fakhri, T. M. (2021). Insights into molecular interaction of flavonoid compounds in citrus peel bound to collagenase and elastase enzymes: A computational study. *Pharm. Sci. Res*, 8(2), 5.
- Purnomo, H. (2019). *Hubungan Kuantitatif Struktur dan Aktivitas, Edisi 1*. Yogyakarta: Rapha Publishing.
- Putri, N. E., Rissiyelly, R., & Mauldina, M. G. (2016). Uji Penghambatan Xantin Oksidase secara In Vitro Ekstrak Kulit Rambutan. *Pharm. Sci. Res*, 3(1), 2.
- Revadigar, V.; Ghalib, R.M.; Murugaiyah, V.; Embaby, M.A.; Jawad, A.; Mehdi, S.H.; Hashim, R.; Sulaiman, O. (2015). Enzyme Inhibitors Involved in the Treatment of Alzheimer's Disease. In *Drug Design and Discovery in Alzheimer's Disease; Elsevier: Amsterdam, The Netherlands*, pp. 142–198
- Reymond, J.L.; Ruddigkeit, L.; Blum, L.; van Deursen, R. (2012). The enumeration of chemical space. *Wiley Interdiscip. Rev. Comput. Mol. Sci.*, 2(5), 717-733.
- Roy, R. N. (2020). Bioactive natural derivatives of phthalate ester. *Cri. rev. biotech*, 40(7), 913-929.
- Roya K, Fatemeh G, (2013). Screening of total phenol and flavonoid content, antioxidant and antibacterial activities of the methanolic extracts of three *Silene* species from Iran. *Intl J Agri Crop Sci.*; 5 (3), pp: 305-312
- Ruswanto, R. (2015). molecular docking empat turunan isonicotinohydrazide pada *mycobacterium tuberculosis* enoyl-acyl carrier protein reductase (InhA). *Jurnal Kesehatan Bakti Tunas Husada: JKBTH*, 13(1).
- Safitri, A., Putri, A. S., Octavianty, T. D., & Sari, D. R. T. (2020). Metabolomic Profiles of *Curcuma longa* L and *Cosmos caudatus* Extracts and Their In-Silico Anti-cancer Activity. *J Phys Conf Ser*, 1665(1). <https://doi.org/10.1088/1742-6596/1665/1/012022>
- Salehan, N. M., Meon, S., & Ismail, I. S. (2013). Antifungal activity of *Cosmos caudatus* extracts against seven economically important plant pathogens. *Int J Agric Biol*, 15(5).
- Santibáñez-Morán, M. G., & Medina-Franco, J. L. (2020). Analysis of the acid/base profile of natural products from different sources. *Mol. Inf*, 39(3), 1900099.
- Santosa, D., & Haresmita, P. P. (2015). Antioxidant Activity Determination *Garcinia dulcis* (Roxb.) Kurz, *Blumea mollis* (D. Don) Merr., *Siegesbeckia orientalis* L., and *Salvia riparia* HBK Which Collected from Taman Nasional Gunung Merapi Using DPPH (2, 2-Diphenyl-1-Pikril-Hidrazil) and Thin Layer. *MOT*, 20(1), 28-36.
- Sayuti, K and Yenrina, R, Antioksidan Alami dan Sintetik, 2015, Padang: Andalas University Press.

- Seyedreihani, S. F., Tan, T. C., Alkarkhi, A. F. M., & Easa, A. M. (2017). Total phenolic content and antioxidant activity of Ulam raja (*Cosmos caudatus*) and quantification of its selected marker compounds: Effect of extraction. *Int J Food Prop*, 20(2), 260–270. <https://doi.org/10.1080/10942912.2016.1155055>
- Shi G-J, Li Y, Cao Q-H, Wu H-X, Tang X-Y, Gao X-H, dkk. (2019). *In vitro* and *In vivo* evidence that *quercetin* protects against diabetes and its complications: A systematic review of the literature. *Biomed Pharmacother*;109:1085-99.
- Shoukat, P.; Moonkyu, K.; Hwan-Suck, C.; Hyunsu, B. (2007). Naturally Occuring *Tyrosinase* Inhibitors: Mechanism and Applications in Skin Health, Cosmetics and Agriculture Industries. *Phytother. Res*, 21, 805–816.
- Shui, G., Leong, L. P., & Wong, S. P. (2005). Rapid screening and characterisation of antioxidants of *Cosmos caudatus* using liquid chromatography coupled with mass spectrometry. *J. Chrom. B*, 827(1), 127-138.
- Sopiah B, Muliasari H, Yuanita E. (2019). Skrining Fitokimia dan Potensi Aktivitas Antioksidan Ekstrak Etanol Daun Hijau dan Daun Merah Kastuba. *JIKI*; 17 (1): 27-33.
- Suleman, M. dkk. (2021). Mutational landscape of pirin and elucidation of the impact of most detrimental missense variants that accelerate the breast cancer pathways: a computational modelling study. *Front. Mol. Biosci*. 8. 692835
- Swindall. W (2004). Ionic liquids come of age—almost. *Clean Technologies and Environmental Policy*, 6(3), 149-150.
- Syarifah, A., Budiman, A., & Nazilah, S. A. (2021). Formulation and Antioxidant Activity of Serum Gel of Ethyl Acetate Fraction From *Musa x paradisiaca* L. *ICoSIHSN*. (pp. 310-315). Atlantis Press.
- Tajammal, A., Siddiqa, A., IRfan, A., Azam, M., Hafeez, H., Munawar, M. A., & Basra, M. A. R. (2022). Antioxidant, molecular docking and computational investigation of new flavonoids. *J.Mol. Struct*, 1254, 132189.
- Toki, K., Saito, N., Shigihara, A., and Honda, T. (2001) Anthocyanins from the scarlet flowers of *Anemone coronaria*. *Phytochem*. 56, 711–715.
- van Hattum, H.; Waldmann, H. (2014). Biology-oriented synthesis: harnessing the power of evolution. *J. Am. Chem. Soc.*, 136(34), 11853-11859.
- Vilar, S., & Costanzi, S. (2012). Predicting the biological activities through QSAR analysis and docking-based scoring. In *Membrane Protein Structure and Dynamics* (pp. 271-284). Humana Press, Totowa, NJ.
- Wang, J.W.; Wu, J.Y. (2013). Effective elicitors and process strategies for enhancement of secondary metabolite production in hairy root cultures. In

Biotechnology of Hairy Root Systems; *Springer: Berlin, Germany*; pp. 55–89

- Warren, G. L., Andrews, C. W., Capelli, A. M., Clarke, B., LaLonde, J., Lambert, M. H., ... & Head, M. S. (2006). A critical assessment of docking programs and scoring functions. *J. Med. Chem*, 49(20), 5912-5931.
- Widowati, W., Fauziah, N., Herdiman, H., Afni, M., Afifah, E., Kusuma, H. S. W., Nufus, H., Arumwardana, S., & Rihibiha, D. D. (2016). Antioxidant and anti aging assays of *Oryza sativa* extracts, vanillin and coumaric acid. *J. Nat. Rem*, 16(3), 88–99. <https://doi.org/10.18311/jnr/2016/7220>
- Wikberg, J.E.S.; Eklund, M.; Willighagen, E.L.; Spijuth, O.; Lapins, M.; Engkvist, O.; Alvarsson, J. (2011). Drug discovery and development, In: Introduction of Pharmaceutical Bioinformatics; *Oakleaf Academic Publishing House: Stockholm*, pp. 27-39
- Yadav, B. S., & Tripathi, V. (2018). Recent advances in the system biology-based target identification and drug discovery. *Curr Top Med Chem*, 18(20), 1737-1744.
- Yadav, V. dkk., 2022. Computer Aided Drug Design (CADD) : From Ligand-Based Methods to Structure-Based Approaches. *A volume in Drug Discovery Update. Chapter 3*. pp 57-99.
- Yousefinejad, S.; Hemmateenejad, B.; Mehdipour, A. R. (2012). New Autocorrelation QTMS-Based Descriptors for Use in QSAM of Peptides. *J. Iran. Chem. Soc.*, 9, 569–577
- Yu, W. & MacKerell, A. D. (2017). Computer-aided drug design methods. in Antibiotics 85–106. *Springer*.
- Zhang, X., Yea, W., Zhaoa, S., and Che, C.-T. (2004) Isoquinoline and isoindole alkaloids from *Menispermum dauricum*. *Phytochem*. 65, 929–932.
- Zain, M. S. C., Jakariah, N. A., Yeoh, J. X., Lee, S. Y., & Shaari, K. (2020). Ultrasound-assisted extraction of polyphenolic contents and acid hydrolysis of flavonoid glycosides from oil palm (*Elaeis guineensis jacq.*) leaf: Optimization and correlation with free radical scavenging activity. *Processes*, 8(12), 1–22. <https://doi.org/10.3390/pr8121540>