



REFERENCES

- Abd-Talib, N., Mohd-Setapar, S.H., Asli, U.A., Khamis, A.K., Pa'ee, K.F., Len, K.Y.T., Sarjuni, M.N.H., and Azman, N.R. (2019). Development of an Integrative Process for The Production of Microbial Biomass Protein (MBP) from Rice Straw for Animal Feeds Application. *2nd ICA Research Symposium*, 116-121.
- Adejumo, I.O. and Adebisi, O.A. (2020). Agricultural Solid Wastes: Causes, Effects, and Effective Management. *IntechOpen: Strategies of Sustainable Solid Waste Management*.
- Ahmad, M.I., Farooq, S., Alhamoud, Y., Li, C., and Zhang, H. (2022). A Review on Mycoprotein: History, Nutritional Composition, Production Methods, and Health Benefits. *Trends in Food Science and Technology*. 121:14-129.
- Ali, S., Soewarno, N., Sumarno, Primarini, D., and Sumaryono, W. (2011). Cassava Pulp as a Biofuel Feedstock of an Enzymatic Hydrolysis Process. *Makara, Teknologi*, 15(2): 183-192.
- Anwar, Z., Gulfraz, M., Asad, M.J., Imran, M., Akram, Z., Mehmood, S., Rehman, A., Anwar, P., and Sadiq, A. (2012). Bioethanol Production from Rice Polish by Optimization of Dilute Acid Pretreatments and Enzymatic Hydrolysis. *African Journal of Biotechnology*, 11(4): 992-998.
- Arif, A.B., Sasmitaloka, K.S., Winarti, C., and Wahyudiono. (2019). Effect of Liquefaction Time and Enzyme Addition on Liquid Sugar Production from Sweet Sorghum Starch by Enzymatic Hydrolysis. *IOP Conference Series: Earth and Environmental Science*, 250 012042.
- Aro, S.O., Aletor, V.A., and Agbede, J.O. (2010). Nutritional Potentials of Cassava Tuber Wastes: A Case Study of a Cassava Starch Processing Factory in South-western Nigeria. *Livestock Research for Rural Development*. 22(11).
- Bajpai, P. (2018). *Biermann's Handbook of Pulp and Paper*. Elsevier: India.
- Bakratsas, G., Polydera, A., Nilson, O., Chatzikonstantinou, A.V., Xiros, C., Katapodis, P., and Stamatis, H. (2023). Mycoprotein Production by Submerged Fermentation of the Edible Mushroom *Pleurotus ostreatus* in a Batch Stirred Tank Bioreactor Using Agro-Industrial Hydrolysate. *Foods*, 12, 2295.
- Ballesteros, L.F., Michelin, M., Vicente, A.A., Teixeira, J.A., and Cerqueira, M.A. (2018). Lignocellulosic Materials: Sources and Processing Technologies.

Lignocellulosic Materials and Their Use in Bio-based Packaging. pp 13-33.

- Barh, D. and Azevedo, V. (2017). *Omics Technologies and Bio-engineering: Volume I Towards Improving Quality of Life*. Netherlands: Elsevier Science.
- BOI. (2017). Thailand's New Food Hub is on The Rise. *Thailand Investment Review*. 27(9): 5-6.
- Bunternngsook, B., Laothanachareon, T., Natrchalayuth, S., Lertphanich, S., Fujii, T., Inoue, H., Youngthong, C., Chantasingh, D., Eurwilaichitr, L., and Champreda, V. (2017). Optimization of a Minimal Synergistic Enzyme System for Hydrolysis of Raw Cassava Pulp. *Royal Society of Chemistry Adv.*, 2017(7): 48444-48453.
- Calkins, K.G. (2005). *An Introduction to Statistics: Correlation Coefficients*. Available from <http://www.andrews.edu/~calkins/math/edrm611/edrm05.htm> [Accessed at 18:10 PM, 6 July 2023]
- Chahal, D. S. (1989). Production of protein-rich mycelial biomass of a mushroom, *Pleurotus sajor-caju*, on corn stover. *Journal of Fermentation and Bioengineering*, 68(5): 334–338.
- Chavalparit, O. and Ongwandee, M. (2009). Clean Technology for The Tapioca Starch Industry in Thailand. *Journal of Cleaner Production*, 17: 105-110.
- Chen, H. (2015). 6-Lignocellulosic Biorefinery Process Engineering. *Lignocellulose Biorefinery Engineering*, Woodhead Publishing. pp 167-217.
- Comuzzo, P., Tat, L., Liessi, A., Brotto, L., Battistutta, F., and Zironi, R. (2012). Effect of Different Lysis Treatments on the Characteristics of Yeast Derivatives for Winemaking. *Journal of Agricultural and Food Chemistry*, 60(12): 3211–3222.
- Daud, Z., Kassim, A.S.M., Aripin, A.M., Awang, H., and Hatta, M.Z.M. (2013). Chemical Composition and Morphological of Cocoa Pod Husks and Cassava Peels for Pulp and Paper Production. *Australian Journal of Basics and Applied Sciences*. 7(9): 406-411.
- Devi, S., Dhaka, A., and Singh, J. (2016). Acid and Alkaline Hydrolysis Technologies for Bioethanol Production: An Overview. *International Journal of Advanced Technology in Engineering and Science*, 4(6): 94-106.



- Doherty, W.O.S., Mousavioun, P., Fellows, C.M. (2011) Value-adding to cellulosic ethanol: lignin polymers. *Ind Crop Prod.* 33(2):259–276.
- Environmental Working Group. (2011). *Climate and Environmental Impacts*. <https://www.ewg.org/meateatersguide/a-meat-eaters-guide-to-climate-change-health-what-you-eat-matters/climate-and-environmental-impacts/> [Accessed at 11:03 AM, 22 May 2023]
- Ero, N.R. and Okponmwense, M. (2011). The Effect of Cassava Waste on The Environment and Its Implications on The National Economy. *The Nigerian Academic Forum: A Multidisciplinary Journal.* 4(1).
- FAO. (2015). *Climate Change and Food Security: Risks and Responses.* 1-122.
- FAO. (2022). *UN Report: Global Hunger Numbers Rose to As Many As 828 Million in 2021.* Available from <https://www.fao.org/newsroom/detail/un-report-global-hunger-SOFI-2022-FAO/en> [Accessed at 12:47 PM, 22 May 2023].
- Finnigan, T.J.A., Wall, B.T., Wilde, P.J., Stephens, F.B., Taylor, S.L., and Freedman, M.R. (2019). Mycoprotein: The Future of Nutritious Nonmeat Protein, A symposium Review. *Current Developments in Nutrition,* 3(6):1-5.
- Gowman, A.C., Picard, M.C., Rodriguez-Uribe, A., Misra, M., Khalil, H., Thimmanagari, M., and Mohanty, A.K. (2019). Physicochemical Analysis of Apple and Grape Pomaces. *BioResources,* 14(2): 3210-3230.
- Han, B.Z., Ma, Y., Rombouts, F.M., and Nout, M.J.R. (2003). Effects of Temperature and Relative Humidity on Growth and Enzyme Production by *Actinomucor elegans* and *Rhizopus oligosporus* During Sufu Pehtze Preparation. *Food Chemistry,* 81: 27-34.
- Handoyo, T. and Morita, M. (2006). Structural and Functional Properties of Fermented Soybean (Tempeh) by Using *Rhizopus oligosporus*. *International Journal of Food Properties,* 9:347-355.
- Heskamp, M.L. and Barz, W. (1997). Characterization of Proteases from *Rhizopus* Species After Growth on Soybean Protein. *Z. Naturforsch,* 52c: 595-604.
- Holló, J. and László, E. (1969). Kinetical Comparison of The Acidic, Alkaline, and Enzymatic Hydrolysis of Starch. *Periodica Polytechnica,* 15(1): 33-46.
- Jara-Palacios, M.J. (2019). Wine Lees as a Source of Antioxidant Compounds. *Antioxidants,* 8(45): 1-10.



- Karimi, S., Soofiani, N.M., Mahboubi, A., and Taherzadeh, M.J. (2018). Use of Organic Wastes and Industrial By-Products to Produce Filamentous Fungi with Potential as Aqua-Feed Ingredients. *Sustainability*, 10(9): 3296.
- Kavanagh, K. (2011). *Fungi: Biology and Applications*. Germany: Wiley.
- Kazer, J., Orfanos, G., and Gallop, C. (2021). Quorn Footprint Comparison Report. *Carbon Trust*. Available from <https://www.quorn.co.uk/assets/files/content/Carbon-Trust-Comparison-Report-2021.pdf> [Accessed at 09:09 AM, 23 May 2023].
- Klapa, O. (2015). Bioenergy and Industrial Applications of Grape Pomace from “Vinho Verde”. *Master Degree Thesis*. Portugal: Polytechnic Institute of Viana do Castelo.
- Kunlan, L., Lixin, X., Jun, L., Jun, P., Guoying, C., and Zuwei, X. (2001). Salt-assisted Acid Hydrolysis of Starch to D-Glucose Under Microwave Irradiation. *Carbohydrate Research*, 331(1): 9-12.
- Liu, F., Xiang, M., Guo, Y., Wu, X., Lu, G., Yang, Y., Liu, X., Chen, S., Zhang, G., and Shi, W. (2018). Culture Conditions and Nutrition Requirements for The Mycelial Growth of *Isaria farinosa* (Hypocreales: Cordycipitaceae) and The Altitude Effect on Its Growth and Metabolome. *Scientific Reports*, 8: 15623.
- Mach, R.L., Sreenivasaprasad, S., and Gupta, V.K. (2015). *Fungal Biomolecules: Sources, Applications and Recent Developments*. Germany: Wiley.
- Mäkelä, M., Aguilar-Pontes, M.V., Rossen-Uffink, D., Peng, M., and Vries, R.P. (2018). The Fungus *Aspergillus niger* Consumes Sugars in A Sequential Manner that Is Not Mediated by The Carbon Catabolite Repressor CreA. *Scientific Reports*, 8(6655).
- Manan, M., and Webb, C. (2017). Design Aspects of Solid State Fermentation as Applied to Microbial Bioprocessing. *Journal of Applied Biotechnology & Bioengineering*, 4(1), 91.
- Mariano, G.S., Enrique, B.A., Hugo, J.I., José, N.B., Eloy, B.C., and Ramiro, R.M. (2006). Growth Morphology and Hydrodynamics of Filamentous Fungi in Submerged Cultures. In Guevara-González, R.G. and Torres-Pacheco, I. (Eds.), *Advances in Agricultural and Food Biotechnology* (pp. 17-34)
- McCarthy, M.W. and Walsh, T.J. (2018). Amino Acid Metabolism and Transport Mechanisms As Potential Antifungal Targets. *International Journal of Molecular Sciences*, 19(909): 1-12.



- Meletiadis, J., Meis, J.F.G.M., Mouton, J.W., and Verweij, P.E. (2001). Growth Characteristics of Filamentous Fungi in Different Nutrient Media. *Journal of Clinical Microbiology*, 39(2): 478-484.
- Monteyne, A.J., Coelho, M.O.C., Porter, C., Abdelrahman, D.R., Jameson, T.S.O., Jackman, S.R., Blackwell, J.R., Finnigan, T.J.A., Stephens, F.B., Dirks, M.L., and Wall, B.T. (2020). Mycoprotein Ingestion Stimulates Protein Synthesis Rates to A Greater Extent than Milk Protein in Rested and Exercised Skeletal Muscle of Healthy Young Men: A Randomized Controlled Trial. *The American Journal of Clinical Nutrition*. 112(2): 318-333
- Mustățea, G., Ungureanu, E.L., and Iorga, E. (2020). Protein Acidic Hydrolysis for Amino Acids Analysis in Food – Progress Over Time: A Short Review. *Journal of Hygienic Engineering and Design*, 81-87.
- Nanssou, P.A.K., Nono, Y.J. and Kapseu, C. (2016). Pretreatment of Cassava Stems and Peelings by Thermohydrolysis to Enhance Hydrolysis Yield of Cellulose in Bio-ethanol Production Process. *Renewable Energy*, 97, 252-265.
- Nerantzis, E.T. and Tartaridis, P. (2006). Integrated Enology Utilization of Winery by-Products Into High Added Value Products. *E-Journal of Science & Technology*, 1:79–89.
- Nilsson, O. (2017). Optimization of Single Cell Protein Production from Spent Sulfite Liquor Using *Paecilomyces variotii*. *Master Degree Thesis*. Sweden: Luleå University of Technology.
- Oghenejoboh, K.M., Orugba, H.O., Oghenejoboh, U.M., and Agarry, S.E. (2021). Value added cassava waste management and environmental sustainability in Nigeria: A review. *Environmental Challenges*. 4: 1-14.
- OIV (The International Organization of Vine and Wine. (2020). *World Statistics*. Available from <https://www.oiv.int/what-we-do/global-report?oiv> [Accessed at 15:43 PM, 24 May 2023]
- Okpako, C.E., Ntui, V.O., Osuagwu, A.N., and Obasi, F.I. (2008). Proximate Composition and Cyanide Content of Cassava Peels Fermented with *Aspergillus niger* and *Lactobacillus rhamnosus*. *Journal of Food, Agriculture, & Environment*. 6(2): 251-255.
- Oktavia, A.D., Idiawati, N., and Destiarti, L. (2013). Studi Awal Pemisahan Amilosa dan Amilopektin Pati Ubi Jalar (*Ipomoea batatas Lam*) Dengan Variasi Konsentrasi *n*-Butanol. *JKK*. 2(3): 153-156.



- Olanbiwowinu, A.A. and Odunfa, S.A. (2012). Enhancing the Production of Reducing Sugars from Cassava Peels by Pretreatment Methods. *International Journal of Science and Technology*, 2(9): 650-657.
- Oullette, R.J. and Rawn, J.D. (2015). 13-Carbohydrates. *Principle of Organic Chemistry, Elsevier*. 343-370.
- Pérez-Bibbins, B., Torrado-Agrasar, A., Salgado, J.M., Oliveira, R.P.S., and Domínguez, J.M. (2015). Potential of Lees from Wine, Beer and Cider Manufacturing as A Source of Economic Nutrients: An Overview. *Waste Management*, 40: 72-81.
- Peters, D. (2007). Raw Material In: Ulber, R., Sell, D. (eds) White Biotechnology. *Advances in Biochemical Engineering/Biotechnology, vol 105*. Springer: Berlin, Heidelberg.
- Poore, J., & Nemecek, T. (2018). Reducing Food's Environmental Impacts Through Producers and Consumers. *Science*, 360(6392), 987-992.
- Pourali, A., Afrouziyeh, M., and Moghaddaszadeh-ahrabi, S. (2014). Extraction of Phenolic Compounds and Quantification of The Total Phenol of Grape Pomace. *European Journal of Experimental Biology*, 4(1): 174-176.
- Quintero-Ramirez, R. (2014). Hydrolysis of Lignocellulosic Biomass. *Sugarcane Bioethanol – R&D for Productivity and Sustainability*, 717-732.
- Rai, M. (2009). *Advances in Fungal Biotechnology*. India: I.K. International Publishing House.
- Riquelme, M., Aguirre, J., Bartnicki-García, S., Braus, G.H., Feldbrügge, M., Fleig, U., Hansberg, W., Herrera-Estrella, A., Kämper, J., Kück, U., Mouriño-Pérez, R.R., Takeshita, N., and Fischer, R. (2018). Fungal Morphogenesis, from the Polarized Growth of Hyphae to Complex Reproduction and Infection Structures. *Microbiology and Molecular Biology Reviews*, 82(2).
- Romero-Díez, R., Rodríguez-Rojo, S., Cocero, M.J., Duarte, C.M.M., Matias, A.A and Bronze, M.R. (2018). Phenolic Characterization of Aging Wine Lees: Correlation with Antioxidant Activities. *Food Chemistry*, 259: 188-195.
- Sabrina, N.M. (2012). *Bioindustri: Fermentasi Padat dan Cair Modul 9*. Malang: Universitas Brawijaya.
- Saeed, F., Afzaal, M., Khalid, A., Shah, Y.A., Ateeq, H., Islam, F., Akram, N., Ejaz, A., Nayik, G.A., and Shah, M.A. (2023). Role of Mycoprotein as a Non-Meat Protein in Food Security and Sustainability: A Review. *International Journal of Food Properties*, 26(1): 683-695.



- Salgado, J.M., Rodríguez, N., Cortés, S., and Domínguez, J.M. (2009). Development of Cost-Effective Media to Increase the Economic Potential for Larger-Scale Bioproduction of Natural Food Additives by *Lactobacillus rhamnosus*, *Debaryomyces hansenii*, and *Aspergillus niger*. *J. Agric. Food Chem*, 57(21): 10414–10428.
- Sancho-Galán, P., Amores-Arrocha, A., Jiménez-Cantizano, A., and Palacios, V. (2020). Physicochemical and Nutritional Characterization of Winemaking Lees: A New Food Ingredient. *Agronomy*, 10(996): 1-9.
- Sari, F.D.N. & Astili, R.. (2018). Kandungan Asam Sianida Dendeng Dari Limbah Kulit Singkong. *Jurnal Dunia Gizi*, 1(1), 20.
- Saritha, M., Arora, A., and Lata. (2012). Biological Pretreatment of Lignocellulosic Substrates for Enhanced Delignification and Enzymatic Digestibility. *Indian Journal of Microbiology*. 52(2): 122-130
- Sharma, A.K., Kumar, R., Azad, Z.R.A.A., and Adsule, P.G. (2015). Use of Fine Wine Lees for Value Addition in Ice Cream. *Journal of Food Science & Technology*, 52: 592-596.
- Sherkat, F. and Hui, Y.H. (2005). *Handbook of Food Science, Technology, and Engineering*. United States: CRC Press.
- Sorek, N., Yeats, T.H., Szemenyei, H., Youngs, H., and Somerville, C.R. (2014) The Implications of Lignocellulosic Biomass Chemical Composition for The Production of Advanced Biofuels. *Bioscience*. 64(3): 192–201.
- Sowcharoensuk, C. (2020). Cassava Industry. *Thailand Industry Outlook*. 22:1-13.
- Spigno, G. and De Faveri, D.M. (2007). Antioxidants from Grape Stalks and Marc: Influence of Extraction Procedure on Yield, Purity, and Antioxidant Power of The Extracts. *Journal of Food Engineering*, 78:793-801.
- Sriroth, K., Chollakup, R., Chotineeranat, S., Piyachomkwan, K., and Gates, C.G. (2000). Processing of Cassava Waste for Improved Biomass Utilization. *Bioresource Technology*, 71(1): 63-69.
- Sudiyani, Y., Aiman, S., and Mansur, D. (2019). *Perkembangan Bioetanol G2: Teknologi dan Perspektif*. LIPI Press: Jakarta.
- Sumardjo, D. (2006). *Pengantar Kimia: Buku Panduan Kuliah Mahasiswa Kedokteran dan Program Strata I Fakultas Bioeksakta*. Penerbit Buku Kedokteran EGC: Jakarta.
- Tao, Z., Yuan, H., Liu, M., Liu, Q., Zhang, S., Liu, H., Jiang, Y., Huang, D., and Wang, T. (2023). Yeast Extract: Characteristics, Production, Applications,



- and Future Perspectives. *Journal of Microbiology and Biotechnology*, 33(2): 151-166.
- Tomé, D. (2021). Yeast Extracts: Nutritional and Flavoring Food Ingredients. *ACS Food Science and Technology*, 1(4): 487-494.
- Troilo, M., Difonzo, G., Paradiso, V.M., Summo, C., and Caponio, F. (2021). Bioactive Compounds from Vine Shoots, Grape Stalks, and Wine Lees: Their Potential Use in Agro-Food Chains. *Foods*, 10(342): 1-16.
- Tugerman, T., Cohen, A.S., Moshelion, M., Bamnolker, P.T., Skory, C.D., Lichter, A., and Eshel, D. (2016). The Role of Aquaporins in pH-Dependent Germination of *Rhizopus delemar* Spores. *PLoS ONE*. 11(3).
- Valencia-Hernández, L.J., Wong-Paz, J., Ascacio-Valdés, A.A., Contreras-Esquivel, J.C., Chávez-González, M.L., Martínez-Pérez, A., Castillo-Olvera, G., and Aguilar, C.N. (2022). Kinetic Study of Fungal Growth of Several Tanninolytic Strains Using Coffee Pulp Procyanidins. *Fermentation*, 8(17).
- Vrabl, P., Schinagl, C.W., Artmann, D.J., Heiss, B., and Burgstaller, W. (2019). Fungal Growth in Batch Culture – What We Could Benefit If We Start Looking Closer. *Frontiers in Microbiology*, 10(2391).
- Wahyuningsih, S. (2019). Pengaruh Konsentrasi Enzim α -Amilase pada Hidrolisis Pati Labu Jepang (Kabocha). *CHEESA: Chemical Engineering Research Articles*, 2(1): 26-32.
- Wasistha, A.W., Dika, M.R.S., Aulia, A.S., Samudra, N.M., and Putri, D.N. (2021). Physical and Mechanical Characteristics of Edible Film Based on Cassava Peel Starch. *Jurnal Ilmu-Ilmu Pertanian*. 5(2):149-158.
- Wikandari, R., Tanugraha, D.H., Yastanto, A.J., Manikharda, Gmoser, R., and Teixeira, J.A. (2023). Development of Meat Substitutes from Filamentous Fungi Cultivated on Residual Water of Tempeh Factories. *Molecules*. 28(997): 1-11.
- Williams, B., Halloin, C., Löbel, W., Finklea, F., Lipke, E., Zweigerdt, R., and Cremaschi, S. (2020). Data-Driven Model Development for Cardiomyocyte Production Experimental Failure Prediction. *Computer Aided Chemical Engineering*, 48: 1639-1644.
- Yang, B., & Wyman, C. E. (2008). Pretreatment: the key to unlocking low-cost cellulosic ethanol. *Biofuels, Bioproducts and Biorefining*, 2(1), 26–40
- Zarei, O., Dastmalchi, S., and Mivehroud, M.H. (2016). A Simple and Rapid Protocol for Producing Yeast Extract from *Saccharomyces cerevisiae*



UNIVERSITAS
GADJAH MADA

Valorization of Cassava Waste, Grape Pomace, and Winery Spent Yeast for Mycoprotein Production
Elvira Valerie, Rachma Wikandari, S.T.P., M.Biotech., Ph.D.; Assist. Prof. Dr. Patimakorn Klaiprasitti
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Suitable for Preparing Bacterial Culture Media. *Iranian Journal of Pharmaceutical Research*, 15(4): 907-913