

## REFERENCES

- Alexandropoulou, M., Antonopoulou, G., Frangkou, E., Ntaikou, I., and Lyberatos, G. 2017. Fungal pretreatment of willow sawdust and its combination with alkaline treatment for enhancing biogas production. *Journal of Environmental Management* (Vol. 203, pp. 704–713).
- Amirta, R., Herawati, E., Suwinarti, W., and Watanabe, T. 2016. Two-steps Utilization of Shorea Wood Waste Biomass for the Production of Oyster Mushroom and Biogas – A Zero Waste Approach. *Agriculture and Agricultural Science Procedia* (Vol. 9, pp. 202–208).
- Angelidaki, I., Karakashev, D., Batstone, D. J., Plugge, C. M., and Stams, A. J. M. 2011. Biomethanation and Its Potential. *Methods in Methane Metabolism*, Part A (pp. 327–351).
- Arelli, V., Begum, S., Anupoju, G. R., Kuruti, K., and S., S. 2018. Dry anaerobic co-digestion of food waste and cattle manure: Impact of total solids, substrate ratio and thermal pre-treatment on methane yield and quality of biomanure. *Bioresource Technology* (Vol. 253, pp. 273–280).
- Asada C., Asakawa A., Sasaki C., Nakamura Y. 2011. Characterization of the steam-exploded spent Shiitake mushroom medium and its efficient conversion to ethanol. *Bioresource Technology* 102(21):10052–10056
- Astuti and Kuswyasari, 2013. Effectiveness of Growth of mushroom oyster (*P. ostreatus*) with Variation of Sengon Wood Media (*Paraserianthes falcata*) and Coconut Shell (*Cocos nucifera*). *Journal of Science and Art Pomits* Vol. 2, No.2. Sepuluh Nopember Institute of Technology (ITS).
- Atasoy, M., and Cetecioglu, Z. 2022. The effects of pH on the production of volatile fatty acids and microbial dynamics in long-term reactor operation. *Journal of Environmental Management* (Vol. 319, p. 115700).
- Atila, F. 2019. Compositional changes in lignocellulosic content of some agro-wastes during the production cycle of shiitake mushroom. *Scientia Horticulturae* (Vol. 245, pp. 263–268).
- Azizah, M., Sudirman, L. I., Arifin, S. Z., Setianingsih, I., Larasati, A., and Zulfiqri, M. A. 2022. Nutrition Contents of Oyster Mushroom on Sengon Wood and Banana Leaves Substrates. *Jurnal Sumberdaya HAYATI* 8(2):57-64
- Baldrian, P., and Gabriel, J. 2003. Lignocellulose degradation by *Pleurotus ostreatus* in the presence of cadmium. *FEMS Microbiology Letters* (Vol. 220, Issue 2, pp. 235–240). Oxford University Press (OUP).
- Baldrian, P., and Šnajdr, J. 2006. Production of ligninolytic enzymes by litter-decomposing fungi and their ability to decolorize synthetic dyes. *Enzyme and Microbial Technology* 39:1023-1029

- Bari, E., Nazarnezhad, N., Kazemi, S. M., Tajick Ghanbary, M. A., Mohebbi, B., Schmidt, O., and Clausen, C. A. 2015. Comparison between degradation capabilities of the white rot fungi *Pleurotus ostreatus* and *Trametes versicolor* in beech wood. *International Biodeterioration & Biodegradation* (Vol. 104, pp. 231–237).
- Bari, E., Daniel, G., Yilgor, N., Kim, J. S., Tajick-Ghanbary, M. A., Singh, A. P., and Ribera, J. 2020. Comparison of the Decay Behavior of Two White-Rot Fungi in Relation to Wood Type and Exposure Conditions. *Microorganisms* (Vol. 8, Issue 12, p. 1931).
- Bisaria, R., Madan, M., and Mukhopadhyay, S. N. 1983. Production of biogas from residues from mushroom cultivation. *Biotechnology Letters* (Vol. 5, Issue 12, pp. 811–812).
- Bisaria, R., Vasudevan, P., and Bisaria, V. S. 1990. Utilization of spent agro-residues from mushroom cultivation for biogas production. *Applied Microbiology and Biotechnology* (Vol. 33, Issue 5).
- Blanchette RA. 1991. Delignification by wood-decay fungi. *Annu. Rev. Phytopathol.* 29: 381–403
- Blanchette, R.A. 1995. Degradation of the lignocellulose complex in wood. *Can. J. Bot.* 73, S999-S1010
- Brown, D., Shi, J., and Li, Y., 2012. Comparison of solid-state to liquid anaerobic digestion of lignocellulosic feedstocks for biogas production. *Bioresour. Technol.* 124, 379–386.
- Bulam, S., Ustun, N.S., and Peksen, A. 2022. Oyster Mushroom (*Pleurotus ostreatus*) as a Healthy Ingredient for Sustainable Functional Food Production. *Journal of Fungus* 13. 131-143.
- Calabro, P. S., Folino, A., Fazzino, F., and Komilis, D. 2020. Preliminary evaluation of the anaerobic biodegradability of three biobased materials used for the production of disposable plastics. *Journal of Hazardous Materials* (Vol. 390, p. 121653).
- Chanakya, H. N., Borgaonkar, S., Meena, G., and Jagadish, K. S. 1993. Solid phase fermentation of untreated leaf biomass to biogas. *Biomass and Bioenergy* (Vol. 5, Issue 5, pp. 369–377).
- Chandra, M. R. G. S., and Madakka, M. 2019. Comparative Biochemistry and Kinetics of Microbial Lignocellulolytic Enzymes. *Recent Developments in Applied Microbiology and Biochemistry* (pp. 147–159)
- Chang KL, Chen XM, Sun J, Liu JY, Sun SY, Yang ZY, and Wang Y. 2017. Spent mushroom substrate biochar as a potential amendment in pig manure and rice straw composting processes. *Environ. Technol.* 38(13–14):1765–1769.

- Di Maria, F., Sordi, A., Micale, C., 2012. Optimization of solid-state anaerobic digestion by inoculum recirculation: the case of an existing mechanical biological treatment plant. *Appl. Energy* 97, 462–469.
- Dissasa, G. 2022. Cultivation of Different Oyster Mushroom (*Pleurotus* species) on Coffee Waste and Determination of Their Relative Biological Efficiency and Pectinase Enzyme Production, Ethiopia. *G. Comi (Ed.), International Journal of Microbiology* (Vol. 2022, pp. 1–10).
- Dong, Z., Li, N., Chu, T., Ding, J., Zhang, J., and Dong, A. 2022. High-quality natural fibers from cotton stalk bark via limited alkali penetration and simultaneous accelerated temperature rise. *Materials* 15:422
- Fang, W., Zhang, X., Zhang, P., Carol Morera, X., van Lier, J. B., and Spanjers, H. 2020. Evaluation of white rot fungi pretreatment of mushroom residues for volatile fatty acid production by anaerobic fermentation: Feedstock applicability and fungal function. *Bioresource Technology* (Vol. 297, p. 122447).
- FAOSTAT. Mushrooms and Truffles, Crops and Livestock Products, *Food and Agriculture Data*. Available online: <http://www.fao.org/faostat/en/#home>. accessed on 17 April 2023
- Fengel, D. and Wegener, G., 1984. *Wood: Chemistry, Ultrastructure, Reactions*. De Gruyter, Berlin
- Forster-Carneiro, T., Pérez, M., and Romero, L. I. 2008. Influence of total solid and inoculum contents on performance of anaerobic reactors treating food waste. *Bioresource Technology*, 99(15): 6994–7002.
- Ge, X., Xu, F., and Li, Y. 2016. Solid-state anaerobic digestion of lignocellulosic biomass: Recent progress and perspectives. *Bioresource Technology* (Vol. 205, pp. 239–249).
- Gao, X., Tang, X., Zhao, K., Balan, V., and Zhu, Q. 2021. Biogas Production from Anaerobic Co-Digestion of Spent Mushroom Substrate with Different Livestock Manure. *Energies* (Vol. 14, Issue 3, p. 570).
- Girmay, Z., Gorems, W., Birhanu, G., and Zewdie, S. 2016. Growth and yield performance of *Pleurotus ostreatus* (Jacq. Fr.) Kumm (oyster mushroom) on different substrates. *AMB Express* (Vol. 6, Issue 1).
- Hanafi, F. H., Rezanisa, S., Mat Taib, S., Md Din, M. F., Yamauchi, M., Sakamoto, M., Hara, H., Park, J., and Ebrahimi, S. S. 2018. Environmentally sustainable applications of agro-based spent mushroom substrate (SMS): an overview. *Journal of Material Cycles and Waste Management* (Vol. 20, Issue 3, pp. 1383–1396).
- Hammel, K.E. and Cullen, D. 2008. Role of fungal peroxidases in biological ligninolysis. *Current Opinion in Plant Biology*, 11, 1-7

- Hartati, S., Sudarmonowati, E., Fatriasari, W., Hermiati, E., Dwianto, W., Kaida, R., Baba, K., and Hayashi, T. 2010 Wood Characteristic of Superior Sengon Collection and Prospect of Wood Properties Improvement through Genetic Engineering. *Wood Research Journal* 1:2
- Hatakka, A. 2001. Biodegradation of lignin. *Biopolymer, Biology, Chemistry, Biotechnology, Applications*, Wiley-WCH, 129-180
- Hendrawan, Y., Sajidah, N., Umam, C., Fauzy, M. R., Wibisono, Y., and Hawa, L. C. 2019. Effect of Carbonization Temperature Variations and Activator Agent Types on Activated Carbon Characteristics of Sengon Wood Waste (*Paraserianthes falcataria*(L.)Nielsen). *IOP Conference Series: Earth and Environmental Science* (Vol. 239, p. 012006).
- Hendriks, A. T. W. M., and Zeeman, G. 2009. Pretreatments to enhance the digestibility of lignocellulosic biomass. *Bioresource Technology* (Vol. 100, Issue 1, pp. 10–18).
- Herliyana, E. N., Maryam, L. F., and Hadi, Y. S. 2011. *Schizophyllum commune* Fr. As Indonesian National Standard Wood Resistance Test Fungi on Four Kinds of Community Wood: Sengon, Rubber, Tusam, and Mangium. *Jurnal Silvikultur Tropika* (Vol. 02 No. 03, 176 – 180)
- Higuchi, T. 2004. Microbial degradation of lignin: Role of lignin peroxidase, manganese peroxidase, and laccase. *Proc. Jpn. Acad.* 80, 204-211
- Hu BB, Zhu MJ. 2017. Enhanced hydrogen production and biological saccharification from spent mushroom compost by *Clostridium thermocellum* 27405 supplemented with recombinant  $\beta$ -glucosidases. *Int J Hydrog Energy* 42(12):7866–7874
- Islam M. Z., Rahman M. H. and Hafiz F. 2009. Cultivation of Oyster Mushroom (*Pleurotus flabellatus*) on Different Substrates. *Int. J. Sustain. Crop Prod.* 4(1):45-48
- Isroi, Millati, R., Syamsiah, S., Niklasson, C., Cahyanto, M.N., Lundquist, K., and Taherzadeh, M. J. 2011. Biological Pretreatment of Lignocelluloses with White-Rot Fungi and Its Applications. *BioResources* 6(4): 5224-5259
- Isroi, Ishola, M., Millati, R., Syamsiah, S., Cahyanto, M., Niklasson, C., and Taherzadeh, M. 2012. Structural Changes of Oil Palm Empty Fruit Bunch (OPEFB) after Fungal and Phosphoric Acid Pretreatment. *Molecules* (Vol. 17, Issue 12, pp. 14995–15012).
- Jansson, A. T., Patinvoh, R. J., Sárvári Horváth, Ii., and Taherzadeh, M. J. (2019). Dry Anaerobic Digestion of Food and Paper Industry Wastes at Different Solid Contents. *Fermentation* (Vol. 5, Issue 2, p. 40).

- Jasiūnas, L., Pedersen, T.H., Toor, S.S., Rosendahl, L.A. 2017. Biocrude production via supercritical hydrothermal co-liquefaction of spent mushroom compost and aspen wood sawdust. *Renew Energy* 111:392–398
- Javad, M., Masoud, T., and Hadi, D. 2007. The effect of *Pleurotus* spp. fungi on chemical composition and in vitro digestibility of rice straw. *Pak. J. Biol. Sci.* 10, 2460–2464.
- Jiang H, Zhang M, Chen J, Li S, Shao Y, Yang J, Li J. 2017. Characteristics of bio-oil produced by the pyrolysis of mixed oil shale semi-coke and spent mushroom substrate. *Fuel* 200:218–224
- Jordan, S. N., Mullen, G. J., and Murphy, M. C. 2008. Composition variability of spent mushroom compost in Ireland. *Bioresource Technology* (Vol. 99, Issue 2, pp. 411–418).
- Kabir, M. M., Taherzadeh, M. J., and Sárvári Horváth, I. 2015. Dry anaerobic digestion of lignocellulosic and protein residues. *Biofuel Research Journal* (Vol. 2, Issue 4, pp. 309–316).
- Karthikeyan, O.P. and Visvanathan, C. 2013. Bio-energy recovery from high-solid organic substrates by dry anaerobic bio-conversion processes: a review. *Rev. Environ. Sci. Biotechnol.* 12, 257–284.
- Kim, J.K., Oh, B.R., Chun, Y.N., and Kim, S.W., 2006. Effects of temperature and hydraulic retention time on anaerobic digestion of food waste. *J. Biosci. Bioeng.* 102, 328–332.
- Kim, M., Gomec, C.Y., Ahn, Y., Speece, R.E., 2003. Hydrolysis and acidogenesis of particulate organic material in mesophilic and thermophilic anaerobic digestion. *Environ. Technol.*
- Kim, Y.I., Cho, W.M., Hong, S.K., Oh, Y.K., and Kwak, W.S. 2011. Yield, Nutrient Characteristics, Ruminal Solubility and Degradability of Spent Mushroom (*Agaricus bisporus*) Substrates for Ruminants. *Asian-Aust. J. Anim. Sci.* 24(11):1560-1568
- Kothari, R., Pandey, A. K., Kumar, S., Tyagi, V. V., and Tyagi, S. K. 2014. Different aspects of dry anaerobic digestion for bio-energy: An overview. *Renewable and Sustainable Energy Reviews* (Vol. 39, pp. 174–195).
- Kumar, A. and Samadder, S.R. 2020. Performance Evaluation of Anaerobic Digestion Technology for Energy Recovery from Organic Fraction of Municipal Solid Waste: A Review. *Energy* 197, 117253.
- Kumla, J., Suwannarach, N., Sujarit, K., Penkhrue, W., Kakumyan, P., Jatuwong, K., Vadthananarat, S., and Lumyong, S. 2020. Cultivation of Mushrooms and Their Lignocellulolytic Enzyme Production Through the Utilization of Agro-Industrial Waste. *Molecules* (Vol. 25, Issue 12, p. 2811).

- Langer, G. J., Bußkamp, J., Terhonen, E., and Blumenstein, K. 2021. Fungi inhabiting woody tree tissues. *Forest Microbiology* (pp. 175–205).
- Leong, Y.K.; Ma, T.-W.; Chang, J.-S. 2022a. Recent advances and future directions on the valorization of spent mushroom substrate (SMS): A review. *Bioresour. Technol.* 344, 126157.
- Leong, Y. K., Varjani, S., Lee, D.-J., and Chang, J.-S. 2022b. Valorization of spent mushroom substrate for low-carbon biofuel production: Recent advances and developments. *Bioresource Technology* (Vol. 363, p. 128012).
- Li, X., Pang, Y., and Zhang, R. 2001. Compositional changes of cottonseed hull substrate during *P. ostreatus* growth and the effects on the feeding value of the spent substrate. *Bioresource Technology* (Vol. 80, Issue 2, pp. 157–161).
- Li, Y., Park, S. Y., and Zhu, J. 2011. Solid-state anaerobic digestion for methane production from organic waste. *Renewable and Sustainable Energy Reviews* (Vol. 15, Issue 1, pp. 821–826).
- Li, J., Han, L.-H., Liu, X.-B., Zhao, Z.-W., and Yang, Z. L. 2020. The saprotrophic *Pleurotus ostreatus* species complex: late Eocene origin in East Asia, multiple dispersal, and complex speciation. In *IMA Fungus* (Vol. 11, Issue 1).
- Li, G., Lu, Z. T., Zhang, J., Li, H., Zhou, Y. G., Zayan, A. M. I., and Huang, Z. 2020. Life cycle assessment of biofuel production from microalgae cultivated in anaerobic digested wastewater. *Int J Agric and Biol Eng*, 13(1): 241–246.
- Li, G., Wang, Y., Yu, D., Zhu, P., Zhao, G., Liu, C., and Zhao, H. 2022. Ligninolytic characteristics of *Pleurotus ostreatus* cultivated in cotton stalk media. *Frontiers in Microbiology* (Vol. 13).
- Lin, Y., Ge, X., and Li, Y. 2014. Solid-state anaerobic co-digestion of spent mushroom substrate with yard trimmings and wheat straw for biogas production. *Bioresource Technology* (Vol. 169, pp. 468–474).
- Lin, Y., Ge, X., Liu, Z., and Li, Y. 2015. Integration of Shiitake cultivation and solid-state anaerobic digestion for utilization of woody biomass. *Bioresource Technology* (Vol. 182, pp. 128–135).
- Lou Z, Sun Y, Bian S, Baig SA, Hu B, Xu X. 2017. Nutrient conservation during spent mushroom compost application using spent mushroom substrate derived biochar. *Chemosphere* 169:23–31
- Lundquist, K., Kirk, T. K., and Connors, W. J. 1977. Fungal degradation of kraft lignin and lignin sulfonates prepared from synthetic <sup>14</sup>C-lignins. *Arch. Microbiol.* 112, 291-296.
- Luo X, Yuan X, Wang S, Sun F, Hou Z, Hu Q, Zhai L, Cui Z, Zou Y. 2018. Methane production and characteristics of the microbial community in the co-digestion



- of spent mushroom substrate with dairy manure. *Bioresour. Technol.* 250:611–620
- Ma, S., Wang, H., Li, J., Fu, Y., and Zhu, W. 2019a. Methane production performances of different compositions in lignocellulosic biomass through anaerobic digestion. *Energy* (Vol. 189, p. 116190).
- Ma, X., Jiang, T., Chang, J., Tang, Q., Luo, T., and Cui, Z. 2019b. Effect of Substrate to Inoculum Ratio on Biogas Production and Microbial Community During Hemi-Solid-State Batch Anaerobic Co-digestion of Rape Straw and Dairy Manure. In *Applied Biochemistry and Biotechnology* (Vol. 189, Issue 3, pp. 884–902).
- Mao, C.; Zhang, T.; Wang, X.; Feng, Y.; Ren, G.; Yang, G. Process Performance and Methane Production Optimizing of Anaerobic Co-Digestion of Swine Manure and Corn Straw. *Sci. Rep.* 2017, 7, 9379.
- Martawijaya, A., Sujana, I.K., Mandang, Y.I., Amang., S., Kadir., P.K. 1989. Atlas Kayu Indonesia Jilid II. Badan Penelitian dan Pengembangan Kehutanan. Bogor
- Mashandete, A., Björnsson, L., Kivaisi, A. K., Rubindamayugi, M. S. T., and Mattiasson, B. 2006. Effect of particle size on biogas yield from sisal fiber waste. *Renewable Energy*, 31, 2385–2392.
- Mehta, V., Gupta, J. K., and Kaushal, S. C. 1990. Cultivation of *Pleurotus florida* mushroom on rice straw and biogas production from the spent straw. *World Journal of Microbiology and Biotechnology* (Vol. 6, Issue 4, pp. 366–370).
- Millis, C. D., Cai, D., Stankovich, M. T., and Tien, M. 1989. Oxidation-reduction potentials and ionization states of extracellular peroxidases from the lignin-degrading fungus *Phanerochaete chrysosporium*. *Biochemistry* (Vol. 28, Issue 21, pp. 8484–8489).
- Moriarty, K., Elchinger, M., Hill, G., Katz, J., and Barnett, J. 2014. Methane for Power Generation in Muaro Jambi: A Green Prosperity Model Project. *National Renewable Energy Laboratory*. NREL/TP-5400-62346
- Muller, J.A., 2003. Comminution of organic material. *Chem. Eng. Technol.*
- Muniyasamy, S., Anstey, A., Reddy, M. M., Misra, M., and Mohanty, A. 2013. Biodegradability and Compostability of Lignocellulosic Based Composite Materials. *Journal of Renewable Materials* (Vol. 1, Issue 4, pp. 253–272).
- Mussoline, W., Esposito, G., Lens, P., Spagni, A., and Giordano, A. 2013. Enhanced methane production from rice straw co-digested with anaerobic sludge from pulp and paper mill treatment process. *Bioresource Technology* (Vol. 148, pp. 135–143).

- Mustafa, A. M., Poulsen, T. G., and Sheng, K. 2016. Fungal pretreatment of rice straw with *Pleurotus ostreatus* and *Trichoderma reesei* to enhance methane production under solid-state anaerobic digestion. *Applied Energy* (Vol. 180, pp. 661–671).
- MyCoPortal. 2023. Mycology Collections Portal Taxonomy. Available online: <http://www.mycportal.org/portal/index.php>. accessed on 7 July 2023.
- Najafi, B. and Ardabili, S.F. 2018. Application of ANFIS, ANN, and logistic methods in estimating biogas production from spent mushroom compost (SMC). *Resour Conserv Recycl* 133:169–178
- Nguyen, V.C.N. and Klaus, F. 2012. Energy recovery from anaerobic co-digestion with pig manure and spent mushroom compost in the Mekong Delta. *J. Viet. Env.* Vol. 3, No. 1, pp. 4-9
- Öztürk, C. and Atila, F. 2021. Changes in lignocellulosic fractions of growing substrates during the cultivation of *Hypsizygus ulmarius* mushroom and its effects on mushroom productivity. *Scientia Horticulturae* (Vol. 288, p. 110403).
- Pant, D., Reddy, U. G., and Adholeya, A. 2005. Cultivation of oyster mushrooms on wheat straw and bagasse substrate amended with distillery effluent. *World Journal of Microbiology and Biotechnology* (Vol. 22, Issue 3, pp. 267–275).
- Pečar, D., and Goršek, A. 2020. Kinetics of Methane Production during Anaerobic Digestion of Chicken Manure with Sawdust and Miscanthus. *Biomass Bioenergy* 143, 105820.
- Phan, C.-W., and Sabaratnam, V. 2012. Potential uses of spent mushroom substrate and its associated lignocellulosic enzymes. *Applied Microbiology and Biotechnology* (Vol. 96, Issue 4, pp. 863–873).
- Purwandari, F. A., Sanjaya, A. P., Millati, R., Cahyanto, M. N., Horváth, I. S., Niklasson, C., and Taherzadeh, M. J. 2013. Pretreatment of oil palm empty fruit bunch (OPEFB) by N-methylmorpholine-N-oxide (NMMO) for biogas production: Structural changes and digestion improvement. *Bioresource Technology* (Vol. 128, pp. 461–466).
- Rahmat, Rahim, I., Putera, Muh. I., and Asrul, L. 2020. Growth and production of white oyster mushroom (*Pleurotus ostreatus*) by adding coconut water to agricultural waste as a carbon source media. *IOP Conference Series: Earth and Environmental Science* (Vol. 575, Issue 1, p. 012090).
- Rajavat, A. S., Rai, S., Pandiyan, K., Kushwaha, P., Choudhary, P., Kumar, M., Chakdar, H., Singh, A., Karthikeyan, N., Bagul, S. Y., Agnihotri, A., and Saxena, A. K. 2019. Sustainable use of the spent mushroom substrate of *Pleurotus florida* for production of lignocellulolytic enzymes. *Journal of Basic Microbiology* (Vol. 60, Issue 2, pp. 173–184).



- Ramos, L. P., Breuil, C., and Saddler, J. N. 1992. Comparison of steam pretreatment of eucalyptus, aspen, and spruce wood chips and their enzymatic hydrolysis. *Applied Biochemistry and Biotechnology* (Vols. 34–35, Issue 1, pp. 37–48).
- Randive, S.D. 2012. Cultivation and study of growth of oyster mushroom on different agricultural waste substrates and its nutrient analysis. *Advances in Applied Science Research* 3(4):1938-1949
- Rapport, J.; Zhang, R.; Jenkins, B.M.; Williams, R.B. 2008. Current anaerobic digestion technologies used for treatment of municipal organic solid waste. *Calif. Integr. Waste Manag. Board* 35–36.
- Reichel, R., Wei, J., Islam, M. S., Schmid, C., Wissel, H., Schröder, P., Schlöter, M., and Brüggemann, N. 2018. Potential of Wheat Straw, Spruce Sawdust, and Lignin as High Organic Carbon Soil Amendments to Improve Agricultural Nitrogen Retention Capacity: An Incubation Study. *Frontiers in Plant Science* (Vol. 9).
- Richard, E. N., Hilonga, A., Machunda, R. L., and Njau, K. N. 2020. Two-stage banana leaves wastes utilization towards mushroom growth and biogas production. *3 Biotech* (Vol. 10, Issue 12).
- Rocamora, I., Wagland, S. T., Villa, R., Simpson, E. W., Fernández, O., and Bajón-Fernández, Y. 2020. Dry anaerobic digestion of organic waste: A review of operational parameters and their impact on process performance. *Bioresource Technology* (Vol. 299, p. 122681).
- Ryden P, Efthymiou MN, Tindyebwa TA, Elliston A, Wilson DR, Waldron KW, Malakar PK. 2017. Bioethanol production from spent mushroom compost derived from chaff of millet and sorghum. *Biotechnol Biofuels* 10(1):195.
- Saputro, D.D. and Widayat, W. 2016. Karakterisasi Limbah Pengolahan Kayu Sengon Sebagai Bahan Bakar Alternatif. *Jurnal Sain dan Teknologi* 14(1)
- Sethumadhavan, P., and Selvan, A.M. 2018. Effect of spent mushroom substrate and wastepaper briquette on methane production from anaerobic digestion. *Journal of Environmental Biology* (Vol. 39, Issue 2, pp. 269–276).
- Sewu DD, Boakye P, Jung H, Woo SH. 2017. Synergistic dye adsorption by biochar from co-pyrolysis of spent mushroom substrate and *Saccharina japonica*. *Bioresour Technol* 244:1142–1149
- Shi, J., Chinn, M., and Sharmashivappa, R. 2008. Microbial pre-treatment of cotton stalks by solid state cultivation of *Phanerochaete chrysosporium*. *Bioresource Technology* 99, 6556-6564.
- Shu, C.-H., Jaiswal, R., Kuo, M., and Yu, B.-H. 2022. Enhancing Methane Production in a Two-Stage Anaerobic Digestion of Spent Mushroom Substrate and Chicken Manure via Activation of Sludge, Optimization of Temperature, and C/N Ratio. *Frontiers in Environmental Science* (Vol. 9).



- Wang, X., Guan, W., Ma, X., Zhang, S., Wang, Q., and Wu, C. 2022. Enhancement of Food Waste Thermophilic Anaerobic Digestion with Supplementing Spent Mushroom Substrate: Synergistic Effect and Stability. *Waste and Biomass Valorization* (Vol. 13, Issue 6, pp. 2881–2888).
- Winarni, I. and Bardant, T.B. 2017. Bioethanol production of sengon wood (*Falcataria moluccana* (Miq.) Barneby and JW Grimes) waste using high loading substrate method. *Jurnal Penelitian Hasil Hutan* 35(4) 231–42
- Wong, D. 2009. Structure and action mechanism of ligninolytic enzymes. *Applied Biochemistry and Biotechnology* 157, 174–209
- Worrall JJ, Anagnost SE, and Zabel RA. 1997. Comparison of wood decay among diverse lignicolous fungi. *Mycologia JSTOR*. 199–219.
- Wu, D., Wei, Z., Mohamed, T. A., Zheng, G., Qu, F., Wang, F., Zhao, Y., and Song, C. 2022. Lignocellulose biomass bioconversion during composting: Mechanism of action of lignocellulase, pretreatment methods and future perspectives. *Chemosphere* (Vol. 286, p. 131635).
- Yang, S.T. 2007. Bioprocessing – from Biotechnology to Birefinery. *Bioprocessing for Value-Added Products from Renewable Resources*. Ohio, OH, USA: Elsevier
- Yi, J., Dong, B., Jin, J., and Dai, X. 2014. Effect of Increasing Total Solids Contents on Anaerobic Digestion of Food Waste under Mesophilic Conditions: Performance and Microbial Characteristics Analysis. *D. Elias (Ed.), PLoS ONE* (Vol. 9, Issue 7, p. e102548)
- Yoon, H.H., 1998. Pretreatment of lignocellulosic biomass by autohydrolysis and aqueous ammonia percolation. *Korean J. Chem. Eng.* 15 (6), 631–636.
- Yu, H., Du, W., Zhang, J., Ma, F., Zhang, X., and Zhong, W. 2010. Fungal treatment of cornstalks enhances the delignification and xylan loss during mild alkaline pretreatment and enzymatic digestibility of glucan. *Bioresource Technology* (Vol. 101, Issue 17, pp. 6728–6734).
- Zhang B, Tan G, Zhong Z, Ruan R. 2017. Microwave-assisted catalytic fast pyrolysis of spent edible mushroom substrate for bio-oil production using surface modified zeolite catalyst. *J Anal Appl Pyrolysis* 123:92–98
- Zhu, L., O'Dwyer, J. P., Chang, V. S., Granda, C. B., and Holtzapple, M. T. 2008. Structural features affecting biomass enzymatic digestibility. *Bioresource Technology* (Vol. 99, Issue 9, pp. 3817–3828).
- Zhu, J., Han, M., Zhang, G., and Yang, L. 2015. Co-digestion of spent mushroom substrate and corn stover for methane production via solid-state anaerobic digestion. *Journal of Renewable and Sustainable Energy* (Vol. 7, Issue 2, p. 023135).

- Zhu Y, Chang Y, Guan J, Shanguan G, Xin F. 2016. Butanol production from organosolv treated spent mushroom substrate integrated with in situ biodiesel extraction. *Renew Energy* 96:656–61
- Zoghلامي, A., and Paës, G. 2019. Lignocellulosic Biomass: Understanding Recalcitrance and Predicting Hydrolysis. In *Frontiers in Chemistry* (Vol. 7).
- Zou, Y., Du, F., Hu, Q., Yuan, X., Dai, D., and Zhu, M. 2020. Integration of *Pleurotus tuoliensis* cultivation and biogas production for utilization of lignocellulosic biomass as well as its benefit evaluation. In *Bioresource Technology* (Vol. 317, p. 124042).