

DAFTAR PUSTAKA

- Abbas, Z., Abbas, D., Khan, D., Ali, A., Khan, G., Tahir, O., Javed, S., Tahmeed, A., Ali, J., Iftikhar, H., Ullah, A., & Ali, F. (2023). Effect Of Different Botanical And Synthetic Insecticides Against Tomato Fruit Worm (*Helicoverpa Armigera*). *Xi'an Shiyou Daxue Xuebao (Ziran Kexue Ban)/Journal of Xi'an Shiyou University, VOLUME 19*, 474–487.
- Abubakar, A. R., & Haque, M. (2020). Preparation of medicinal plants: Basic extraction and fractionation procedures for experimental purposes. *Journal of Pharmacy & Bioallied Sciences*, 12(1), 1.
- Adel, M. M., Sehnal, F., & Jurzysta, M. (2000). Effect of Alfalfa Saponins on the Moth *Spodoptera littoralis*. *Journal of Chemical Ecology*, 26(4), 1065–1078. <https://doi.org/10.1023/A:1005445217004>
- Aguirre-Dugua, X., Eguarte, L. E., González-Rodríguez, A., & Casas, A. (2012). Round and large: morphological and genetic consequences of artificial selection on the gourd tree *Crescentia cujete* by the Maya of the Yucatan Peninsula, Mexico. *Annals of Botany*, 109(7), 1297–1306. <https://doi.org/10.1093/aob/mcs068>
- Aguirre-Dugua, X., Pérez-Negrón, E., & Casas, A. (2013). Phenotypic differentiation between wild and domesticated varieties of *Crescentia cujete* L. and culturally relevant uses of their fruits as bowls in the Yucatan Peninsula, Mexico. *Journal of Ethnobiology and Ethnomedicine*, 9(1), 76. <https://doi.org/10.1186/1746-4269-9-76>
- Ali, A., Choudhury, R. A., Ahmad, Z., Rahman, F., Khan, F. R., & Ahmad, S. K. (2009). Some biological characteristics of *Helicoverpa armigera* on chickpea. *Tunisian Journal of Plant Protection*, 4(1), 99–106.
- Ali, S., Li, Y., Haq, I. U., Abbas, W., Shabbir, M. Z., Khan, M. M., Mamay, M., Niaz, Y., Farooq, T., Skalicky, M., Zuan, A. T. K., Nasif, O., & Ansari, M. J. (2021). The impact of different plant extracts on population suppression of *Helicoverpa armigera* (Hub.) and tomato (*Lycopersicon esculentum* Mill) yield under field conditions. *PLOS ONE*, 16(12), e0260470.
- Anitha, P., Nazeema, T. H., & Lalitha, G. (2019). Phytochemical Screening and GC-MS Analysis of Bio-Active Compounds in Ethanol Extract of *Crescentia cujete* Leaves. *International Journal of Pharmacy and Biological Sciences-IJPBS TM*, 3, 9. <https://doi.org/10.21276/ijpbs.2019.9.3.10>
- Anonim. (2005). *Insects : understanding Helicoverpa ecology and biology in southern Queensland : know the enemy to manage it better* (Queensland. D. of P. I. and Fisheries, Ed.). Dept. of Primary Industries and Fisheries.
- Aprianty, A. S., Sjam, S., Dewi, V. S., & Agustina, Y. E. (2021). The synergy of *Calotropis gigantea* and *Cresscentia cujete* plant extracts as an inhibitor of

- egg hatching and antifeedant against *Spodoptera frugiperda*. *IOP Conference Series: Earth and Environmental Science*, 807(2), 022086.
- Arango-Ulloa, J., Bohorquez, A., Duque, M. C., & Maass, B. L. (2009). Diversity of the calabash tree (*Crescentia cujete* L.) in Colombia. *Agroforestry Systems*, 76(3), 543–553. <https://doi.org/10.1007/s10457-009-9207-0>
- Atmodjo, K. (2019). Keragaman dan pemanfaatan tumbuhan berenuk (*Crescentia cujete* L) di Daerah Istimewa Yogyakarta. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 116–123.
- Avilla, C., & González-Zamora, J. E. (2010). Monitoring resistance of *Helicoverpa armigera* to different insecticides used in cotton in Spain. *Crop Protection*, 29(1), 100–103.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of Food Engineering*, 117(4), 426–436.
- Bravo, A., Cristina del Rincon-Castro, M., Ibarra, J. E., & Soberón, M. (2011). Towards a Healthy Control of Insect Pests: Potential Use of Microbial Insecticides. In O. Lopez & J. Fernandez-Bolanos (Eds.), *Green Trends in Insect Control* (p. 0). The Royal Society of Chemistry. <https://doi.org/10.1039/BK9781849731492-00266>
- Brévault, T., Prudent, P., Vaissayre, M., & Carrière, Y. (2009). Susceptibility of *Helicoverpa armigera* (Lepidoptera: Noctuidae) to Cry1Ac and Cry2Ab2 Insecticidal Proteins in Four Countries of the West African Cotton Belt. *Journal of Economic Entomology*, 102(6), 2301–2309. <https://doi.org/10.1603/029.102.0636>
- Chen, S., Elzaki, M. E. A., Ding, C., Li, Z., Wang, J., Zeng, R., & Song, Y.-Y. (2019). Plant allelochemicals affect tolerance of polyphagous lepidopteran pest *Helicoverpa armigera* (Hübner) against insecticides. *Pesticide Biochemistry and Physiology*, 154, 32–38. <https://doi.org/https://doi.org/10.1016/j.pestbp.2018.12.009>
- Colvin, J., & Gavin Gatehouse, A. (1993). Migration and genetic regulation of the pre-reproductive period in the Cotton-bollworm moth, *Helicoverpa armigera*. *Heredity*, 70(4), 407–412. <https://doi.org/10.1038/hdy.1993.57>
- Czepak, C., Albernaz, K. C., Vivan, L. M., Guimarães, H. O., & Carvalhais, T. (2013). First reported occurrence of *Helicoverpa armigera* (Hübner)(Lepidoptera: Noctuidae) in Brazil. *Pesquisa Agropecuária Tropical*, 43, 110–113.
- Das, K., Tiwari, R. K. S., & Shrivastava, D. K. (2010). Techniques for evaluation of medicinal plant products as antimicrobial agent: Current methods and future trends. *Journal of Medicinal Plants Research*, 4(2), 104–111.
- Das, N., Islam, M. E., Jahan, N., Islam, M. S., Khan, A., Islam, M. R., & Parvin, M. S. (2014). Antioxidant activities of ethanol extracts and fractions of

- Crescentia cujete* leaves and stem bark and the involvement of phenolic compounds. *BMC Complementary and Alternative Medicine*, 14(1), 45.
<https://doi.org/10.1186/1472-6882-14-45>
- Dermauw, W., Wybouw, N., Rombauts, S., Menten, B., Vontas, J., Grbić, M., Clark, R. M., Feyereisen, R., & Van Leeuwen, T. (2013). A link between host plant adaptation and pesticide resistance in the polyphagous spider mite *Tetranychus urticae*. *Proceedings of the National Academy of Sciences*, 110(2), E113–E122.
- Desneux, N., Decourtye, A., & Delpuech, J.-M. (2007). The sublethal effects of pesticides on beneficial arthropods. *Annu. Rev. Entomol.*, 52, 81–106.
- Devanand, P., & Rani, P. U. (2011). Insect growth regulatory activity of the crude and purified fractions from *Solanum melongena* L., *Lycopersicum esculentum* Mill. and *Capsicum annum* L. *Journal of Biopesticides*, 4(2), 118.
- Devi, S. S., Rajashekara, S., Venkatesha, M., Gangadhar, B., & Byasigideri, D. (2020). *Large-Scale Production of the Cotton Bollworm, Helicoverpa armigera (Hübner) (Lepidoptera: Noctuidae) and Its Biopesticide: Nuclear Polyhedrosis Virus (HaNPV)* (pp. 339–375). https://doi.org/10.1007/978-981-15-0794-6_17
- Dong, J., Wang, K., Li, Y., & Wang, S. (2017). Lethal and sublethal effects of cyantraniliprole on *Helicoverpa assulta* (Lepidoptera: Noctuidae). *Pesticide Biochemistry and Physiology*, 136, 58–63.
- Ejelonu, B. C., Lasisi, A. A., Olaremu, A. G., & Ejelonu, O. C. (2011). The chemical constituents of calabash (*Crescentia cujete*). *African Journal of Biotechnology*, 10(84), 19631–19636.
- El-Aswad, A. F., Aisu, J., & Khalifa, M. H. (2023). Biological activity of tannins extracts from processed *Camellia sinensis* (black and green tea), *Vicia faba* and *Urtica dioica* and *Allium cepa* essential oil on three economic insects. *Journal of Plant Diseases and Protection*, 130(3), 495–508.
- Fernandes, F. L., Bacci, L., & Fernandes, M. S. (2010). Impact and selectivity of insecticides to predators and parasitoids. *EntomoBrasilis*, 3(1), 1–10.
- Firempong, S., & Zalucki, M. P. (1989). Host Plant Preferences of Populations of *Helicoverpa-Armigera* (Hubner) (Lepidoptera, Noctuidae) From Different Geographic Locations. *Australian Journal of Zoology*, 37(6), 665–673.
<https://doi.org/10.1071/ZO9890665>
- Fiskasari, L. (2014). *Studi Potensi Insektisida Nabati Ekstrak Daun Majapahit (C. cujete) terhadap Larva Grayak (Spodoptera litura)* [Skripsi]. Institut Teknologi Sepuluh Nopember.
- Grdiša, M., & Gršić, K. (2013). Botanical insecticides in plant protection. *Agriculturae Conspectus Scientificus*, 78(2), 85–93.

- Gunawan, H., Partomihardjo, T., & Penerbit, I. P. B. (2019). *100 spesies pohon Nusantara: target konservasi ex situ taman keanekaragaman hayati*. IPB Press. <https://books.google.co.id/books?id=MZVEzgEACAAJ>
- Herlinda, S. (2005). Bio-Ecology of *Helicoverpa armigera* (Hübner)(Lepidoptera: Noctuidae) on Tomato. *AGRIA*, 2(1), 32–36.
- Huang, J., & Hao, H. F. (2020). Effects of climate change and crop planting structure on the abundance of cotton bollworm, *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae). *Ecology and Evolution*, 10(3), 1324–1338. <https://doi.org/10.1002/ece3.5986>
- Huang, Y., & Chi, H. (2012). Age-stage, two-sex life tables of *Bactrocera cucurbitae* (Coquillett)(Diptera: Tephritidae) with a discussion on the problem of applying female age-specific life tables to insect populations. *Insect Science*, 19(2), 263–273.
- Hussain, D., Saleem, M., Ghouse, G., & Abbas, M. (2015). Insecticide resistance in field populations of *Helicoverpa armigera* (Hübner)(Lepidoptera: Noctuidae). *Journal of Entomological Science*, 50(2), 119–128.
- Islamiah, D. (2019). *Tingkat, Pola Distribusi dan Nilai Ekonomi Infestasi Hama Penggerek Tongkol Helicoverpa armigera pada Tanaman Jagung Pulut*.
- Jallow, M. F. A., & Matsumura, M. (2001). Influence of temperature on the rate of development of *Helicoverpa armigera* (Hübner)(Lepidoptera: Noctuidae). *Applied Entomology and Zoology*, 36(4), 427–430.
- Javed, M., Majeed, M. Z., Sufyan, M., Ali, S., & Afzal, M. (2018). Field efficacy of selected synthetic and botanical insecticides against lepidopterous borers, *Earias vittella* and *Helicoverpa armigera* (Lepidoptera: Noctuidae), on okra (*Abelmoschus esculentus* (L.) Moench). *Pakistan J. Zool*, 50(6), 2019–2028.
- Kalsi, M., & Palli, S. R. (2017). Transcription factor cap n collar C regulates multiple cytochrome P450 genes conferring adaptation to potato plant allelochemicals and resistance to imidacloprid in *Leptinotarsa decemlineata* (Say). *Insect Biochemistry and Molecular Biology*, 83, 1–12.
- Kartesz, J. T. (1994). *A Synonymized Checklist of the Vascular Flora of the United States, Canada, and Greenland: Thesaurus* (Vol. 2). Timber Press.
- Kathuria, V., & Kaushik, N. (2005). Feeding inhibition of *Helicoverpa armigera* (Hübner) by *Eucalyptus camaldulensis* and *Tylophora indica* extracts. *Insect Science*, 12(4), 249–254. <https://doi.org/https://doi.org/10.1111/j.1005-295X.2005.00031.x>
- Kranthi, K. (2005). Insecticide resistance monitoring, mechanism management manual. *Cent. Ins. Cot. Res., India*, 78–82.
- Kukanur, V. S., Singh, T. V. K., Kranthi, K. R., & Andow, D. A. (2018). Cry1Ac resistance allele frequency in field populations of *Helicoverpa armigera* (Hübner) collected in Telangana and Andhra Pradesh, India. *Crop Protection*, 107, 34–40.

- Li, G., Wu, K., Gould, F., Wang, J., Miao, J., Gao, X., & Guo, Y. (2007). Increasing tolerance to Cry1Ac cotton from cotton bollworm, *Helicoverpa armigera*, was confirmed in Bt cotton farming area of China. *Ecological Entomology*, 32(4), 366–375.
- Martinou, A. F., Seraphides, N., & Stavrinides, M. C. (2014). Lethal and behavioral effects of pesticides on the insect predator *Macrolophus pygmaeus*. *Chemosphere*, 96, 167–173.
<https://doi.org/https://doi.org/10.1016/j.chemosphere.2013.10.024>
- McCaffery, A. R., Walker, A. J., & Topper, C. P. (1991). Insecticide resistance in the bollworm, *Helicoverpa armigera* from Indonesia. *Pesticide Science*, 32(1), 85–90.
- Mello, M. O., & Silva-Filho, M. C. (2002). Plant-insect interactions: an evolutionary arms race between two distinct defense mechanisms. *Brazilian Journal of Plant Physiology*, 14(2), 71–81. <https://doi.org/10.1590/S1677-04202002000200001>
- Palayukan, P. A., Sjam, S., Rosmana, A., & Dewi, V. S. (2021). Application of the combination of *Calotropis gigantea* L. and *Crescentia cujete* L. against *Schirpophaga innotata* and *Leptocorisa acuta* Thunb. and predator in paddy plants. *IOP Conference Series: Earth and Environmental Science*, 807(2), 022087.
- Pandey, A., & Tripathi, S. (2014). Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug. *Journal of Pharmacognosy and Phytochemistry*, 2(5), 115–119.
- Prabhu, S., Priyadharshini, P., & Thangamalar, A. (2018). Evaluation of antifeedant activity of different parts of *Calotropis gigantea* against *Helicoverpa armigera*. *Journal of Pharmacognosy and Phytochemistry*, 7(2), 2919–2922.
- Qasim, M., Islam, W., Ashraf, H. J., Ali, I., & Wang, L. (2020). Saponins in insect pest control. *Co-Evolution of Secondary Metabolites*, 897–924.
- Queiroz-Santos, L., Casagrande, M. M., & Specht, A. (2018). Morphological characterization of *Helicoverpa armigera* (Hübner)(Lepidoptera: noctuidae: heliothinae). *Neotropical Entomology*, 47, 517–542.
- Rajput, A. A., Sarwar, M., Bux, M., & Tofique, M. (2003). Evaluation of synthetic and some plant origin insecticides against *Helicoverpa armigera* (Hubner) on chickpea. *Pakistan Journal of Biological Sciences*, 6(5), 496–499.
- Ravi, K. C., Mohan, K. S., Manjunath, T. M., Head, G., Patil, B. V, Greba, D. P. A., Premalatha, K., Peter, J., & Rao, N. G. V. (2005). Relative Abundance of *Helicoverpa armigera* (Lepidoptera: Noctuidae) on Different Host Crops in India and the Role of These Crops as Natural Refuge for *Bacillus thuringiensis* Cotton. *Environmental Entomology*, 34(1), 59–69.
<https://doi.org/10.1603/0046-225X-34.1.59>

- Roman, B. K., Laut, M. M., & Almet, J. (2021). Aktivitas Bioinsektisida Ekstrak Daun Maja (*Crencentia cujete* Linn.) terhadap *Rhipicephalus sanguineus* dari Anjing Lokal. *Jurnal Kajian Veteriner*, 9(3), 203–212.
- Safirah, R., Widodo, N., & Budiyanto, M. A. K. (2016). Uji Efektifitas Insektisida Nabati Buah *Crescentia Cujete* dan Bunga *Syzygium aromaticum* terhadap Mortalitas Spodoptera Litura secara In Vitro sebagai Sumber Belajar Biologi. *Jurnal Pendidikan Biologi Indonesia*, 2(3), 265–276.
- Sagrin, M. S., Lasano, N. F., Shukri, R., & Ramli, N. S. (2019). Antioxidant properties and toxicity assessment of the *Crescentia cujete* extracts in Brine shrimp (*Artemia salina*). *Sains Malaysiana*, 48(4), 831–840.
- Silva-Aguayo, G., Rodríguez-Maciél, J. C., Lagunes-Tejeda, A., Llanderal-Cázares, C., Alatorre-Rosas, R., Shelton, A. M., & Blanco, C. A. (2010). Bioactivity of boldo (*Peumus boldus* Molina)(Laurales: Monimiaceae) on *Spodoptera frugiperda* (JE Smith) and *Helicoverpa zea* (Boddie)(Lepidoptera: Noctuidae). *Southwestern Entomologist*, 35(3), 215–231.
- Singh, N. S., Sharma, R., Parween, T., & Patanjali, P. K. (2018). Pesticide Contamination and Human Health Risk Factor. In M. Oves, M. Zain Khan, & I. M.I. Ismail (Eds.), *Modern Age Environmental Problems and their Remediation* (pp. 49–68). Springer International Publishing.
https://doi.org/10.1007/978-3-319-64501-8_3
- Smith-Pardo, A. (2014). The old world bollworm *Helicoverpa armigera* (Hübner)(Lepidoptera: noctuidae: Heliethinae) its biology, economic importance and its recent introduction into the western hemisphere. *Bol. Mus. Entomol. Univ. Valle*, 6(1), 18–28.
- Southwood, T. R. E., & Henderson, P. A. (2000). *Ecological Methods–Blackwell Science*. Oxford.
- Spoorthi, G. S., Singh, R., Singh, K., Sharma, R., Singh, J., Singh, M., Kumar, A., & Kumar, V. (2018). Study of life cycle *Helicoverpa armigera* (Hub.) on different artificial diet. *Journal of Pharmacognosy and Phytochemistry*, 7(1S), 2071–2075.
- Suprayitno, R., Iskandar, D., & Wijayanti, F. (2020). Pemanfaatan nikotin dari ekstrak tembakau sebagai insektisida hama *coptotermes curvignathus*. *Prosiding Seminar Nasional Sains Dan Teknologi Terapan*, 3, 624–634.
- Taufika, R. (2016). *Efektivitas Campuran Ekstrak Daun Srikaya (Annona squamosa L.) dan Rimpang Kunyit (Curcuma domestica Val.) terhadap Mortalitas Larva Spodoptera Litura F. (Lepidoptera: Noctuidae)* [Tesis]. Universitas Gadjah Mada.
- Thirasack, S. (2001). Yield losses assessment due to pests on cotton in Lao PDR. *Agriculture and Natural Resources*, 35(3), 271–283.
- Torres-Vila, L. M., Rodríguez-Molina, M. C., Lacasa-Plasencia, A., & Bielza-Lino, P. (2002). Insecticide resistance of *Helicoverpa armigera* to

- endosulfan, carbamates and organophosphates: the Spanish case. *Crop Protection*, 21(10), 1003–1013.
- Tossou, E., Tapa-Yotto, G., Kpindou, O. K. D., Sandeu, R., Datinon, B., Zeukeng, F., Akoton, R., Tchigossou, G. M., Djègbè, I., & Vontas, J. (2019). Susceptibility profiles of *Helicoverpa armigera* (Hübner) (Lepidoptera: Noctuidae) to deltamethrin reveal a contrast between the Northern and the Southern Benin. *International Journal of Environmental Research and Public Health*, 16(11), 1882.
- Visnupriya, M., & Muthukrishnan, N. (2017). Negative cross resistance of *Helicoverpa armigera* Hubner on okra to green insecticide molecule spinetoram 12 SC W/V (11.7 W/W). *Journal of Entomology and Zoology Studies*, 5, 1578–1582.
- Vogel, A. I., & Furniss, B. S. (1989). *Vogel's Textbook of Practical Organic Chemistry*. Longman.
<https://books.google.co.id/books?id=2eQPAQAAMAAJ>
- Wakil, W., Ghazanfar, M., Kwon, Y., Qayyum, M., & NASIR, F. (2010). Distribution of *Helicoverpa armigera* Hübner (Lepidoptera: Noctuidae) in tomato fields and its relationship to weather factors. *Entomological Research*, 40, 290–297. <https://doi.org/10.1111/j.1748-5967.2010.00301.x>
- Wu, K. (2007). Monitoring and management strategy for *Helicoverpa armigera* resistance to Bt cotton in China. *Journal of Invertebrate Pathology*, 95(3), 220–223. <https://doi.org/https://doi.org/10.1016/j.jip.2007.03.012>
- Wulandari, M. S., Suryadarma, I. G. P., & Suahartini, S. (2017). Efektivitas Daun Majapahit (*Crescentia cujete*) sebagai Pestisida Nabati Spodoptera litura Pada Sawi (*Brassica juncea*). *Kingdom (The Journal of Biological Studies)*, 6(4), 245–254.
- Yuan, Y., Li, L., Zhao, J., & Chen, M. (2020). Effect of tannic acid on nutrition and activities of detoxification enzymes and acetylcholinesterase of the fall webworm (Lepidoptera: Arctiidae). *Journal of Insect Science*, 20(1), 8.
- Yudharini, G., Suryawan, A., & Wartini, N. M. (2016). Pengaruh perbandingan bahan dengan pelarut dan lama ekstraksi terhadap rendemen dan karakteristik ekstrak pewarna dari buah pandan (*Pandanus tectorius*). *Jurnal Rekayasa Dan Manajemen Agroindustri*, 4(3), 36–46.
- Zhang, D., Xiao, Y., Xu, P., Yang, X., Wu, Q., & Wu, K. (2021). Insecticide resistance monitoring for the invasive populations of fall armyworm, *Spodoptera frugiperda* in China. *Journal of Integrative Agriculture*, 20(3), 783–791. [https://doi.org/https://doi.org/10.1016/S2095-3119\(20\)63392-5](https://doi.org/https://doi.org/10.1016/S2095-3119(20)63392-5)
- Zhang, H., Yin, W., Zhao, J., Jin, L., Yang, Y., Wu, S., Tabashnik, B. E., & Wu, Y. (2011). Early Warning of Cotton Bollworm Resistance Associated with Intensive Planting of Bt Cotton in China. *PLOS ONE*, 6(8), e22874-. <https://doi.org/10.1371/journal.pone.0022874>



- Zhou, X., Faktor, O., Applebaum, S. W., & Coll, M. (2000). Population structure of the pestiferous moth *Helicoverpa armigera* in the Eastern Mediterranean using RAPD analysis. *Heredity*, 85(3), 251–256.
- Zumdahl, S. S., & Zumdahl, S. A. (2008). *Chemistry*. Cengage Learning.
<https://books.google.co.id/books?id=LLWkH82PNbYC>