



## DAFTAR PUSTAKA

- A-A-20189C. (2012). <http://www.fda.gov/Food/GuidanceComplianceRegulatoryInformation/GuidanceDocuments/Foo>
- Abdi, H., & Williams, L. J. (2010). Principal component analysis. Dalam *Wiley Interdisciplinary Reviews: Computational Statistics* (Vol. 2, Nomor 4, hlm. 433–459). <https://doi.org/10.1002/wics.101>
- Aculey, P. C., Snitkjaer, P., Owusu, M., Bassompiere, M., Takrama, J., Nørgaard, L., Petersen, M. A., & Nielsen, D. S. (2010). Ghanaian cocoa bean fermentation characterized by spectroscopic and chromatographic methods and chemometrics. *Journal of Food Science*, 75(6). <https://doi.org/10.1111/j.1750-3841.2010.01710.x>
- Agustini, S. (2014). Changes on the Physical-Chemical Properties of Kue delapan Jam on Various Steaming Time. *International Journal of Science and Engineering*, 7(2). <https://doi.org/10.12777/ijse.7.2.161-165>
- Alverson, W. S., Whitlock, B. A., Nyffeler, R., Bayer, C., & Baum, D. A. (1999). Phylogeny of the Core Malvales: Evidence from ndhF Sequence Data. *Source: American Journal of Botany*, 86(10), 1474–1486. <http://www.jstor.org/stable/2656928> <http://about.jstor.org/terms>
- AOAC. (1997). Official Methods Of Analysis Of The Association Of Official Analytical Chemists. *Association of official analytical chemist international official methods of analysis*.
- Aremu-Dele, O., Sobowale, O., Beatrice, N., Adesanya, K., & Solomon, O. (2022). Cocoa Production Improvement In Some Major Producing Countries Of The World. *Natural Ecosystem*, 405–419.
- Arunkumar K, & Jegadeeswari V. (2019). Evaluating the processed beans of different cocoa (*Theobroma cacao L.*) accessions for quality parameters. *Journal of Phytotherapy*, 11, 1–4. <https://doi.org/10.25081/jp.2019.v11.20190115>
- Atalar, I., & Yazıcı, F. (2021). Top-Spray Agglomeration Process Applications in Food Powders: A Review of Recent Research Advances. *European Food Science and Engineering*, 2(1), 18–25.
- Augustin, M. A., & Margetts, C. L. (2003). *Encyclopedia of Food Sciences and Nutrition*. Academic Press.
- Barišić, V., Icyer, N. C., Akyil, S., Toker, O. S., Flanjak, I., & Ačkar, D. (2023). Cocoa based beverages – Composition, nutritional value, processing, quality problems and new perspectives. *Trends in Food Science and Technology*, 132, 65–75. <https://doi.org/10.1016/j.tifs.2022.12.011>
- Belščak-Cvitanović, A., Benković, M., Komes, D., Bauman, I., Horžić, D., Dujmić, F., & Matijašec, M. (2010). Physical properties and bioactive constituents of powdered mixtures and drinks prepared with cocoa and various sweeteners. *Journal of Agricultural and Food Chemistry*, 58(12), 7187–7195. <https://doi.org/10.1021/jf1005484>
- Braun, K., Hanewald, A., & Vilgis, T. A. (2019). Milk emulsions: Structure and stability. *Foods*, 8(10). <https://doi.org/10.3390/foods8100483>



- Caligiani, A., Marseglia, A., & Palla, G. (2016). Cocoa: Production, Chemistry, and Use. *Encyclopedia of Food and Health*, 185–190.
- Carson, J. W., & Pittenger, B. H. (1998). Bulk Properties of Powders. *Powder Metal Technologies and Applications*, 7, 287–301. <https://doi.org/10.1361/asmhba0001530>
- Cempaka, L., Emir Abdul Hakim, T., & David, W. (2021). Consumer Acceptance on Chocolate Drink Made with a Mixture of Commercial Cocoa Powder and Unfermented Cocoa Powder. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)*, 37(2), 126–136. <https://doi.org/10.22302/iccri.jur.pelitaperkebunan.v37i2.479>
- Cempaka, L., Rahmawati, E. A., Ardiansyah, & David, W. (2021). Sensory Profiles of Chocolate Drinks Made from Commercial Fermented Cocoa Powder and Unfermented Cocoa Beans. *Current Research in Nutrition and Food Science*, 9(3), 988–999. <https://doi.org/10.12944/CRNFSJ.9.3.26>
- Clayton, J. (2018). An introduction to powder characterization. Dalam *Handbook of Pharmaceutical Wet Granulation: Theory and Practice in a Quality by Design Paradigm* (hlm. 569–613). Elsevier. <https://doi.org/10.1016/B978-0-12-810460-6.00021-X>
- d'Almeida Francisquini, J., Martins, E., Toledo Renhe, I. R., Cappa de Oliveira, L. F., Stephani, R., Perrone, I. T., & Fernandes de Carvalho, A. (2020). Particle size distribution applied to milk powder rehydration. *Química Nova*, 43(2), 226–230. <https://doi.org/10.21577/0100-4042.20170466>
- Dhanalakshmi, K., Ghosal, S., & Bhattacharya, S. (2011). Agglomeration of food powder and applications. *Critical Reviews in Food Science and Nutrition*, 51, 432–441. <https://doi.org/10.1080/10408391003646270>
- Diasti, D. R., Dyaningrum, E. F., Lutfiyah, R. A., Karyadi, J. N. W., & Saputro, A. D. (2019). Physical characteristics of instantised chocolate powder sweetened with sucrose produced using continuous and batch type steam jet agglomerator: A preliminary study. *IOP Conference Series: Earth and Environmental Science*, 355(1). <https://doi.org/10.1088/1755-1315/355/1/012046>
- Ding, H., Yu, W., Boiarkina, I., Depree, N., & Young, B. R. (2020). Effects of morphology on the dispersibility of instant whole milk powder. *Journal of Food Engineering*, 276. <https://doi.org/10.1016/j.jfoodeng.2019.109841>
- Ding, T., Liang, L., Yang, M., & Wu, H. (2016). Multiple Attribute Decision Making Based on Cross-Evaluation with Uncertain Decision Parameters. *Mathematical Problems in Engineering*. <https://doi.org/10.1155/2016/4313247>
- Erwin, E., & Meutia. (2020). Development of drying machine to improve palm sugar quality. *IOP Conference Series: Materials Science and Engineering*, 909(1). <https://doi.org/10.1088/1757-899X/909/1/012036>
- Faiqoh, K. E. N., Muhammad, D. R. A., & Praseptiangga, D. (2021). Ginger-flavoured ready-to-drink cocoa beverage formulated with high and low-fat content powder: consumer preference, properties and stability. *Food Research*, 5, 7–17. [https://doi.org/10.26656/fr.2017.5\(S2\).004](https://doi.org/10.26656/fr.2017.5(S2).004)



- FAOSTAT. (2020). Food and Agriculture Organization of The United Nations (FAO). <https://www.fao.org/faostat/en/#data/QCL/metadata>
- Fitzpatrick, J. (2013). Powder properties in food production systems. Dalam *Handbook of Food Powders: Processes and Properties* (hlm. 285–308). Elsevier Inc. <https://doi.org/10.1533/9780857098672.2.285>
- Foster, K. D., Bronlund, J. E., & Paterson, A. H. J. (Tony). (2006). Glass transition related cohesion of amorphous sugar powders. *Journal of Food Engineering*, 77(4), 997–1006. <https://doi.org/10.1016/j.jfoodeng.2005.08.028>
- Gaiani, C., Banon, S., Scher, J., Schuck, P., & Hardy, J. (2005). Use of a turbidity sensor to characterize micellar casein powder rehydration: Influence of some technological effects. *Journal of Dairy Science*, 88(8), 2700–2706. [https://doi.org/10.3168/jds.S0022-0302\(05\)72948-9](https://doi.org/10.3168/jds.S0022-0302(05)72948-9)
- Garg, V., Deng, T., & Bradley, M. S. A. (2022). A new method for assessing powder flowability based on physical properties and cohesiveness of particles using a small quantity of samples. *Powder Technology*, 395, 708–719. <https://doi.org/10.1016/j.powtec.2021.10.027>
- Gibson, M. (2018). *Food science and the culinary arts*. Academic Press.
- Goya, L., Kongor, J. E., & de Pascual-Teresa, S. (2022). From Cocoa to Chocolate: Effect of Processing on Flavanols and Methylxanthines and Their Mechanisms of Action. *International Journal of Molecular Sciences*, 23(22). <https://doi.org/10.3390/ijms232214365>
- Hardiyanto, Y. F., Saputro, A. D., Nurkholisa, Z., Setiyadi, P. A., Bintoro, N., & Kusuma, R. A. (2021). The effect of steaming time and types of cocoa powder on the characteristics of instantized cocoa powder made using batch-type steam jet agglomerator. *IOP Conference Series: Earth and Environmental Science*, 653(1). <https://doi.org/10.1088/1755-1315/653/1/012089>
- Hiller, B., & Lorenzen, P. C. (2010). Functional properties of milk proteins as affected by Maillard reaction induced oligomerisation. *Food Research International*, 43(4), 1155–1166. <https://doi.org/10.1016/j.foodres.2010.02.006>
- Hogekamp, S. (1999). Steam Jet Agglomeration ± Part 1: Production of Redispersible Agglomerates by Steam Jet Agglomeration. *Chem. Eng. Technol*, 21(5), 421–424.
- Hogekamp, S., & Schubert, H. (2003). Rehydration of food powders. *Food Science and Technology International*, 9(3), 223–235. <https://doi.org/10.1177/1082013203034938>
- Huang, S. R., Yang, J. I., & Lee, Y. C. (2013). Interactions of heat and mass transfer in steam reheating of starchy foods. *Journal of Food Engineering*, 114(2), 174–182. <https://doi.org/10.1016/j.jfoodeng.2012.08.007>
- Jaya, S. (2009). Microstructure analysis of dried yogurt: Effect of different drying methods. *International Journal of Food Properties*, 12(3), 469–481. <https://doi.org/10.1080/10942910701772071>
- Jinapong, N., Suphantharika, M., & Jamnong, P. (2008). Production of instant soymilk powders by ultrafiltration, spray drying and fluidized bed agglomeration. *Journal of Food Engineering*, 84(2), 194–205. <https://doi.org/10.1016/j.jfoodeng.2007.04.032>



- Juliano, P., & Barbosa-Cánovas, G. V. (2010). Food powders flowability characterization: Theory, methods, and applications. *Annual Review of Food Science and Technology*, 1(1), 211–239. <https://doi.org/10.1146/annurev.food.102308.124155>
- Kaleem, M. A., Alam, M. Z., Khan, M., Jaffery, S. H. I., & Rashid, B. (2021). An experimental investigation on accuracy of Hausner Ratio and Carr Index of powders in additive manufacturing processes. *Metal Powder Report*, 76, S50–S54. <https://doi.org/10.1016/j.mprp.2020.06.061>
- Kim, W., Wang, Y., & Selomulya, C. (2020). Dairy and plant proteins as natural food emulsifiers. *Trends in Food Science and Technology*, 105, 261–272. <https://doi.org/10.1016/j.tifs.2020.09.012>
- Kowalska, J., & Lenart, A. (2005). The influence of ingredients distribution on properties of agglomerated cocoa products. *Journal of Food Engineering*, 68(2), 155–161. <https://doi.org/10.1016/j.jfoodeng.2004.05.028>
- Kowalska, J., Majewska, E., & Lenart, A. (2011). Sorption properties of a modified powdered cocoa beverage. *Chemical and Process Engineering - Inzynieria Chemiczna i Procesowa*, 32(1), 21–31. <https://doi.org/10.2478/v10176-011-0002-x>
- Krämer, A., Engel, A., Kadow, D., Ali, N., Umaharan, P., Kroh, L. W., & Schulz, H. (2015). Fast and neat - Determination of biochemical quality parameters in cocoa using near infrared spectroscopy. *Food Chemistry*, 181, 152–159. <https://doi.org/10.1016/j.foodchem.2015.02.084>
- Krohling, R. A., & Pacheco, A. G. C. (2015). A-TOPSIS - An approach based on TOPSIS for ranking evolutionary algorithms. *Procedia Computer Science*, 55, 308–317. <https://doi.org/10.1016/j.procs.2015.07.054>
- Liu, L. X., Marziano, I., Bentham, A. C., Litster, J. D., E.T.White, & Howes, T. (2008). Effect of particle properties on the flowability of ibuprofen powders. *International Journal of Pharmaceutics*, 362(1–2), 109–117. <https://doi.org/10.1016/j.ijpharm.2008.06.023>
- Luthfiyah, R. A., Diasti, D. R., Dyahningrum, E. F., Rahayoe, S., & Saputro, A. D. (2019). Investigating the performance of Steam Jet Agglomerator as a mean to produce Instanised Cocoa Drink. *IOP Conference Series: Earth and Environmental Science*, 355(1). <https://doi.org/10.1088/1755-1315/355/1/012044>
- Machado, V. G., Hirata, T. A. M., & Menegalli, F. C. (2014). Agglomeration of soy protein isolate in a pulsed fluidized bed: Experimental study and process optimization. *Powder Technology*, 254, 248–255. <https://doi.org/10.1016/j.powtec.2014.01.040>
- Maghsoodi, M., & Yari, Z. (2015). Effect of Drying Phase on the Agglomerates Prepared by Spherical Crystallization. Dalam *Shaheed Beheshti University of Medical Sciences and Health Services Iranian Journal of Pharmaceutical Research* (Vol. 14, Nomor 1).
- Martins, P. C., & Kieckbusch, T. G. (2008). Influence of a lipid phase on steam jet agglomeration of maltodextrin powders. *Powder Technology*, 185(3), 258–266. <https://doi.org/10.1016/j.powtec.2007.10.022>



- Mazo, R. J. C., Dietze, M., Zahn, S., Schneider, Y., & Rohm, H. (2018). Diversity of sensory profiles and physicochemical characteristics of commercial hot chocolate drinks from cocoa powders and block chocolates. *European Food Research and Technology*, 244(8), 1407–1414. <https://doi.org/10.1007/s00217-018-3054-z>
- McClements, D. J. (2004). Protein-stabilized emulsions. *Current Opinion in Colloid and Interface Science*, 9(5), 305–313. <https://doi.org/10.1016/j.cocis.2004.09.003>
- McShea, A., Ramiro-Puig, E., Munro, S. B., Casadesus, G., Castell, M., & Smith, M. A. (2008). Clinical benefit and preservation of flavonols in dark chocolate manufacturing. *Nutrition Reviews*, 66(11), 630–641. <https://doi.org/10.1111/j.1753-4887.2008.00114.x>
- Mohamadi, A. F., Asefi, N., Maleki, R., & SeiiedlouHeris, S. S. (2019). Investigating the flavor compounds in the cocoa powder production process. *Food Science and Nutrition*, 7(12), 3892–3901. <https://doi.org/10.1002/fsn3.1244>
- Muhammad, D. R. A., Kongor, J. E., & Dewettinck, K. (2021). Investigating the effect of different types of cocoa powder and stabilizers on suspension stability of cinnamon-cocoa drink. *Journal of Food Science and Technology*, 58(10), 3933–3941. <https://doi.org/10.1007/s13197-020-04855-y>
- Omobuwajo, T. O., Busari, O. T., & Osemwegie, A. A. (2000). Thermal agglomeration of chocolate drink powder. *Journal of Food Engineering*, 46, 73–81. [www.elsevier.com/locate/jfoodeng](http://www.elsevier.com/locate/jfoodeng)
- Oracz, J., Zyzelewicz, D., & Nebesny, E. (2015). The Content of Polyphenolic Compounds in Cocoa Beans (*Theobroma cacao L.*), Depending on Variety, Growing Region, and Processing Operations: A Review. *Critical Reviews in Food Science and Nutrition*, 55(9), 1176–1192. <https://doi.org/10.1080/10408398.2012.686934>
- Pathare, P. B., Opara, U. L., & Al-Said, F. A. J. (2013). Colour Measurement and Analysis in Fresh and Processed Foods: A Review. *Food and Bioprocess Technology*, 6(1), 36–60. <https://doi.org/10.1007/s11947-012-0867-9>
- Person, M., Cuq, B., Duri, A., Le Floch-Fouéré, C., Jeantet, R., & Schuck, P. (2018). Steam-jet agglomeration of skim milk powders: Influence of process parameters. *Drying Technology*, 36(15), 1930–1936. <https://doi.org/10.1080/07373937.2018.1463539>
- Písecký, Jan., Vagn Westergaard, & Ejnar Refstrup. (2012). *Handbook of milk powder manufacture*. GEA Niro.
- Rini, D. C., Rahayoe, S., Saputro, A. D., & Wahyu, J. N. (2022). *Kinetics Physical Properties of Coconut Sugar Solution, During Processing Palm Sugar Using Pan Evaporator and Rotating Crystallizer*.
- Saputro, A. D., Nurkholis, Z., Setiadi, P. A., Dyaningrum, E. F., Setiowati, A. D., Kusumadevi, Z., Karyadi, J. N. W., Bintoro, N., & Rahayoe, S. (2022). Application of Steam Jet Agglomerator to Improve the Properties of Instantised Cocoa Drink Powder Mixed with Maltodextrin, Coconut Sugar and Sucrose. *Sugar Tech*. <https://doi.org/10.1007/s12355-022-01188-2>



- Saputro, A. D., Van de Walle, D., & Dewettinck, K. (2020). Physicochemical properties of coarse palm sap sugars as natural alternative sweetener. *Food Bioscience*, 38. <https://doi.org/10.1016/j.fbio.2020.100780>
- Saputro, A. D., Van de Walle, D., Hinneh, M., Van Durme, J., & Dewettinck, K. (2018). Aroma profile and appearance of dark chocolate formulated with palm sugar–sucrose blends. *European Food Research and Technology*, 244(7), 1281–1292. <https://doi.org/10.1007/s00217-018-3043-2>
- Saputro, A. D., van de Walle, D., Kadivar, S., bin Sintang, M. D., van der Meeren, P., & Dewettinck, K. (2017). Investigating the rheological, microstructural and textural properties of chocolates sweetened with palm sap-based sugar by partial replacement. *European Food Research and Technology*, 243(10), 1729–1738. <https://doi.org/10.1007/s00217-017-2877-3>
- Schlick-Hasper, E., Bethke, J., Vogler, N., & Goedecke, T. (2022). Flow properties of powdery or granular filling substances of dangerous goods packagings—Comparison of the measurement of the angle of repose and the determination of the Hausner ratio. *Packaging Technology and Science*, 35(10), 765–782. <https://doi.org/10.1002/pts.2678>
- Schuchmann, H. (1995). Production of instant foods by jet agglomeration. *Food Control*, 6(2), 95–100.
- Schuck, Pierre., Dolivet, Anne., & Jeantet, Romain. (2012). *Analytical methods for food and dairy powders*. Wiley-Blackwell.
- Shah, R. B., Tawakkul, M. A., & Khan, M. A. (2008). Comparative evaluation of flow for pharmaceutical powders and granules. *AAPS PharmSciTech*, 9(1), 250–258. <https://doi.org/10.1208/s12249-008-9046-8>
- Sharma, A., Jana, A. H., & Chavan, R. S. (2012). Functionality of Milk Powders and Milk-Based Powders for End Use Applications-A Review. *Comprehensive Reviews in Food Science and Food Safety*, 11(5), 518–528. <https://doi.org/10.1111/j.1541-4337.2012.00199.x>
- Shi, Q., Li, F., Yeh, S., Wang, Y., & Xin, J. (2020). Physical stability of amorphous pharmaceutical solids: Nucleation, crystal growth, phase separation and effects of the polymers. *International Journal of Pharmaceutics*, 590. <https://doi.org/10.1016/j.ijpharm.2020.119925>
- Shittu, T. A., & Lawal, M. O. (2007). Factors affecting instant properties of powdered cocoa beverages. *Food Chemistry*, 100(1), 91–98. <https://doi.org/10.1016/j.foodchem.2005.09.013>
- SNI 3747. (2013). *Kakao Bubuk*.
- Sugiyono. (2009). *Metode Penelitian Kuantitatif, Kualitatif dan Research & Development*. Alfabeta.
- Szulc, K., & Lenart, A. (2010). Effect of agglomeration on flowability of baby food powders. *Journal of Food Science*, 75(5). <https://doi.org/10.1111/j.1750-3841.2010.01634.x>
- Szulc, K., & Lenart, A. (2016). Effect of composition on physical properties of food powders. *International Agrophysics*, 30(2), 237–243. <https://doi.org/10.1515/intag-2015-0084>
- Taruna, I., Hakim, A. L., & Sutarsi, S. (2018). Physical quality characteristics of the microwave-dried breadfruit powders due to different processing conditions.



- IOP Conference Series: Earth and Environmental Science, 131(1).*  
<https://doi.org/10.1088/1755-1315/131/1/012008>
- Tarwaca, S. N., Karyadi, J. N. W., Nugraheni, N. F., Indrasari, Y. P., Albyan, R., Setiyadi, I., & Ayuni, D. (2021). Effect of various drying methods on the physicochemical characteristics of pumpkin powder. *IOP Conference Series: Earth and Environmental Science, 644(1)*. <https://doi.org/10.1088/1755-1315/644/1/012080>
- Van Boekel, M. A. J. S. (2008). *Kinetic Modeling of Food Quality: A Critical Review*. Springer Science & Business Media.
- Varnam, A., & Sutherland, J. M. (1994). *Beverages: technology, chemistry and microbiology* (Vol. 2). Springer Science & Business Media.
- Veselá, A., Barros, A. S., Syntytsya, A., Delgadillo, I., Čopíková, J., & Coimbra, M. A. (2007). Infrared spectroscopy and outer product analysis for quantification of fat, nitrogen, and moisture of cocoa powder. *Analytica Chimica Acta, 601*(1), 77–86. <https://doi.org/10.1016/j.aca.2007.08.039>
- Vissotto, F. Z., Giarola, R. C., Jorge, L. C., Makita, G. T., Cardozo, G. M. B. Q., Rodrigues, M. I., & Menegalli, F. C. (2015). Morphological characterization with image analysis of cocoa beverage powder agglomerated with steam. *Food Science and Technology (Brazil), 34*(4), 649–656. <https://doi.org/10.1590/1678-457X.6246>
- Vissotto, F. Z., Jorge, L. C., Makita, G. T., Rodrigues, M. I., & Menegalli, F. C. (2010). Influence of the process parameters and sugar granulometry on cocoa beverage powder steam agglomeration. *Journal of Food Engineering, 97*(3), 283–291. <https://doi.org/10.1016/j.jfoodeng.2009.10.013>
- Witdarko, Y., Mekiuw, Y., & Luh Sri Suryaningsih, N. (2018). The effect of dryer air temperature on fineness modulus and moisture content of cassava flour in pneumatic dryer process. *ICENIS*. <https://doi.org/10.1051/e3sconf/201873>
- Zambrano, V. M., Dutta, B., Mercer, D. G., MacLean, H. L., & Touchie, M. F. (2019). Assessment of moisture content measurement methods of dried food products in small-scale operations in developing countries: A review. *Trends in Food Science and Technology, 88*, 484–496. <https://doi.org/10.1016/j.tifs.2019.04.006>
- Zanakis, S. H., Solomon, A., Wishart, N., & Dublisch, S. (1998). EUROPEAN JOURNAL OF OPERATIONAL Theory and Methodology Multi-attribute decision making: A simulation comparison of select methods. Dalam *European Journal of Operational Research* (Vol. 7).