

DAFTAR PUSTAKA

- Adewinogo, S.O. *et al.* (2021) ‘Chemical Composition and Cosmeceutical Potential of the Essential Oil of *Oncosiphon suffruticosum* (L.) Källersjö’. Available at: <https://doi.org/10.3390/plants10071315>.
- American Cancer Society, 2014, Skin Cancer: *Basal and Squamous Cell*, <http://www.cancer.org>.
- Anwar, E., 2012. *Eksipien dalam Sediaan Farmasi Karakterisasi dan Aplikasi*, PT. Dian Rakyat, Jakarta.
- Arikumalasari, J., I GNA, D., & NPAD, W. (2013). Optimasi HPMC sebagai Gelling agent dalam formula gel ekstrak kulit buah manggis (*Garcinia mangostana* L.). *Jurnal Farmasi Udayana*, 2(3).
- Arora, D., Khurana, B., & Nanda, S. (2020). *Statistical development and in vivo evaluation of resveratrol loaded topical gel containing deformable vesicles for a significant reduction in photoinduced skin aging and oxidative stress. Drug Development and Industrial Pharmacy*, 1–44.
- Badawi, A.A. *et al.* (2014) *Topical Benzophenone-3 Microemulsion Based Gels: Preparation, Evaluation And Determination Of Microbiological UV Blocking Activity*.
- Bhattacharya, S., & Sherje, A. P. (2020). *Development of Resveratrol and Green Tea Sunscreen Formulation for Combined Photoprotective and Antioxidant Properties. Journal of Drug Delivery Science and Technology*, 102000.
- Brinke, A.S., Bocker, C.S., Kerscher, M. (2021). Skin antiaging benefits of a 2% resveratrol emulsion. *Journal of cosmetics, Dermatological Sciences and Applications*. 11,155-168.
- Chen ML, Li J, Xiao WR *et al.* Protective effect of resveratrol against oxidative damage of UVA irradiated HaCaT cells. *Jhong Nan Da Xue Xue Bao Yi Ban* 2006; **31**: 635–9.

- Danaei, M. *et al.* (2018) 'Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems', *Pharmaceutics*. MDPI AG. Available at: <https://doi.org/10.3390/pharmaceutics10020057>.
- Darvin, M.E., Fluhr, J.W., Meinke, M.C., Zastrow, L., Sterry, W., Lademann, J., 2011.
- Detenchuk, E. A., Trebše, P., Marjanović, A., Kosyakov, D., Ul'yanovskii, N., Kralj, M. B., & Lebedev, A. 2020. *Transformation of resveratrol under disinfection conditions. Chemosphere, 127557.*
- Donglikar MM, Deore SL.2017. Development and Evaluation of Herbal Sunscreen Pharmacog J, 9(1):83-97.
- Gambini, J, Inglés M, Olaso G, Lopez-Grueso R, Bonet-Costa V, Gimeno-Mallench LBC. 2015. Properties of resveratrol:in vitroandin vivostudies about metabolism, bioavailability, and biological effects in animal models and humans. *Oxidative Medicine and Cellular Longevity*. 1–13.
- Gandhi, J. *et al.* (2019) 'Development and characterization of lemongrass oil loaded microemulsion based gel for treatment of superficial fungal infections', ~ 401 ~ *The Pharma Innovation Journal*, 8(12), pp. 401–410. Available at: <http://www.thepharmajournal.com>.
- Geoffrey, K., Mwangi, A.N. and Maru, S.M. (2019) 'Sunscreen products: Rationale for use, formulation development and regulatory considerations', *Saudi Pharmaceutical Journal*, 27, pp. 1009–1018. Available at: <https://doi.org/10.1016/j.jsps.2019.08.003>.
- Gopaul, R., Knaggs, H. E., & Lephart, E. D. (2012). *Biochemical investigation and gene analysis of equol: A plant and soy-derived isoflavonoid with antiaging and antioxidant properties with potential human skin applications. BioFactors, 38(1), 44–52.*
- Gülçin, I., 2010. Antioxidant properties of resveratrol: a structure-activity insight. *Innov. Food Sci. Emerg. Technol.* 11, 210–218. doi:<http://dx.doi.org/10.1016/j.ifset.2009.07.002>.

- Hu, Q. *et al.* (2021) 'Design, optimization and evaluation of a microemulsion-based hydrogel with high malleability for enhanced transdermal delivery of levamisole', *International Journal of Pharmaceutics*, 605. Available at: <https://doi.org/10.1016/j.ijpharm.2021.120829>.
- Jain P.K & Agrawal R.K. 2008. Antioxidant and free radical scavenging properties of developed mono-and polyherbal formulations. *Asian J. India* 22(3): 213-220.
- Kim, K.T. *et al.* (2018) 'Microemulsion-based hydrogels for enhancing epidermal/dermal deposition of topically administered 20(S)-protopanaxadiol: in vitro and in vivo evaluation studies', *Journal of Ginseng Research*, 42(4), pp. 512–523. Available at: <https://doi.org/10.1016/j.jgr.2017.07.005>.
- Kockler, J. *et al.* (2012) 'Photostability of sunscreens', *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, pp. 91–110. Available at: <https://doi.org/10.1016/j.jphotochemrev.2011.12.001>.
- Kockler, J. *et al.* (2012) 'Photostability of sunscreens', *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, pp. 91–110. Available at: <https://doi.org/10.1016/j.jphotochemrev.2011.12.001>.
- Liu Y, Ma W, Zhang P, He S, & Huang D. 2015. Effect of resveratrol on blood pressure: A meta-analysis of randomized controlled trials. *Clinical Nutrition* 34(1): 27–34.
- Lü, J.-M., Lin, P. H., Yao, Q. & Chen, C. (2010). Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems. *Journal of Cellular and Molecular Medicine*, 14, 840-860.
- Madan, K. and Nanda, S. (2018) 'In-vitro evaluation of antioxidant, anti-elastase, anti-collagenase, anti-hyaluronidase activities of safranal and determination of its sun protection factor in skin photoaging', *Bioorganic*

- Chemistry*, 77, pp. 159–167. Available at: <https://doi.org/10.1016/j.bioorg.2017.12.030>.
- Madan, K. and Nanda, S. (2018) ‘In-vitro evaluation of antioxidant, anti-elastase, anti-collagenase, anti-hyaluronidase activities of safranal and determination of its sun protection factor in skin photoaging’, *Bioorganic Chemistry*, 77, pp. 159–167. Available at: <https://doi.org/10.1016/j.bioorg.2017.12.030>.
- Mappamasing , F., Anwar, E., & Mun’im, A. (2015). Foemulasi, karakterisasi dan uji in vitro resveratrol solid lipid nanopartikel dalam krim topical. *Jurnal Ilmu Kefarmasian Indonesia*, 137-144.
- Maulana, R. (2021) *Stabilitas Sediaan Mikroemulgel Senyawa 3,4-Dimetoksikalkon Dan Uji Aktivitasnya Sebagai Pelindung Sinar Uv-A Secara In Vitro*. Universitas Gadjah Mada
- Md, Shabda., Alhakamy, N. A., Aldawsari, H. M., Ahmad, J., Alharbi, W. S., & Asfour, H. Z. 2021. *Resveratrol loaded self-nanoemulsifying drug delivery system (SNEDDS) for pancreatic cancer: Formulation design, optimization and in vitro evaluation*. *Journal of Drug Delivery Science and Technology*, 64, 102555.
- Mosa, F.A. and Makhlof, R.O. (2019) *Sunscreen Cream Formulation with Natural Ingredients, including Arabic gum and Beeswax Foundation Determination of Sun Protection Factor (SPF) of Some Botanical Oils by Ultraviolet Spectrophotometry View project perfumes View project Sunscreen Cream Formulation with Natural Ingredients, including Arabic gum and Beeswax 87 Foundation, Sirte University Scientific Journal(Applied Sciences)*. Available at: <https://www.researchgate.net/publication/337656050>.
- Nastiti, C.M.R.R. *et al.* (2017) ‘Topical nano and microemulsions for skin delivery’, *Pharmaceutics*. MDPI AG. Available at: <https://doi.org/10.3390/pharmaceutics9040037>.
- Ningsi, S. (2014) *Penentuan Potensi Tabir Surya Ekstrak Klika Anak Dara (Croton Oblongus Burm F.)*.
- Nur, S., Rumiati, R. and Lukitaningsih, E. (2017) ‘Screening Of Antioxidants, Anti-Aging And Tyrosinase Inhibitory Activities Of Ethanolic And Ethyl

Acetate Extracts Of Fruit Flesh And Fruit Peel Langsung (Lansium domesticum Corr) *In Vitro*', *Majalah Obat Tradisional*, 22(1), p. 63.
Available at: <https://doi.org/10.22146/tradmedj.24342>.

Ratz-Lyko, A., & Arct, J. 2018. *Resveratrol as an active ingredient for cosmetic and dermatological applications: a review*. *Journal of Cosmetic and Laser Therapy*, 1–7.

Robinson K, Mock C, & Liang D. 2015. Pre-formulation studies of resveratrol. *Drug Development and Industrial Pharmacy* 41(9): 1464–1469.

Rowe, R.C., Sheskey, P.J., dan Quinn, M.E., 2009. *Handbook of Pharmaceutical Excipients*, 6 th edition, Pharmaceutical Press an American Pharmacist Association 2009, Washington D.C., pp. 110- 112.

Rowe, R.C., Sheskey, P.J., Owen, S.C. (2006). *Handbook of pharmaceutical excipients* (Fifth Edition). Washington DC: Pharmaceutical Press and American Pharmacist Association, p:128; 238; 302; 683; 671; 738.

Sayuti, N.A. (2015) *Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Ketepeng Cina (Cassia alata L.) Formulation and Physical Stability of Cassia alata L. Leaf Extract Gel*.

Sharma, B., Iqbal, B., Kumar, S., Ali, J., & Baboota, S. (2019). *Resveratrol-loaded nanoemulsion gel system to ameliorate UV-induced oxidative skin damage: from in vitro to in vivo investigation of antioxidant activity enhancement*. *Archives of Dermatological Research*, 311(10), 773–793.

Shin, J.-W., Kwon, S.-H., Choi, J.-Y., Na, J.-I., Huh, C.-H., Choi, H.-R., & Park, K.-C. (2019). *Molecular Mechanisms of Dermal Aging and Antiaging Approaches*. *International Journal of Molecular Sciences*, 20(9), 2126.

Shu, M. (2013). *Formulasi Sediaan Gel Hand Sanitizer Dengan Bahan Aktif Triklosan 0, 5% dan 1%*. *CALYPTRA: Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 2(1).

Souto, E.B.; Jäger, E.; Jäger, A.; Štěpánek, P.; Cano, A.; Viseras, C.; de MeloBarbosa, R.; Chorilli, M.; Zielińska, A.; Severino, P.; et al. 2022. *Lipid Nanomaterials for Targeted Delivery of Dermocosmetic Ingredients: Advances in Photoprotection and Skin Anti Aging*. *Nanomaterials*.

- Syamsu Nur (2017) *Pemanfaatan ekstrak Etanolik Dan Etil Asetat Daging Buah Dan Kulit Buah Langsung (Lansium Domesticum (Corr)) Sebagai Bahan Aktif Kosmetik: Uji Aktivitas Antiaging dan Anti Jerawat secara In Vitro*. Universitas Gadjah Mada
- Syukri, Y., Kholidah, Z., & Chabib, L., 2019, Formulasi dan Studi Stabilitas Self-Nano Emulsifying Propolis menggunakan Minyak Kesturi, Cremophor RH 40 dan PEG 400 sebagai pembawa, *Jurnal Sains Farmasi & Klinis*, 6(3): 265 – 273.
- Tanwar, Y. S., & Jain, A. K. (2012). Formulation and evaluation of topical diclofenac sodium gel using different gelling agent. *Asian Journal Of Pharmaceutical Research And Health Care*, 4(1).
- Terao, J., Minami, Y., Bando, N., 2011. Singlet molecular oxygen-quenching activity of carotenoids: relevance to protection of the skin from photoaging. *J. Clin. Biochem.* 48, 57–62.
- Tsabitah, A.F. *et al.* (2020) ‘Optimasi Carbomer, Propilen Glikol, dan Trietanolamin Dalam Formulasi Sediaan Gel Ekstrak Etanol Daun Kembang Bulan (*Tithonia diversifolia*)’, *Majalah Farmaseutik*, 16(2), p. 111. Available at: <https://doi.org/10.22146/farmaseutik.v16i2.45666>.
- Walenkiwar, Abhijeet; Saudagar, Shrikant; Kumar, Jitendra; Barabde, Aswini. (2013). Photostability Testing of pharmaceutical Product. *International Research Journal of Pharmacy*, 11-15.
- Wood, C. & Murphy, E., Sunscreen Efficacy. *Glob. Cosmet. Ind.*, Duluth, v. 2000. Topical beta-carotene protects against infra-red-light-induced free radicals. *Exp. Dermatol.* 20, 125–129.
- Wulandari, W. *et al.* (2018) ‘Stabilitas Fisik dan Pengukuran Nilai Sun Protection Factor Sediaan Tabir Surya pada Kondisi Stress Penyimpanan dengan Spektrofotometri Physical Stability and Sun Protection Factors Measurement of Sunscreen Preparations in Stress Storage Conditions Using Spectrophotometry A’, *Maret*, 6(1), pp. 1–11. Available at: <https://doi.org/10.5281/zenodo.3703147>.

Yarovaya, L. and Khunkitti, W. (2019) 'Effect of grape seed extract as a sunscreen booster', *Songklanakarinn Journal of Science and Technology*, 41(3), pp. 708– 715. Available at: <https://doi.org/10.14456/sjst-psu.2019.71>.

Yen, C.-C., Chang, C.-W., Hsu, M.-C., & Wu, Y.-T. 2017. *Self-Nanoemulsifying Drug Delivery System for Resveratrol: Enhanced Oral Bioavailability and Reduced Physical Fatigue in Rats*. *International Journal of Molecular Sciences*, 18(9), 1853

Zainol, S. *et al.* (2012) 'Formulation optimization of a palm-based nanoemulsion system containing levodopa', *International Journal of Molecular Sciences*, 13(10), pp. 13049–13064. Available at: <https://doi.org/10.3390/ijms131013049>.