

DAFTAR PUSTAKA

- A. Acharya, T., Trivedi, D., J. Joshi, K., B. Chhaiya, S., & S. Mehta, D. (2020). A Study of Agreement between WHO-UMC Causality Assessment System and the Naranjo Algorithm for Causality Assessment of Adverse Drug Reactions Observed in Medical ICU of a Tertiary Care Teaching Hospital. *Biomedical and Pharmacology Journal*, 13(1), 79–83.
<https://doi.org/10.13005/bpj/1863>
- Alagiakrishnan, K., & Wiens, C. A. (2004). An approach to drug induced delirium in the elderly. *Postgraduate Medical Journal*, 80(945), 388–393.
<https://doi.org/10.1136/pgmj.2003.017236>
- Berry, J. A., Elia, C., Saini, H. S., & Miulli, D. E. (2019). A Review of Lumbar Radiculopathy, Diagnosis, and Treatment. *Cureus*.
<https://doi.org/10.7759/cureus.5934>
- Brueckle, M.-S., Thomas, E. T., Seide, S. E., Pilz, M., Gonzalez-Gonzalez, A. I., Nguyen, T. S., Harder, S., Glasziou, P. P., Gerlach, F. M., & Muth, C. (2020). Adverse drug reactions associated with amitriptyline—Protocol for a systematic multiple-indication review and meta-analysis. *Systematic Reviews*, 9(1), 59. <https://doi.org/10.1186/s13643-020-01296-8>
- By the 2019 American Geriatrics Society Beers Criteria® Update Expert Panel. (2019). American Geriatrics Society 2019 Updated AGS Beers Criteria® for Potentially Inappropriate Medication Use in Older Adults: 2019 AGS BEERS CRITERIA® UPDATE EXPERT PANEL. *Journal of the American Geriatrics Society*, 67(4), 674–694.
<https://doi.org/10.1111/jgs.15767>
- Cahyaningsih, I., & Amaliya, N. (2019). EVALUASI KAJIAN RESIKO KETIDAKTEPATAN TERAPI PADA PASIEN GERIATRI DENGAN DIAGNOSIS GANGGUAN SARAF BERDASARKAN BEERS CRITERIA PADA KATEGORI OBAT YANG HARUS DIGUNAKAN DENGAN HATI-HATI. *Media Farmasi: Jurnal Ilmu Farmasi*, 16(1), 53.
<https://doi.org/10.12928/mf.v16i1.12947>
- Calderón-Ospina, C. A., & Nava-Mesa, M. O. (2020). B Vitamins in the nervous system: Current knowledge of the biochemical modes of action and synergies of thiamine, pyridoxine, and cobalamin. *CNS Neuroscience & Therapeutics*, 26(1), 5–13. <https://doi.org/10.1111/cns.13207>
- Cavalli, E., Mammana, S., Nicoletti, F., Bramanti, P., & Mazzon, E. (2019). The neuropathic pain: An overview of the current treatment and future therapeutic approaches. *International Journal of Immunopathology and Pharmacology*, 33, 205873841983838.
<https://doi.org/10.1177/2058738419838383>
- Chang, C.-M., Liu, P.-Y. Y., Yang, Y.-H. K., Yang, Y.-C., Wu, C.-F., & Lu, F.-H. (2005). Use of the Beers Criteria to Predict Adverse Drug Reactions Among First-Visit Elderly Outpatients. *Pharmacotherapy*, 25(6), 831–838.
<https://doi.org/10.1592/phco.2005.25.6.831>
- Chohan, S., Venkatesh, P., & How, C. (2019). Long-term complications of stroke and secondary prevention: An overview for primary care physicians.

- Singapore Medical Journal*, 60(12), 616–620.
<https://doi.org/10.11622/smedj.2019158>
- Chowdhury, Z. S., Morshed, M. M., Shahriar, M., Bhuiyan, M. A., Islam, S. Mohd. A., & Bin Sayeed, M. S. (2016). The Effect of Chronic Alprazolam Intake on Memory, Attention, and Psychomotor Performance in Healthy Human Male Volunteers. *Behavioural Neurology*, 2016, 1–9.
<https://doi.org/10.1155/2016/3730940>
- Coleman, J. J., & Pontefract, S. K. (2016). Adverse drug reactions. *Clinical Medicine*, 16(5), 481–485. <https://doi.org/10.7861/clinmedicine.16-5-481>
- Doherty, M. J. (2009). Algorithms for assessing the probability of an Adverse Drug Reaction. *Respiratory Medicine CME*, 2(2), 63–67.
<https://doi.org/10.1016/j.rmedc.2009.01.004>
- Dumurgier, J., & Tzourio, C. (2020). Epidemiology of neurological diseases in older adults. *Revue Neurologique*, 176(9), 642–648.
<https://doi.org/10.1016/j.neurol.2020.01.356>
- Fan, Z.-Y., Yang, Y., Zhang, C.-H., Yin, R.-Y., Tang, L., & Zhang, F. (2021). Prevalence and Patterns of Comorbidity Among Middle-Aged and Elderly People in China: A Cross-Sectional Study Based on CHARLS Data. *International Journal of General Medicine*, Volume 14, 1449–1455.
<https://doi.org/10.2147/IJGM.S309783>
- Foguet-Boreu, Q., Violán, C., Rodriguez-Blanco, T., Roso-Llorach, A., Pons-Vigués, M., Pujol-Ribera, E., Cossio Gil, Y., & Valderas, J. M. (2015). Multimorbidity Patterns in Elderly Primary Health Care Patients in a South Mediterranean European Region: A Cluster Analysis. *PLOS ONE*, 10(11), e0141155. <https://doi.org/10.1371/journal.pone.0141155>
- Grove, E. L., Würtz, M., Schwarz, P., Jørgensen, N. R., & Vestergaard, P. (2013). Gastrointestinal Events with Clopidogrel: A Nationwide Population-Based Cohort Study. *Journal of General Internal Medicine*, 28(2), 216–222.
<https://doi.org/10.1007/s11606-012-2208-0>
- Hasan, S. S., Kow, C. S., Thiruchelvam, K., Chong, D. W. K., & Ahmed, S. I. (2017). An Evaluation of the Central Nervous System Medication Use and Frailty among Residents of Aged Care Homes in Malaysia. *Neuroepidemiology*, 49(1–2), 82–90. <https://doi.org/10.1159/000480433>
- Hasan, Zaidi, Nirwan, Ghori, Javid, Ahmadi, & Babar. (2019). Use of Central Nervous System (CNS) Medicines in Aged Care Homes: A Systematic Review and Meta-Analysis. *Journal of Clinical Medicine*, 8(9), 1292.
<https://doi.org/10.3390/jcm8091292>
- Ilmanita, D., & Hidayati, H. B. (2020). Tricyclic Antidepressants in Chronic Low Back Pain: A Review. *Journal of Islamic Pharmacy*, 4(2), 21.
<https://doi.org/10.18860/jip.v4i2.8217>
- Kaplan, A. A., Yurt, K. K., Deniz, Ö. G., & Altun, G. (2018). Peripheral nerve and diclofenac sodium: Molecular and clinical approaches. *Journal of Chemical Neuroanatomy*, 87, 2–11.
<https://doi.org/10.1016/j.jchemneu.2017.08.006>
- Laine, L., Kivitz, A. J., Bello, A. E., Grahn, A. Y., Schiff, M. H., & Taha, A. S. (2012). Double-Blind Randomized Trials of Single-Tablet

- Ibuprofen/High-Dose Famotidine vs. Ibuprofen Alone for Reduction of Gastric and Duodenal Ulcers. *American Journal of Gastroenterology*, 107(3), 379–386. <https://doi.org/10.1038/ajg.2011.443>
- Largeau, B., Cracowski, J., Lengellé, C., Sautenet, B., & Jonville-Béra, A. (2021). Drug-induced peripheral oedema: An aetiology-based review. *British Journal of Clinical Pharmacology*, 87(8), 3043–3055. <https://doi.org/10.1111/bcp.14752>
- Lavan, A. H., & Gallagher, P. (2016). Predicting risk of adverse drug reactions in older adults. *Therapeutic Advances in Drug Safety*, 7(1), 11–22. <https://doi.org/10.1177/2042098615615472>
- Li, S., Guo, Y., Men, J., Fu, H., & Xu, T. (2021). The preventive efficacy of vitamin B supplements on the cognitive decline of elderly adults: A systematic review and meta-analysis. *BMC Geriatrics*, 21(1), 367. <https://doi.org/10.1186/s12877-021-02253-3>
- Liu, D., Ahmet, A., Ward, L., Krishnamoorthy, P., Mandelcorn, E. D., Leigh, R., Brown, J. P., Cohen, A., & Kim, H. (2013). A practical guide to the monitoring and management of the complications of systemic corticosteroid therapy. *Allergy, Asthma & Clinical Immunology*, 9(1), 30. <https://doi.org/10.1186/1710-1492-9-30>
- Lucchetti, G., & Lucchetti, A. L. G. (2017). Inappropriate prescribing in older persons: A systematic review of medications available in different criteria. *Archives of Gerontology and Geriatrics*, 68, 55–61. <https://doi.org/10.1016/j.archger.2016.09.003>
- Ma, F., Wu, T., Zhao, J., Song, A., Liu, H., Xu, W., & Huang, G. (2016). Folic acid supplementation improves cognitive function by reducing the levels of peripheral inflammatory cytokines in elderly Chinese subjects with MCI. *Scientific Reports*, 6(1), 37486. <https://doi.org/10.1038/srep37486>
- Mercan Baspinar, M., & Basat, O. (2020). Evaluation of the Rational Analgesic use in elderly adults: A cross-sectional study. *Pakistan Journal of Medical Sciences*, 36(5). <https://doi.org/10.12669/pjms.36.5.2331>
- Min, K. H., Rhee, C.-K., Jung, J. Y., & Suh, M.-W. (2012). Characteristics of Adverse Effects When Using High Dose Short Term Steroid Regimen. *Korean Journal of Audiology*, 16(2), 65. <https://doi.org/10.7874/kja.2012.16.2.65>
- Monzón-Kenneke, M., Chiang, P., Yao, N. (Aaron), & Greg, M. (2021). Pharmacist medication review: An integrated team approach to serve home-based primary care patients. *PLOS ONE*, 16(5), e0252151. <https://doi.org/10.1371/journal.pone.0252151>
- Munshi, R., Belhekar, M., & Taur, S. (2014). A study of agreement between the Naranjo algorithm and WHO-UMC criteria for causality assessment of adverse drug reactions. *Indian Journal of Pharmacology*, 46(1), 117. <https://doi.org/10.4103/0253-7613.125192>
- Nurmainah, N., & Astuti, R. (2022). Detection of Potentially Inappropriate Medication in Elderly Outpatient Based on The Beer's Criteria 2019. *JURNAL FARMASI DAN ILMU KEFARMASIAN INDONESIA*, 9(1), 82–91. <https://doi.org/10.20473/jfiki.v9i12022.82-91>

- Ocejo, A., & Correa, R. (2023). Methylprednisolone. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK544340/>
- Pickett, S. J., Levine, G. N., Jneid, H., Bhatt, D. L., & Nambi, V. (2021). Is There an Optimal Antiplatelet Strategy after Gastrointestinal Bleeding in Patients with Coronary Artery Disease? *Cardiology*, 146(6), 668–677. <https://doi.org/10.1159/000517051>
- Pont, L., Alhawassi, T., Bajorek, B., & Krass, I. (2014). A systematic review of the prevalence and risk factors for adverse drug reactions in the elderly in the acute care setting. *Clinical Interventions in Aging*, 2079. <https://doi.org/10.2147/CIA.S71178>
- Quintero, G. C. (2017). Review about gabapentin misuse, interactions, contraindications and side effects. *Journal of Experimental Pharmacology, Volume 9*, 13–21. <https://doi.org/10.2147/JEP.S124391>
- Ramana, P. V., S. Susmitha, S., Khan, D. A., S K Eshma, E., & S M D Yaseen, Y. (2018). A Case Report on Prednisolone Induced Pedal Edema. *Indian Journal of Pharmacy Practice*, 11(2), 96–98. <https://doi.org/10.5530/ijopp.11.2.20>
- Ramírez Echeverría, M. de L., Schoo, C., & Paul, M. (2023). Delirium. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK470399/>
- Rivasi, G., Rafanelli, M., Mossello, E., Brignole, M., & Ungar, A. (2020). Drug-Related Orthostatic Hypotension: Beyond Anti-Hypertensive Medications. *Drugs & Aging*, 37(10), 725–738. <https://doi.org/10.1007/s40266-020-00796-5>
- Sharma, R., Bansal, P., Garg, R., Ranjan, R., Kumar, R., & Arora, M. (2020). Prevalence of potentially inappropriate medication and its correlates in elderly hospitalized patients: A cross-sectional study based on Beers criteria. *Journal of Family and Community Medicine*, 27(3), 200. https://doi.org/10.4103/jfcm.JFCM_175_20
- Sheaves, B., Bebbington, P. E., Goodwin, G. M., Harrison, P. J., Espie, C. A., Foster, R. G., & Freeman, D. (2016). Insomnia and hallucinations in the general population: Findings from the 2000 and 2007 British Psychiatric Morbidity Surveys. *Psychiatry Research*, 241, 141–146. <https://doi.org/10.1016/j.psychres.2016.03.055>
- Shim, J., Song, W.-J., & Morice, A. H. (2020). Drug-Induced Cough. *Physiological Research*, S81–S92. <https://doi.org/10.33549/physiolres.934406>
- Soghomonyan, S., Abdel-Rasoul, M., Zuleta-Alarcon, A., Grants, I., Davila, V., Yu, J., Zhang, C., Whitaker, E. E., Bergese, S. D., Stoicea, N., Arsenescu, R., & Christofi, F. L. (2017). Clopidogrel IBS Patients Have Higher Incidence of Gastrointestinal Symptoms Influenced by Age and Gender. *Digestive Diseases and Sciences*, 62(10), 2728–2743. <https://doi.org/10.1007/s10620-017-4707-7>
- Stevens, C. W. (2020). Through the Looking-Glass: A bank-robbery witness and alleged victim on drugs. In *The Drug Expert* (pp. 83–91). Elsevier. <https://doi.org/10.1016/B978-0-12-800048-9.00010-9>

- Stevenson, J. M., Davies, J. G., & Martin, F. C. (2020). Medication-related harm: A geriatric syndrome. *Age and Ageing*, 49(1), 7–11. <https://doi.org/10.1093/ageing/afz121>
- Suga, T., Takenoshita, M., Watanabe, T., Tu, T. T., Mikuzuki, L., Hong, C., Miura, K., Yoshikawa, T., Nagamine, T., & Toyofuku, A. (2019). Therapeutic Dose of Amitriptyline for Older Patients with Burning Mouth Syndrome. *Neuropsychiatric Disease and Treatment, Volume 15*, 3599–3607. <https://doi.org/10.2147/NDT.S235669>
- Tai, F. W. D., & McAlindon, M. E. (2021). Non-steroidal anti-inflammatory drugs and the gastrointestinal tract. *Clinical Medicine*, 21(2), 131–134. <https://doi.org/10.7861/clinmed.2021-0039>
- Thour, A., & Marwaha, R. (2023). Amitriptyline. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK537225/>
- Undela, K., Bansal, D., D'Cruz, S., Sachdev, A., & Tiwari, P. (2014). Prevalence and determinants of use of potentially inappropriate medications in elderly inpatients: A prospective study in a tertiary healthcare setting: Inappropriate medications in elderly. *Geriatrics & Gerontology International*, 14(2), 251–258. <https://doi.org/10.1111/ggi.12081>
- Wang, T.-C., Ku, P.-J., Lu, H.-L., Hsu, K.-C., Trezise, D., & Wang, H.-Y. (2019). Association between Potentially Inappropriate Medication Use and Chronic Diseases in the Elderly. *International Journal of Environmental Research and Public Health*, 16(12), 2189. <https://doi.org/10.3390/ijerph16122189>
- Weinberger, M. H. (1988). Diuretics and their side effects. Dilemma in the treatment of hypertension. *Hypertension*, 11(3_pt_2). https://doi.org/10.1161/01.HYP.11.3_Pt_2.II16
- Wikandikta, I. P. G., Samatra, D. P. G. P., & Meidiary, A. A. A. (2020). Prevalensi gangguan tidur pada penderita parkinson di Poli Saraf RSUD Wangaya Denpasar tahun 2017. *Intisari Sains Medis*, 11(3), 1085–1090. <https://doi.org/10.15562/ism.v11i3.232>
- Yeomans, N. D., Graham, D. Y., Husni, M. E., Solomon, D. H., Stevens, T., Vargo, J., Wang, Q., Wisniewski, L. M., Wolski, K. E., Borer, J. S., Libby, P., Lincoff, A. M., Lüscher, T. F., Bao, W., Walker, C., Nissen, S. E., & the PRECISION investigators. (2018). Randomised clinical trial: Gastrointestinal events in arthritis patients treated with celecoxib, ibuprofen or naproxen in the PRECISION trial. *Alimentary Pharmacology & Therapeutics*, 47(11), 1453–1463. <https://doi.org/10.1111/apt.14610>
- Zazzara, M. B., Palmer, K., Vetrano, D. L., Carfi, A., & Onder, G. (2021). Adverse drug reactions in older adults: A narrative review of the literature. *European Geriatric Medicine*, 12(3), 463–473. <https://doi.org/10.1007/s41999-021-00481-9>