

## DAFTAR PUSTAKA

- Anonim. 2007. Budi Daya Melon. PT Agro Media Pustaka. Jakarta.
- Aras, S., A. Duran and G. Yenilmez. 2003. Isolation of DNA for RAPD Nalysis From Dry leaf Material of some *Hesperis* L. specimens. *Plant Molecular Biology Reporter*, 21(1): 461a- 461f.
- Anto, Supriyadi, dan Daryono, B. S. 2015. Identifikasi Senyawa yang Berkorelasi terhadap Rasa Pahit Selama Perkembangan Fase Buah Melon (*Cucumis melo* L.) Kultivar Gama Melon Parfum. *Tesis*. UGM Yogyakarta.
- Aristya, G. R. 2006. Skrining dan Pewarisan Sifat Ketahanan Tanaman Melon (*Cucumis melo* L.) terhadap *Powdery Mildew* (Jamur tepung). *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Aristya, G.R. 2009. Pewarisan dan Pemetaan Penanda *Sequence Characterized Amplified Region* [(*Podosphaera xanthii* (Castag.) Braun et Shiskoff)] pada Tanaman Melon (*Cucumis melo* L.). *Tesis*. Fakultas Biologi UGM. Yogyakarta.
- Aristya, G. R., Agriansyah, A., dan B. S. Daryono. 2013. Deteksi dan Skrining Pewarisan Sifat Ketahanan Penyakit Powdery Mildew pada Generasi Backcross Tanaman Melon (*Cucumis melo* L.) Varietas Tacapa. *Repository UGM*, 294–300.
- Badan Meteorologi Klimatologi dan Geofisika (BMKG). Laporan Iklim Harian Juli-Agustus. 2022. Stasiun Klimatologi Yogyakarta. Yogyakarta.
- Centre for Agriculture and Bioscience International (CABI). 2021. *Golovinomyces cichoracearum*. <https://www.cabi.org/isc/datasheet/22065>. Diakses tanggal 15 Maret 2022 jam 17.00.
- Centre for Agriculture and Bioscience International (CABI). 2021. *Podosphaera xanthii*. <https://www.cabi.org/isc/datasheet/50922> . Diakses tanggal 15 Maret 2022 jam 17.00.
- Candido, V., Campanelli, G., Viggiani, G., Lazzeri, L., Ferrari, V. and I. Camele. 2014. Melon yield response to the control of powdery mildew by environmentally friendly substances. *Scientia Horticulturae*, 166: 70–77.
- Corner, E. J. H. 1935. Observations on resistance to powdery mildews. *New Phytol*, 34(1): 180-200.

- Daryono, B. S. dan M. T. Qurrohman. 2009. Pewarisan Sifat Ketahanan Tanaman Melon (*Cucumis melo* L.) Terhadap *Powdery Mildew* (*Podosphaera xanthii* (Castag.) Braun et Shishkoff). *Jurnal Perlindungan Tanaman Indonesia*, 15(1): 1-6.
- Daryono, B. S. dan S. D. Maryanto. 2017. Keanekaragaman dan Potensi Sumber Daya Genetik Melon. Gadjah Mada University Press. Yogyakarta.
- Daryono, B.S. dan H.C. Yambise. 2018. Deteksi Gen Ketahanan terhadap *Powdery Mildew* pada Melon (*Cucumis Melo* L. 'Aramis'). *Biogenesis: Jurnal Ilmiah Biologi*, 6(2): 124-130.
- Daryono, B.S., G. R. Aristya, and R. S. Kasiamdari. 2011. Development of random amplified polymorphism DNA markers linked to Powdery Mildew resistance gene in Melon. *Indonesian Journal of Biotechnology*, 16(2): 76-82.
- Davis, A.R., Levi, A., Wehner, T. and M. Pitrat. 2001. PI 525088-PMR, a melon race 1 powdery mildew resistant watermelon line. *Hort Science*, 41(7): 1527-1528.
- Dewanata, P. A., and M. Mushlih. 2021. Differences in DNA Purity Test Using UV-Vis Spectrophotometer and Nanodrop Spectrophotometer in Type 2 Diabetes Mellitus Patients. *Indonesian Journal of Innovation Studies*, 15: 1–10.
- Dreiseitl, A. 2020. A novel way to identify specific powdery mildew resistance genes in hybrid barley cultivars. *Scientific Reports*, 10(1): 1–8.
- Endl, J., Achigan-Dako, E.G., Pandey, A.K., Monforte, A.J., Pico, B and H. Schaefer. 2018. Repeated domestication of melon (*Cucumis melo*) in Africa and Asia and a new close relative from India. *American Journal of Botany*, 105(10): 1662– 1671.
- Eckardt, N.A. 2004. Aminotransferases confer “Enzymatic Resistance” to downy mildew in melon. *Journal of Experimental Botany*, 54 (384):1069-1074.
- Fatmawati, A and B. S. Daryono. 2016. Detection of powdery mildew (*Podosphaera xanthii* (Castag.) Braun et Shiskoff) resistance gene in melon (*Cucumis melo* L.) cultivar Tacapa Green Black. *Bioengineering and Bioscience*, 4(4): 51-55.
- Ferrante, A. and L. Mariani, 2018. Agronomic management for enhancing plant tolerance to abiotic stresses: High and low values of temperature, light intensity and relative humidity. *Horticulture*, 4(3):21.
- Fontes, P. C. R. and M. Puiatti. 2005. Cultura do melão. Olericultura: teoria e prática. Viçosa: Universidade Federal de Viçosa. p. 407-428.

- Fukino, N., Kunihiisa, M. and S. Matsumoto. 2004. Characterization of recombinant inbred lines derived from crosses in melon (*Cucumis melo* L.). 'PMAR NO.5'X'Harukei No.3'. *Breeding science*, 3(54): 141-145.
- Gautam, A. and A. Shubhi. 2016. *Ampelomyces quisqualis* -a remarkable mycoparasite on *Xanthium strumarium* powdery mildew from Himachal Pradesh India. *Journal on New Biological Reports*. 5(1): 1-6.
- Ginting, W. S. B. 2015. Kestabilan Karakter Fenotip dan Deteksi Gen Ketahanan terhadap Jamur Tepung pada Melon (*Cucumis melo* L.) kultivar Tacapa Silver. *Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Glawe, D.A. 2008. The powdery mildews: A review of the world's most familiar (yet poorly known) plant pathogens. *Annual Review of Phytopathology*, 46(1): 27–51.
- Gomes, L. F., Lidiane, Xavier, Talita, Nogueira, Natiélia, Cardoso, Luiz, Aparecida, and Camila. 2011. Efeito de diferentes valores de pH da solução nutritiva no desenvolvimento de variedades de melão. *Revista Brasileira de Ciências Agrárias*, 6(1): 73-78.
- Gregory, P. H. 1945. The dispersal of air-borne spores. *Transaction of the British Mycological Society*. 28(1): 26-72.
- Grumet, R., Katzir, N.L., Little, H.A., Portnoy, V. and B. Yoseph. 2007. New Insights into Reproductive Development in Melon (*Cucumis melo* L.). *The International Journal of Developmental Biology*, 1(2): 253-264.
- Gupta, N. 2019. DNA extraction and polymerase chain reaction. *Journal of Cytology*, 36(2): 116–117.
- Hasbullah, U. H. A., Supriyadi, and B. S. Daryono. 2021. Volatile compounds trigger the pleasant strong aroma of new cultivar Gama Melon Parfum during growth and maturation. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 4(1): 33-38.
- Hasbullah, U. H. A., Supriyadi, and B. S. Daryono. 2019. Aroma volatile compounds profile of melon (*Cucumis melo* L.) cv. Gama Melon Parfum. *International Conference on Food Science & Technology Series: Earth and Environmental Science* 292: 012027.
- Hirst, J. M. 1953. Changes in atmospheric spore content. Diurnal periodicity and the effects of weather. *Transaction of the British Mycological Society*, 36(4): 375-393.
- IPGRI. 2003. Minimum Descriptors for *Cucurbita* spp., Cucumber, Melon, and Watermelon. European Cooperative Programme for Riset Genetic Resource. P.9.

- Ishak, M. A. 2018. Deteksi Gen Ketahanan terhadap Penyakit Jamur Tepung pada Melon (*Cucumis melo* L. 'Meloni') Berdasarkan Sequence Characterized Amplified Region. *Skripsi. Skripsi*. Fakultas Biologi UGM. Yogyakarta.
- Ishak, M.A. and B. S. Daryono. 2020. Detection of Powdery Mildew Resistance Gene in Melon Cultivar Meloni Based on SCAR Markers. *Journal of Biology and Biology Education : Biosaintifika*, 12(1): 76-82.
- Iqbal, M., Barchia, F. dan A. Romeida. 2019. Pertumbuhan dan Hasil Tanaman Melon (*Cucumis melo* L.) pada Komposisi Media Tanam dan Frekuensi Pemupukana yang Berbeda. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 21(2): 108–114.
- Kasiamdari, R. S. Riefani, M. K. and B.S. Daryono. 2016. The occurrence and identification of powdery mildew on melon in Java, Indonesia. *AIP Conference Proceedings*, 1744 (June 2016). doi: 10.1063/1.4953524.
- Kosack, K.E.H. and J. D. G. Jones. 1996. Resistance gene-dependent plant defense Responses. *The Plant Cell*, 8:1773-1791.
- Kristkova, E., Lebeda, A., and B. Sedlakova. 2009. Species spectra, distribution and host range of cucurbit powdery mildews in the Czech Republic, and in some other European and Middle Eastern countries. *Phytoparasitica*, 37(4): 337–350.
- Kuzuya, M., Yashiro, K., Tomita, K., and H. Ezura, 2006. Powdery mildew (*Podosphaera xantii*) resistance in melon is categorized into two types based on inhibition of the infection processes. *Journal of Experimental Botany*, 57 (9): 2093-2100.
- Lalancette, N., Furman, L., and J. White. 2013. Management of peach rusty spot epidemics with biorational fungicides. *Crop Protection*, 43(1): 7-13.
- Lebeda, A., McGrath, M.T. and B. Sedlakova. 2010. Fungicide resistance in cucurbit powdery mildew fungi. *Fungicides*, 11(1) : 221-246.
- Maharani, S.E. 2021. Karakter Fenotipik dan Deteksi Gen Cucurbitacin Buah Melon (*Cucumis melo* L. 'GMP'). *Skripsi*. Fakultas Biologi Universitas Gadjah Mada.
- Mieslerov, B., and A. Lebeda. 2019. Effect of temperature on infection and development of powdery mildew on cucumber. *Plant Pathology*, 68(1): 1165–1178.
- Mitchell, D. E. and M. A. Madore. 1992. Patterns of assimilate production and translocation in muskmelon (*Cucumis melo* L.). II. Low temperature effects. *Plant Physiology*, 99(1) : 966-971.

- Muhammadi, A. 2021. Kestabilan Karakter Fenotipik dan Molekuler Melon (*Cucumis melo* L. 'Kinaya') berdasarkan *Inter Simple Sequence Repeat*. Skripsi. Fakultas Biologi Universitas Gadjah Mada.
- NASA. 2023. Power Nasa Data Access Viewer. [http:// https://power.larc.nasa.gov/](http://https://power.larc.nasa.gov/) . Diakses tanggal 15 Februari 2023 jam 11.00.
- Ocamb, C.M. 2005. Cantaloupe (*Cucumis melo* L.)-Powdery Mildew. <http://plant.disease.ippc.orst.edu/disease.cfm?RecordID=236> Diakses tanggal 7 Mei 2022.
- Ong, Y. I. and M. K. Mohammad. 2021. Growth and Development of Melon Manis Terengganu in Response to Seasonal Variation. *Asian Journal of Plant Sciences*, 20(1): 659-664.
- Paran, I. and R.W. Micheltmore.1993. Development of reliable PCR based markers linked to downy mildew resistance genes in lettuce. *Theoretical and Applied Genetics*, 85(1): 985-993.
- Plantamor, 2022. Cucumis melo. [Online] Available at: <http://plantamor.com/species/info/cucumis/melo/makuwa#gsc.tab=0> [Accessed 1st May 2023].
- Qurrohman, M. T. 2008. Pewarisan Sifat Ketahanan tanaman melon (*Cucumis melo* L.) terhadap powdery mildew. Skripsi. Fakultas Biologi Universitas Gadjah Mada.
- Rasyid, M.F. 2021. Kestabilan Genetik berdasarkan *Inter Simple Sequence Repeat* dan Analisis Kadar Beta-Karoten pada Melon (*Cucumis melo* L. 'Gama Melon Parfum'). Skripsi. Fakultas Biologi Universitas Gadjah Mada.
- Revanasidda and V.V. Belavadi. 2019. Floral Biology and Pollination in *Cucumis melo* L., a Tropical Andromonoecious Cucurbit. *Journal of Asia-Pacific Entomology*, 22(1): 215–225.
- Rukmana, .R, 1994. Budi Daya Melon Hibrida. Kanisius, Yogyakarta.
- Saputri, A.P., Wibowo, W.A. and B.S. Daryono. 2020. Phenotypical Characters and Biochemical Compound of Cucurbitacin Melon (*Cucumis melo* L. 'Gama Melon Parfum') Resulted from Breeding. *AIP Conference Proceedings*, 2260. <https://doi.org/10.1063/5.0017615>. Diakses 3 Maret 2022 jam 22.00.
- Saputri, A. P. 2022. Karakter Fenotipik dan Variasi Genetik Melon (*Cucumis melo* L. 'GMP') Hasil Induksi Biocatharantine Berdasarkan Inter-Simple Sequence Repeat. Skripsi. Fakultas Biologi UGM. Yogyakarta.

- Silberstein, L., Kolvalski, I., Brotman, Y., Perin, V. and R. Perl-Trevis. 2003. Linkage map of *Cucumis melo* including phenotypic traits and sequence characterized genes. *Genome*, 46: 761-773.
- Sitterly, W. R. 1978. Powdery mildew of Cucurbits. In: The Powdery mildews (D.M. Spencer Ed). Academic Press, London, 359-371.
- Setiadi dan Parimin. 2001. Bertanam Melon. Penebar Swadaya. Jakarta.
- Sobir dan F.D. Siregar. 2010. Budi Daya Melon Unggul. Penerbit Swadaya. Jakarta.
- Sobir dan F.D. Siregar. 2014. Berkebun Melon Unggul Edisi Revisi. Penebar Swadaya. Jakarta.
- Soedarya, A. 2010. Agribisnis Melon. Pustaka Grafika. Bandung
- Sousa, B.M.S., Sinha, N.R., Hernandez, L.J. and L.G. Lohmann. 2018. Convergent evolution and the diverse ontogenetic origins of tendrils in angiosperms. *Frontiers in plant science*, 9(1): 403.
- Sunaryo, 2000. Haptotropism on the Attack Patterns of Dodder (*Cuscuta campestris* Yunck.). *Berita Biologi*, 5(2): 223-229.
- Surtinah, S. dan L. Seprita. 2019. Optimasi Hasil Melon (*Cucumis melo* L.) pada Tanah Podsolik Merah Kuning dengan Menggunakan Pupuk Bio Organik. *Jurnal Ilmiah Pertanian*, 16(1): 36-44.
- Takamatsu, S. 2018. Studies on the evolution and systematics of powdery mildew fungi. *Journal of General Plant Pathology*, 84(6): 422-426.
- Travers, A. and G. Muskhelishvili. 2015. DNA Structure and Function. *FEBS Journal*, pp. 2279-2295.
- Vakalounakis, D.J., Klironomou, E. and A. Papadakis. 1994. Species spectrum, Host range and distribution of powdery mildews on Cucurbitaceae in Crete. *Plant Pathology*, 43(5): 813-818.
- Varma, A., Padh, H. and N. Shrivastava. 2007. Plant Genomic DNA Isolation : an art or a science. *Journal Biotechnology*, 2(1): 386-392.
- Yarwood, C. E. 1957. *Powdery Mildew*. *Botanical Review*, 23(4): 235-300.
- Yue, Cuinan, Z. Wang, and Y. Puxiang Yang. 2021. Review: The Effect of Light on the Key Pigment Compounds of Photosensitive Etiolated Tea Plant. *Botanical Studies*, 62(21): 1-15.
- Zeshan, M. A., Yousaf, M., Anjum, R., Ali, S., and M. U. Ghani. 2019. Characterization of favorable weather conditions with powdery mildew disease incidence on pumpkin. *Plant Protection*, 3(1): 47-52.

- Zulfahmi. 2013. Penanda DNA untuk Analisis Genetik Tanaman. *Jurnal Agroteknologi*, 3(2) : 41 – 54.
- Zulfikar, M., Widya, F., Wibowo, W. A., Daryono, B. S., and S. Widiyanto. 2020. Antioxidant activity of melon fruit (*Cucumis melo* L. 'GMP') ethanolic extract. AIP Conference Proceedings. 2260. 040029. 10.1063/5.0015748.