



Daftar Pustaka

- Adah, B., & Salinah, O. (2014). The Effect of Second-Hand Smoke Exposure during Pregnancy on the Newborn Weight in Malaysia. *The Malaysian Journal of Medical Science*.
- Ahluwalia, I. B., Grummer-Strawn, L., & Scanlon, K. S. (1997). Exposure to Environmental Tobacco Smoke and Birth Outcome: Increased Effects on Pregnant Women Aged 30 Years or Older. *American Journal of Epidemiology*, 146(1), 42–47. <https://doi.org/10.1093/oxfordjournals.aje.a009190>
- Ahman, E., & Zupan, J. (2007). Neonatal and perinatal mortality: country, regional and global estimates 2004. *Department of Making Pregnancy Safer. World Health Organization*.
- Al-Delaimy, W. K. (2002). Is the hair nicotine level a more accurate biomarker of environmental tobacco smoke exposure than urine cotinine? *Journal of Epidemiology & Community Health*, 56(1), 66–71. <https://doi.org/10.1136/jech.56.1.66>
- Almond, D., & Currie, J. (2011). Killing Me Softly: The Fetal Origins Hypothesis. *Journal of Economic Perspectives*, 25(3), 153–172. <https://doi.org/10.1257/jep.25.3.153>
- Andres, R. L., & Day, M.-C. (2000). Perinatal complications associated with maternal tobacco use. *Seminars in Neonatology*, 5(3), 231–241. <https://doi.org/10.1053/siny.2000.0025>
- Andresen, BrianD., Ng, KwokeiJ., Iams, JayD., & Bianchine, JosephR. (1982). COTININE IN AMNIOTIC FLUIDS FROM PASSIVE SMOKERS. *The Lancet*, 319(8275), 791–792. [https://doi.org/10.1016/s0140-6736\(82\)91827-x](https://doi.org/10.1016/s0140-6736(82)91827-x)
- Arffin, F., AL-Bayaty, F. H., & Hassan, J. (2012). Environmental tobacco smoke and stress as risk factors for miscarriage and preterm births. *Archives of Gynecology and Obstetrics*, 286(5), 1187–1191. <https://doi.org/10.1007/s00404-012-2417-0>
- Ashford, K. B., Hahn, E., Hall, L., Rayens, M. K., Noland, M., & Ferguson, J. E. (2010). The Effects of Prenatal Secondhand Smoke Exposure on Preterm Birth and Neonatal Outcomes. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 39(5), 525–535. <https://doi.org/10.1111/j.1552-6909.2010.01169.x>
- Badan Pusat Statistik. (2022). *Profil Kesehatan Ibu dan Anak 2022*. Badan Pusat Statistik. <https://www.bps.go.id/publication/2022/12/23/54f24c0520b257b3def481be/profil-kesehatan-ibu-dan-anak-2022.html>
- Badan Pusat Statistik, Badan Kependudukan dan Keluarga Berencana Nasional, & Kementerian Kesehatan Republik Indonesia. (2007). *Indonesia Demographic and Health Survey*.
- Baghianimoghadam, M., Baghianimoghadam, B., Ardian, N., & Alizadeh, E. (2015). Risk factors of low birth weight and effect of them on growth pattern of children up to sixth months of life: A cross-sectional study. *Journal of Education and Health Promotion*, 4. <https://doi.org/10.4103/2277-9531.157226>
- Baghianimoghadam, M. H., Baghianimoghadam, B., Ardian, N., & Alizadeh, E. (2015). Risk factors of low birth weight and effect of them on growth pattern of children up to sixth months of life: A cross-sectional study. *Journal of Education and Health Promotion*, 4. <https://doi.org/10.4103/2277-9531.157226>
- Barker, D. J. (1990). The fetal and infant origins of adult disease. *BMJ*, 301(6761), 1111–1111. <https://doi.org/10.1136/bmj.301.6761.1111>
- Barker, D. J. P. (1997). Maternal nutrition, fetal nutrition, and disease in later life. *Nutrition*, 13(9), 807–813. [https://doi.org/10.1016/s0899-9007\(97\)00193-7](https://doi.org/10.1016/s0899-9007(97)00193-7)
- Behrman, J. R., & Rosenzweig, M. R. (2004). Returns to Birthweight. *The Review of Economics and Statistics*, 86(2), 586–601. <https://www.jstor.org/stable/3211649>



- Behrman, J. R., Rosenzweig, M. R., & Taubman, P. (1994). Endowments and the Allocation of Schooling in the Family and in the Marriage Market: The Twins Experiment. *Journal of Political Economy*, 102(6), 1131–1174. <https://doi.org/10.1086/261966>
- Block, S., & Webb, P. (2009). Up in Smoke: Tobacco Use, Expenditure on Food, and Child Malnutrition in Developing Countries. *Economic Development and Cultural Change*, 58(1), 1–23. <https://doi.org/10.1086/605207>
- Boedjang, R. F., Rohsiswatmo, R., Sularyo, T. S., & Sastroasmoro, S. (2017). Factors Affecting Low Birth Weight Incidence at Cipto Mangunkusumo Hospital, Jakarta. *Paediatrica Indonesiana*, 38(11-12), 255. <https://doi.org/10.14238/pi38.11-12.1998.255-64>
- BRENT, R. L., & BECKMAN, D. A. (1994). The Contribution of Environmental Teratogens to Embryonic and Fetal Loss. *Clinical Obstetrics and Gynecology*, 37(3), 646–670. <https://doi.org/10.1097/00003081-199409000-00018>
- Callaghan, W. M., MacDorman, M. F., Rasmussen, S. A., Qin, C., & Lackritz, E. M. (2006). The Contribution of Preterm Birth to Infant Mortality Rates in the United States. *PEDIATRICS*, 118(4), 1566–1573. <https://doi.org/10.1542/peds.2006-0860>
- Carreras, G., Lugo, A., Gallus, S., Cortini, B., Fernández, E., López, M. J., Soriano, J. B., Nicolás, Á. L., Semple, S., Gorini, G., Castellano, Y., Fu, M., Ballbè, M., Amalia, B., Tigova, O., Continente, X., Arechavala, T., Henderson, E., Lugo, A., & Liu, X. (2019). Burden of disease attributable to second-hand smoke exposure: A systematic review. *Preventive Medicine*, 129, 105833. <https://doi.org/10.1016/j.ypmed.2019.105833>
- Chaloupka, F. J., Yurekli, A., & Fong, G. T. (2012). Tobacco taxes as a tobacco control strategy. *Tobacco Control*, 21(2), 172–180. <https://doi.org/10.1136/tobaccocontrol-2011-050417>
- Cnattingius, S. (2004). The epidemiology of smoking during pregnancy: Smoking prevalence, maternal characteristics, and pregnancy outcomes. *Nicotine & Tobacco Research*, 6(2), 125–140. <https://doi.org/10.1080/14622200410001669187>
- Comstock, G. W., & Lundin, F. E. (1967). Parental smoking and perinatal mortality. *American Journal of Obstetrics and Gynecology*, 98(5), 708–718. [https://doi.org/10.1016/0002-9378\(67\)90185-8](https://doi.org/10.1016/0002-9378(67)90185-8)
- Currie, J., & Hyson, R. (1999). Is the Impact of Health Shocks Cushioned by Socioeconomic Status? The Case of Low Birthweight. *American Economic Review*, 89(2), 245–250. <https://doi.org/10.1257/aer.89.2.245>
- Currie, J., & Moretti, E. (2003). Mother's Education and the Intergenerational Transmission of Human Capital: Evidence from College Openings. *The Quarterly Journal of Economics*, 118(4), 1495–1532. <https://doi.org/10.1162/003355303322552856>
- Dartanto, T., Nurhasana, R., Thabrany, H., Moeis, F., & Satrya, A. (2018). *Parental Smoking Behavior and its Impact on Stunting, Cognitive, and Poverty: Empirical Evidence from the IFLS Panel Data*. Center for Social Security Studies Universitas Indonesia.
- Delaram, M., HasanPoor, A., Noorian, K., & Kazemian, A. (2007). Impact of early admission in labor on maternal and neonatal outcomes in Hajar health-care center of Shahr-e-Kord, Iran. *Journal of Birjand University of Medical Sciences*, 14(3), 9–15. <https://journal.bums.ac.ir/article-1-155-en.html>
- Diaz-Arnold, A. M., & Marek, C. A. (2002). The impact of saliva on patient care: A literature review. *The Journal of Prosthetic Dentistry*, 88(3), 337–343. <https://doi.org/10.1067/mpr.2002.128176>



- DiGiacomo, S., Jazayeri, M.-A., Barua, R., & Ambrose, J. (2018). Environmental Tobacco Smoke and Cardiovascular Disease. *International Journal of Environmental Research and Public Health*, 16(1), 96. <https://doi.org/10.3390/ijerph16010096>
- Donaldson, S. I., Dormanesh, A., Perez, C., Majmundar, A., & Allem, J.-P. (2022). Association Between Exposure to Tobacco Content on Social Media and Tobacco Use. *JAMA Pediatrics*, 176(9), 878. <https://doi.org/10.1001/jamapediatrics.2022.2223>
- Duhita, F. -, & Rahmawati, N. I. (2019). Dampak Kesehatan Anak Pada Periode Embrio, Janin, Bayi dan Usia Sekolah dengan Ayah Perokok. *Jurnal Kesehatan Vokasional*, 4(1), 12. <https://doi.org/10.22146/jkesvo.41777>
- Fantuzzi, G., Aggazzotti, G., Righi, E., Facchinetto, F., Bertucci, E., Kanitz, S., Barbone, F., Sansebastiano, G., Battaglia, M. A., Leoni, V., Fabiani, L., Triassi, M., & Sciacca, S. (2007). Preterm delivery and exposure to active and passive smoking during pregnancy: a case?control study from Italy. *Paediatric and Perinatal Epidemiology*, 21(3), 194–200. <https://doi.org/10.1111/j.1365-3016.2007.00815.x>
- Fortier, I., Marcoux, S., & Brisson, J. (1994). Passive Smoking during Pregnancy and the Risk of Delivering a Small-for-Gestational-Age Infant. *American Journal of Epidemiology*, 139(3), 294–301. <https://doi.org/10.1093/oxfordjournals.aje.a116997>
- García-Enguídanos, A., Calle, M. E., Valero, J., Luna, S., & Domínguez-Rojas, V. (2002). Risk factors in miscarriage: a review. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 102(2), 111–119. [https://doi.org/10.1016/s0301-2115\(01\)00613-3](https://doi.org/10.1016/s0301-2115(01)00613-3)
- Global Adul Tobacco Survey [GATS]. (2021). *GLOBAL ADULT TOBACCO SURVEY Fact Sheet Indonesia 2021*. https://cdn.who.int/media/docs/default-source/ncds/ncd-surveillance/data-reporting/indonesia/indonesia-national-2021-factsheet.pdf?sfvrsn=53eac4fd_1
- Goel, P., Radotra, A., Singh, I., Aggarwal, A., & Dua, D. (2004). *Effects of passive smoking on outcome in pregnancy*.
- Gorini, G., Moshammer, H., Sbrogi, L., Gasparini, A., Nebot, M., Neuberger, M., Tamang, E., Lopez, M. J., Galeone, D., & Serrahima, E. (2008). Italy and Austria before and after study: second-hand smoke exposure in hospitality premises before and after 2years from the introduction of the Italian smoking ban. *Indoor Air*, 18(4), 328–334. <https://doi.org/10.1111/j.1600-0668.2008.00534.x>
- Gujarati, D. N., Porter, D. C., & Sangeetha Gunasekar. (2012). *Basic econometrics*. McGraw-Hill Education (India) Private Limited.
- Hamadneh, S., & Hamadneh, J. (2021). Active and Passive Maternal Smoking During Pregnancy and Birth Outcomes: A Study From a Developing Country. *Annals of Global Health*, 87(1). <https://doi.org/10.5334/aogh.3384>
- Hanratty, M. J. (1996). Canadian National Health Insurance and Infant Health. *The American Economic Review*, 86(1), 276–284. <https://www.jstor.org/stable/pdf/2118267.pdf>
- Hidayat, Z. Z., Ajiz, E. A., Achadiyani, & Krisnadi, S. R. (2016). Risk Factors Associated with Preterm Birth at Hasan Sadikin General Hospital in 2015. *Open Journal of Obstetrics and Gynecology*, 06(13), 798–806. <https://doi.org/10.4236/ojog.2016.613098>
- Hosmer, W. D., Lemeshow, S., & X, R. (2013). Applied Logistic Regression (Third Edition). Wiley Series in Probability and Statistics 398.
- Ion, R. C., Wills, A. K., & Bernal, A. L. (2015). Environmental Tobacco Smoke Exposure in Pregnancy is Associated With Earlier Delivery and Reduced Birth Weight.



- Reproductive Sciences*, 22(12), 1603–1611.
<https://doi.org/10.1177/1933719115612135>
- Izzatul, K., Ardelia, A., Hardianto, G., & Nuswantoro, D. (2019). ORIGINAL ARTICLE: Passive smoker during pregnancy is a risk factor of low birth weight. *Maj Obs Gin*, 27(1), 12–16. <https://doi.org/10.20473/mog.V27I12019.12-16>
- Jaakkola, J. J., Jaakkola, N., & Zahlsen, K. (2001). Fetal growth and length of gestation in relation to prenatal exposure to environmental tobacco smoke assessed by hair nicotine concentration. *Environmental Health Perspectives*, 109(6), 557–561. <https://doi.org/10.1289/ehp.01109557>
- Jaakkola, M. S., & Jaakkola, J. J. K. (1997). Assessment of exposure to environmental tobacco smoke. *European Respiratory Journal*, 10(10), 2384–2397. <https://doi.org/10.1183/09031936.97.10102384>
- Jaddoe, V. W. V., Troe, E.-J. W. M., Hofman, A., Mackenbach, J. P., Moll, H. A., Steegers, E. A. P., & Witteman, J. C. M. (2008). Active and passive maternal smoking during pregnancy and the risks of low birthweight and preterm birth: the Generation R Study. *Paediatric and Perinatal Epidemiology*, 22(2), 162–171. <https://doi.org/10.1111/j.1365-3016.2007.00916.x>
- Kemenkes RI. (2021). *Profil Kesehatan Indonesia 2021*. Kementerian Kesehatan Republik Indonesia.
<https://www.kemkes.go.id/downloads/resources/download/pusdatin/profil-kesehatan-indonesia/Profil-Kesehatan-2021.pdf>
- Khader, Y. S., Al-Akour, N., AlZubi, I. M., & Lataifeh, I. (2010). The Association Between Second Hand Smoke and Low Birth Weight and Preterm Delivery. *Maternal and Child Health Journal*, 15(4), 453–459. <https://doi.org/10.1007/s10995-010-0599-2>
- Kharrazi, M., DeLorenze, G. N., Kaufman, F. L., Eskenazi, B., Bernert, J. T., Graham, S., Pearl, M., & Pirkle, J. (2004). Environmental Tobacco Smoke and Pregnancy Outcome. *Epidemiology*, 15(6), 660–670. <https://doi.org/10.1097/01.ede.0000142137.39619.60>
- Leonardi-Bee, J., Britton, J., & Venn, A. (2011). Secondhand Smoke and Adverse Fetal Outcomes in Nonsmoking Pregnant Women: A Meta-analysis. *PEDIATRICS*, 127(4), 734–741. <https://doi.org/10.1542/peds.2010-3041>
- Löfroth, G. (1989). Environmental tobacco smoke: overview of chemical composition and genotoxic components. *Mutation Research/Genetic Toxicology*, 222(2), 73–80. [https://doi.org/10.1016/0165-1218\(89\)90021-9](https://doi.org/10.1016/0165-1218(89)90021-9)
- Lopez, M. J., Fernandez, E., Perez-Rios, M., Martinez-Sanchez, J. M., Schiaffino, A., Galan, I., Moncada, A., Fu, M., Montes, A., Salto, E., & Nebot, M. (2012). Impact of the 2011 Spanish Smoking Ban in Hospitality Venues: Indoor Secondhand Smoke Exposure and Influence of Outdoor Smoking. *Nicotine & Tobacco Research*, 15(5), 992–996. <https://doi.org/10.1093/ntr/nts218>
- Lubick, N. (2011). SMOKING AND SECONDHAND SMOKE: Global Estimate of SHS Burden. *Environmental Health Perspectives*, 119(2). <https://doi.org/10.1289/ehp.119-a66>
- Marina, L. S., Thompson, L. A., & Sharma, A. J. (2017). Association between secondhand smoke exposure and birth outcomes by gender in a 2004-2008 cohort of non-smoking Puerto Rican women. *Maternal and Child Health Journal*, 21(1), 63–71.
- Matt, G. E., Quintana, P. J. E., Destaillats, H., Gundel, L. A., Sleiman, M., Singer, B. C., Jacob, P., Benowitz, N., Winickoff, J. P., Rehan, V., Talbot, P., Schick, S., Samet, J., Wang, Y., Hang, B., Martins-Green, M., Pankow, J. F., & Hovell, M. F. (2011). Thirdhand Tobacco Smoke: Emerging Evidence and Arguments for a



- Multidisciplinary Research Agenda. *Environmental Health Perspectives*, 119(9), 1218–1226. <https://doi.org/10.1289/ehp.1103500>
- Mazloomy Mahmoodabad, S. S., Karimiankakolaki, Z., Kazemi, A., Keshavarz Mohammadi, N., & Fallahzadeh, H. (2019). Exposure to secondhand smoke in Iranian pregnant women at home and the related factors. *Tobacco Prevention & Cessation*, 5(February). <https://doi.org/10.18332/tpc/104435>
- Mboi, N., Murty Surbakti, I., Trihandini, I., Elyazar, I., Houston Smith, K., Bahjuri Ali, P., Kosen, S., Flemons, K., Ray, S. E., Cao, J., Glenn, S. D., Miller-Petrie, M. K., Mooney, M. D., Ried, J. L., Nur Anggraini Ningrum, D., Idris, F., Siregar, K. N., Harimurti, P., Bernstein, R. S., ... Hay, S. I. (2018). On the road to universal health care in Indonesia, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *The Lancet*, 392(10147), 581–591. [https://doi.org/10.1016/S0140-6736\(18\)30595-6](https://doi.org/10.1016/S0140-6736(18)30595-6)
- McCormick, M. C. (1985). The contribution of low birth weight to infant mortality and childhood morbidity. *The New England Journal of Medicine*, 312(2), 82–90. <https://doi.org/10.1056/NEJM198501103120204>
- McDonald, P., Utomo, I. D., Utomo, A., Reimondos, A., & Hull, T. (2012). MIGRATION AND TRANSITION TO ADULTHOOD. *Asian Population Studies*, 9(1), 4–27. <https://doi.org/10.1080/17441730.2012.736700>
- Míguez, M. C., & Pereira, B. (2020). Repercusiones del consumo de tabaco activo y/o pasivo en el embarazo y postparto. *Anales de Pediatría*. <https://doi.org/10.1016/j.anpedi.2020.07.029>
- Moss, W., Darmstadt, G. L., Marsh, D. R., Black, R. E., & Santosham, M. (2002). Research Priorities for the Reduction of Perinatal and Neonatal Morbidity and Mortality in Developing Country Communities. *Journal of Perinatology*, 22(6), 484–495. <https://doi.org/10.1038/sj.jp.7210743>
- Munandar, Y. (2022). Increase in the Number of Active Smokers During the COVID-19 Pandemic in Indonesia. *IOP Conference Series: Earth and Environmental Science*, 950(1), 012062. <https://doi.org/10.1088/1755-1315/950/1/012062>
- Norton, E. C., & Dowd, B. E. (2017). Log Odds and the Interpretation of Logit Models. *Health Services Research*, 53(2), 859–878. <https://doi.org/10.1111/1475-6773.12712>
- Norton, E. C., Dowd, B. E., & Maciejewski, M. L. (2019). Marginal Effects—Quantifying the Effect of Changes in Risk Factors in Logistic Regression Models. *JAMA*, 321(13), 1304. <https://doi.org/10.1001/jama.2019.1954>
- Nurhasana, R., Ratih, S. P., Djaja, K., Hartono, R. K., & Dartanto, T. (2020). Passive Smokers' Support for Stronger Tobacco Control in Indonesia. *International Journal of Environmental Research and Public Health*, 17(6), 1942. <https://doi.org/10.3390/ijerph17061942>
- Öberg, M., Jaakkola, M. S., Woodward, A., Peruga, A., & Prüss-Ustün, A. (2011). Worldwide burden of disease from exposure to second-hand smoke: a retrospective analysis of data from 192 countries. *The Lancet*, 377(9760), 139–146. [https://doi.org/10.1016/s0140-6736\(10\)61388-8](https://doi.org/10.1016/s0140-6736(10)61388-8)
- Permitasari, L., Satibi, S., & Kristina, Susi Ari. (2018). National Burden of Cancers Attributable to Secondhand Smoking in Indonesia. *Asian Pacific Journal of Cancer Prevention*, 19(7), 1951–1955. <https://doi.org/10.22034/APJCP.2018.19.7.1951>
- Pineles, B. L., Hsu, S., Park, E., & Samet, J. M. (2016). Systematic Review and Meta-Analyses of Perinatal Death and Maternal Exposure to Tobacco Smoke During Pregnancy. *American Journal of Epidemiology*, 184(2), 87–97. <https://doi.org/10.1093/aje/kwv301>



- Pineles, B. L., Park, E., & Samet, J. M. (2014). Systematic Review and Meta-Analysis of Miscarriage and Maternal Exposure to Tobacco Smoke During Pregnancy. *American Journal of Epidemiology*, 179(7), 807–823. <https://doi.org/10.1093/aje/kwt334>
- Poirier, A. E., Ruan, Y., Grevers, X., Walter, S. D., Villeneuve, P. J., Friedenreich, C. M., & Brenner, D. R. (2019). Estimates of the current and future burden of cancer attributable to active and passive tobacco smoking in Canada. *Preventive Medicine*, 122, 9–19. <https://doi.org/10.1016/j.ypmed.2019.03.015>
- Pourmasumi, S., Eftekhar, M., & Sabeti, P. (2016). *Relation of second hand smoker on pregnancy outcome and newborns parameters*.
- Protano, C., & Vitali, M. (2011). The New Danger of Thirdhand Smoke: Why Passive Smoking Does Not Stop at Secondhand Smoke. *Environmental Health Perspectives*, 119(10). <https://doi.org/10.1289/ehp.1103956>
- Rafiei, M. (2007). Prevalence of Low Birth Weight and Obesity and some concomitant factors in live offspring's in 2006 and compare with 2002 result's in Arak Talleghani Hospital. *Utoronto.ca*. <http://hdl.handle.net/1807/58425>
- Ramadani, M., Utomo, B., Achadi, E. L., & Gunardi, H. (2019). Prenatal Secondhand Smoke Exposure: Correlation Between Nicotine in Umbilical Cord Blood and Neonatal Anthropometry. *Osong Public Health and Research Perspectives*, 10(4), 234–239. <https://doi.org/10.24171/j.phrp.2019.10.4.06>
- Reece, S., Morgan, C., Parascandola, M., & Siddiqi, K. (2018). Secondhand smoke exposure during pregnancy: a cross-sectional analysis of data from Demographic and Health Survey from 30 low-income and middle-income countries. *Tobacco Control*, 28(4), 420–426. <https://doi.org/10.1136/tobaccocontrol-2018-054288>
- Robinson, Laurence, D., & Jewell, N. P. (1991). Some surprising results about covariate adjustment in logistic regression. *International Statistical Review*, 58, 227–240.
- Rutstein, S. O. (2014). Steps to constructing the new DHS Wealth Index. *Dhsprogram.com*; The DHS Program. https://dhsprogram.com/programming/wealth%20index/Steps_to_constructing_the_new_DHS_Wealth_Index.pdf
- Rutstein, S. O., & Johnson, K. (2004). DHS Comparative Reports: The DHS Wealth Index. DHS Program. <https://dhsprogram.com/pubs/pdf/cr6/cr6.pdf>
- Sahadewo, G.A., Utomo, A., Puspandari, D.A., & Hafidz, F. (2022). The Effects of Cigarette Expenditure on Children Growth Outcomes: Evidence from the Indonesian Family Life Survey [Working Paper Series]. UGM. <https://www.tobacconomics.org/research/the-effects-of-cigarette-expenditure-on-children-growth-outcomes-evidence-from-the-indonesian-family-life-survey-working-paper-series/>
- Siramaneerat, I., Agushybana, F., & Meebunmak, Y. (2018). Maternal Risk Factors Associated with Low Birth Weight in Indonesia. *The Open Public Health Journal*, 11(1), 376–383. <https://doi.org/10.2174/1874944501811010376>
- Soesanti, F., Uiterwaal, C. S. P. M., Grobbee, D. E., Hendarto, A., Dalmeijer, G. W., & Idris, N. S. (2019). Antenatal exposure to second hand smoke of non-smoking mothers and growth rate of their infants. *PLOS ONE*, 14(6), e0218577. <https://doi.org/10.1371/journal.pone.0218577>
- Southeast Asia Tobacco Control Alliance (SEATCA). (2018). *Tobacco Control Atlas ASEAN Region*. 4th. https://seatca.org/dmdocuments/TobaccoControlAtlas_ASEANRegion_4thEd_Dec2019.pdf



- Sukatendel, K., Hasibuan, C. L., Pasaribu, H. P., Sihite, H., Ardyansah, E., & Situmorang, M. F. (2018). Risk factor for preterm labor in Haji Adam Malik General Hospital, Pirngadi General hospital and satellite hospitals in Medan from January 2014 to December 2016. *IOP Conference Series: Earth and Environmental Science*, 125, 012192. <https://doi.org/10.1088/1755-1315/125/1/012192>
- Suryadhi, M. A. H., Abudureyimu, K., Kashima, S., & Yorifuji, T. (2019). Effects of Household Air Pollution From Solid Fuel Use and Environmental Tobacco Smoke on Child Health Outcomes in Indonesia. *Journal of Occupational & Environmental Medicine*, 61(4), 335–339. <https://doi.org/10.1097/jom.0000000000001554>
- UNICEF. (2010). *Maternal and newborn health disparities country profiles*. <Https://Data.unicef.org/Resources/Maternal-Newborn-Health-Disparities-Country-Profiles/>; UNICEF.
- UNICEF. (2021). *Indonesia (IDN) - Demographics, Health & Infant Mortality*. UNICEF DATA. <https://data.unicef.org/country/idn/>
- Wahidin, M., Hidayat, M. S., Arasy, R. A., Amir, V., & Kusuma, D. (2020). Geographic distribution, socio-economic disparity and policy determinants of smoke-free policy adoption in Indonesia. *The International Journal of Tuberculosis and Lung Disease*, 24(4), 383–389. <https://doi.org/10.5588/ijtld.19.0468>
- Ward, C., Lewis, S., & Coleman, T. (2007). Prevalence of maternal smoking and environmental tobacco smoke exposure during pregnancy and impact on birth weight: retrospective study using Millennium Cohort. *BMC Public Health*, 7(1). <https://doi.org/10.1186/1471-2458-7-81>
- White, H. (1980). A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity. *Econometrica*, 48(4), 817. <https://doi.org/10.2307/1912934>
- Wilcox, A. (1995). Birth Weight and Perinatal Mortality. *JAMA*, 273(9), 709. <https://doi.org/10.1001/jama.1995.03520330039034>
- Windham, G., Eaton, A., & Hopkins, B. (1999). Evidence for an association between environmental tobacco smoke exposure and birthweight: a meta-analysis and new data. *Paediatric and Perinatal Epidemiology*, 13, 35–57.
- Witschi, H., Joad, J. P., & Pinkerton, K. E. (1997). THE TOXICOLOGY OF ENVIRONMENTAL TOBACCO SMOKE. *Annual Review of Pharmacology and Toxicology*, 37(1), 29–52. <https://doi.org/10.1146/annurev.pharmtox.37.1.29>
- Wooldridge, J. (2015). Introductory econometrics: A modern approach Sixth Edition. Michigan State University.
- Wooldridge, J. M. (2010). *Econometric analysis of cross section and panel data. [2] Student's solutions manual and supplementary materials for Econometric analysis of cross section and panel data*. Cambridge, Mass. Mit Press.
- World Bank. (2023). *World Bank Open Data*. World Bank Open Data. https://data.worldbank.org/indicator/SP.DYN.IMRT.IN?locations=ID&most_recent_value_desc=false
- World Health Organization. (2004). Towards the development of a strategy for promoting optimal fetal growth, Report of a meeting. Geneva: World Health Organization.
- World Health Organization. (2006). *Reproductive Health indicators: Guidelines for their generation, interpretation and analysis for global monitoring*. Geneva; World Health Organization. <https://www.who.int/reproductivehealth/publications/monitoring/924156315x/en/>
- World Health Organization. (2007). *Protection from Exposure to Second-hand Tobacco Smoke. Policy Recommendations*. World Health Organization. http://whqlibdoc.who.int/publications/2007/9789241563413_eng.pdf



- World Health Organization. (2009a). *Guidelines for implementation of the WHO Framework Convention on Tobacco Control*. World Health Organization. <http://libdoc.who.int/>
- World Health Organization. (2009b). *WHO Framework Convention on Tobacco Control*. World Health Organization. http://www.who.int/fctc/text_download/en/index.html
- World Health Organization. (2015). *WHO Global Report on Trends in Prevalence of Tobacco Smoking*. WHO.
- World Health Organization. (2018). *Why We Need to Talk about Losing a Baby*. Who.int. <https://www.who.int/news-room/spotlight/why-we-need-to-talk-about-losing-a-baby>
- World Health Organization. (2019a). *WHO report on the global tobacco epidemic 2019*. <https://www.who.int/publications/i/item/9789241516204>
- World Health Organization. (2019b, July 18). *Child health*. Who.int; World Health Organization: WHO. <https://www.who.int/southeastasia/health-topics/child-health>
- World Health Organization. (2021). *Challenges for the 21st Century Epidemic The World Health Organization in collaboration with the Institute for Global Tobacco Control Johns Hopkins School of Public Health*.
- World Health Organization. (2022). Low birth weight. World Health Organization. <https://www.who.int/data/nutrition/nlis/info/low-birth-weight>
- World Health Organization. (2023a). *Low birth weight*. Who.int. [https://www.who.int/data/nutrition/nlis/info/low-birth-weight#:~:text=Low%20birth%20weight%20has%20been,2500%20grams%20\(5.5%20pounds\)](https://www.who.int/data/nutrition/nlis/info/low-birth-weight#:~:text=Low%20birth%20weight%20has%20been,2500%20grams%20(5.5%20pounds))
- World Health Organization. (2023b). *Preterm birth*. Who.int; World Health Organization: WHO. <https://www.who.int/news-room/fact-sheets/detail/preterm-birth>
- Yang, L., Wu, H., Zhao, M., Magnussen, C. G., & Xi, B. (2022). Prevalence and trends in tobacco use, secondhand smoke exposure at home and household solid fuel use among women in 57 low- and middle-income countries, 2000–2018. *Environment International*, 161, 107142. <https://doi.org/10.1016/j.envint.2022.107142>
- Yatchew, A., & Griliches, Z. (1985). Specification error in probit models. *The Review of Economics and Statistics*, 67, 134–139.
- Yeh, C.-Y., Schafferer, C., Lee, J.-M., Ho, L.-M., & Hsieh, C.-J. (2017). The effects of a rise in cigarette price on cigarette consumption, tobacco taxation revenues, and of smoking-related deaths in 28 EU countries-- applying threshold regression modelling. *BMC Public Health*, 17(1). <https://doi.org/10.1186/s12889-017-4685-x>
- Zheng, R., Marquez, P. V., Ahsan, A., Xiaoxia, E., & Hu, X. (2018). *Cigarette affordability in Indonesia : 2002 - 2017.* 1–56. <https://openknowledge.worldbank.org/server/api/core/bitstreams/65f408e5-66b9-5c2a-a0b6-ff49a37d3b20/content>