

## DAFTAR PUSTAKA

- Abeykoon, C. (2016). Single screw extrusion control: A comprehensive review and directions for improvements. *Control Engineering Practice*, 51, 69–80. <https://doi.org/10.1016/j.conengprac.2016.03.008>
- Adeyemi, O. A. P., & Idowu, M. A. (2014). Effect of Extrusion Parameters on the Physical and Functional Properties of Cocoyam (*Colocasia esculenta*) Flour. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 8(5), 29–34. <https://doi.org/10.9790/2402-08552934>
- Altan, A., & Yağci, S. (2023). Physicochemical characteristics and structural changes of fermented faba bean extrudates prepared by twin-screw extrusion. *Food Chemistry*, 411(January). <https://doi.org/10.1016/j.foodchem.2023.135502>
- Amer, S. A., & Rizk, A. E. (2022). Production and evaluation of novel functional extruded corn snacks fortified with ginger, bay leaves and turmeric powder. *Food Production, Processing and Nutrition*, 4(1). <https://doi.org/10.1186/s43014-022-00083-3>
- Anton, A. A., Gary Fulcher, R., & Arntfield, S. D. (2009). Physical and nutritional impact of fortification of corn starch-based extruded snacks with common bean (*Phaseolus vulgaris* L.) flour: Effects of bean addition and extrusion cooking. *Food Chemistry*, 113(4), 989–996. <https://doi.org/10.1016/j.foodchem.2008.08.050>
- Astuti, K., Prasetyo, O. R., & Khasanah, I. N. (2020). *Analisis Produktivitas Jagung dan Kedelai di Indonesia 2020 (Hasil Survei Ubinan)* (Vol. 2020). <https://www.bps.go.id/publication/2021/07/27/16e8f4b2ad77dd7de2e53ef2/analisis-produktivitas-jagung-dan-kedelai-di-indonesia-2020-hasil-survei-ubinan.html>
- Atmaka, W., & Amanto, B. S. (2010). Kajian Karakteristik Fisikokimia Tepung Instan Beberapa Varietas Jagung (*Zea mays* L.). *Jurnal Teknologi Hasil Pertanian*, 3(1), 13. <https://doi.org/10.20961/jthp.v0i0.13614>
- Balasubramanian, S., & Singh, N. (2007). Effect of extrusion process variables and legumes on corn extrudates behaviour. *Journal of Food Science and Technology*, 44(3), 330–333.
- BOBADE, H., & SHARMA, S. (2017). Effect of extrusion on colour characteristics of honey enriched whole grain cereal flour extrudates. *International Journal of Agricultural Engineering*, 10(1), 37–42. <https://doi.org/10.15740/has/ijae/10.1/37-42>
- BSN. (2015). SNI 2886:2015 Makanan Ringan Ekstrudat. *Standart Nasional Indonesia*, 2886, 1–41.
- Budi, F. S., Hariyadi, P., Budijanto, S., & Syah, D. (2013). Teknologi Proses Ekstrusi untuk Membuat Beras Analog. *Jurnal Pangan*, 22(3), 263–274.
- Cargill, C., Mahalaya, S., Soplanit, A., Syahputra, A. T., Kossay, L., Muiid, N., Isman, Lyons, G., Prabawardani, S., Ginting, E., Glatz, P., Putra, I. M., Dwita, I. D. A., Rumbarar, M. K., Rengi, J. B., & Llen, A. K. (2007). *Bahan Ajar untuk Pelatihan Petani: Teknik Budidaya Tanaman dan Produksi Ternak (Tanaman: Ubijalar, Stroberi, Kedelai, Kacang Tanah, Kacang Buncis, Kacang Merah, dan Kacang Gude - Ternak: Babi, Ayam, dan Kelinci)*.

- Carvalho, C. W. P., Takeiti, C. Y., Onwulata, C. I., & Pordesimo, L. O. (2010). Relative effect of particle size on the physical properties of corn meal extrudates: Effect of particle size on the extrusion of corn meal. *Journal of Food Engineering*, 98(1), 103–109. <https://doi.org/10.1016/j.jfoodeng.2009.12.015>
- Chakraborty, P., & Banerjee, S. (2009). Optimization of extrusion process for production of expanded product from green gram and rice by response surface methodology. *Journal of Scientific and Industrial Research*, 68(2), 140–148.
- Chandresh S, & Priya S. (2020). Extrusion cooking technology in food processing – an overview. *International Research Journal of Engineering and Technology*, 7(5), 4449–4458. [www.irjet.net](http://www.irjet.net)
- Choton, S., Gupta, N., Bandral, J. D., Anjum, N., & Choudary, A. (2020). Extrusion technology and its application in food processing: A review. *The Pharma Innovation*, 9(2), 162–168. <https://doi.org/10.22271/tpi.2020.v9.i2d.4367>
- Daud, A., Suriati, S., & Nuzulyanti, N. (2020). Kajian Penerapan Faktor yang Mempengaruhi Akurasi Penentuan Kadar Air Metode Thermogravimetri. *Lutjanus*, 24(2), 11–16. <https://doi.org/10.51978/jlpp.v24i2.79>
- Devrajan, N., Prakash, P., & Jindal, N. (2018). Effect of Extrusion Cooking on Colour ( $L^*$ ,  $a^*$ ,  $b^*$ ) of Germinated Buckwheat-Corn Based Snacks. *Int.J.Curr.Microbiol.App.Sci*, 7, 3413–3424. <http://www.ijemas.com>
- Dhaval, M., Sharma, S., Dudhat, K., & Chavda, J. (2022). Twin-Screw Extruder in Pharmaceutical Industry: History, Working Principle, Applications, and Marketed Products: an In-depth Review. *Journal of Pharmaceutical Innovation*, 17(2), 294–318. <https://doi.org/10.1007/s12247-020-09520-7>
- Ding, Q. B., Ainsworth, P., Tucker, G., & Marson, H. (2005). The effect of extrusion conditions on the physicochemical properties and sensory characteristics of rice-based expanded snacks. *Journal of Food Engineering*, 66(3), 283–289. <https://doi.org/10.1016/j.jfoodeng.2004.03.019>
- Dumchaiyapoom, K., Hannanta-Anan, P., & Phongpipatpong, M. (2019). Effect of extrusion conditions on the physical properties of coconut rice-based extrudates. *IOP Conference Series: Earth and Environmental Science*, 301(1), 0–6. <https://doi.org/10.1088/1755-1315/301/1/012056>
- Etana, D., & Nebiyu, A. (2023). Response of common bean (*Phaseolus vulgaris* L.) to lime and TSP fertilizer under acid soil. *Heliyon*, 9(4), e15176. <https://doi.org/10.1016/j.heliyon.2023.e15176>
- Fauziyah, A., Marliyati, S. A., & Kustiyah, L. (2017). Substitusi Tepung Kacang Merah Meningkatkan Kandungan Gizi, Serat Pangan Dan Kapasitas Antioksidan Beras Analog Sorgum. *Jurnal Gizi Dan Pangan*, 12(2), 147–152. <https://doi.org/10.25182/jgp.2017.12.2.147-152>
- Filli, K. B., Nkama, I., Jideani, V. A., & Abubakar, U. M. (2015). Effect of Process Variables on Some System Parameters and Physical Properties of Millet-Soybean Fura Extrudates. *Journal of Food Studies*, 4(1), 1. <https://doi.org/10.5296/jfs.v4i1.1727>
- Fiqriansyah, M., Putri, S. A., Syam, R., Rahmadani, A. S., Frianie, T. N. S. A. R. ., N, Y. I. S., Adhayani, A. N., Fauzan, N., Bachok, N. A., Manggabarani, A. M., & D, Y. (2021). Teknologi Budidaya Tanaman Jagung (*Zea mays*) dan Sorgum (*Sorghum bicolor* (L.) Moench). In *Teknologi Budidaya Tanaman Jagung (Zea mays) dan Sorgum (Sorghum bicolor (L.) Moench)*.

- Gamea, G. R. (2013). Effect of Extrusion Conditions on the Physical Properties of High Protein Snacks. *Misr Journal of Agricultural Engineering*, 30(2), 425–446. <https://doi.org/10.21608/mjgae.2013.102038>
- Garcia-Valle, D. E., Agama-Acevedo, E., Nuñez-Santiago, M. del C., Alvarez-Ramirez, J., & Bello-Pérez, L. A. (2021). Extrusion pregelatinization improves texture, viscoelasticity and in vitro starch digestibility of mango and amaranth flours. *Journal of Functional Foods*, 80. <https://doi.org/10.1016/j.jff.2021.104441>
- Gat, Y., & Ananthanarayan, L. (2015). Effect of extrusion process parameters and pregelatinized rice flour on physicochemical properties of ready-to-eat expanded snacks. *Journal of Food Science and Technology*, 52(5), 2634–2645. <https://doi.org/10.1007/s13197-014-1378-7>
- Gborie, S. K., Mugabi, R., & Byaruhanga, Y. (2022). Effect of Extrusion on the Functional and Pasting Properties of High-quality Cassava Flour (HQCF). *Journal of Food Research*, 11(4), 1. <https://doi.org/10.5539/jfr.v11n4p1>
- Harahap, S. E., Purwanto, Y. A., Budijanto, S., & Maharijaya, A. (2018). Karakterisasi Kerenyahan dan Kekerasan Beberapa Genotipe Kentang (*Solanum tuberosum* L.) Hasil Pemuliaan. *Jurnal Pangan*, 26(3), 1–7.
- Hatta, H., Moonti, M. R., Ernikawati, Maesrah, Moito, Y. S., Aripin, N., Bahmid, H., Olii, S. H., Bahu, A. S., M., A., Igrisa, N., Febrianto, Ramli, F., & Setiawan, I. (2022). Pemberdayaan Masyarakat Melalui Pelatihan Pembuatan Dodol Jagung di Desa Tri Rukun Kecamatan Wonosari Kabupaten Boalemo Herman. *Jurnal Pengabdian Kepada Masyarakat Universitas Gorontalo*, 4(1).
- Heldman, S. &. (2009). Introduction to Food engineering (4th edition). In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Hidayah, N., Adiandri, R. S., Rahayu, E., & Nugraha, S. (2019). Evaluation of Corn Grit Quality from Farmer-Scale Trial Production. *IOP Conference Series: Earth and Environmental Science*, 309(1). <https://doi.org/10.1088/1755-1315/309/1/012064>
- I. R. Naikofi, M., Widjaja, B., & Rahardjo, P. P. (2020). Studi Angle of Repose Mud Volcano Di Desa Napan Pulau Timor. *Jurnal Deformasi*, 4(2), 92. <https://doi.org/10.31851/deformasi.v4i2.3557>
- Igual, M., García-Segovia, P., & Martínez-Monzó, J. (2020). Effect of Acheta domesticus (house cricket) addition on protein content, colour, texture, and extrusion parameters of extruded products. *Journal of Food Engineering*, 282(March). <https://doi.org/10.1016/j.jfoodeng.2020.110032>
- Iqbal, A., Pintor, K. T., & Lisiswanti, R. (2015). Manfaat Tanaman Kacang Merah dalam Menurunkan Kadar Glukosa Darah. *Majority*, 4(9), 149–152.
- Jafari, M., Koocheki, A., & Milani, E. (2017). Effect of extrusion cooking on chemical structure, morphology, crystallinity and thermal properties of sorghum flour extrudates. *Journal of Cereal Science*, 75, 324–331. <https://doi.org/10.1016/j.jcs.2017.05.005>
- Jain, R., Goomer, S., & Singh, S. N. (2022). Mung-Oat snack of high protein content by twin screw extrusion using response surface methodology. *Applied Food Research*, 2(1), 100099. <https://doi.org/10.1016/j.afres.2022.100099>
- Jawad, M., Schoop, R., Suter, A., Klein, P., & Eccles, R. (2013). Perfil de eficacia y seguridad de Echinacea purpurea en la prevención de episodios de resfriado común: Estudio clínico aleatorizado, doble ciego y controlado con placebo.

- Revista de Fitoterapia*, 13(2), 125–135. <https://doi.org/10.1002/jsfa>
- Kehinde Adedeji Adekola. (2016). Engineering Review Food Extrusion Technology and Its Applications. *Journal of Food Science and Engineering*, 6(3), 149–168. <https://doi.org/10.17265/2159-5828/2016.03.005>
- Khanna, N., Singh, M., & Jain, P. (2019). Chemical Science Review and Letters Effect of Extrusion Cooking on Textural Properties of Extrudates-A Review. *Chem Sci Rev Lett*, 8(30), 276–279.
- Kothakota, A. (2013). A study on evaluation and characterization of extruded product by using various by-products. *African Journal of Food Science*, 7(12), 485–497. <https://doi.org/10.5897/ajfs2013.1065>
- Kumar, N., Sarkar, B. C., & Sharma, H. K. (2010). Development and characterization of extruded product using carrot pomace and rice flour. *International Journal of Food Engineering*, 6(3), 703–717. <https://doi.org/10.2202/1556-3758.1824>
- Lei, H., Ruan, R., Gary Fulcher, R., & van Lengerich, B. (2008). Color development in an extrusion-cooked model system. *International Journal of Agricultural and Biological Engineering*, 1(2), 55–63. <https://doi.org/10.3965/j.issn.1934-6344.2008.02.055-063>
- Lomelaars, H. C. . (1968). *Pengantar Ilmu Warna*.
- Mendowski, S., Chapoutot, P., Chesneau, G., Ferlay, A., Enjalbert, F., Cantalapiedra-Hijar, G., Germain, A., & Nozière, P. (2020). Effects of pretreatment with reducing sugars or an enzymatic cocktail before extrusion of fava bean on nitrogen metabolism and performance of dairy cows. *Journal of Dairy Science*, 103(1), 396–409. <https://doi.org/10.3168/jds.2019-17286>
- Mesquita, C. de B., Leonel, M., & Mischan, M. M. (2013). Effects of processing on physical properties of extruded snacks with blends of sour cassava starch and flaxseed flour. *Food Science and Technology*, 33(3), 404–410. <https://doi.org/10.1590/S0101-20612013005000073>
- Minweyelet, M., Solomon, W. K., & Bultosa, G. (2021). Effects of extrusion operating conditions and blend proportion on the physico-chemical and sensory properties of teff-rice blend extruded products. *Food Research*, 5(2), 173–183. [https://doi.org/10.26656/fr.2017.5\(2\).467](https://doi.org/10.26656/fr.2017.5(2).467)
- Moussa-Ayoub, T. E., Youssef, K., El-Samahy, S. K., Kroh, L. W., & Rohn, S. (2015). Flavonol profile of cactus fruits (*Opuntia ficus-indica*) enriched cereal-based extrudates: Authenticity and impact of extrusion. *Food Research International*, 78, 442–447. <https://doi.org/10.1016/j.foodres.2015.08.019>
- Nadeesha Dilrukshi, H. N., Torrico, D. D., Brennan, M. A., & Brennan, C. S. (2022). Effects of extrusion processing on the bioactive constituents, in vitro digestibility, amino acid composition, and antioxidant potential of novel gluten-free extruded snacks fortified with cowpea and whey protein concentrate. *Food Chemistry*, 389(April), 133107. <https://doi.org/10.1016/j.foodchem.2022.133107>
- Nasional, B. S. (2009). SNI Standar Nasional Indonesia. *Sni*, 1(2), 487–503.
- Nazir, F., Naik, H. R., & Hussain, S. Z. (2016). Effect of extrusion conditions and apricot powder incorporation on colour parameters of rice based breakfast snacks. *Biosciences Biotechnology Research Asia*, 13(3), 1673–1678. <https://doi.org/10.13005/bbra/2316>
- Neder-Suárez, D., Quintero-Ramos, A., Meléndez-Pizarro, C. O., de Jesús Zazueta-

- Morales, J., Paraguay-Delgado, F., & Ruiz-Gutiérrez, M. G. (2021). Evaluation of the physicochemical properties of third-generation snacks made from blue corn, black beans, and sweet chard produced by extrusion. *Lwt*, *146*(September 2020). <https://doi.org/10.1016/j.lwt.2021.111414>
- Nidhi, K., & Mohan, S. (2019). Effect of Extrusion Parameters on Textural Properties of Parboiled Rice based Bittergourd and Water Chestnut Blended Extrudates. *International Journal of Current Microbiology and Applied Sciences*, *8*(07), 2021–2029. <https://doi.org/10.20546/ijcmas.2019.807.242>
- Nurilmala, M., Suptijah, P., Subagja, Y., & Hidayat. (2014). Pemanfaatan dan Fortifikasi Ikan Patin Pada Snack Ekstrusi. *17*, 175–185.
- Oktavia, D. A. (2007). Kajian Sni 01-2886-2000 Makanan Ringan Ekstrudat. *Jurnal Standardisasi*, *9*(1), 1. <https://doi.org/10.31153/js.v9i1.8>
- Omohimi, C. I., Sobukola, O. P., Sarafadeen, K. O., & Sanni, L. O. (2014). Effect of Thermo-extrusion Process Parameters on Selected Quality Attributes of Meat Analogue from Mucuna Bean Seed Flour. *Nigerian Food Journal*, *32*(1), 21–30. [https://doi.org/10.1016/s0189-7241\(15\)30092-8](https://doi.org/10.1016/s0189-7241(15)30092-8)
- Onwulata, C. I., & Konstance, R. P. (2006). Extruded corn meal and whey protein concentrate: Effect of particle size. *Journal of Food Processing and Preservation*, *30*(4), 475–487. <https://doi.org/10.1111/j.1745-4549.2005.00082.x>
- Pandey, S., Kumar, A., & Rao, P. S. (2021). Optimization, modeling, and characterization study for the physicochemical properties of raw banana and defatted soy composite extrudates. *Food Chemistry*, *339*(August 2020), 127865. <https://doi.org/10.1016/j.foodchem.2020.127865>
- Pangastuti, H. A., Affandi, D. R., & Ishartani, D. (2013). Karakterisasi Sifat Fisik dan Kimia Tepung Kacang Merah (*Phaseolus vulgaris* L.) dengan Beberapa Perlakuan Pendahuluan. *Jurnal Teknosains Pangan Januari Jurnal Teknosains Pangan*, *2*(2), 2302–2733. [www.ilmupangan.fp.uns.ac.id](http://www.ilmupangan.fp.uns.ac.id)
- Patil, R. T., De Berrios, J. J., Tang, J., Pan, J., & Swanson, B. (2005). Physical characteristics of food extrudates - a review. *2005 ASAE Annual International Meeting, December 2015*. <https://doi.org/10.13031/2013.19680>
- Pelembe, L. A. M., Erasmus, C., & Taylor, J. R. N. (2002). Development of a protein-rich composite sorghum - Cowpea instant porridge by extrusion cooking process. *Lwt*, *35*(2), 120–127. <https://doi.org/10.1006/fstl.2001.0812>
- Perwita, E. S., Suhartiningsih, Pangesthi, L. T., & Anna, C. (2021). Proporsi Tepung Kacang Merah (*Phaseolus vulgaris* L.) dan Bubuk Daun Kelor (*Moringa oleifera* L.) Terhadap Sifat Organoleptik Snack Bar Labu Kuning. *Jurnal Tata Boga*, *10*(2), 303–313. <https://ejournal.unesa.ac.id/index.php/jurnal-tata-boga/>
- Ponbhagavathi, T., Singh, A. K., Arora, S., & Borad, S. (2018). Effects of blend and extrusion processing on the quality of extrudates made from milk protein and maize. *January*, 4–7.
- Prabha, K., Ghosh, P., S, A., Joseph, R. M., Krishnan, R., Rana, S. S., & Pradhan, R. C. (2021). Recent development, challenges, and prospects of extrusion technology. *Future Foods*, *3*(January), 100019. <https://doi.org/10.1016/j.fufo.2021.100019>
- Rao, H. G. R., & Thejaswini, M. L. (2015). Extrusion Technology: A Novel Method Of Food Processing. *International Journal of Innovative Science, Engineering*

- & *Technology*, 2(4), 358–369.  
[http://ijiset.com/vol2/v2s4/IJISSET\\_V2\\_I4\\_51.pdf](http://ijiset.com/vol2/v2s4/IJISSET_V2_I4_51.pdf)
- Refwallu, M. L., & Sahertian, D. E. (2020). Identifikasi tanaman Kacang-kacangan (*Papilionaceae*) yang Ditanam di Pulau Larat Kabupaten Kepulauan Tanimbar. *Biofaal Journal*, 1(2), 66–73.  
<https://doi.org/10.30598/biofaal.v1i2pp66-73>
- Rizka Erwinda Sari, N. M., Wisaniyasa, N. W., & Sri Wiadnyani, A. A. I. (2020). Studi Kadar Gizi, Serat, dan Antosianin Tepung kacang Merah dan Tepung Kecambah Kacang (*Phaseolus vulgaris* L.). *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 9(3), 282. <https://doi.org/10.24843/itepa.2020.v09.i03.p04>
- Rodríguez-Miranda, J., Ruiz-López, I. I., Herman-Lara, E., Martínez-Sánchez, C. E., Delgado-Licon, E., & Vivar-Vera, M. A. (2011). Development of extruded snacks using taro (*Colocasia esculenta*) and nixtamalized maize (*Zea mays*) flour blends. *LWT - Food Science and Technology*, 44(3), 673–680.  
<https://doi.org/10.1016/j.lwt.2010.06.036>
- Rouf Shah, T., Prasad, K., & Kumar, P. (2016). Maize—A potential source of human nutrition and health: A review. *Cogent Food and Agriculture*, 2(1).  
<https://doi.org/10.1080/23311932.2016.1166995>
- Ruiz-Ruiz, J., Martínez-Ayala, A., Drago, S., González, R., Betancur-Ancona, D., & Chel-Guerrero, L. (2008). Extrusion of a hard-to-cook bean (*Phaseolus vulgaris* L.) and quality protein maize (*Zea mays* L.) flour blend. *Lwt*, 41(10), 1799–1807. <https://doi.org/10.1016/j.lwt.2008.01.005>
- Rulaningtyas, R., B. Suksmono, A., L. R. Mengko, T., & Putri Saptawati, G. A. (2015). Segmentasi Citra Berwarna dengan Menggunakan Metode Clustering Berbasis Patch untuk Identifikasi Mycobacterium Tuberculosis. *Jurnal Biosains Pascasarjana*, 17(1), 19.  
<https://doi.org/10.20473/jbp.v17i1.2015.19-25>
- Ryu, G. H., & Walker, C. E. (1995). The Effects of Extrusion Conditions on the Physical Properties of Wheat Flour Extrudates. *Starch - Stärke*, 47(1), 33–36.  
<https://doi.org/10.1002/star.19950470109>
- Sahu, C., Patel, S., & Tripathi, A. K. (2022). Effect of extrusion parameters on physical and functional quality of soy protein enriched maize based extruded snack. *Applied Food Research*, 2(1), 100072.  
<https://doi.org/10.1016/j.afres.2022.100072>
- Salahudin, F., & Syamsixman. (2010). Pengaruh Bahan Pengisi Terhadap Mutu Snack Food Ekstrudat Dari Padatan Kedelai Industri Tahu. *Biopropal Industri*, 1(2), 18–23.
- Saldanha do Carmo, C., Varela, P., Poudroux, C., Dessev, T., Myhrer, K., Rieder, A., Zobel, H., Sahlstrøm, S., & Knutsen, S. H. (2019). The impact of extrusion parameters on physicochemical, nutritional and sensorial properties of expanded snacks from pea and oat fractions. *Lwt*, 112(June), 108252.  
<https://doi.org/10.1016/j.lwt.2019.108252>
- Seth, D., Badwaik, L. S., & Ganapathy, V. (2015). Effect of feed composition, moisture content and extrusion temperature on extrudate characteristics of yam-corn-rice based snack food. *Journal of Food Science and Technology*, 52(3), 1830–1838. <https://doi.org/10.1007/s13197-013-1181-x>
- Shehzad, A., Masood Chander, U., Kamran Sharif, M., Rakha, A., Ansari, A., & Zuhair Shuja, M. (2015). Nutritional, functional and health promoting

- attributes of red kidney beans; A review. *Pakistan Journal of Food Sciences*, 25(4), 235–246.
- Shruthi, V. H., Hiregoudar, S., Nidoni, U., Ramachandera, C. T., & Jhadav, K. (2017). *Effect of Temperature , Feed Moisture and Feed Composition on the Physical Properties on Corn Extrudates*. 35(September), 1610–1617.
- Silva, E. M. M. da, Ascheri, J. L. R., Carvalho, C. W. P. de, Takeiti, C. Y., & Berrios, J. de J. (2014). Physical characteristics of extrudates from corn flour and dehulled carioca bean flour blend. *Lwt*, 58(2), 620–626. <https://doi.org/10.1016/j.lwt.2014.03.031>
- Sinaga, A. S. (2019). Segmentasi Ruang Warna L\*a\*b. *J. Mantik Penusa*, 3(1), 43–46.
- Singha, P., Singh, S. K., Muthukumarappan, K., & Krishnan, P. (2018). Physicochemical and nutritional properties of extrudates from food grade distiller’s dried grains, garbanzo flour, and corn grits. *Food Science and Nutrition*, 6(7), 1914–1926. <https://doi.org/10.1002/fsn3.769>
- Sulaiman, A. A., Kariyasa, I. ., Hoerudin, Subagyo, K., Suwandi, & Bahar, F. A. (2017). *Cara Cepat Swasembada Jagung*.
- Sumardiono, S., Jos, B., Antoni, M. F. Z., Nadila, Y., & Handayani, N. A. (2022). Physicochemical properties of novel artificial rice produced from sago, arrowroot, and mung bean flour using hot extrusion technology. *Heliyon*, 8(2), e08969. <https://doi.org/10.1016/j.heliyon.2022.e08969>
- Susanti, S., Arifan, F., Murni, M., & Silviana, A. (2020). Karakteristik Kimia dan Mikrobiologi Makanan Ringan Khas Pemalang Ogel-ogel. *Jurnal Aplikasi Teknologi Pangan*, 9(2), 44–49. <https://doi.org/10.17728/jatp.3296>
- Syifa Qolbiyah Nasir\*, H., & Jurusan. (2018). Pengembangan Snack Ekstrusi Berbasis Jagung, Kecambah Kacang Tunggak, dan Kecambah Kacang Kecipir dengan Linear Programming.. *Jurnal Pangan Dan Agroindustri Vol.6*, 6(2), 74–85.
- Thymi, S., Krokida, M. K., Pappa, A., & Maroulis, Z. B. (2005). Structural properties of extruded corn starch. *Journal of Food Engineering*, 68(4), 519–526. <https://doi.org/10.1016/j.jfoodeng.2004.07.002>
- Tumwine, G., & Asiimwe, A. (2019). Effect of barrel temperature and blending ratio on the sensory and physical properties of cassava-extruded snacks. *Cogent Food and Agriculture*, 5(1). <https://doi.org/10.1080/23311932.2019.1633795>
- Veronica, A. O., Olusola, O. O., & Adebawale, E. A. (2006). Qualities of extruded puffed snacks from maize/soybean mixture. *Journal of Food Process Engineering*, 29(2), 149–161. <https://doi.org/10.1111/j.1745-4530.2006.00054.x>
- Witczak, T., Stępień, A., Gumul, D., Witczak, M., Fiutak, G., & Zięba, T. (2021). The influence of the extrusion process on the nutritional composition, physical properties and storage stability of black chokeberry pomaces. *Food Chemistry*, 334(July 2020), 127548. <https://doi.org/10.1016/j.foodchem.2020.127548>
- Wulandari, L. A., Kartika, P. D., Sekar, P. G., Felix, J., Shafa, A. D. M., Rahmadina, N., Hadayna, S., Roroputri, A. T., Hermawati, E., & Ashanty. (2021). Risiko Penyebab Kejadian Stunting pada Anak. *Jurnal Pengabdian Kesehatan Masyarakat: Pengmaskemas*, 1(2), 34–38.
- Yağcı, S., Altan, A., & Doğan, F. (2020). Effects of extrusion processing and gum

- content on physicochemical, microstructural and nutritional properties of fermented chickpea-based extrudates. *Lwt*, 124(September 2019). <https://doi.org/10.1016/j.lwt.2020.109150>
- Yousf, N., Nazir, F., Salim, R., Ahsan, H., & Sirwal, A. (2017). Water solubility index and water absorption index of extruded product from rice and carrot blend. *Journal of Pharmacognosy and Phytochemistry*, 6(6), 2165–2168. <https://www.phytojournal.com/archives/2017/vol6issue6/PartAD/6-6-326-909.pdf>
- Yuliani, S., Torley, P. J., & Bhandari, B. (2009). Physical and processing characteristics of extrudates made from starch and d-limonene mixtures. *International Journal of Food Properties*, 12(3), 482–495. <https://doi.org/10.1080/10942910701867756>
- Yusuf, M., Halilu, M., & Filli, K. (2018). Influence of Extrusion Variables on Proximate Composition Some Nutrient and Antinutrient Contents of Dakuwa Extrudates Produced from Blends of Sorghum (*Sorghum bicolor* L) Groundnut (*Arachis hypogea* L) and Tigernut (*Cyperus esculentus*). *Current Journal of Applied Science and Technology*, 26(4), 1–20. <https://doi.org/10.9734/cjast/2018/40037>
- Zambrano, Y., Contardo, I., Moreno, M. C., & Bouchon, P. (2022). Effect of Extrusion Temperature and Feed Moisture Content on the Microstructural Properties of Rice-Flour Pellets and Their Impact on the Expanded Product. *Foods*, 11(2). <https://doi.org/10.3390/foods11020198>
- Zarzycki, P., Kasprzak, M., Rzedzicki, Z., Sobota, A., Wirkijowska, A., & Sykut-Domańska, E. (2015). Effect of blend moisture and extrusion temperature on physical properties of everlasting pea-wheat extrudates. *Journal of Food Science and Technology*, 52(10), 6663–6670. <https://doi.org/10.1007/s13197-015-1754-y>