



REFERENCES

- Abbassi-Guendouz, A. , Trably, E., Hamelin,J., Dumas,C., Steyer, J.P. ,
Delgenès,J.P. Escudié, R. 2013. Microbial community signature of high-
solid content methanogenic ecosystems. *Bioresource Technology* 133 : 256
– 262.
- Abbassi-Guendouz A, Brockmann D, Trably E, Dumas C, Delgenes JP, Steyer JP,
Escudié R. 2012. Total solids content drives high solid anaerobic digestion
via mass transfer limitation. *Bioresour Technol* 111:55–61
- Abdullah, N., & Sulaim, F. 2013. The Oil Palm Wastes in Malaysia. *InTech*. doi:
10.5772/55302
- Albertó, E. 2017. *In Edible and Medicinal Mushrooms: Technology and
Applications*. John Wiley & Sons Ltd.
- Albornoz, S., Wyman, V., Palma, C., Carvajal, A., 2018. Understanding of the
contribution of the fungal treatment conditions in a wheat straw biorefinery
that produces enzymes and biogas. *Biochem. Eng. J.* 140: 140–147.
- Angelonidi, E., Smith, SR. 2015. A comparison of wet and dry anaerobic
digestion processes for the treatment of municipal solid waste and food
waste. *Water Environment Journal* 29(4):549-557
- Anukam, A., Mohammadi, A., Naqvi, M., & Granström, K. 2019. A review of the
chemistry of anaerobic digestion: methods of accelerating and
optimizing process efficiency. *Processes*, 7(8), 504.
- Arelli, V., Begum, S., Anupoju, G. R., Kuruti, K. , Shailaja, S. 2018. Dry
anaerobic co-digestion of food waste and cattle manure: Impact of total
solids, substrate ratio and thermal pretreatment on methane yield and quality
of biomanure. *Bioresource Technology* 253 : 273-280
- Basinas, P. , Rusin, J. , Chamrádová, K. , Malachová, K., Rybková, Z., Novotný,
C., 2022. Fungal pretreatment parameters for improving methane generation
from anaerobic digestion of corn silage, *Bioresource Technology* 345
- Blanchette, R.,1995. Degradation of the lignocellulose complex in wood. *Can. J.
Bot.* 73: S999- S1010.
- Chang, S.H., 2014. An overview of empty fruit bunch from oil palm as feedstock
for bio-oil production. *Biomass Bioenergy* 62 : 174–181
- Chen, Y., Jiang, S., Yuan, H., Zhou, Q., Gu, G., 2007. Hydrolysis and acidification
of waste activated sludge at different pHs. *Water Res* 41:683–689
- Chen, M., Yao, S., Zhang, H., Liang, X., 2010. Purification and characterization of
a versatile peroxidase from edible mushroom *Pleurotus eryngii*. *Chin J
Chem Eng* 18:824–829



- Cui, Z.F., Shi, J., Li, Y.B., 2011. Solid-state anaerobic digestion of spent wheat straw from horse stall. *Bioresource Technology* 102(20): 9432-9437
- Cullen, D. and Kersten, P. 1992. *Fungal Enzymes for Lignocellulose Degradation*. In : Applied Molecular Genetics of Filamentous Fungi. Chapman dan Hall, New York
- De Bere, L. 2000. Anaerobic digestion of solid waste: state-of-the-art. *Water Sci Technol* 1 41 (3): 283–290.
- Dong, H., Ding, L., Wu, L., and Mamatjan, Y. 2022. Degradation of cotton stalk lignin by carbon dots loaded copper oxide synergistic emulsion system. *Nanotechnology* 33:485402
- Frigon J. C., and Guiot S. R., 2010. Biomethane production from starch and lignocellulosic crops: a comparative review. *Biofuels Bioprod. Bioresour* 4: 447– 458.
- Ge, X., Xu, F., Li, Y., 2016. Solid-state anaerobic digestion of lignocellulosic biomass: Recent progress and perspectives. *Bioresource Technology* 205:239-249
- Gonzalez-Gonzalez, M.R., and Miranda- Lopez, R., 2022. Cellulases, hemicellulases and ligninolytic enzymes: mechanism of action, optimal processing conditions and obtaining value-added compounds in plant matrices. *MOJ Food Process Technol* 10(1):30-37
- Gujer, W., Zehnder, A. J. B. 1983. Conversion Processes in Anaerobic Digestion. *Water Science and Technology* 15(8-9) : 127–167.
- Hakala, T., Maijala, P., Konn, J., Hatakka, A., 2004. Evaluation of novel wood-rotting polypores and corticoid fungi for the decay and biopulping of Norway spruce (*Picea abies*) wood. *Enz. Microb. Technol.* 34: 255-263
- Hansen, T. L., Schmidt, J. E., Angelidaki, I., Marca, E., Jansen, J. L. C., Mosbæk, H., & Christensen, T. H. ,2004. Method for determination of methane potentials of solid organic waste. *Waste Management* 24: 393-400.
- Hatakka, A., 1983. Pretreatment of wheat straw by white-rot fungi for enzymatic saccharification of cellulose. *Appl Microbiol Biotechnol* 18: 350–357
- Harmini, S., M. D. Hutomo, L. Bahrudin, R. Millati, M. N. Cahyanto, C. Niklasson, and M. J. Taherzadeh. 2013. Fungal Pretreatment of oil Palm Empty Fruit Bunch: Effect of Manganese and Nitrogen. *Cellulose Chemistry and Technology* 47 (9-10): 751–757
- Holliger, C., Alves, M., Andrade, D., Angelidaki, I., Astals, S., Baier, U., Ebertseder, F. , 2016. Towards a standardization of biomethane potential tests. *Water Science and Technology* 74(11) : 2515–2522.
- Humphrey, W., Dalke, A., Schulten, K. 1996. VMD: Visual Molecular Dynamics. *J. Mol. Graphics* 14 (1), 33–38.
- Inayat, A., Ahmad, MM., Abdul Mutalib, M.I., Yusup, S., 2010. Flowsheet development and modeling of hydrogen production from empty fruit bunch via steam gasification. *Chem Eng Trans* 21:427–432



- Ishola M.M., Isroi, Taherzadeh, M.J., 2014. Effect of fungal and phosphoric acid pretreatment on ethanol production from oil palm empty fruit bunches (OPEFB). *Bioresour Technol* 165:9-12.
- Ishola, M. M., Millati, R., Syamsiah, S., Cahyanto, M. N., Niklasson, C. and Taherzadeh, M. J., 2012. Structural changes of oil palm empty fruit bunch (OPEFB) after fungal and phosphoric acid pretreatment. *Molecule* 17 (12): 4995–15012.
- Isroi, I. 2017. “Characteristic of oil Palm Empty Fruit Bunch Pretreated with *Pleurotus floridanus*.” *Menara Perkebunan* 85 (2): 67–76. doi:10.22302/iribb.jur.mp.8v5i2.234.
- Isroi, Millati, R., Syamsiah, S., Niklasson, C., Cahyanto, M.N., Lundquist, K., Taherzadeh, M.J. 2011. Biological pretreatment of lignocelluloses with white-rot fungi and its applications: A review. *BioResources*. 2011;6:5224–5259
- Jansson, A. T., Patinvoh, R. J., Sárvári Horváth, I., & Taherzadeh, M. J., 2019. Dry anaerobic digestion of food and paper industry wastes at different solid contents. *Fermentation* 5(2): 40
- Juanga, J. P. 2007. Process optimization of dry batch anaerobic digestion of municipal solid waste. *The Sixth International Conference on the Establishment of Cooperation Between Companies and Institutions in the Nordic Countries, the Baltic Sea Region, and the world November 26 - 28, 2007* (pp. 357-366). Kalmar, Sweden: Kalmar ECO-TECH'07.
- Kabir, M.M., Taherzadeh, M.J., Horváth I. S., 2015. Dry anaerobic digestion of lignocellulosic and protein residues. *Biofuel research journal* 8: 309-316
- Kainthola, J., A. Podder, M. Fechner, and R. Goel. 2021. An overview of fungal pretreatment processes for anaerobic digestion: applications, bottlenecks and future needs. *Bioresource Technology* 321: 1–11. doi:10.1016/j.biortech.2020.124397
- Kim, J.K., Oh, B.R., Chun, Y.N., Kim, S.W., 2006. Effects of temperature and hydraulic retention time on anaerobic digestion of food waste. *J. Biosci. Bioeng.* 102, 328–332.
- Kotsyurbenko, O.R. 2005. Trophic interactions in the methanogenic microbial community of low-temperature terrestrial ecosystems. *FEMS Microbiology Ecology* 53 (1): 3-13
- Kumar, R., Wyman, C.E. 2009. Does change in accessibility with conversion depend on both the substrate and pretreatment technology. *Bioresour. Technol.* 100, 4193–4202
- Kumla, J., Suwannarach, N., Sujarit, K., Penkhruue, W., Kakumyan, P., Jatuwong, K., Vadthanarat, S., & Lumyong, S. 2020. Cultivation of mushrooms and their lignocellulolytic enzyme production through the utilization of agro-industrial waste. *Molecules (Basel, Switzerland)*, 25(12) :2811



- Law K N, Daud W R W and Ghazali A. 2007. Morphological and chemical nature of fiber strands of oil palm empty-fruit-bunch (OPEFB). *BioResources* 2 351–62.
- Lay, J., Li, Y., Noike, T., 1997. Influences of pH and moisture content on the methane production in high-solids sludge digestion. *Water Res* 31:1518–1524
- Leonowicz, A., Cho, N., Luterek, J., Wilkolazka, A., Wojtas-Wasilewska, M., Matuszewska, A., Hofrichter, M., Wesenberg, D. and Rogalski, J., 2001. Fungal laccase: properties and activity on lignin. *J. Basic Microbiol.* 41: 185-227.
- Li, Y., Park, S.Y., Zhu, J., 2011. Solid-state anaerobic digestion for methane production from organic waste. *Renewable and Sustainable Energy Reviews* 15(1):821-826
- Li, Y., Zhu, J., Wan, C., 2014. *Combined Liquid to Solid-Phase Anaerobic Digestion for Methane Production from Municipal and Agricultural Wastes*. United States. 2014
- Loh, SK. 2017. The potential of the Malaysian oil palm biomass as a renewable energy source. *Energy Convers Manag* 141:285–298.
- Lohani, S.P., Havukainen, J., 2018. Anaerobic digestion: factors affecting anaerobic digestion process.. *Energy, Environment, and Sustainability*. Springer, Singapore.
- Lukitawesa, Millati, R., Cahyanto, M.N. 2012. Effects of particle size on the growth of *Pleurotus floridanus* LIPIMC 996 and the delignification of oil palm empty fruit bunch during pretreatment. *Agritech* 32 (4)
- Machado, A. & Ferraz, A., 2016. Biological pretreatment of sugarcane bagasse with basidiomycetes producing varied patterns of biodegradation. *Bioresource Technology* 225.
- Moletta, R. 2008. Technologies de la méthanisation de la biomasse – Déchets ménagers et agricoles, in *La méthanisation*, ed by Moletta R. Lavoisier, Editions Tec & Doc, Paris, pp. 181–204
- Mondylaksita, K., Ferreira, J.A. , Millati, R. , Budhijanto,W., Niklasson, C. , and Taherzadeh,M.J., 2020. Recovery of high purity lignin and digestible cellulose from oil palm empty fruit bunch using low acid-catalyzed organosolv pretreatment. *Agronomy* 10(5) 674.
- Monlau F., Barakat A., Steyer J. P., Carrere H., 2012. Comparison of seven types of thermo-chemical pretreatments on the structural features and anaerobic digestion of sunflower stalks. *Bioresour. Technol.* 120, 241–247.
- Mustafa, A. M., Poulsen, T. G., Sheng K., 2016. Fungal pretreatment of rice straw with *pleurotus ostreatus*, and *trichoderma reesei*, to enhance methane production under solid-state anaerobic digestion. *Appl.*



- Nadir, N., Liyana Ismail, N., & Shah Hussain, A., 2019. Fungal Pretreatment of Lignocellulosic Materials. *IntechOpen*. doi: 10.5772/intechopen.84239
- Nichols, N.N., Sharma, L., Mowery, R., Chambliss, C., van Walsum, G., Dien, B., Iten, L., 2008. Fungal metabolism of fermentation inhibitors present in corn stover dilute acid hydrolysate. *Enzyme and Microbial Technology* 42.
- Ohimain, E.I., Izah, S.C., Jenakumo, N., 2013. Physicochemical and microbial screening of palm oil mill effluent for amylase production by mill effluents for amylase production. *Greener J. Bol. Sci.* 3, 307–318
- Ostrem, M.K., Millrath, K., Themelis N.J., 2004. Combining anaerobic digestion and waste to energy. *In: 12th North America waste to energy conference*. Columbia University, New York
- Paakkari, T., Serimaa, R., Fink, H.P. 1989. Structure of Amorphous Cellulose. *Acta Polym* 40 (12) :731– 734).
- Parawira W. 2012. Enzyme research and applications in biotechnological intensification of biogas production. *Crit Rev Biotechnol* 32(2):172-86.
- Parchami, M., Agnihotri, S., Taherzadeh, M.J., 2022. Aqueous ethanol organosolv process for the valorization of Brewer's spent grain (BSG). *Bioresour Technol* 362:127764
- Pérez-Chávez, A. M., L. Mayer, and E. Albertó. 2019. Mushroom Cultivation and Biogas Production: A Sustainable Reuse of Organic Resources. *Energy for Sustainable Development* 50: 50–60
- Piñeros-Castro, Y., and M. Velásquez-Lozano. 2014. Biodegradation kinetics of oil palm empty fruit bunches by white rot fungi. *International Biodeterioration & Biodegradation* 91: 24–28
- Peterson, A.A., Vogel, F., Lachance, R.P., Froling, M., Antal Jr., M.J., Tester, J.W., 2008. Thermochemical biofuel production in hydrothermal media: a review of sub- and supercritical water technologies, *Energy Environ. Sci.* 1: 32–65.
- Rame. 2007. Oil Palm Empty Fruit Bunches (OPEFB): Existing Utilization and Current Trends Bio Refinery in Indonesia . *International Conference on Energy, Environment and Information System (ICENIS) 2017. 31, 03014*, pp. 1-10. Semarang: E3S Web of Conferences .
- Riya, S., Meng, L., Wang, Y., Gyu Lee, C., Zhou, S., Toyota, K., & Hosomi, M., 2021. Dry anaerobic digestion for agricultural waste recycling. *IntechOpen*.
- Rocamora, I., S. T. Wagland, R. Villa, E. W. Simpson, O. Fernández, and Y. Bajón-Fernández. 2020. Dry anaerobic digestion of organic waste: a review of operational parameters and their impact on process performance. *Bioresour Technol* 299: 1–11.



- Saidu, M., A. Yuzir, M. R. Salim, Salmiati, S. Azman, and N. Abdullah. 2014. Biological pre-treated oil palm mesocarp fibre with cattle manure for biogas production by anaerobic digestion during acclimatization phase. *International Biodeterioration & Biodegradation* 95: 189–194.
- Schink, B., 1997. Energetics of syntrophic cooperation in methanogenic degradation. *Microbiol Mol Biol Rev* 61(2): p. 262-280
- Sikora, A., Detman, A., Chojnacka, A., & Blaszczyk, M. K. 2017. Anaerobic digestion: i. a common process ensuring energy flow and the circulation of matter in ecosystems. ii. a tool for the production of gaseous biofuels. *InTech*.
- Sluiter A., Hames B., Ruiz R., Scarlata C., Sluiter J., Templeton D., Crocker D. 2012. *Determination of Structural Carbohydrates and Lignin in Biomass, Laboratory Analytical Procedure*. Natl. Renew. Energy Lab. Technical Report NREL/TP-510-42618.
- Statista. 2023. Production volume of palm oil worldwide from 2012/13 to 2022/23. <https://www.statista.com/statistics/613471/palm-oil-production-volume-worldwide/>, diakses tanggal 12 Juni 2023.
- Stronach, S.M., Rudd, T. and Lester, J.N., 1986. *Anaerobic Digestion Processes in Industrial Wastewater Treatment*.: Springer-Verlag, Germany.
- Sudirman, L. I., Sutrisna, A., Listiyowati, S., & Fadli, L. (2011). The Potency of Oil Palm Plantation Wastes for Mushroom Production. *Proceedings of the 7th International Conference on Mushroom Biology and Mushroom Products (ICMBMP7)*, (pp. 378 - 384). Arcachon, France.
- Suksong, W., N. Wongfaed, B. Sangsri, P. Kongjan, P. Prasertsan, S. M. Podmirseg, H. Insam, and S. O-Thong. 2020b. Enhanced solid-state biomethanisation of oil palm empty fruit bunches following fungal pretreatment. *Industrial Crops and Products* 145: 1–9. doi:10.1016/j.indcrop.2020.112099
- Taherzadeh, M.J., Karimi, K., 2008. Pretreatment of lignocellulosic wastes to improve ethanol and biogas production: a review. *Int. J. Mol. Sci.* 9, 1621–1651.
- Taniguchi, M., Suzuki, H., Watanabe, D., Sakai, K., Hoshino, K., Tanaka, T., 2005. Evaluation of pretreatment with *pleurotus ostreatus* for enzymatic hydrolysis of rice straw. *Journal of Bioscience and Bioengineering* 100(6) : 637-643
- Umar, H.A., Sulaiman, S.A., Meor Said, M.A., Gungor, A., Shahbaz, M., Inayat, M., Ahmad, R.K., 2021. Assessing the implementation levels of oil palm waste conversion methods in Malaysia and the challenges of commercialisation: towards sustainable energy production. *Biomass Bioenerg* 151:106179.



- U.S. Department of Agriculture. 2022. *Palm Oil 2022 World Production*. United States: U.S. Department of Agriculture (USDA).
- Vermaas, J. V., Petridis, L., Qi, X., Schulz, R., Lindner, B., Smith, J. C., 2015. Mechanism of lignin inhibition of enzymatic biomass deconstruction. *Biotechnol. Biofuels* 2015 8 (1) : 217.
- Visvanathan, C. 2010. Bioenergy production from organic fraction of municipal solid. *Bioenergy and Biofuel from Biowastes and Biomass* (71-87)
- Wang,Z. , Jiang, Y., Wang, S., Zhang, Y., Hu, Y., Hu, Z., Wu, G., Zhan, X. 2020. Impact of total solids content on anaerobic co-digestion of pig manure and food waste: Insights into shifting of the methanogenic pathway. *Waste Management* 114 : 96 - 106
- Wei Kit Chin, D., Lim, S., Pang, Y.L. and Lam, M.K. 2020, Fundamental review of organosolv pretreatment and its challenges in emerging consolidated bioprocessing. *Biofuels, Bioprod. Bioref.*, 14: 808-829.
- Weiland, P. 2010. Biogas production: current state and perspectives. *Appl Microbiol Biot* 85:849–860
- Wong, D.W.S., 2009. Structure and action mechanism of ligninolytic enzymes. *Appl Biochem Biotechnol* 157:174–209
- Xu, S. Y., Lam, H.P., Karthikeyan, O.P. , Wong, J.W.C., 2011. Optimization of food waste hydrolysis in leach bed coupled with methanogenic reactor: Effect of pH and bulking agent. *Bioresource Technology* 102 (4) : 3702 - 3708
- Yi, J., Dong, B., Jin, J., Dai, X., 2014. Effect of increasing total solids contents on anaerobic digestion of food waste under mesophilic conditions: performance and microbial characteristics analysis. *PLoS One* 9(7)
- Zhang, Q., J. Hu, and D. J. Lee. 2016. Biogas from anaerobic digestion processes: research updates. *Renewable Energy* 98: 108–119.
- Zhao, X., Yuan, Y., Chen, Q. Li, Q., Huang, Y. Qu, D. , & Li, L. Effect of total solids contents on the performance of anaerobic digester treating food waste and kinetics evaluation. 2021. E3S Web of Conferences 272, 01026. ICEPG 2021.
- Zhou, Y., F. Du, Q. Hu, X. Yuan, D. Dai, and M. Zhu. 2020. Integration of pleurotus tuoliensis cultivation and biogas production for utilization of lignocellulosic biomass as well as its benefit evaluation. *Bioresource Technology* 317: 124042.