

DAFTAR PUSTAKA

- Abdela, M., Kebede, M., & Feyissa, T. 2020. Geneti Diversity of Groundnut (*Arachis hypogaea* L.) Accessions using Inter Simple Sequence Repeats (ISSRs) Marker.
- Ade, R., and Rai, M.K. 2010. Colchicine, current advances and future prospects. *Nusantara Bioscience*, 2 (2) : 90-96.
- Aina, O., Quesenberry, K., and Gallo, M. 2012. In vitro induction of tetraploids in *Arachis paraguariensis*. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 111 (2) : 231-238.
- Anonim. 2020. Organic Striped Peanuts. PMA Indonesia 2020. <http://www.lewiorganics.com/organic-striped-peanuts-1>. Diakses 12 September 2021.
- Armstrong, W., P. 2005. The Peanut: Amazing Geocarpic Legume. <https://www2.palomar.edu/users/warmstrong/ecoph8b.htm>. Diakses 10 September 2021.
- Bae, S. J., Islam, M. M., Kim, H. Y., & Lim, K. B. 2020. Induction of Tetraploidy in watermelon with oryzalin treatments. *Horticultural Science and Technology*, 38(3) :385-393.
- Balitkabi. Balai Penelitian Tanaman Aneka Kacang dan Buah. 2016. Deskripsi Varietas Unggul Kacang Tanah 1950-2016. BPPT-Balitkabi. 42p. <http://balitkabi.litbang.pertanian.go.id>
- _____. 2015. Morfologi dan Pertumbuhan Kacang Tanah. Dalam: *Monograf Balitkabi No.13-2015*. Pp. 40-59. Balai Penelitian Tanaman Aneka Kacang dan Umbi. Malang.
- Baloch, F. S., Kurt, C., ARIÖĞLU, H. H., & Özkan, H. 2010. Assaying of diversity among soybean (*Glycin max* (L.) Merr.) and peanut (*Arachis hypogaea* L.) genotypes at DNA level. *Turkish Journal of Agriculture and Forestry*, 34(4) :285-301.
- Beljkaš, B., Matic, J., Milovanović, I., Jovanov, P., Mišan, A. and Šarić, L. 2010. Rapid method for determination of protein content in cereals and oilseeds: validation, measurement uncertainty and comparison with the Kjeldahl method. *Accreditation and quality assurance*, 15 (10) : 555-561.
- Bewley J.D., Bradford K.J., Hilhorst H.W., and Nonogaki H. 2013. Germination. In: Bewley J.D., Bradford K.J., Hilhorst H.W., Nonogaki H. (Eds), *Seeds, physiology, germination and dormancy*. Springer, New York, USA. 133–181p.
- Carrín, M. E., and Carelli, A. A. 2010. Peanut oil: Compositional data. *European journal of lipid science and technology*, 112 (7) : 697-707.
- Chen, Y., Ren, X., Zheng, Y., Zhou, X., Huang, L., Yan, L., Jiao, Y., Chen, W., Huang, S., Wan, L., and Lei, Y. 2017. Genetic mapping of yield traits using RIL population derived from Fuchuan Dahuasheng and ICG6375 of peanut (*Arachis hypogaea* L.). *Molecular Breeding*, 37(2) :17.

- Daryono, B.S., Koeswardani, C.A., and Sunarti, S. 2012. Karakter Kromosom Ekaliptus (*Eucalyptus pellita* F. Muell.) Hasil Induksi Ekstrak Etanolik Daun Tapak Dara (*Catharanthus Roseus* (L.) G. Don.). In *Seminar Nasional Agroforestri*, 3 : 195-199.
- Dolezel, J., Greilhuber, J., and Suda, J. 2007. *Flow cytometry with plant cells: analysis of genes, chromosomes and genomes*. John Wiley & Sons. [Weinheim, Germany](#).
- Eng, W. H. and Ho, W. S. 2019. Polyploidization using colchicine in horticultural plants: a review. *Scientia horticultruae*, 246 : 604-617.
- FAO. Food and Agricultural Organization of the United Nation, FAO Statistical Database.2018.http://www.fao.org/fileadmin/templates/est/COMM_MAR_KETS_MONITORING/Oilcrops/Documents/Food_outlook_oilseeds/FO_Oilcrops.pdf diakses pada tanggal 5 Juli 2021
- Gibbons, R.W., Bunting, A.H., and Smartt, J. 1972. The classification of varieties of groundnut (*Arachis hypogaea* L.). *Euphytica*. 21(1) : 78-85.
- Gillett, J. B., Polhill, R. M., and Verdcourt, B. 1971. *Flora of tropical East Africa. Leguminosae*. Royal Botanic Gardens, Kew.
- Gingrich, R. D., Armitage, J. O., and Burns, C. P. 1978. Treatment of adult acute lymphoblastic leukemia with cytosine arabinoside, vincristine, and prednisone. *Cancer Treat Rep*, 62(9) :1389-1391.
- Gomber, S., Dewan, P., and Chhonker, D. 2010. Vincristine induced neurotoxicity in cancer patients. *The Indian Journal of Pediatrics*, 77(1) : 97-100.
- Gomez, A. A., and Gomez, K. A. 1995. *Prosedur statistik untuk penelitian pertanian*. UI-Press. Jakarta. 20p.
- Handayani, T., Witjaksono, W., & Nugraheni, K. U. 2017. Induksi tetraploid pada tanaman jambu biji merah (*Psidium guajava* L.) secara in vitro. *Jurnal Biologi Indonesia*, 13(2).
- Haryanti S. 2010. Jumlah dan Distribusi Stomata pada Daun Beberapa Spesies Tanaman Dikotil dan Monokotil. *Buletin Anatomi dan Fisiologi XVIII*, (2) : 21-28.
- Holbrook, C.C., Kvien, C.K., Rucker, K.S., Wilson, D.M., Hook, J.E., and Matheron, M.E. 2000. Preharvest aflatoxin contamination in drought-tolerant and drought-intolerant peanut genotypes. *Peanut Science*, 27(2) : 45-48.
- Huang, B., Qi, F., Sun, Z., Miao, L., Zhang, Z., Liu, H., and Zhang, X. 2019. Marker-assisted backcrossing to improve seed oleic acid content in four elite and popular peanut (*Arachis hypogaea* L.) cultivars with high oil content. *Breeding science*, 69 (2) : 234-243.
- IBPGR, ICRISAT. 1992. *Descriptors for groundnut*. International Board for Plant Genetic Resources, Rome, Italy ; International Crops Research Institute for For the Semi-Arid Tropics, Patancheru, India.
- Kambiranda, D. M., Vasanthaiah, H. K., Katam, R., Ananga, A., Basha, S. M., and Naik, K. 2011. Impact of drought stress on peanut (*Arachis hypogaea* L.) productivity and food safety. In *Plants and environment*, Janeza Trdine 9, 51000 Rijeka. Croatia. 249-272p.

- Kementerian Pertanian. 2019. Data Lima Tahun (2014-2018) Sub Sektor Tanaman Pangan. [https://www.pertanian.go.id/Data5tahun/TPATAP-2017\(pdf\)/25-ProdKcTanah.pdf](https://www.pertanian.go.id/Data5tahun/TPATAP-2017(pdf)/25-ProdKcTanah.pdf). Diakses pada tanggal 4 Juli 2021.
- Köhler, F. E. 1887. Köhlers Medizinal-Pflanzen in naturgetreuen Abbildungen und kurz erläuterndem Texte. *Köhler, Gera, Germany*. 1883-1914p.
- Kolarić, K., Roth, A. and Vukas, D., 1979. Combination chemotherapy with adriamycin, cyclophosphamide, methotrexate and vincristine in lung cancer patients with extensive disease. *Tumori Journal*, 65(5) : 635-642.
- Kusnuriyanti, E., Fatikasari, S., Fitriyanti, I. and Shofi, M., 2018. Karakter Fenotip Tanaman Kedelai (*Glycine Max* (L.) Merr) Hasil Mutasi Genetik Dengan Ekstrak Etanolik Daun Tapak Dara (*Catharanthus Roseus* (L.) D. Don). *Jurnal Wiyata: Penelitian Sains dan Kesehatan*, 4(2) : 121-127.
- Li, W., Huang, L., Liu, N., Pandey, M.K., Chen, Y., Cheng, L., Guo, J., Yu, B., Luo, H., Zhou, X. and Huai, D., 2021. Key regulators of sucrose metabolism identified through comprehensive comparative transcriptome analysis in peanuts. *International journal of molecular sciences*, 22(14) : 7266.
- Listiawan, D.A., Indraningsih, E., Septantri, A.N., Wibowo, A.T., Darajat, U.W.J. and Daryono, B.S., 2009. Potensi Ekstrak Etanolik Daun Tapak dara (*Catharanthus Roseus* (L.) D. Don) Sebagai Alternatif Pengganti Kolkhisin Poliploidisasi Tanaman. *J Biol Indones*, 5(4) : 423-430.
- Lv, J., Liu, N., Guo, J., Xu, Z., Li, X., Li, Z., ... and Liao, B. 2018. Stable QTLs for plant height on chromosome A09 identified from two mapping populations in peanut (*Arachis hypogaea* L.). *Frontiers in Plant Science*, 9: 684.
- Madani, H., Escrich, A., Hosseini, B., Sanchez-Muñoz, R., Khojasteh, A. and Palazon, J., 2021. Effect of Polyploidy Induction on Natural Metabolite Production in Medicinal Plants. *Biomolecules*, 11(6) :899.
- Manton, I., 1950. *Problems of cytology and evolution in the Pteridophyta*. Cambridge Univ. Press. New York.
- Marshall, R. H. 1988. Environmental factors affecting plant productivity in. In *Fort Keogh research symposium* . 1 (1) :27-32).
- Mathura, S., Fossey, A., & Beck, S. L. 2006. Comparative study of chlorophyll content in diploid and tetraploid black wattle (*Acacia mearnsii*). *Forestry*, 79(4) :381-388.
- Mondal, S., Sutar, S. R., & Badigannavar, A. M. 2008. Comparison of RAPD and ISSR marker profiles of cultivated peanut genotypes susceptible or resistant to foliar diseases. *Journal Of Food Agriculture And Environment*, 6(2), 181.
- Moon, J.W., Lee, S.K., Lee, J.O., Kim, N., Lee, Y.W., Kim, S.J., Kang, H.J., Kim, J., Kim, H.S. and Park, S.H., 2014. Identification of novel hypermethylated genes and demethylating effect of vincristine in colorectal cancer. *Journal of Experimental & Clinical Cancer Research*, 33(1) : 1-10.
- Muarifin, A., A.B.I. Perdamaian, D. Sartika and B.S. Daryono, 2021. Induced polyploidy in *Arachis hypogaea* L. var. Talam using *Catharanthus Roseus* phenolic extract. *Asian J. Plant Sci.*, 20: 263-270.
- Mvumi, C., Washaya, S., & Ruswa, C. 2018. The effects of planting methods on growth and yield of groundnut (*Arachis hypogaea*) cultivar natal common in Africa South of the Sahara. *Int. J. Agron. Agri. R.* 6(13) : 1-9.

- Noori, S.A.S., Norouzi, M., Karimzadeh, G., Shirkool, K. and Niazian, M., 2017. Effect of colchicine-induced polyploidy on morphological characteristics and essential oil composition of ajowan (*Trachyspermum ammi* L.). *Plant cell, tissue and organ culture (pctoc)*, 130(3) : 543-551.
- Pandey, M.K., Monyo, E., Ozias-Akins, P., Liang, X., Guimarães, P., Nigam, S.N., Upadhyaya, H.D., Janila, P., Zhang, X., Guo, B. and Cook, D.R., 2012. Advances in Arachis genomics for peanut improvement. *Biotechnology Advances*, 30(3) : 639-651.
- Pellicer, J. and Leitch, I.J., 2014. The application of flow cytometry for estimating genome size and ploidy level in plants. In *Molecular plant taxonomy*. Humana Press, Totowa, NJ. 279-307p.
- Purnomo, J. 2021. Perkembangan Varietas Kacang Tanah di Indonesia. Balai Penelitian Tanaman Aneka Kacang dan Umbi. <https://balitkabi.litbang.pertanian.go.id/infotek/perkembangan-varietas-kacang-tanah-di-indonesia/>. Diakses 26 Mei 2021.
- Rahmianna, A. A., Pratiwi, H., and Harnowo, D. 2015. Budidaya kacang tanah. Dalam: *Monograf Balitkabi No.13-2015*. Balai Penelitian Tanaman Aneka Kacang dan Umbi. Malang. 134-169p.
- Rao, V.R and U.R. Murthy. 1994. Botany-morphology and anatomy of groundnut. In Trustinah. 2015. Morfologi dan Pertumbuhan Kacang Tanah. Dalam: *Monograf Balitkabi No.13-2015*. Balai Penelitian Tanaman Aneka Kacang dan Umbi. Malang. 40-59p.
- Reddy, P., Sabara, P., Padhiyar, S. M., Kulkarni, G. U., Kheni, J. V., and Tomar, R. S. 2021. Genetic Diversity of Groundnut (*Arachis hypogaea* L.) Revealed by RAPD and ISSR Markers. *Annals of Arid Zone*, 60(3&4) :109-115.
- Ridwan, R. and Witjaksono, W., 2020. Induction of autotetraploid moringa plant (*Moringa oleifera*) using oryzalin. *Biodiversitas Journal of Biological Diversity*, 21(9).
- Rosyidi, I. N., & Daryono, B.S., 2020. Phenotypic characters and genetic variations of Lurik peanuts (*Arachis hypogaea* L. var. Lurikensis) with Inter Simple Sequence Repeat. *Biodiversitas Journal of Biological Diversity*, 21(2) : 629-635.
- Rudolf, J.R. and Resurreccion, A.V., 2006. Elicitation of resveratrol in peanut kernels by application of abiotic stresses. *Journal of Agricultural and Food Chemistry*, 53(26) :10186-10192.
- Sattler, M.C., Carvalho, C.R. and Clarindo, W.R., 2016. The polyploidy and its key role in plant breeding. *Planta*, 243(2) : 281-296.
- Settaluri, V.S., Kandala, C.V.K., Puppala, N. and Sundaram, J., 2012. Peanuts and Their Nutritional Aspects—A Review. *Food and Nutrition Sciences*, 12 (3): 1644-1650.
- Shi, Q.H., Liu, P., Liu, M.J., Wang, J.R., Xu, J., 2015. A novel method for rapid in vivo induction of homogeneous polyploids via calluses in a woody fruit tree (*Ziziphus jujuba* Mill.). *Plant Cell Tiss. Organ Cult.* 121: 423–433.
- Soltis, P.S., Marchant, D.B., Van de Peer, Y. and Soltis, D.E., 2015. Polyploidy and genome evolution in plants. *Current opinion in genetics & development*, 35 : 119-125.

- Sudarmadji, S. and Haryono, B., 1997. Analisa Bahan Makanan dan Pertanian. Liberty. Yogyakarta.
- Sudarto, A.H. and Herawati, N., 2014. Pengaruh Teknologi Pemupukan Terhadap Hasil Kacang Tanah Di Lahan Kering Lombok Timur. In *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi* . 687p
- Taylor, C.W., Dalton, W.S., Mosley, K., Dorr, R.T. and Salmon, S.E., 1997. Combination chemotherapy with cyclophosphamide, vincristine, adriamycin, and dexamethasone (CVAD) plus oral quinine and verapamil in patients with advanced breast cancer. *Breast cancer research and treatment*, 42(1) : 7-14.
- Toomer, O.T., 2018. Nutritional chemistry of the peanut (*Arachis hypogaea*). *Critical reviews in food science and nutrition*, 58(17) : 3042-3053.
- Trustinah. 2015a. Sumber Daya Genetik Kacang Tanah. Dalam: *Monograf Balitkabi No.13-2015*. Pp. 60-83. Balai Penelitian Tanaman Aneka Kacang dan Umbi. Malang.
- van Amerongen, R. and Berns, A., 2006. TXR1-mediated thrombospondin repression: a novel mechanism of resistance to taxanes?. *Genes & development*, 20(15) :1975-1981.
- Viza, R.Y., 2019. Karakteristik Morfologi Tanaman *Mentha spicata* Hasil Induksi Ekstrak Etanolik Daun Tapak Dara (*Catharanthus Roseus*). *BIOCOLONY*, 2(1) : 15-20.
- Wulansari, A., Martin, A.F. and Ermayanti, T.M., 2017. Induksi tanaman poliploid talas (*Colocasia esculenta* L.) dengan perlakuan orizalin secara in vitro. *Jurnal Biologi Indonesia*, 12 (2).
- Yan, J., Zhang, J., Sun, K., Chang, D., Bai, S., Shen, Y., ... & Dong, Y. 2016. Ploidy level and DNA content of *Erianthus arundinaceus* as determined by flow cytometry and the association with biological characteristics. *Plos one*, 11(3) : e0151948.
- Zhao, X., Chen, J. and Du, F., 2012. Potential use of peanut by-products in food processing: a review. *Journal of food science and technology*, 49(5) : 521-529.