

DAFTAR PUSTAKA

- Abbas, K. A., Lasekan, O., & K. Khalil, S. (2010). The Significance of Glass Transition Temperature in Processing of Selected Fried Food Products: A Review. *Modern Applied Science*, 4(5), 3–21. <https://doi.org/10.5539/mas.v4n5p3>
- Afoakwa, E. O. (2016). *Chocolate Science and Techonology* (2nd ed.). John Wiley & Sons.
- Andres-Lacueva, C., Monagas, M., Khan, N., Izqueterdo-Pulido, M., Urpi-Sarda, M., Permanyer, J., & Lamuela-Raventós, R. M. (2008). Flavanol and flavonol contents of cocoa powder products: Influence of the manufacturing process. *Journal of Agricultural and Food Chemistry*, 56(9), 3111–3117. <https://doi.org/10.1021/jf0728754>
- Anema, S. G., Pinder, D. N., Hunter, R. J., & Hemar, Y. (2006). Effects of storage temperature on the solubility of milk protein concentrate (MPC85). *Food Hydrocolloids*, 20(2-3 SPEC. ISS.), 386–393. <https://doi.org/10.1016/j.foodhyd.2005.03.015>
- AOAC. (1990). *Official Methods of Analysis of AOAC International: 15th Edition* (K. Helrich (ed.); 15th Editi). AOAC International, Arlington.
- Apriyantono, A., Aristyani, A., Lidya, Y., Budiyo, S., & Soekarto, S. T. (2002). Rate of browning reaction during preparation of coconut and palm sugar. *1245*, 275–278.
- Asropi, A., Bintoro, N., Karyadi, J. N. W., Rahayoe, S., & Saputro, A. D. (2019). Kinetika Perubahan Sifat Fisik dan Kadar Tanin Biji Sorgum (*Sorghum Bicolor* L.) Selama Perendaman. *AgriTECH*, 39(3), 222. <https://doi.org/10.22146/agritech.42610>
- Asyik, N., & Ansi, A. (2020). Proses Pengolahan Sekunder Biji Kakao Menjadi Produk Olahan Kakao Setengah Jadi. *Prosiding Seminar Nasional Agribisnis*, 0(0), 43–47. <http://ojs.uho.ac.id/index.php/procnaskotim/article/view/11334>
- Aziz, M. G., Yusof, Y. A., Blanchard, C., Saifullah, M., Farahnaky, A., & Scheiling, G. (2018). Material Properties and Tableting of Fruit Powders. *Food Engineering Reviews*, 10(2), 66–80. <https://doi.org/10.1007/s12393-018-9175-0>
- Badan Pusat Statistik. (2021). *Statistik Kakao Indonesia 2020*. Badan Pusat Statistik.
- Badan Standarisasi Nasional. (2013). *Kakao Bubuk, SNI 3747*.
- Barbosa-Cánovas, G. V., Ortega-Rivas, E., Juliano, P., & Yan, H. (2005). *Food Powders: Physical Properties, Processing, and Functionality*. Kluwer Academic/Plenum Publishers.

- Barišić, V., Icyer, N. C., Akyil, S., Tokar, O. S., Flanjak, I., & Ačkar, Đ. (2022). Cocoa based beverages – Composition, nutritional value, processing, quality problems and new perspectives. *Trends in Food Science and Technology*, 132(2023), 65–75. <https://doi.org/10.1016/j.tifs.2022.12.011>
- Beckett, S. T. (2009). Industrial Chocolate Manufacture and Use. In *Industrial Chocolate Manufacture and Use* (4th ed.). Wiley-Blackwell. <https://doi.org/10.1002/9781444301588.ch17>
- Beg, M. S., Ahmad, S., Jan, K., & Bashir, K. (2017). Status, supply chain and processing of cocoa - A review. *Trends in Food Science and Technology*, 66, 108–116. <https://doi.org/10.1016/j.tifs.2017.06.007>
- Belasco, R., Edwards, T., Munoz, A. J., Rayo, V., & Buono, M. J. (2020). The Effect of Hydration on Urine Color Objectively Evaluated in CIE L*a*b* Color Space. *Frontiers in Nutrition*, 7(October), 1–9. <https://doi.org/10.3389/fnut.2020.576974>
- Belščak-Cvitanović, A., Benković, M., Komes, D., Bauman, I., Horžić, D., Dujmić, F., & Matijašec, M. (2010). Physical properties and bioactive constituents of powdered mixtures and drinks prepared with cocoa and various sweeteners. *Journal of Agricultural and Food Chemistry*, 58(12), 7187–7195. <https://doi.org/10.1021/jf1005484>
- Ben Abdelaziz, I., Sahli, A., Bornaz, S., Scher, J., & Gaiani, C. (2014). Dynamic method to characterize rehydration of powdered cocoa beverage: Influence of sugar nature, quantity and size. *Powder Technology*, 264, 184–189. <https://doi.org/10.1016/j.powtec.2014.05.031>
- Benković, M., Belščak-Cvitanović, A., Komes, D., & Bauman, I. (2013). Physical Properties of Non-Agglomerated Cocoa Drink Powder Mixtures Containing Various Types of Sugar and Sweetener. *Food and Bioprocess Technology*, 6(4), 1044–1058. <https://doi.org/10.1007/s11947-011-0742-0>
- Bro, R., & Smilde, A. K. (2014). Principal component analysis. *Analytical Methods*, 6(9), 2812–2831. <https://doi.org/10.1039/c3ay41907j>
- Carr Jr, R. L. (1965). Evaluating flow properties of solids. *Chem. Eng.*, 18, 163–168.
- Chang, L. S., Karim, R., Abdulkarim, S. M., Yusof, Y. A., & Ghazali, H. M. (2018). Storage stability, color kinetics and morphology of spray-dried soursop (*Annona muricata* L.) powder: Effect of anticaking agents. *International Journal of Food Properties*, 21(1), 1937–1954. <https://doi.org/10.1080/10942912.2018.1510836>
- Corgozinho, C. N. C., Pasa, V. M. D., & Barbeira, P. J. S. (2008). Determination of residual oil in diesel oil by spectrofluorimetric and chemometric analysis. *Talanta*, 76(2), 479–484. <https://doi.org/10.1016/j.talanta.2008.03.003>
- Crouter, A., & Briens, L. (2014). The effect of moisture on the flowability of

pharmaceutical excipients. *AAPS PharmSciTech*, 15(1), 65–74.
<https://doi.org/10.1208/s12249-013-0036-0>

Cuq, B., Gaiani, C., Turchiuli, C., Galet, L., Scher, J., Jeantet, R., Mandato, S., Petit, J., Murrieta-Pazos, I., Barkouti, A., Schuck, P., Rondet, E., Delalonde, M., Dumoulin, E., Delaplace, G., & Ruiz, T. (2013). Advances in Food Powder Agglomeration Engineering. In *Advances in Food and Nutrition Research* (1st ed., Vol. 69). Elsevier. <https://doi.org/10.1016/B978-0-12-410540-9.00002-8>

Cuq, B., Mandato, S., Jeantet, R., Saleh, K., & Ruiz, T. (2013). Agglomeration/granulation in food powder production. In *Handbook of Food Powders: Processes and Properties*. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857098672.1.150>

Daud, A., Suriati, & Nuzulyanti. (2019). Kajian Penerapan Faktor yang Mempengaruhi Akurasi Penentuan. *Lutjanus*, 24, 11–16.

De Barros Fernandes, R. V., Marques, G. R., Borges, S. V., & Botrel, D. A. (2014). Effect of solids content and oil load on the microencapsulation process of rosemary essential oil. *Industrial Crops and Products*, 58, 173–181. <https://doi.org/10.1016/j.indcrop.2014.04.025>

Dhanalakshmi, K., & Bhattacharya, S. (2014). Agglomeration of turmeric powder and its effect on physico-chemical and microstructural characteristics. *Journal of Food Engineering*, 120(1), 124–134. <https://doi.org/10.1016/j.jfoodeng.2013.07.024>

Dhanalakshmi, K., Ghosal, S., & Bhattacharya, S. (2011). Agglomeration of food powder and applications. *Critical Reviews in Food Science and Nutrition*, 51(5), 432–441. <https://doi.org/10.1080/10408391003646270>

Diasti, D. R., Dyaningrum, E. F., Lutfiyah, R. A., Karyadi, J. N. W., & Saputro, A. D. (2019). Physical characteristics of instanised cocholate powder sweetened with sucrose produced using continuous and batch type steam jet agglomerator: A preliminary study. *IOP Conference Series: Earth and Environmental Science*, 355(1). <https://doi.org/10.1088/1755-1315/355/1/012046>

Dogan, M., Aslan, D., Aktar, T., & Goksel Sarac, M. (2016). A methodology to evaluate the sensory properties of instant hot chocolate beverage with different fat contents: multi-criteria decision-making techniques approach. *European Food Research and Technology*, 242(6), 953–966. <https://doi.org/10.1007/s00217-015-2602-z>

Dwi, A., Zahfarina, S., Phung, N., & Setiadi, A. (2022). Application of Steam Jet Agglomerator to Improve the Properties of Instanised Cocoa Drink Powder Mixed with Maltodextrin , Coconut Sugar and Sucrose. *Sugar Tech*. <https://doi.org/10.1007/s12355-022-01188-2>

Dyaningrum, E. F., Lutfiyah, R. A., Diasti, D. R., Karyadi, J. N. W., & Saputro,

- A. D. (2019). Physical characteristics of instanised Cocoa drink sweetened with Palm Sap Sugar: A preliminary study. *IOP Conference Series: Earth and Environmental Science*, 355(1). <https://doi.org/10.1088/1755-1315/355/1/012045>
- Ermiş, E. (2020). *Food Powders Properties and Characterization* (E. Ermiş (ed.)). Springer Cham. <https://doi.org/10.1007/978-3-030-48908-3>
- Erwin, E., & Meutia. (2020). Development of drying machine to improve palm sugar quality. *IOP Conference Series: Materials Science and Engineering*, 909(1). <https://doi.org/10.1088/1757-899X/909/1/012036>
- Eshpari, H., Tong, P. S., & Corredig, M. (2014). Changes in the physical properties, solubility, and heat stability of milk protein concentrates prepared from partially acidified milk. *Journal of Dairy Science*, 97(12), 7394–7401. <https://doi.org/10.3168/jds.2014-8609>
- Fang, Y., Selomulya, C., & Chen, X. D. (2007). On Measurement of food powder reconstitution properties. *Drying Technology*, 26(1), 3–14. <https://doi.org/10.1080/07373930701780928>
- Fitzpatrick, J. J. (2005). Food powder flowability. In *Encapsulated and powdered foods* (pp. 259–272). CRC Press.
- Fitzpatrick, J. J. (2007). Particle properties and the design of solid food particle processing operations. *Food and Bioprocess Technology*, 85(4 C), 308–314. <https://doi.org/10.1205/fbp07056>
- Gaiani, C., Schuck, P., Scher, J., Desobry, S., & Banon, S. (2007). Dairy powder rehydration: Influence of protein state, incorporation mode, and agglomeration. *Journal of Dairy Science*, 90(2), 570–581. [https://doi.org/10.3168/jds.S0022-0302\(07\)71540-0](https://doi.org/10.3168/jds.S0022-0302(07)71540-0)
- Gianfrancesco, A., Turchiuli, C., & Dumoulin, E. (2008). Powder agglomeration during the spray-drying process: Measurements of air properties. *Dairy Science and Technology*, 88(1), 53–64. <https://doi.org/10.1051/dst:2007008>
- Goldfein, K. R., & Slavin, J. L. (2015). Why Sugar Is Added to Food: Food Science 101. *Comprehensive Reviews in Food Science and Food Safety*, 14(5), 644–656. <https://doi.org/10.1111/1541-4337.12151>
- Hardiyanto, Y. F., Saputro, A. D., Nurkholisa, Z., Setiyadi, P. A., Bintoro, N., & Kusuma, R. A. (2021). The effect of steaming time and types of cocoa powder on the characteristics of instantized cocoa powder made using batch-type steam jet agglomerator. *IOP Conference Series: Earth and Environmental Science*, 653(1), 11–19. <https://doi.org/10.1088/1755-1315/653/1/012089>
- Hartomo, A. J., & Widiatmoko, M. C. (1993). *Emulsi dan Pangan Instant Ber-Lesitin* (1st ed.). Penerbit Andi.

- Hausner, H. H. (1967). Friction conditions in a mass of metal powder. *International Journal of Powder Metallurgy*, 3, 7–13.
- Havea, P. (2006). Protein interactions in milk protein concentrate powders. *International Dairy Journal*, 16(5), 415–422. <https://doi.org/10.1016/j.idairyj.2005.06.005>
- Ho, C. W., Aida, W. M. W., Maskat, M. Y., & Osman, H. (2007). Changes in volatile compounds of palm sap (*Arenga pinnata*) during the heating process for production of palm sugar. *Food Chemistry*, 102(4), 1156–1162. <https://doi.org/10.1016/j.foodchem.2006.07.004>
- Ho, C. W., Wan Aida, W. M., Maskat, M. Y., & Osman, H. (2008). Effect Of Thermal Processing Of Palm Sap. In *Pakistan Journal of Biological Sciences: Vol. 11(7)* (pp. 989–995).
- Hogekamp, S., Schubert, H., & Wolf, S. (1996). Steam jet agglomeration of water soluble material. *Powder Technology*, 86(1), 49–57. [https://doi.org/10.1016/0032-5910\(95\)03037-9](https://doi.org/10.1016/0032-5910(95)03037-9)
- Holkar, C. R., Jadhav, A. J., & Pinjari, D. V. (2019). A critical review on the possible remediation of sediment in cocoa/coffee flavored milk. *Trends in Food Science and Technology*, 86(July 2018), 199–208. <https://doi.org/10.1016/j.tifs.2019.02.035>
- Hwang, C.-L., & Yoon, K. (1981). *Multiple Attribute Decision Making: Methods and Applications A State-of-the-Art-Survey* (1st ed.). Springer-Verlag Berlin Heidelberg.
- International Cocoa Organization. (2021). ICCO Quartely Bulletin of Cocoa Statistics. In *ICCO Quarterly Bulletin of Cocoa Statistics: Vol. XLVII* (Issue 4). <https://www.icco.org/statistics/#production>
- International Cocoa Organization. (2022). ICCO Quarterly Bulletin of Cocoa Statistics. In *ICCO Quarterly Bulletin of Cocoa Statistics: Vol. XLVIII*.
- International Cocoa Organization. (2023). *ICCO Quarterly Bulletin of Cocoa Statistics: Vol. XLIX* (Issue 2).
- Intipunya, P., & Bhandari, B. R. (2010). Chemical deterioration and physical instability of food powders. In *Chemical Deterioration and Physical Instability of Food and Beverages*. Woodhead Publishing Limited. <https://doi.org/10.1533/9781845699260.3.663>
- Jainero, L., Yuliza, E., & Lestari, N. E. (2022). Konsumsi Cokelat Bubuk Dapat Menurunkan Tekanan Darah Pada Lansia. *Journal of Nursing Education and Practice*, 1(3), 80–86. <https://doi.org/10.53801/jnep.v1i3.42>
- Jinapong, N., Suphantharika, M., & Jamnong, P. (2008). Production of instant soymilk powders by ultrafiltration, spray drying and fluidized bed agglomeration. *Journal of Food Engineering*, 84(2), 194–205.

<https://doi.org/10.1016/j.jfoodeng.2007.04.032>

- Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: A review and recent developments. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 374(2065). <https://doi.org/10.1098/rsta.2015.0202>
- Kian-Pour, N., Ozmen, D., & Toker, O. S. (2021). Modification of Food Powders. In E. Ermi\cs (Ed.), *Food Powders Properties and Characterization* (pp. 125–153). Springer International Publishing. https://doi.org/10.1007/978-3-030-48908-3_7
- Kowalska, J., & Lenart, A. (2005). The influence of ingredients distribution on properties of agglomerated cocoa products. *Journal of Food Engineering*, 68(2), 155–161. <https://doi.org/10.1016/j.jfoodeng.2004.05.028>
- Kowalska, J., Majewska, E., & Lenart, A. (2011). Sorption properties of a modified powdered cocoa beverage. *Chemical and Process Engineering - Inzynieria Chemiczna i Procesowa*, 32(1), 21–31. <https://doi.org/10.2478/v10176-011-0002-x>
- Labuza, T. P. (1984). Application of chemical kinetics to deterioration of foods. *Journal of Chemical Education*, 61(4), 348–358. <https://doi.org/10.1021/ed061p348>
- Li, Y., Zhu, S., Feng, Y., Xu, F., Ma, J., & Zhong, F. (2014). Influence of alkalization treatment on the color quality and the total phenolic and anthocyanin contents in cocoa powder. *Food Science and Biotechnology*, 23(1), 59–63. <https://doi.org/10.1007/s10068-014-0008-5>
- Luthfiyah, R. A., Diasti, D. R., Dyahningrum, E. F., Rahayoe, S., & Saputro, A. D. (2019). Investigating the performance of Steam Jet Agglomerator as a mean to produce Instanised Cocoa Drink. *IOP Conference Series: Earth and Environmental Science*, 355(1). <https://doi.org/10.1088/1755-1315/355/1/012044>
- Markovic, I., Ilic, J., Markovic, D., Simonovic, V., & Kosanic, N. (2013). Color Measurement of Food Products using CIE L * a * b * and RGB Color Space. *Journal of Hygienic Engineering and Design*, 4, 50–53.
- Martins, P. C., & Kieckbusch, T. G. (2008). Influence of a lipid phase on steam jet agglomeration of maltodextrin powders. *Powder Technology*, 185(3), 258–266. <https://doi.org/10.1016/j.powtec.2007.10.022>
- Mazo Rivas, J. C., Dietze, M., Zahn, S., Schneider, Y., & Rohm, H. (2018). Diversity of sensory profiles and physicochemical characteristics of commercial hot chocolate drinks from cocoa powders and block chocolates. *European Food Research and Technology*, 244(8), 1407–1414. <https://doi.org/10.1007/s00217-018-3054-z>
- Mimouni, A., Deeth, H. C., Whittaker, A. K., Gidley, M. J., & Bhandari, B. R.

- (2010). Rehydration of high-protein-containing dairy powder: Slow- and fast-dissolving components and storage effects. *Dairy Science and Technology*, 90(2–3), 335–344. <https://doi.org/10.1051/dst/2010002>
- Minifie, B. W. (1989). Cocoa Processes. *Chocolate, Cocoa and Confectionery: Science and Technology*, 35–84. https://doi.org/10.1007/978-94-011-7924-9_2
- Muhammad, D. R. A., Kongor, J. E., & Dewettinck, K. (2021). Investigating the effect of different types of cocoa powder and stabilizers on suspension stability of cinnamon-cocoa drink. *Journal of Food Science and Technology*, 58(10), 3933–3941. <https://doi.org/10.1007/s13197-020-04855-y>
- Nickols-Richardson, S. M., Piehowski, K. E., Metzgar, C. J., Miller, D. L., & Preston, A. G. (2014). Changes in body weight, blood pressure and selected metabolic biomarkers with an energy-restricted diet including twice daily sweet snacks and once daily sugar-free beverage. *Nutrition Research and Practice*, 8(6), 695–704. <https://doi.org/10.4162/nrp.2014.8.6.695>
- Nurhadi, B., Sukri, N., Sugandi, W. K., Widanti, A. P., Restiani, R., Nofliarnini, Z., Rezaharsanto, B., & Herudiyanto, M. (2018). Comparison of crystallized coconut sugar produced by traditional method and amorphous coconut sugar formed by two drying methods: Vacuum drying and spray drying. *International Journal of Food Properties*, 21(1), 2339–2354. <https://doi.org/10.1080/10942912.2018.1517781>
- Omobuwajo, T. O., Busari, O. T., & Osemwegie, A. A. (2000). Thermal agglomeration of chocolate drink powder. *Journal of Food Engineering*, 46(2), 73–81. [https://doi.org/10.1016/S0260-8774\(00\)00067-4](https://doi.org/10.1016/S0260-8774(00)00067-4)
- PELEG, M. (1977). Flowability of Food Powders and Methods for Its Evaluation — a Review. *Journal of Food Process Engineering*, 1(4), 303–328. <https://doi.org/10.1111/j.1745-4530.1977.tb00188.x>
- Pietsch, W. (2003). An interdisciplinary approach to size enlargement by agglomeration. *Powder Technology*, 130(1–3), 8–13. [https://doi.org/10.1016/S0032-5910\(02\)00218-8](https://doi.org/10.1016/S0032-5910(02)00218-8)
- Ponce-Lee, E. L., Olivares-Pérez, A., & Fuentes-Tapia, I. (2004). Sugar (sucrose) holograms. *Optical Materials*, 26(1), 5–10. <https://doi.org/10.1016/j.optmat.2003.12.007>
- Putra, I. N. K. P. (2016). Upaya Memperbaiki Warna Gula Semut Dengan Pemberian Na-Metabisulfit. *Jurnal Aplikasi Teknologi Pangan*, 5(1), 1–5. <https://doi.org/10.17728/jatp.v5i1.2>
- Saguy, I., & Karel, M. (1980). Modeling of quality deterioration during food processing and storage. *Food Technol*, 34, 78–85.
- Saifullah, M., Yusof, Y. A., Chin, N. L., & Aziz, M. G. (2016). Physicochemical and flow properties of fruit powder and their effect on the dissolution of fast

dissolving fruit powder tablets. *Powder Technology*, 301, 396–404. <https://doi.org/10.1016/j.powtec.2016.06.035>

Sanchez-Reinoso, Z., Osorio, C., & Herrera, A. (2017). Effect of microencapsulation by spray drying on cocoa aroma compounds and physicochemical characterisation of microencapsulates. *Powder Technology*, 318, 110–119. <https://doi.org/10.1016/j.powtec.2017.05.040>

Saputro, A. D., Van de Walle, D., Aidoo, R. P., Mensah, M. A., Delbaere, C., De Clercq, N., Van Durme, J., & Dewettinck, K. (2017). Quality attributes of dark chocolates formulated with palm sap-based sugar as nutritious and natural alternative sweetener. *European Food Research and Technology*, 243(2), 177–191. <https://doi.org/10.1007/s00217-016-2734-9>

Saputro, A. D., Van de Walle, D., & Dewettinck, K. (2019). Palm Sap Sugar: A Review. *Sugar Tech*, 21(6), 862–867. <https://doi.org/10.1007/s12355-019-00743-8>

Saputro, A. D., Van de Walle, D., & Dewettinck, K. (2020). Physicochemical properties of coarse palm sap sugars as natural alternative sweetener. *Food Bioscience*, 38(1), 100780. <https://doi.org/10.1016/j.fbio.2020.100780>

Saputro, A. D., Van de Walle, D., Kadivar, S., Bin Sintang, M. D., Van der Meeren, P., & Dewettinck, K. (2017). Investigating the rheological, microstructural and textural properties of chocolates sweetened with palm sap-based sugar by partial replacement. *European Food Research and Technology*, 243(10), 1729–1738. <https://doi.org/10.1007/s00217-017-2877-3>

Schubert, H. (1980). Process and properties of instant powdered foods. *Food Processing Engineering; Link, P., Milky, Y., Lockup, J., Laminar, j., Eds*, 657–684.

Schuck, P., Dolivet, A., & Jeantet, R. (2012). Analytical Methods for Food and Dairy Powders. In *Analytical Methods for Food and Dairy Powders*. <https://doi.org/10.1002/9781118307397>

Setiadi, P. A., Saputro, A. D., Nurkholisa, Z., Hardiyanto, Y. F., Bintoro, N., & Karyadi, J. N. W. (2021). Physical characteristic of instanised chocolate beverage powder produced with palm sugar and sucrose as sweeteners. *IOP Conference Series: Earth and Environmental Science*, 653(1). <https://doi.org/10.1088/1755-1315/653/1/012038>

Shittu, T. A., & Lawal, M. O. (2007). Factors affecting instant properties of powdered cocoa beverages. *Food Chemistry*, 100(1), 91–98. <https://doi.org/10.1016/j.foodchem.2005.09.013>

Song-Bodenstab, X., & Eichler, P. (2003). (12) *United States Patent* (Patent No. US 6,541,056 B1).

Takahashi, S., & Seib, P. A. (1988). Paste and gel properties of prime corn and

wheat starches with and without native lipids. *Cereal Chem*, 65(6), 474–483.

Van Boekel, M. A. J. S. (2008). Kinetic modeling of food quality: A critical review. *Comprehensive Reviews in Food Science and Food Safety*, 7(1), 144–158. <https://doi.org/10.1111/j.1541-4337.2007.00036.x>

Vasconcelos, H., Saraiva, C., & de Almeida, J. M. M. M. (2014). Evaluation of the Spoilage of Raw Chicken Breast Fillets Using Fourier Transform Infrared Spectroscopy in Tandem with Chemometrics. *Food and Bioprocess Technology*, 7(8), 2330–2341. <https://doi.org/10.1007/s11947-014-1277-y>

Vissotto, F. Z., Jorge, L. C., Makita, G. T., Rodrigues, M. I., & Menegalli, F. C. (2010). Influence of the process parameters and sugar granulometry on cocoa beverage powder steam agglomeration. *Journal of Food Engineering*, 97(3), 283–291. <https://doi.org/10.1016/j.jfoodeng.2009.10.013>

Vissotto, F. Z., Montenegro, F. M., Santos, J. M. dos, & Oliveira, S. J. R. de. (2006). Avaliação da influência dos processos de lecitinação e de aglomeração nas propriedades físicas de achocolatado em pó. *Ciência e Tecnologia de Alimentos*, 26(3), 666–671. <https://doi.org/10.1590/s0101-20612006000300028>

Wee, J. J. Y., Chan, R. X., Seow, Y. X., Viton, F., & Zhou, W. (2020). Influence of sucrose reduction on powder and reconstitution properties of powdered cocoa malted beverage. *Powder Technology*, 360, 221–230. <https://doi.org/10.1016/j.powtec.2019.09.051>

Widayat, H. P. (2013). Perbaikan Mutu Bubuk Kakao Melalui Proses Ekstraksi Lemak dan Alkalisasi. *Jurnal Teknologi & Industri Pertanian Indonesia*, 5(2).

Wieland, H. (1972). *Cocoa and chocolate processing*. Noyes Data Corp.

Zea, L. P., Yusof, Y. A., Aziz, M. G., Ling, C. N., & Amin, N. A. M. (2013). Compressibility and dissolution characteristics of mixed fruit tablets made from guava and pitaya fruit powders. *Powder Technology*, 247, 112–119. <https://doi.org/10.1016/j.powtec.2013.06.032>