

DAFTAR PUSTAKA

- Abdullah, B. 2006. The Potential of Wild Rice as a Genetic Source in Rice Breeding. Food Crop Science and Technology Bulletin 1(2): 143-152.
- Ariani, M., A. Saryoko, Kardiyono, and Z. Yursak. 2011. Appropriate Engineering Technology Engineering Study in Supporting Food Security: Potential and Opportunities for Local Rice Development and Local Tubers. Final Report of Research Cooperation BPTP Banten - Balitbangda Banten Province
- Astawan, M., & Febrinda, E. (2010). Potensi Dedak dan Bekatul Beras Sebagai Ingredient Pangan dan Produk Pangan Fungsional. Pangan, 19(1), 14–21.
- Bewley, J. D. 1997. Seed Germination and Dormancy. The Plant Cell. Vol 9. 1055-1066
- Bourneow, C., & Toontam, N. (2019). Microbiological quality and some bioactive compounds in relation to sensory profiles during germination of brown-purple-pigmented rice. international food research journal, 26, 1011-1021.
- BPS. 2021. Luas Panen dan Produksi Padi di Indonesia 2021. Badan Pusat Statistik. Jakarta.
- BPS. 2023. Perkembangan Harga Produsen Gabah Februari 2023. Badan Pusat Statistik. Yogyakarta.

- C. Ren, B. Hong, X. Zheng, L. Wang, Y. Zhang, L. Guan, et al. Improvement of germinated brown rice quality with autoclaving treatment Food Science and Nutrition, 8 (3) (2020), pp. 1709-1717, 10.1002/fsn3.1459
- Chinma, C. E., Anuonye, J. C., Simon, O. C., Ohiare, R. O., & Danbaba, N. (2015). Effect of germination on the physicochemical and antioxidant characteristics of rice flour form three rice varieties from Nigeria. Food Chem, 185, 454–458.
- Cho DH, Lim ST (2016) Germinated brown rice and its bio-functional compounds. Food Chem 196:259–271
- Copeland, L. D, 1976, Principles of Seed Science and Technology, Publishing Company. Burgess.
- Corbineau, F. (2022). Oxygen, a key signalling factor in the control of seed germination and dormancy. Seed Science Research, 32(3), 126-136. doi:10.1017/S096025852200006X
- Droge W. 2002. Free radicals in the physiological control of cell function. Physiol Rev.
- Dwiningsih, Yheni & Alkahtani, Jawaher. (2022). Rojolele: a Premium Aromatic Rice Variety in Indonesia. 10.20944/preprints202210.0373.v1.
- E.S. Ukpong, E.U. Onyeka, G.C. Omeire, C. Ogueke Farro 57 Rice cultivar: A comparative study of the nutritional composition of its parboiled milled

rice, brown rice and germinated brown rice Asian Food Science Journal,
20 (3) (2021), pp. 52-60, 10.9734/afsj/2021/v20i330278

E.S. Ukpong, E.U. Onyeka, B.S. Oladeji, Bioactive compounds, nutrients and
pasting properties of parboiled milled rice, brown rice and germinated
brown rice of selected cultivars and the effects of germination durations,
Food Chemistry Advances, Volume 2, 2023, 100234, ISSN 2772-753X,
<https://doi.org/10.1016/j.focha.2023.100234>.

Esa, N.M., Kadir K.A., Amom Z., Azlan A. 2013. Antioxidant activity of white
rice, brown rice and germinated brown rice (in vivo and in vitro) and the
effects on lipid peroxidation and liver enzymes in hyperlipidaemic rabbits.
Food Chemistry. Vol. 141: 1306-1312.
doi:10.1016/j.foodchem.2013.03.086.

Gondal TA, Keast RSJ, Shellie RA, Jadhav SR, Gamlath S, Mohebbi M, Liem
DG. Consumer Acceptance of Brown and White Rice Varieties. Foods.
2021 Aug 22;10(8):1950. doi: 10.3390/foods10081950. PMID: 34441728;
PMCID: PMC8391279.

Gong, E. S., Luo, S. J., Li, T., Liu, C. M., Zhang, G. W., Chen, J., . . . Liu, R. H.
(2017). Phytochemical profiles and antioxidant activity of brown rice
varieties. Food Chemistry, 227, 432–443. <https://doi.org/10.1016/j.foodchem.2017.01.093>

Hadi et al = ([PDF](#)) [Germination of Six Indonesian Brown Rice: Evaluation of Antioxidant, Bioactive Compounds, Fatty Acids and Pasting Properties \(researchgate.net\)](#)

Hart, H., L.E. Craine., dan Hart, D.J. 2003. Kimia Organik. Erlangga. Jakarta.

Hartati, Sri & Marsono, Yustinus & Suparmo, Suparmo & Santoso, Umar. (2015).
KOMPOSISI KIMIA SERTA AKTIVITAS ANTIOKSIDAN EKSTRAK
HIDROFILIK BEKATUL BEBERAPA VARIETAS PADI (Chemical
Composition and Antioxidant Activity of Rice Bran Hydrophilic Extract of
Selected Rice Variety). Jurnal Agritech. 35. 35. 10.22146/agritech.9417.

Hilma, Putri, N. A., & Nilda, L. (2021). Determination of total phenol and total
flavonoid content of longan (Dimoncarpus longan lour) leaf extract. Jurnal
Ilmiah Farmako Bahari, 12(1), 80-87. www.journal.uniga.ac.id

Johnson, W.H., 1995, Biology, Revised Edition, New York.

Jongjareonrak, Akkasit & Sawaddiwong, R. & Benjakul, Soottawat & Osako, K.
& Tanaka, M.. (2009). Effect of Germination Conditions on Antioxidant
Activity of Germinated Brown Rice. Czech Journal of Food Sciences. 27.
S53. 10.17221/905-CJFS.

Kaur, B., Ranawana, V., & Henry, J. (2016). The glycemic index of rice and rice
products: A review, and table of GI values. Critical Reviews in Food
Science and Nutrition, 56(2), 215–236. <https://doi.org/10.1080/10408398.2012.717976>

Kementrian Perdagangan, *Profil Komoditas Beras*. Kementrian Perdagangan.

https://ews.kemendag.go.id/sp2kp-landing/assets/pdf/130827_ANL_UPK_Beras.pdf

Komatsuzaki, N., Tsukahara K., Toyoshima H., Suzuki T., Shimizu N., Kimura T.

2007. Effect of soaking and gaseous treatment on GABA content in germinated brown rice. *Journal of Food Engineering*. Vol. 78: 556-560.
doi: 10.1016/j.jfoodeng.2005.10.036

Lee, Y.R., Woo, K.S., Kim, K.J., Son, J.R., and Jeong, H.S. 2007. Antioxidant Activities Of Ethanol Extracts From Germinated Specialty Rought Rice. *Food Science Biotechnology*. Vol.16 No 5: 765- 770.

Lin, T.C., Ng, L.T. Effects of Germination Time on Antioxidant Contents and Enzymatic Antioxidant Activities in the Grains of Different Rice Varieties. *CEREAL RESEARCH COMMUNICATIONS* **46**, 79–88 (2018).

<https://doi.org/10.1556/0806.45.2017.052>

Lucas Ávila do Nascimento, Abhilasha Abhilasha, Jaspreet Singh, Moacir Cardoso Elias, Rosana Colussi, Rice Germination and Its Impact on Technologicazl and Nutritional Properties: A Review, *Rice Science*, Volume 29, Issue 3, 2022, Pages 201-215, ISSN 1672-6308,

<https://doi.org/10.1016/j.rsci.2022.01.009>.

M. Kaur, B. Asthir, G. Mahajan Variation in antioxidants, bioactive compounds and antioxidant capacity in germinated and ungerminated grains of ten rice

cultivars Rice Science, 24 (6) (2017), pp. 349-359,
10.1016/j.rsci.2017.08.002

McKie, Vincent & McCleary, Barry. (2015). A rapid, automated method for
measuring α -amylase in pre-harvest sprouted (sprout damaged) wheat.
Journal of Cereal Science. 64. 10.1016/j.jcs.2015.04.009.

Mir, S. A., Shah, M. A., & Manickavasagan, A. (2017). Germinated Brown Rice.
Brown Rice, 185–201. doi:10.1007/978-3-319-59011-0_11

Makinde, F., & Omolori, D. (2020). Improvement of nutritional, functional and
pasting properties of long and short local rice grains during germination.
Croatian Journal of Food Science and Technology, 12(2), 193–202,

Maisont, S. & Narkrugsa, W.. (2010). The effect of germination on GABA
content, chemical composition, total phenolics content and antioxidant
capacity of Thai waxy paddy rice. Kasetsart Journal - Natural Science. 44.
912-923.

Mohan, V. *et al.* (2017). Hurdles in Brown Rice Consumption. In:
Manickavasagan, A., Santhakumar, C., Venkatachalapathy, N. (eds)
Brown Rice. Springer, Cham. https://doi.org/10.1007/978-3-319-59011-0_15

Molyneux, P. 2004. The use of stable free radical DPPH for estimating
antioxidant activity. Songklanakarin Journal of Science and Technology.
26;211-219.

Moongngarm, A., & Saetung, N. (2010). Comparison of chemical compositions and bioactive compounds of germinated rough rice and brown rice. *Food Chemistry*, 122 (3), 782–788.

Murata, T., Akazawa, T., & Fukuchi, S. (1968). Enzymic mechanism of starch breakdown in germinating rice seeds I. An analytical study. *Plant Physiology*, 43(12), 1899–1905.

Munarko, H., Sitanggang, A.B., Kusnandar, F., Budijanto, S., 2021. *Germination of five Indonesian brown rice: evaluation of antioxidant, bioactive compound, fatty acid and pasting properties*. *Food Chem.* 53, 816-822.
<https://doi.org/10.1021/jf0490293>

Oh, S.-K., Lee, J.-H., Won, Y.-J., Lee, D.-H., & Kim, C.-K. (2014). Changes of Physicochemical Properties According to the Shoot Length in Germinated Brown Rice. *Korean Journal of Cro Science*, 59(3), 223–229.
<https://doi.org/10.7740/KJCS.2014.59.3.223>.

Okpalanma, Felix & Ukpong, Ekpeno & Chude, Charles & Abah, Rejoice. (2021). *International Journal of Food Science and Nutrition* www.foodsciencejournal.com Determination of malting conditions, proximate and biochemical properties of sorghum/millet grains and malts.

Pang, Y., Ahmed, S., Xu, Y., Beta, T., Zhu, Z., Shao, Y., & Bao, J. (2018). Bound phenolic compounds and antioxidant properties of whole grain and bran of white, red and black rice. *Food Chemistry*, 240, 212–221.
<https://doi.org/10.1016/j.foodchem.2017.07.095>

Partha S. Biswas, Md. Mamunur Rashid, Hasina Khatun, Rumena Yasmeen, Jiban

Krishna Biswas, Chapter 11 - Scope and Progress of Rice Research

Harnessing Cold Tolerance, Editor(s): Mirza Hasanuzzaman, Masayuki

Fujita, Kamrun Nahar, Jiban Krishna Biswas, Advances in Rice Research

for Abiotic Stress Tolerance, Woodhead Publishing, 2019, Pages 225-264,

ISBN 9780128143322, [https://doi.org/10.1016/B978-0-12-814332-](https://doi.org/10.1016/B978-0-12-814332-2.00011-3)

2.00011-3.

Patil SB, Khan MK (2011) Germinated brown rice as a value added rice product:

a review. J Food Sci Technol 48(6):661–667

Patil SB, Khan MK. Germinated brown rice as a value added rice product: A

review. J Food Sci Technol. 2011 Dec;48(6):661-7. doi: 10.1007/s13197-

011-0232-4. Epub 2011 Jan 22. PMID: 23572802; PMCID: PMC3551059.

Pertiwi, S.F., Aminah, S, dan Nurhidajah. 2013. Aktivitas Antioksidan,

Karakteristik Kimia, dan Sifat Organoleptik Susu Kecambah Kedelai

Hitam (Glycine Soja) Berdasarkan Variasi Waktu Perkecambahan. Jurnal

Pangan dan Gizi. Vol.04 No.08.

Pietta P-G., 1999. Flavonoid as Antioxidant, Review, J. Nat. Prod., 63, 1035-

1042.

Prakash A., 2001. Antioxidant Activity, Medaltion Laboratories Analitical

Progress, Vol. 19 (2).

Purba, L. S. 2012. Perbandingan Berat Kacang Kedelai Tergerminasi dan Biji Nangka dan Konsentrasi Ragi pada Pembuatan Tempe. Universitas Sumatera Utara:Sumatera Utara.

Qadir, Nafiya & Wani, Idrees. (2022). Functional properties, antioxidant activity and in-vitro digestibility charactersits of brown and polished rice flours of Indian temperate region. Grain & Oil Science and Technology. 6.10.1016/j.gaost.2022.12.001.

Ratner, B. The correlation coefficient: Its values range between +1/-1, or do they?. J Target Meas Anal Mark 17, 139-142 (2009). <https://doi.org/10.1057/jt.2009.5>

Rodriguez, C., Frias, J., Vidal-Valverde, C. and Hernandez, A. 2008. Correlations between some nitrogen fractions, lysine, histidine, tyrosine, and ornithine contents during the germination of peas, beans, and lentils. Food Chemistry 108 (1): 245-252.

Rolando JG, Cavada EP, Peña JV, Torres RL, de Greef DM, Drago SR. 2013. Extrusion conditions and amylose content affect physicochemical properties of extrudates obtained from brown rice grains. Int J Food Sci 2013. doi: 10.1155/2013/584148.1-7

Sangsila, Arunrussamee & Promden, Worrawat & Pimda, Witaya. (2018). Antioxidant and antityrosinase activities in germinated brown rice of indigenous Thai cultivars. International Journal of Agricultural Technology. 14. 1883-1892.

Seo, W. D., Kim, J. Y., Song, Y. C., Cho, J. H., Jang, K. C., Han, S. I., . . . Nam, M. H. (2013). Comparative analysis of physicochemicals and antioxidative properties in new red rice (*Oryza sativa* L. cv. gunganghongmi). *Journal of Crop Science & Biotechnology*, 16(1), 63–68.
<https://doi.org/10.1007/s12892-012-0057-3>

Setyowati, A. dan Suryani, Ch.L. 2013. Peningkatan Kadar Kurkuminoid dan Aktivitas Antioksidan Minuman Instan Temulawak dan Kunyit. *Agritech* 33 (4): 363-370.

Sharif, M. K., Butt, M. S., Anjum, F. M., & Khan, S. H. (2014). Rice bran: A novel functional ingredient. *Critical Reviews in Food Science and Nutrition*, 54, 807–816. <https://doi.org/10.1080/10408398.2011.608586>

Simangunsong, Eliot and Silva, Elisabeth N. Da (2013) “Analyzing Project Management Maturity Level in Indonesia,” *The South East Asian Journal of Management*: Vol. 7: No. 1, Article 5. DOI: 10.21002/seam.v7i1.1521

Smith-Eskridge, Ellie, "ASSESSING THE EFFECTS OF SOIL MOISTURE ON GERMINATION OF WINTER WHEAT" (2014). *Environmental Studies Undergraduate Student Theses*. 132.
<https://digitalcommons.unl.edu/envstudtheses/132>

Ti H, Zhang R, Zhang M, Li Q, Wei Z, Zhang Y, Tang X, Deng Y, Liu L, Ma Y. Dynamic changes in the free and bound phenolic compounds and antioxidant activity of brown rice at different germination stages. *Food*

Chem. 2014 Oct 15;161:337-44. doi: 10.1016/j.foodchem.2014.04.024.

Epub 2014 Apr 13. PMID: 24837960.

Tian S, Nakamura K, Kayahara H. Analysis of phenolic compounds in white rice, brown rice, and germinated brown rice. J Agric Food Chem. 2004 Jul 28;52(15):4808-13. doi: 10.1021/jf049446f. PMID: 15264919.

Tuarita, Mirna & Sadek, Nur & Yuliana, Nancy & Sukarno, Sukarno & Budijanto, Slamet. (2017). Pengembangan Bekatul sebagai Pangan Fungsional: Peluang, Hambatan, dan Tantangan. Majalah Pangan. 26.

Velupillai, S., Nithyanantharajah, K. and Vasantharuba, S. 2009. Biochemical Changes Associated with Germinating Rice Grains and Germination Improvement. Rice Science 16(3): 240–242.

Vermerris, W. dan Nicholson, R. 2006. Phenolic Compound Biochemistry. Springer. New York.

Watanabe, M., Maeda, T., Tsukahara, K., Kayahara, H., & Morita, N. (2004). Application of pregerminated brown rice for bread making. Cereal Chemistry, 81, 450–455.

Wu, F., Yang, N., Toure, A., Jin, Z., Xu, X., 2013. Germinated Brown Rice and Its Role in Human Health. Crit. Rev. Food Sci. Nutr. 53, 451-463. <https://doi.org/10.1080/10408398.2010.542259>.

Wu NN, Li R, Li ZJ, Tan B. Effect of germination in the form of paddy rice and brown rice on their phytic acid, GABA, γ -oryzanol, phenolics, flavonoids

and antioxidant capacity. Food Res Int. 2022 Sep;159:111603. doi: 10.1016/j.foodres.2022.111603. Epub 2022 Jul 1. PMID: 35940799.

Wu NN, Li R, Li ZJ, Tan B. Effect of germination in the form of paddy rice and brown rice on their phytic acid, GABA, γ -oryzanol, phenolics, flavonoids and antioxidant capacity. Food Res Int. 2022 Sep;159:111603. doi: 10.1016/j.foodres.2022.111603. Epub 2022 Jul 1. PMID: 35940799.

Wunthunyarat, W. (2019). Effects of Germination Conditions of Brown Rice in Relation to Flour Physicochemical Properties and Bread Qualities. Graduate Theses and Dissertations Retrieved from <https://scholarworks.uark.edu/etd/3370>

Xu, J., Zhang, H., Guo, X., & Qian, H. (2011). The impact of germination on the characteristics of brown rice flour and starch. Journal of the Science of Food and Agriculture, 92(2), 380–387. doi:10.1002/jsfa.4588

Yang DS, Lee KS, Kays SJ. 2010. Characterization and discrimination of premium-quality, waxy and black pigmented rice based on odor-active compounds. J Sci Food Agric 90(15):2595-601. doi: 10.1002/jsfa.4126

Yulianthi, N. N., Suhendra, L., & Weasiati, L. (2017). Pengaruh perbandingan jenis pelarut terhadap kandungan senyawa total fenol, α -Tokoferol, dan total karotenoid ekstrak Sargassum polycystum. Jurnal Rekayasa Dan Manajemen Agroindustri, 5(4), 1-10.

- Yulianto, Yulianto. (2017). KETAHANAN VARIETAS PADI LOKAL MENTIK WANGI TERHADAP PENYAKIT BLAS. *Journal of Food System & Agribusiness*. 1. 10.25181/jofsa.v1i1.83.
- Yunus, Ahmad & Hartati, Sri & Brojokusumo, Raden. (2017). Performance Of Mentik Wangi Rice Generation M1 From The Results Of Gamma Ray Irradiation. *Agrosains: Jurnal Penelitian Agronomi*. 19. 6. 10.20961/agsjpa.v19i1.20922.
- Zhao, R., Ghazzawi, N., Wu, J., Le, K., Li, C., Moghadasian, M. H., ... Shen, G. X. (2018). Germinated Brown Rice Attenuates Atherosclerosis and Vascular Inflammation in Low-Density Lipoprotein Receptor-Knockout Mice. *Journal of Agricultural and Food Chemistry*, 66(17), 4512–4520. doi:10.1021/acs.jafc.8b00005
- Zhou, Lihui & Lu, Yan & Zhang, Yadong & Changquan, Zhang & Zhao, Ling & Yao, Shu & Sun, Xuchao & Chen, Tao & Zhu, Zhen & Zhao, Qingyong & Zhao, Chunfang & Liang, Wenhua & Lu, Kai & Wang, Cailin & Liu, Qiaoquan. (2020). Characteristics of grain quality and starch fine structure of japonica rice kernels following preharvest sprouting. *Journal of Cereal Science*. 95. 103023. 10.1016/j.jcs.2020.103023.