

## DAFTAR PUSTAKA

- Adhayanti, I., & Ahmad, T. (2021). Pengaruh metode pengeringan terhadap karakter mutu fisik dan kimia serbuk minuman instan kulit buah naga. *Media Farmasi*, 16(1), 57. <https://doi.org/10.32382/mf.v16i1.1418>
- Afoakwa, E. O. (2016). Chocolate Science and Technology: Second Edition. *Chocolate Science and Technology: Second Edition*, 1–524. <https://doi.org/10.1002/9781118913758>
- AOAC. (1990). *Association of Official Analytical Chemists Vol 2 16th edition*.
- Ariyanti, M., Ramlah, S., & Yumas, M. (2019). “Pengaruh Lama Fermentasi Dan Pengepresan Berulang Terhadap Mutu Bubuk Kakao. *Jurnal Industri Hasil Perkebunan*, 14(1), 21–27.
- Augustin, M. A., & Margetts, C. L. (2003). POWDERED MILK | Milk Powders in the Marketplace. In *Encyclopedia of Food Sciences and Nutrition. Second Edition*. <https://doi.org/10.1016/B0-12-227055-X/00955-X>
- Azri. (2015). Pengkajian Pengolahan Biji Kakao Gapoktan Lintas Sekayam Sanggau Kalimantan Barat. *Agros*, 17(2), 173–178.
- Barkouti, A., Turchiuli, C., & Carcel, J. A. (2013). Milk powder agglomerate And, growth and properties in fluidized bed agglomeration. *Dairy Science*, 93, 4–5. [https://doi.org/http://dx.doi.org/10.1016/S0260-8774\(02\)00433-8](https://doi.org/http://dx.doi.org/10.1016/S0260-8774(02)00433-8)
- Beg, M. S., Ahmad, S., Jan, K., & Bashir, K. (2017). Status, supply chain and processing of cocoa - A review. *Trends in Food Science and Technology*, 66, 108–116. <https://doi.org/10.1016/j.tifs.2017.06.007>
- Belščak-Cvitanović, A., Benkovic, M., Komes, D., Bauman, I., Horzic, D., F, D., & Matijasec, M. (2010). Physical Properties and Bioactive Constituents of Powdered Mixtures and Drinks Prepared with Cocoa and Various Sweeteners. *Journal of Agricultural and Food Chemistry*, 58(12), 7187–7195. <https://doi.org/https://doi.org/10.1021/jf1005484>
- Carr, R. L. (1965). Evaluating Flow Properties of Solids. *Chemical Engineering*, 72, 163–168., 72, 163–168. [https://www.scirp.org/\(S\(351jmbntvnsjt1aadkposzje\)\)/reference/ReferencesPapers.aspx?ReferenceID=1346174](https://www.scirp.org/(S(351jmbntvnsjt1aadkposzje))/reference/ReferencesPapers.aspx?ReferenceID=1346174)
- Chakraborty, S. (2022). TOPSIS and Modified TOPSIS: A comparative analysis. *Decision Analytics Journal*, 2, 2–7. <https://doi.org/10.1016/j.dajour.2021.100021>
- Chevanan, N., Womac, A. R., Bitra, V. S. P., Igathinathane, C., Yang, Y. T., I, M. P., & Sokhansanj, S. (2010). Bulk density and compaction behavior of knife mill chopped switchgrass, wheat straw, and corn stover. *Bioresource Technology*, 101(1), 207–214. <https://doi.org/doi:10.1016/j.biortech.2009.07.083>
- Dhanalakshmi, K., Ghosal, S., & Bhattacharya, S. (2011). Agglomeration of food powder and applications. *Critical Reviews in Food Science and Nutrition*, 51(5), 432–441. <https://doi.org/10.1080/10408391003646270>
- Diasti, D. ., Dyaningrum, E. ., Lutfiyah, R. ., Karyadi, J. N. ., & Saputro, A. . (2019). Physical characteristics of instanised cocholeate powder sweetened with sucrose produced using continuous and batch type steam jet *agglomerator* : A preliminary study Physical characteristics of instanised cocholeate powder sweetened with sucrose produced us. *International Symposium on Agricultural and Biosystem Enginering*, 355, 2–9. <https://doi.org/10.1088/1755-1315/355/1/012046>
- Eshpari, H., Tong, P. ., & Corredig, M. (2014). Changes in the physical properties, solubility, and heat stability of milk protein concentrates prepared from partially

- acidified milk. *J. Dairy Sci*, 97, 7394–7401. <https://doi.org/http://dx.doi.org/10.3168/jds.2014-8609>
- Estiasih, T., & Ahmadi, K. (2009). *Teknologi Pengolahan Pangan*. Bumi Aksara.
- Fitzpatrick, J. (2013). Powder properties in food production systems. *Handbook of Food Powders: Processes and Properties*, February, 285–308. <https://doi.org/10.1533/9780857098672.2.285>
- Goyal, A., Sharma, V., Sihag, M. K., Tomar, S. K., Arora, S., Sabikhi, L., & Singh, A. K. (2015). Development and physico-chemical characterization of microencapsulated flaxseed oil powder: A functional ingredient for omega-3 fortification. *Powder Technology*, 286(December 2018), 527–537. <https://doi.org/10.1016/j.powtec.2015.08.050>
- Hardiyanto, Y. F., Saputro, A. D., Nurkholisa, Z., Setiyadi, P. A., Bintoro, N., & Kusuma, R. A. (2021). The effect of steaming time and types of cocoa powder on the characteristics of instantized cocoa powder made using batch-type steam jet agglomerator. *IOP Conference Series: Earth and Environmental Science*, 653(1). <https://doi.org/10.1088/1755-1315/653/1/012089>
- Haryanto, B. (2018). Pengaruh Penambahan Gula Terhadap Karakteristik Bubuk Instan Daun Sirsak (*Annona muricata* L.) Dengan Metode Kristalisasi. *Jurnal Penelitian Pascapanen Pertanian*, 14(3), 163. <https://doi.org/https://doi.org/10.21082/jpasca.v14n3.2017.163-170>
- Hidayati, B., Sunarno, & Yenti, S. R. (2013). *Studi Kinetika Adsorpsi Logam Cu<sup>2+</sup> dengan Menggunakan Adsorben Zeolit Alam Teraktifasi*. <http://repository.unri.ac.id:80/handle/123456789/4978>
- Hla, P. K., & Hoge Kamp, S. (1999). Wetting behaviour of instantized cocoa beverage. *International Journal of Food Science and Technology*, 34, 335–342.
- Hoge Kamp, S., Schubert, H., & Wolf, S. (1996). Steam agglomeration of water soluble material. *Powder Technology*, 86(1), 49–57. [https://doi.org/https://doi.org/10.1016/0032-5910\(95\)03037-9](https://doi.org/https://doi.org/10.1016/0032-5910(95)03037-9)
- International Cocoa Organization (ICCO). (2023). *Production of Cocoa Beans*. XLIX(2).
- Jinapong, N., Suphantharika, M., & Jamnong, P. (2008). Production of instant soymilk powders by ultrafiltration, spray drying and fluidized bed agglomeration. *Journal of Food Engineering*, 84, 194–205. <https://doi.org/10.1016/j.jfoodeng.2007.04.032>
- Johanson, J. R. (1992). The Johanson indicizer system versus the Jenike shear tester. *Bulk Solids Handling*, 12(2), 237–240. <https://doi.org/200902096831474032>
- Kementerian Pertanian. (2022). *Statistik Konsumsi Pangan*. Pusat dan Data Informasi Pertanian.
- Kharisma, N., Waluyo, S., & Tamrin. (2014). Pengaruh Perbedaan Kecepatan Putar (RPM) Di S Mill terhadap Keseragaman Ukuran Butiran Gula Semut. *Jurnal Teknik Pertanian Lampung*, 3(3), 224–225.
- Kim, S. Y., & Yi, D. Y. (2021). Human Breast Milk Composition and Function in Human Health: From Nutritional Components to Microbiome and MicroRNAs. *Nutrients*, 13(9), 3094. <https://doi.org/10.3390/nu13093094>
- Kowalska, J., & Lenart, A. (2005). The influence of ingredients distribution on properties of agglomerated cocoa products. *Journal of Food Engineering*, 68(2), 155–161. <https://doi.org/DOI:10.1016/j.jfoodeng.2004.05.028>
- Krohling, R. A., & Pacheco, A. G. C. (2015). A-TOPSIS - An approach based on TOPSIS for ranking evolutionary algorithms. *Procedia Computer Science*, 55(December), 308–317. <https://doi.org/10.1016/j.procs.2015.07.054>
- Lannes, S., Silva, C. Da, & Medeiros, M. L. (2008). Rheological Properties of Chocolate Drink from Cupuassu. *International Journal of Food*, 4(1).

- <https://doi.org/https://doi.org/10.2202/1556-3758.1124>
- Ly, B. C. K., Dyer, E. B., Feig, J. L., Chien, A. L., & Del Bino, S. (2020). Research Techniques Made Simple: Cutaneous Colorimetry: A Reliable Technique for Objective Skin Color Measurement. *Journal of Investigative Dermatology*, 140(1), 3-12.e1. <https://doi.org/10.1016/j.jid.2019.11.003>
- Martins, P. C., & Kieckbusch, T. G. (2008). Influence of a lipid phase on steam agglomeration of maltodextrin powders. *Powder Technology*, 185(3), 258–266. <https://doi.org/https://doi.org/10.1016/j.powtec.2007.10.022>
- McLellan, M. R., Lind, L. R., & Kime., R. W. (1994). Hue Angle Determinations and Statistical. *Journal of Food Quality*, 18, 235–400.
- Nasamsir. (2014). Pertumbuhan bibit kakao (theobroma cacao l. ) terhadap aplikasi pupuk organik cair pada jenis aksesori buah kakao yang berbeda. *Jurnal Ilmiah Universitas Batanghari Jambi*, 14(3), 91–100.
- Nurkholisa, Z., Saputro, A. D., Hardiyanto, Y. F., Setiadi, P. A., Bintoro, N., & Karyadi, J. N. W. (2021). Physical characteristics of instantized cocoa drink formulated with maltodextrin produced using continuous-type steam jet agglomerator. *IOP Conference Series: Earth and Environmental Science*, 653(1). <https://doi.org/10.1088/1755-1315/653/1/012111>
- Omobuwajo, T. . ., Busari, O. ., & Osemwegie, A. . (2000). Thermal agglomeration of chocolate drink powder. *Journal of Food Engineering*, 46(2), 73–81. [https://doi.org/https://doi.org/10.1016/S0260-8774\(00\)00067-4](https://doi.org/https://doi.org/10.1016/S0260-8774(00)00067-4)
- Peleg, M. (1978). Flowability of food powders and methods for its evaluation: A review. *Journal of Food Process Eng*, 1(4), 303–328. <https://doi.org/http://dx.doi.org/10.1111/j.1745-4530.1977.tb00188.x>
- Person, M., Cuq, B., & Duri, A. (2018). Influence of the drying step in the steam-jet granulation process of dairy powders. *Journal of Food Engineering*, 239, 33–39. <https://doi.org/http://dx.doi.org/10.1016/j.jfoodeng.2018.06.025>
- Prescott, J. K., & Barnum., R. A. (2000). On Powder Flowability. *Pharmaceutical Technology*, 24(10), 60–84.
- Pusat Penelitian Kopi dan Kakao Indonesia. (2008). *Budidaya Kakao*. Agromedia Pustaka.
- Rahmawati, S., Asnila, A., Suherman, S., & Abram, P. H. (2020). Kinetika Reaksi Hidrolisis Pati Biji Alpukat (Persea americana Mill) dengan Katalis HCl. *Jurnal IPA & Pembelajaran IPA*, 4(1), 120–131. <https://doi.org/10.24815/jipi.v4i1.16480>
- Saputro, A. D., Van de Walle, D., & Dewettinck, K. (2020). Physicochemical properties of coarse palm sap sugars as natural alternative sweetener. *Food Bioscience*, 38(1), 1–8. <https://doi.org/https://doi.org/10.1016/j.fbio.2020.100780>
- Saputro, A. D., Van de Walle, D., Hinneh, M., Van Durme, J., & Dewettinck With, K. (2018). Aroma profile and appearance of dark chocolate formulated with palm sugar–sucrose blends. *European Food Research and Technology*, 244(7), 1281–1292. <https://doi.org/https://doi.org/10.1007/s00217-018-3043-2>
- Saputro, A. D., Zahfarina, Phung, Nurkholisa, & Setiadi, A. (2022). Application of Steam Jet Agglomerator to Improve the Properties of Instantised Cocoa Drink Powder Mixed with Maltodextrin , Coconut Sugar and Sucrose. *Sugar Tech*. <https://doi.org/10.1007/s12355-022-01188-2>
- Schubert, H. (1993). Instantization of powdered foods. *International Chemical Engineering*, 30, 28–45.
- Setiadi, P. A., Saputro, A. D., Nurkholisa, Z., Hardiyanto, Y. F., Bintoro, N., & Karyadi, J. N. W. (2021). Physical characteristic of instantised chocolate beverage powder produced with palm sugar and sucrose as sweeteners. *IOP Conference Series: Earth*

- and Environmental Science*, 653(1). <https://doi.org/10.1088/1755-1315/653/1/012038>
- Shah, R. B., Tawakkul, M. A., & Khan, M. A. (2008). Comparative evaluation of flow for pharmaceutical powders and granules. *AAPS PharmSciTech*, 9(1), 250–258. <https://doi.org/doi:10.1208/s12249-008-9046-8>
- Shi, Q., Li, F., Yeh, S., Wang, Y., & Xin, J. (2020). Physical stability of amorphous pharmaceutical solids: Nucleation, crystal growth, phase separation and effects of the polymers. *International Journal of Pharmaceutics*, 590, 1–11. <https://doi.org/https://doi.org/10.1016/j.ijpharm.2020.119925>
- Shittu, T. A., & Lawal, M. O. (2007). Factors affecting instant properties of powdered cocoa beverages. *Food Chemistry*, 100, 91–98. <https://doi.org/10.1016/j.foodchem.2005.09.013>
- Sita, K., & Rohdiana, D. (2021). Analisis kinerja dan prospek komoditi kakao. *Radar Opini Dan Analisis Perkebunan*, 2(1), 1–7.
- Srikaeo, K., Sangkhiaw, J., & Likittrakulwong, W. (2019). Productions and functional properties of palm sugars. *Walailak Journal of Science and Technology*, 16(11), 897–907. <https://doi.org/10.48048/wjst.2019.5323>
- Sugiyono. (2009). *Metode Penelitian Kuantitatif, Kualitatif dan Research & Development*. Alfabeta.
- Suprayogi, I., Trimaijon, & Mahyudin. (2014). Model prediksi liku kalibrasi menggunakan pendekatan jaringan saraf tiruan (ZST) (Studi Kasus : Sub DAS Siak Hulu). *Jurnal Online Mahasiswa Fakultas Teknik Universitas Riau*, 1(1), 1–18.
- Suryaningrat, B. I., Novijianto, N., & Faidah, N. (2015). *Penerapan metode statistical process control (spc) pada pengolahan biji kakao*. 09(01).
- Vissotto, F. Z., Jorge, L. C., Makita, G. T., Rodrigues, M. I., & Menegalli, F. C. (2010). Influence of the process parameters and sugar granulometry on cocoa beverage powder steam agglomeration. *Journal of Food Engineering*, 97(3), 283–291. <https://doi.org/10.1016/j.jfoodeng.2009.10.013>
- Wee, J. J. Y., Chan, R. X., Seow, Y. X., Viton, F., & Weibiao Reconstitution Zhou. (2020). Influence of Sucrose Reduction on Powder and Properties of Powdered Cocoa Malted Beverage. *Powder Technology*, 360, 221–300. <https://doi.org/https://doi.org/10.1016/j.powtec>
- Yuda, R. C., Irdiansyah, I., & Prihatiningtyas, I. (2018). Studi Kinetika Pengaruh Suhu Terhadap Ekstraksi Minyak Atsiri dari Kulit Jeruk Nipis dengan Pelarut Etanol. *Jurnal Chemurgy*, 1(1), 22. <https://doi.org/10.30872/cmg.v1i1.1135>