



## DAFTAR PUSTAKA

- Abitbol, J, Beach, R, Barr, K, Esseltine, J, Allman, B & Laird, D 2020, ‘Cisplatin-induced ototoxicity in organotypic cochlear cultures occurs independent of gap junctional intercellular communication’, *Cell Death & Disease*, vol. 11, no. 5.
- Adham, M, Gondhowiardjo, S, Soediro, R, Jack, Z, Lisnawati & Witjaksono, F 2017, ‘Kanker Nasofaring’, *PNPK*, pp. 1-6.
- Alam, A 2018, ‘Chemotherapy Treatment and Strategy Schemes: A Review’, *Open Access J. Toxicol*, vol. 2.
- Aldossary, SA 2019, ‘Review on pharmacology of cisplatin: Clinical use, toxicity and mechanism of resistance of cisplatin’, *Biomed Pharmacol J*, vol. 12, pp. 7–15.
- Austin, FD 1997, ‘Anatomi dan Embriologi’, dalam Ballenger JJ, *Penyakit Telinga, Hidung, Tenggorok, Kepala dan Leher*, Edisi 13, Jilid Dua, Binarupa Aksara, pp. 101-32.
- Baiduc, RR 2013, ‘Clinical Measures of Auditory Function: The Cochlea and Beyond’, *Dis Mon*, vol. 59, no. 4, pp. 147–156.
- Barabas, K, Milner R, Lurie D & Adin C 2008, ‘Cisplatin : a review of toxicities and therapeutic applications’, *Blackwell Publishing*, vol. 6, pp. 1-18.
- Bertolini, P, Lassalle, M, Mercier G, Raquin, MA, Izzi, G, Corradini, N, Hartmann, O 2004, ‘Platinum Compound-Related Ototoxicity in Children: Long-Term Follow-Up Reveals Continuous Worsening of Hearing Loss’, *J Pediatr Hematol Oncol*, vol. 26, no. 10, pp. 649-55.
- Breglio, AM, Rusheen, AE, Shide, ED, Fernandez, KA, Spielbauer, KK, McLachlin, KM, Hall, MD, Amable, L & Cunningham, LL 2017, ‘Cisplatin is retained in the cochlea indefinitely following chemotherapy’. *Nature Communications*, vol. 8, no. 1, pp. 1654.
- Chang, ET, Ye, W, Zeng, YX, & Adami, HS 2021, ‘The Evolving Epidemiology of Nasopharyngeal Carcinoma’. *AACR*, vol. 30, no. 1, pp. 1035–47.
- Christanti, J & Prasetyo, A 2012, ‘Tingkat ketahanan hidup penderita kanker nasofaring pada berbagai modalitas terapi’. *M Med Indonesia*, vol. 46, no. 2, pp. 138-146.
- Chua, DT, Ma, J, Sham, JST, Mai, H-Q, Choy, DTK, Hong, M-H, Lu, TX & Min, H-Q 2005, ‘Long-Term Survival After Cisplatin-Based Induction Chemotherapy and Radiotherapy for Nasopharyngeal Carcinoma: A Pooled Data Analysis of Two Phase Trials’. *Journal of Clinical Oncology*, vol. 23, no. 6, pp. 1118–24.
- Dasari, S & Tchounwou, PB 2014, ‘Cisplatin in cancer therapy: molecular mechanisms of action’. *European Journal of Pharmacology*, vol. 740, pp. 364–378.
- De Weger, VA, Beijnenb, JH & Schellensa, JHM 2014, ‘Cellular and clinical pharmacology of the taxanes docetaxel and paclitaxel-A review’. *Anti-Cancer Drugs*, vol. 25, no. 5.
- Despopoulos, A & Silbernagl, S 2008, ‘Central nervous system and senses’, in *Color Atlas of Physiology*, New York: Thieme.
- Dhingra, PL, Dhingra, S & Dhingra, D 2014, *Diseases of Ear, Nose and Throat*. India: Elsevier.



- Ding, D, Allman, BL & Salvi, R 2012, 'Review : Ototoxic Characteristics of Platinum Antitumor Drugs'. *Anat Rec (Hoboken)*, vol. 295, no. 11, pp. 1851–67.
- Durrant, J, Campbell, K, Fausti, S, Guthrie, O, Jacobson, G & Lonsbury - Martin, B 2009, 'American Academy of Audiology position statement and clinical practice guidelines: ototoxicity monitoring'. *Washington : American Academy of Audiology*.
- Dwivedi, G, Kumar, M, Gupta, V, Sood, A & Patnaik, U 2019, 'A clinical study of cisplatin induced ototoxicity in head and neck malignancies', *Int J Otorhinolaryngol Head and Neck Surg*, vol. 5, no. 4, pp. 1044-51.
- Fernando, J & Jones, R 2015, 'The principles of cancer treatment by chemotherapy', *Surg. (United Kingdom)*, vol. 33, pp. 131–135.
- Fuertes, M, Castilla, J, Alonso, C & Pérez, J 2012, 'Cisplatin Biochemical Mechanism of Action: From Cytotoxicity to Induction of Cell Death Through Interconnections Between Apoptotic and Necrotic Pathways', *Curr Med Chem*, no. 10, pp. 257–266.
- Gourin, CG & Forastiere, AA 2014, 'Chemoradiation', in JT Johnson, CA Rosen (eds), *Bailey's head and neck surgery-otolaryngology*, 5th edition, Philadelphia: Lippincott Willias & Wilkins, pp. 1692-1707.
- Gratton, MA & Smyth, BJ 2004, 'Ototoxicity of Platinum Compunds'. In PS Roland, JA Rutka, *Ototoxicity*, BC Decker Inc, Canada, pp. 60-75.
- Guo, SS, Tang, LQ, Zhang, L, Chen, QY, Liu, LT, Guo, L, Mo, HY, Luo, DH, Huang, PY, Xiang, YQ, Sun, R, Chen, MY, Wang, L, Lv, X, Zhao, C, Guo, X, Cao, KJ, Qian, CN, Zeng, MS, Bei, JX, Hong, MH, Shao, JY, Sun, Y, Ma, J, Mai, HQ 2015, 'The impact of the cumulative dose of cisplatin during concurrent chemoradiotherapy on the clinical outcomes of patients with advanced-stage nasopharyngeal carcinoma in an era of intensity-modulated radiotherapy', *BMC Cancer*, vol. 15, no. 977, pp. 1-9.
- Hall, JW & Antonelli, PJ 2014, 'Assesment of peripheral and central audiotory function', in JT Johnson, CA Rosen (eds), *Bailey's head and neck surgery otolaryngology*, 5th edition, Philadelphia: Lippincot Williams and Wilkins, pp. 2274-90.
- Hendriyanto, D, Setiamika, M & Primadewi, N 2020, 'The Effect Of Ginkgo Biloba Against Ototoxic Hearing Loss On Advanced Stage Undifferentiated Nasopharyngeal Carcinoma Receiving Cisplatin Chemotherapy', *International Journal of Nasopharyngeal Carcinoma*, vol. 2, no. 2, pp. 44-46.
- Kemp, DT 2009, *Otoacoustic Emissions*, Centre for auditory research UCL EAR Institute, London UK: Elsevier, pp 317-326.
- Knight, KR, Kraemer, DF, Neuwelt, EA 2005, 'Ototoxicity in children receiving platinum chemotherapy: underestimating a commonly occurring toxicity that may influence academic and social development', *J Clin Oncol*, vol. 23, no. 34, pp. 8588-96



- Komatsu, M, Tsukuda, M & Matsuda, H 2012, 'Comparison of concurrent chemotherapy versus induction chemotherapy followed by radiation in patients with nasopharyngeal carcinoma', *Anticancer Research*, vol. 32, pp. 681-6.
- Kristianti, A, Madiadipoera, T & Soeseno, B 2010, 'Pengaruh Sisplatin Dosis Tinggi Terhadap Penurunan Fungsi Sel Rambut Luar Koklea', *ORLI*, vol. 40, no. 2, pp. 83-88.
- Kurnianda, J, Widayati, K, Purwanto, I, Hardianti, MS & Wulanningsih, W 2011, 'Buku Protokol: Pedoman Tatalaksana Terapi Sistemik pada Kanker', *PGTJI Press: Sub Bagian Hematologi Onkologi Medik Fakultas Kedokteran UGM Yogyakarta*, pp. 187 – 214.
- Low, WKC & Rangabashyam, M 2012, 'Ear-related issues in patients with nasopharyngeal carcinoma', *Carcinogenesis, diagnosis, and molecular targeted treatment for nasopharyngeal carcinoma*, Shanghai: In Teach China, pp. 156-178.
- Lv, JW, Qi, ZY, Zhou, GQ, He, XJ, Chen, YP, Mao, YP, Chen, L, Tang, LL, Li, WF, Lin, AH, Ma, J, Sun, Y 2017, 'Optimal cumulative cisplatin dose in nasopharyngeal carcinoma patients receiving additional induction chemotherapy', *Cancer Science*, vol. 109, no. 3, pp. 751-63.
- Miller, JJ 2019. *CRC Handbook of Ototoxicity*. Boca Raton : CRC Press. pp. 9- 87.
- Mustafa, E, Nasar, MN & Rabie, NA 2006, 'Induction chemotherapy with paclitaxel and cisplatin, followed by concomitant cisplatin and radiotherapy for the treatment of locally advanced nasopharyngeal carcinoma', *J of The Egyptian Nat Cancer Inst*, vol. 18, no. 4, pp. 384-56.
- Oun, R, Moussa, YE, & Wheate, NJ 2018, 'The side effects of platinum-based chemotherapy drugs: a review for chemists', *Dalton Transactions*, vol. 47, no. 19, pp. 6645-6653.
- Paiar, F, Di Cataldo, V, Zei, G, Pasquetti, EM, Cecchini, S, Meattini, I, Mangoni, M, Agresti, B, Iermano, C, Bonomo, P & Biti, G 2012, 'Role of chemotherapy in nasopharyngeal carcinoma', *Oncol*, vol. 6, pp. 1–6.
- Pawloski, KS 2004. 'Anatomy and Physiology of the Cochlea', in PS Roland, JA Rutka, *Ototoxicity*, Canada: BC Decker Inc, sec. 1, pp. 1-10.
- Pfister, DG, Spencer, S, Adelstein, D, Adkins, D, Anzai, Y, Brizel, DM, Bruce, JY, Busse, PM, Caudell, JJ, Cmelak, AJ, DimitriosColevas, A, Eisele, DW, Fenton, M, Foote, RL, Galloway, T, Gillison, ML, Haddad, RI, Hicks, WL, Hitchcock, YJ, Jimeno, A, Leizman, D, Maghami, E, Mell, LK, Mittal, BB, Pinto, HA, Ridge, JA, Rocco, JW, Rodriguez, CP, Shah, JP, Weber, RS, Weinstein, G, Witek, M, Worden, F, Yom, SS, Zhen, W, Burns, JL, Darlow, SD 2020. 'Head and neck cancers', *JNCCN*, vol. 18, pp. 873–898.
- Prayuenyong, P, Baguley, DM, Kros, CJ & Steyger, PS 2021, 'Preferential Cochleotoxicity of Cisplatin', *Neurosci*, vol. 15, pp. 6952-68.
- Prepangeran, N, Scott, AR & Rutka, JA 2004. 'Ototoxicity of Loop Diuretics', in PS Roland, JA Rutka (eds), *Ototoxicity*, Canada: BC Decker Inc, sec. 2, pp. 42-49.



- Primadewi, N 2008, 'Usia Sebagai Faktor Risiko Ototoksitas Cisplatin pada Penderita Kanker Pasca Kemoterapi'. Tesis. Yogyakarta: Universitas Gadjah Mada.
- Probst, R, Grevers, G & Iro, H 2006, 'Anatomy and Physiology of the Ear' in *Basic Otorhinolaryngology*. Ed 2. Berlin: Thieme.
- Putri, MH, Rahaju, P & Indrasworo, D 2017, 'Hubungan ototoksitas dan kemoterapi neoadjuvan pada karsinoma nasofaring berdasarkan ASHA, CTCAE, dan DPOAE', *ORLI*, vol. 47, no. 2, pp. 102-112.
- Ramma, L, Schellack, N & Heinze, B 2019, 'Prevention of treatment-induced ototoxicity: An update for clinicians', *South African Medical Journal*, vol. 109, no. 3, pp. 145.
- Rask-Andersen, H, Liu, W, Erixon, E, Kinnefors, A, Pfaller, K, Schrott-Fischer, A, & Glueckert, R 2012, 'Human Cochlea: Anatomical Characteristics and Their Relevance for Cochlear Implantation', *The Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, vol. 295, no. 11, pp. 1791-811.
- Reiter, RJ, Tan, D, Korkmaz, A & Fuentes, BL 2011, 'Drug-mediated ototoxicity and tinnitus: alleviation with melatonin', *Journal of Physiology and Pharmacology*, vol. 62, no. 2, pp 151-157.
- Robinette, MS & Glattke, TJ 2007, *Otoacoustic emissions: clinical applications*, 3rd. ed. New York: Thieme.
- Rybak, LP & Ramkumar, V 2007, 'Ototoxicity', *Kidney International*, vol. 72, no. 8, pp. 931–935.
- Rybak, LP, Mukherjea, D, Jajoo, S & Ramkumar, V 2009, 'Cisplatin ototoxicity and protection: clinical and experimental studies', *Tohoku J Exp Med*, vol. 219, no. 3, pp. 177-86.
- Sabaru, I & Sarafoleanu, C 2013, 'Diagnostic particularities of advanced nasopharyngeal carcinoma', *Romanian Journal of Rhinology*, vol. 3, no. 10, pp. 87-94.
- Salehiniya, H, Mohammadian, M, Hafshejani, AM, Mahdavifar, N 2018, 'Nasopharyngeal Cancer in The World: Epidemiology, Incidence, Mortality And Risk Factors', *WCRJ*, vol. 5, no. 1, pp. e1046.
- Sarafraz, M & Ahmadi, K 2008, 'Paraclinical evaluation of side-effects of Taxanes on auditory system', *Acta otorhinolaryngol Italica*, vol. 28, no. 5, pp. 239-42.
- Schacht, J 2004, 'Mechanisms for Aminoglycoside Ototoxicity: Basic Science Research', in PS Roland, JA Rutka, *Ototoxicity*, Canada: BC Decker Inc, sec. 2, pp. 93-100.
- Scott, AR, Rutka, JA 2004, 'Macrolides', in PS Roland, JA Rutka, *Ototoxicity*, Canada: BC Decker Inc, sec. 2, pp. 101-105.
- Sheth, S, Mukherjea, D, Rybak, LP & Ramkumar, V 2017, 'Mechanisms of Cisplatin-Induced Ototoxicity and Otoprotection', *Frontiers in Cellular Neuroscience*. vol 11.
- Shetty, S, Bhandary, SK, Bhat, V, Aroor, R, Shetty, J & Dattatreya, T 2022, 'Role of Otoacoustic Emission in Early Detection of Cisplatin Induced



- Ototoxicity', *Indian Journal of Otolaryngology and Head and Neck Surgery*, vol. 74, pp. 164-169
- Sihotang, ZB 2007, 'Ototoksitas Cisplatin Pada Kemoterapi Tumor Ganas Kepala Dan Leher Di Rsup H Adam Malik Medan', Tesis, Medan: USU.
- Sivasankari, L, Subramanian, L 2018, 'A Study of cisplatin chemotherapy and hearing loss'. *Int J Otorhinolaryngol Head Neck Surg*, vol. 4, no. 5, pp. 1297-1300.
- Skarzynska, MB, Król, B & Czajka, L 2020, 'Ototoxicity As A Side-Effect Of Drugs: Literature Review', *Journal of Hearing Science*, vol. 10, no. 2, pp. 9-19.
- Sofia, F, Wiyadi, HMS & Romdhoni, AC 2022, 'Sensorineural Hearing Loss and Cochlear Outer Hair Cell Function Nasopharyngeal Carcinoma Due to Influence of Cisplatin', *Indian Journal of Forensic Medicine & Toxicology*, vol. 16, no. 2, pp. 212–218.
- Soh, LJM & Chan, YM 2015, 'Revisiting Oto-Acoustic Emissions', *Proceedings of Singapore Healthcare*, vol. 24, no. 2, pp. 86–93.
- Tang, Q, Wang, X, Jin, H, Mi, Y, Liu, L, Dong, M, Chen, Y & Zou, Z 2021, 'Cisplatin-induced ototoxicity: Updates on molecular mechanisms and otoprotective strategies', *Eur J Pharm Biopharm*, vol. 163, pp. 60–71.
- Vokes, EE & Choong, N 2008, 'Chemotherapy of head and neck cancer', in MC Perry (eds), *The Chemotherapy Source Book*. Philadelphia : Lippincott Williams & Wilkins, pp. 324-38.
- Weber, PC & Khariwala, S 2014, 'Anatomy and physiology of hearing', in JT Johnson & CA Rosen (eds), *Bailey's head and neck surgery otolaryngology*, Philadelphia: Lippincott W, Wilkins, pp. 2252-2273.
- Young, Y-H & Hsieh, T 1992, 'Eustachian tube dysfunction in patients with nasopharyngeal carcinoma, pre- and post-irradiation', *European Archives of Oto-Rhino-Laryngology*, vol. 249, no. 4.
- Yu, KK, Choi, CH, An, YH, Kwak, MY, Gong, SJ, Yoon, SW, Shim, HJ 2014, 'Comparison of the effectiveness of monitoring cisplatin- induced ototoxicity extended high-frequency pure-tone audiometry or distortion-product otoacoustic emission', *Korean J Audiol*, vol. 18, no. 2, pp. 58-68.
- Zhang, N, Yin, Y, Xu, SJ, Chen, WS 2008, '5-Fluorouracil: Mechanisms of resistance and 44 reversal strategies', *Molecules*, no. 13, pp. 1551–1569.