



DAFTAR PUSTAKA

- Abdel-Latif, A. and Osman, G. (2017) ‘Comparison of three genomic DNA extraction methods to obtain high DNA quality from maize’, *Plant Methods*, 13(1). Available at: <https://doi.org/10.1186/s13007-016-0152-4>.
- Alam, S., Malik, S., Tariq, K., Israr, M. and Iqbal, S. (2023) ‘A review of different members of Major Royal Jelly Proteins (MRJPs) and their function revised title Overview of different members of MRJPs genes in Honeybee (Apis mellifera) and its biological Activities’, *Egyptian Journal of Agricultural Research*, 101(2), pp. 253–266. Available at: <https://doi.org/10.21608/ejar.2023.177228.1310>.
- Amrullah, S.H., Hilda and Rusli, R.F. (2018) ‘Identifikasi lebah dan kupu polinator di Hutan Billa Battang Kota Palopo’, *Jurnal Dinamika*, 9(2), pp. 1–12.
- Apimondia (International Federation of Beekeepers’ Associations) (2019) *Apimondia statement on honey fraud, Honey - a natural product - Apimondia Statement on honey fraud*. Available at: <https://www.apimondia.org/latest/honey-a-natural-product> (Accessed: 19 June 2023).
- Badan Pusat Statistik (2021) *Statistik Produksi Kehutanan 2021*.
- Badan Standardisasi Nasional (BSN) (2018) *Standar Nasional Indonesia 8664: 2018 Madu, SNI 8664-2018 Madu*. Available at: <https://bsilhk.menlhk.go.id/standarlhk/2022/08/10/sni-8664-2018-madu-revisi/> (Accessed: 19 June 2023).
- Blackiston, H. (2017) *Beekeeping For Dummies*. 4th edn. Hoboken, New Jersey: John Wiley & Sons, Inc.
- Boardman, L., Eimanifar, A., Kimball, R.T., Braun, E.L., Fuchs, S., Grünwald, B. and Ellis, J.D. (2019) ‘The mitochondrial genome of the Carniolan honey bee, *Apis mellifera carnica* (Insecta: Hymenoptera: Apidae)’, *Mitochondrial DNA Part B: Resources*, 4(2), pp. 3288–3290. Available at: <https://doi.org/10.1080/23802359.2019.1671250>.
- Boratyn, G.M., Camacho, C., Cooper, P.S., Coulouris, G., Fong, A., Ma, N., Madden, T.L., Matten, W.T., McGinnis, S.D., Merezhuk, Y., Raytselis, Y., Sayers, E.W., Tao, T., Ye, J. and Zaretskaya, I. (2013) ‘BLAST: a more efficient report with usability improvements.’, *Nucleic Acids Research*, 41, pp. 29–33. Available at: <https://doi.org/10.1093/nar/gkt282>.
- Buchori, D., Rizali, A., Priawandiputra, W., Raffiudin, R., Sartiami, D., Pujiastuti, Y., Jauharlina, Pradana, M.G., Meilin, A., Leatemia, J.A., Sudiarta, I.P., Rustam, R., Nelly, N., Lestari, P., Syahputra, E., Hasriyanti, Watung, J.F., Daud, I.D.A., Hariani, N., Jihadi, A. and Johannis, M. (2022) ‘Beekeeping and Managed Bee Diversity in Indonesia: Perspective and Preference of Beekeepers’, *Diversity*, 14(1). Available at: <https://doi.org/10.3390/d14010052>.
- Buttstedt, A., Moritz, R.F.A. and Erler, S. (2013) ‘Origin and function of the major royal jelly proteins of the honeybee (*Apis mellifera*) as members of the yellow gene family’, *Biological Reviews*, 89(2), pp. 255–269. Available at: <https://doi.org/10.1111;brv.12052>.



- Chao, J., Tang, F. and Xu, L. (2022) ‘Developments in Algorithms for Sequence Alignment: A Review’, *Biomolecules*. MDPI. Available at: <https://doi.org/10.3390/biom12040546>.
- Chhakchhuak, L., Syed Ibrahim, K., Gurusubramanian, G. and Senthil Kumar, N. (2015) ‘Genetic divergence and phylogenetic analysis of honey bee population in Mizoram’, *Department of Biotechnology, Mizoram University, Tahnril, Aizawl, Mizoram 796004, India. [Manuscript Submitted for Publication]* [Preprint].
- Drapeau, M.D., Albert, S., Kucharski, R., Prusko, C. and Maleszka, R. (2006) ‘Evolution of the Yellow/Major Royal Jelly Protein family and the emergence of social behavior in honey bees’, *Genome Research*, 16(11), pp. 1385–1394. Available at: <https://doi.org/10.1101/gr.5012006>.
- Engel, M.S. (2012) ‘The honey bees of Indonesia (Hymenoptera: Apidae)’, *Treubia: A Journal on Zoology of The Indo-Australian Archipelago*, 39, pp. 41–49.
- Fratini, F., Cilia, G., Mancini, S. and Felicioli, A. (2016) ‘Royal Jelly: An ancient remedy with remarkable antibacterial properties’, *Microbiological Research*. Elsevier GmbH, pp. 130–141. Available at: <https://doi.org/10.1016/j.micres.2016.06.007>.
- Gurung, M.B., Partap, U., Shrestha, N.C., Sharma, H.K., Islam, N. and Tamang, N.B. (2012) *Beekeeping Training for Farmers in the Himalayas Resource Manual for Trainers*. Kathmandu: International Centre for Integrated Mountain Development (ICIMOD).
- Hadisolesilo, S. (2001) ‘Review: The Diversity of Indigenous Honey Bee Species of Indonesia’, *Biodiversitas Journal of Biological Diversity*, 2(1), pp. 123 – 128. Available at: <https://doi.org/10.13057/biodiv/d020107>.
- Haldhar, S., Singh, K., Gupta, M. and Devi, A. (2021) ‘Morphometric analysis on different species of honeybees in NEH region of India’, *Journal of Agriculture and Ecology*, 12(2), pp. 62–73. Available at: <https://doi.org/10.53911/jae.2021.12205>.
- Helbing, S., Lattorff, H.M.G., Moritz, R.F.A. and Buttstedt, A. (2017) ‘Comparative analyses of the major royal jelly protein gene cluster in three Apis species with long amplicon sequencing’, *DNA Research*, 24(3), pp. 279–287. Available at: <https://doi.org/10.1093/dnare/dsw064>.
- Hepburn, H.R. and Radloff, S.E. (2004) ‘The wing coupling apparatus and the morphometric analysis of honeybee populations’, *South African Journal of Science*, 100, pp. 565–570.
- Hidayat, M.R. (2011) ‘PENELUSURAN ASAL WILAYAH LEBAH MADU A. mellifera DI INDONESIA MENGGUNAKAN DAERAH INTERGENIK cox1/cox2 DNA MITOKONDRIA (Search Region of Origin Honey Bee A. mellifera in Indonesia Region Using Mitochondrial DNA intergenic cox1/cox2)’, *Jurnal BIOPROPAL INDUSTRI* [Preprint], (01).
- Integrated Taxonomic Information System (ITIS) (2020) *Apis Linnaeus, 1758, ITIS - Report: Apis*. Available at: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=154395#null (Accessed: 12 May 2023).
- Jasmi (2013) ‘Hamuli lebah madu Apis (Hymenoptera: Apidae) pada beberapa



- ketinggian di Sumatera Barat’, *Sainstek*, 5(1), pp. 71–77.
- Kahono, S., Chantawannakul, P. and Engel, M.S. (2018) ‘Social bees and the current status of beekeeping in Indonesia’, in *Asian Beekeeping in the 21st Century*. Springer Singapore, pp. 287–306. Available at: https://doi.org/10.1007/978-981-10-8222-1_13.
- Kim, J.S., Wang, A.R., Kim, M.J., Lee, K.H. and Kim, I. (2019) ‘Single nucleotide polymorphism markers in mitochondrial genomes for identifying Varroa destructor-resistant and -susceptible strains of *Apis mellifera* (Hymenoptera: Apidae)’, *Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis*, 30(3), pp. 477–489. Available at: <https://doi.org/10.1080/24701394.2018.1551385>.
- Koeniger, N., Kurze, C., Phiancharoen, M. and Koeniger, G. (2017) “Up” or “down” that makes the difference. How giant honeybees (*Apis dorsata*) see the world’, *PLoS ONE*, 12(11). Available at: <https://doi.org/10.1371/journal.pone.0185325>.
- Kwong, W.K., Medina, L.A., Koch, H., Sing, K.-W., Soh, E.J.Y., Ascher, J.S., Jaffé, R. and Moran, N.A. (2017) ‘Dynamic microbiome evolution in social bees’, *Science Advances*, 3.
- Maeda, M., Nakagawa, I., Chikano, M., Okuyama, H., Murray, R. and Takahashi, J.-I. (2018) ‘The complete mitochondrial genome of the dusky brown gray-colored honeybee, *Apis mellifera* (insecta: Hymenoptera: Apidae) of New Zealand’, *Mitochondrial DNA Part B: Resources*, 3(2), pp. 996–997. Available at: <https://doi.org/10.1080/23802359.2018.1507641>.
- Mardika, B.A.P., Setyorini and Karimah, S.A. (2021) ‘Implementasi Sequence Alignment pada Lingkungan Spark-Hadoop berbasis Single Node’, *e Proceeding of Engineering*, 8(1).
- Michener, C.D. (2007) *The Bees of the World*. 2nd edn. Baltimore, Maryland: The Johns Hopkins University Press.
- Nagma, P., Rashi, M., Netrapal, S. and Singh, B.S. (2021) ‘Socio-Economic Analysis of Traditional and Modern Beekeeping in Western Himalayan Region Uttarakhand, India’, *International Journal of Zoological Investigations*, 7(2), pp. 713–722. Available at: <https://doi.org/10.33745/ijzi.2021.v07i02.055>.
- Novita, Saepudin, R. and Sutriyono (2013) ‘Analisis Morfometrik Lebah Madu Pekerja *Apis cerana* Budidaya pada Dua Ketinggian Tempat yang Berbeda’, *Jurnal Sain Peternakan Indonesia*, 8(1), pp. 41–56.
- Nur’aini, N. and Purwanto, H. (2021) ‘Morphology, morphometrics, and molecular characteristics of *Apis cerana* and *Apis nigrocincta* from Central Sulawesi, Indonesia’, *Jurnal Biologi Tropis*, 21(2), pp. 368–382. Available at: <https://doi.org/10.29303/jbt.v21i2.2614>.
- Okuyama, H., Tingek, S. and Takahashi, J. (2017) ‘The complete mitochondrial genome of the cavity-nesting honeybee, *Apis cerana* (Insecta: Hymenoptera: Apidae) from Borneo’, *Mitochondrial DNA Part B: Resources*, 2(2), pp. 475–476. Available at: <https://doi.org/10.1080/23802359.2017.1361344>.
- Okuyama, H., Wakamiya, T., Fujiwara, A., Washitani, I. and Takahashi, J. (2017) ‘Complete mitochondrial genome of the honeybee *Apis cerana* native to two



- remote islands in Japan', *Conservation Genetics Resources*, 9(4), pp. 557–560. Available at: <https://doi.org/10.1007/s12686-017-0721-5>.
- Porto, D.S. and Almeida, E.A.B. (2021) 'Corbiculate Bees (Hymenoptera: Apidae): Exploring the Limits of Morphological Data to Solve a Hard Phylogenetic Problem', *Insect Systematics and Diversity*. Oxford University Press, pp. 1–40. Available at: <https://doi.org/10.1093/isd/ixab008>.
- Raffiudin, R. and Crozier, R.H. (2007) 'Phylogenetic analysis of honey bee behavioral evolution', *Molecular Phylogenetics and Evolution*, 43(2), pp. 543–552. Available at: <https://doi.org/10.1016/j.ympev.2006.10.013>.
- Raffiudin, R., Shullia, N.I., Febiriani, T.V., Nisa, N.R., Rahmadini, J., Purwanto, H. and Atmowidi, T. (2023) 'Entomological origin detection of honey from Apis mellifera and Apis cerana javana in Indonesia based on the Major Royal Jelly Protein 2 (mrjp2) gene', *Journal of Apicultural Research*, 62(2), pp. 330–333. Available at: <https://doi.org/10.1080/00218839.2021.1989795>.
- Rahman, M., Uddin, M., Sultana, R., Moue, A. and Setu, M. (2013) 'Polymerase Chain Reaction (PCR): A short review', *Anwer Khan Modern Medical College Journal*, 4(1), pp. 30–36.
- Ramón-Sierra, J.M., Ruiz-Ruiz, J.C. and De La Luz Ortiz-Vázquez, E. (2015) 'Electrophoresis characterisation of protein as a method to establish the entomological origin of stingless bee honeys', *Food Chemistry*, 183, pp. 43–48. Available at: <https://doi.org/10.1016/j.foodchem.2015.03.015>.
- Ranneh, Y., Akim, A.M., Hamid, H.A., Khazaai, H., Fadel, A., Zakaria, Z.A., Albuja, M. and Bakar, M.F.A. (2021) 'Honey and its nutritional and anti inflammatory value', *BMC Complementary Medicine and Therapies*. BioMed Central Ltd. Available at: <https://doi.org/10.1186/s12906-020-03170-5>.
- Ruttner, F. (1988) *Biogeography and Taxonomy of Honeybees, Biogeography and Taxonomy of Honeybees*. New York: Springer-Verlag Berlin Heidelberg. Available at: <https://doi.org/10.1007/978-3-642-72649-1>.
- Sakagami, S.F., Matsumura, T. and Ito, K. (1980) 'Apis laboriosa in Himalaya, the little known world largest honeybee (Hymenoptera, Apidae)', *Insecta Matsumurana*, 19, pp. 47–77.
- Samarghandian, S., Farkhondeh, T. and Samini, F. (2017) 'Honey and health: A review of recent clinical research', *Pharmacognosy Research*, 9(2), pp. 121–127. Available at: <https://doi.org/10.4103/0974-8490.204647>.
- Schmitzová, J., Klaudiny, J., Albert, S., Schröder, W., Schreckengost, W., Hanes, J., Júdová, J. and Simuth, J. (1998) 'A family of major royal jelly proteins of the honeybee Apis mellifera L.', *CMLS, Cell. Mol. Life Sci*, 54, pp. 1020–1030.
- Semuel, M.Y., Kaunang, E.S.N. and Manopo, J.S. (2019) 'The bioactive contents and antioxidant activity of honey bee nest extract of Apis dorsata binghami from the North Sulawesi', *Molekul*, 14(2), pp. 92–102. Available at: <https://doi.org/10.20884/1.jm.2019.14.2.502>.
- Shahzad, S., Afzal, M., Sikandar, S. and Afzal, I. (2020) 'Polymerase Chain Reaction', in *Genetic Engineering - A Glimpse of Techniques and Applications*. IntechOpen. Available at: <https://doi.org/10.5772/intechopen.91000>.



<https://doi.org/10.5772/intechopen.81924>.

- Siraj, M., Yaqoob, M., Ayoub, L., Bhat, B.A., Sheikh, M.A. and Irshad, S.S. (2022) ‘Comparative Morphometric Studies of European Honey Bee (Apis mellifera L.) at Different Altitudes of Kashmir Region, India’, *International Journal of Environment and Climate Change*, pp. 3507–3523. Available at: <https://doi.org/10.9734/ijecc/2022/v12i111399>.
- Sunarto, A.A. (2015) ‘PERBANDINGAN PROGRAM SEQUENCE ALIGNMENT’, *Jurnal Rekayasa Nusaputra*, 1(1). Available at: <http://www.ebi.ac.uk>.
- Syachroni, S.H., Yuningsih, L. and Pratama, R. (2022) ‘Kajian produksi madu lebah alam dari Kawasan Hutan Lindung Bukit Gatan Provinsi Sumatera Selatan’, *Sylvia: Jurnal Penelitian Ilmu-Ilmu Kehutanan*, pp. 27–33. Available at: <https://doi.org/10.32502/sylva.v11i1.4736>.
- Takahashi, J., Deowanish, S. and Okuyama, H. (2018) ‘Analysis of the complete mitochondrial genomes of two dwarf honeybee species, Apis florea and Apis andreniformis (Insecta: Hymenoptera: Apidae), in Thailand’, *Mitochondrial DNA Part B: Resources*, 3(1), pp. 350–353. Available at: <https://doi.org/10.1080/23802359.2018.1450672>.
- Takahashi, J., Hadisoesilo, S., Okuyama, H. and Hepburn, H.R. (2018) ‘Analysis of the complete mitochondrial genome of Apis nigrocincta (Insecta: Hymenoptera: Apidae) on Sangihe Island in Indonesia’, *Conservation Genetics Resources*, 10(4), pp. 755–760. Available at: <https://doi.org/10.1007/s12686-017-0922-y>.
- Tanaka, H., Roubik, D.W., Kato, M., Liew, F. and Gunsalam, G. (2001) ‘Phylogenetic position of Apis nuluensis of northern Borneo and phylo geography of A. cerana as inferred from mitochondrial DNA sequences’, *Insectes Sociaux*, 48, pp. 44–51.
- Thummajitsakul, S., Silprasit, K., Klinbunga, S. and Sittipraneed, S. (2013) ‘The partial mitochondrial sequence of the Old World stingless bee, Tetragonula pagdeni’, *Journal of Genetics*, 92(2), pp. 299–303.
- Trianto, M., Arisuryanti, T., Purwanto, H. and Ubaidillah, R. (2023) ‘Updated species check-list of the Indonesian Stingless Bees (Hymenoptera)’, *Journal of Tropical Biodiversity and Biotechnology. [Manuscript Submitted for Publication] [Preprint]*.
- Won, S.R., Lee, D.C., Ko, S.H., Kim, J.W. and Rhee, H.I. (2008) ‘Honey major protein characterization and its application to adulteration detection’, *Food Research International*, 41(10), pp. 952–956. Available at: <https://doi.org/10.1016/j.foodres.2008.07.014>.
- Woodard, S.H., Fischman, B.J., Venkat, A., Hudson, M.E., Varala, K., Cameron, S.A., Clark, A.G. and Robinson, G.E. (2011) ‘Genes involved in convergent evolution of eusociality in bees’, *Proceedings of the National Academy of Sciences of the United States of America*, 108(18), pp. 7472–7477. Available at: <https://doi.org/10.1073/pnas.1103457108>.
- Yang, J., Xu, J., He, S. and Wu, J. (2017) ‘The complete mitochondrial genome of wild honeybee Apis florea (Hymenoptera: Apidae) in south-western China’, *Mitochondrial DNA Part B: Resources*, 2(2), pp. 845–846. Available at: <https://doi.org/10.1080/23802359.2017.1407690>.



- Yustinadewi, P.D., Yustiantara, P.S. and Narayani, I. (2018) ‘Teknik perancangan primer untuk sekuen gen MDR-1 varian 1199 pada sampel buffy coat pasien anak dengan LLA’, *Jurnal Metamorfosa: Journal of Biological Science*, 5(1), pp. 105–111. Available at: <http://ojs.unud.ac.id/index.php/metamorfosa>.
- Yusuf, Z.K. (2010) ‘POLYMERASE CHAIN REACTION (PCR)’, *Saintek*, 5(6).
- Zhang, Y.-Z., Wang, S., Chen, Y.-F., Wu, Y.-Q., Tian, J., Si, J.-J., Zhang, C.-P., Zheng, H.-Q. and Hu, F.-L. (2019) ‘Authentication of Apis cerana honey and Apis mellifera honey based on major royal jelly protein 2 gene’, *Molecules*, 24(2). Available at: <https://doi.org/10.3390/molecules24020289>.