

DAFTAR PUSTAKA

- Abidin, Z., Aini, L. Q., & Abadi, A. L. (2015). Pengaruh bakteri *Bacillus* sp. dan *Pseudomonas* sp. terhadap pertumbuhan jamur patogen *Sclerotium rolfsii* sacc. penyebab penyakit rebah semai pada tanaman kedelai. *jurnal hpt (hama penyakit tumbuhan)*, 3(1), 1-10.
- Agrios, G. N. 2005. *Plant Pathology* Edisi 5. USA: Elsevier Academic Press.
- Akbar, A. F., & Cahyaningrum, S. E. (2022). Characterization and Anti-Bacterial Activity Testing of the Nano Hydroxyapatite-Clove (*Eugenia Caryophyllus*) Against Streptococcus Mutans Bacteria. *Indonesian Journal of Chemical Science*, 11(1), 1-8.
- Alfian, A., A. S. Mahulette, M. Zainal, Hardin, and A. H. Bahrin. 2019. Morphological character of raja clove (*Syzygium aromaticum* L. Merr & Perry.) Native from Ambon Island. *IOP Conference Series: Earth and Environmental Science* 343.
- Amaria, W., Efi, T., & Rita, H. 2013. Seleksi dan Identifikasi Jamur Antagonis Sebagai Agens Hayati Jamur *Rigidoporus microporus* pada Tanaman Karet. *Journal of Industrial and Beverage Crops*, 4(1),20-31.
- Apriyadi, A. R., Wahyuni, W. S., & Supartini, V. (2013). Pengendalian penyakit patik (*Cercospora nicotianae*) pada tembakau na oogst secara in-vivo dengan ekstrak daun gulma kipahit (*Tithonia diversifolia*). *Berkala Ilmiah Pertanian*, 1(2), 30-32.
- Arras, G. (1993). Inhibition of postharvest fungal pathogens by *Bacillus subtilis* strains isolated from citrus fruit.
- Belisário, R., Aucique-Pérez, C. E., Abreu, L. M., Salcedo, S. S., Oliveira, W. D., & Furtado, G. Q. 2020. Infection by *Neopestalotiopsis piceana* p. Occurs on unwounded eucalyptus leaves and is favoured by long periods of leaf wetness. *Plant Pathology*, 69(2), 194-204.
- Benatar, G. V., & Wibowo, A. (2021). First report of *Colletotrichum asianum* associated with mango fruit anthracnose in Indonesia. *Crop Protection*, 141, 105432.
- Bezerra JDP, Machado AR, Firmino AL, Rosado AWC, Souza cafd, Souza-Motta cmd, Freire ktlds, Paiva LM, Magalhães OMC, Pereira OL. 2018. Mycological diversity description I. *Acta Botanica Brasilica* 32: 656-666.
- Bhore S.J, Satisha G. 2010. Screening of endophytic colonizing bacteria for cytokininlike compounds: crude cell-free broth of endophytic colonizing bacteria is unsuitable incucumber cotyledon bioassay. *World J. Agric. Sci.* 6 (4): 345-352
- BPS 2019. Luas Areal Tanaman Perkebunan Rakyat Menurut Jenis Tanaman, 2000-2018. https://www.bps.go.id/statictable/2013/12/31/1669/luas-areal_tanaman_perkebunan_rakyat-menurut-jenistanaman-2000-2018-.html. Diakses pada Senin, 28 November 2022.

- BPS 2019. Produksi Perkebunan Rakyat Menurut Jenis Tanaman, 2011- 2021. <https://www.bps.go.id/indicator/54/768/1/produksi-perkebunan-rakyat-menurut-jenis-tanaman.html>. Diakses pada Senin, 28 November 2022
- Budiono, Rahmat., Wahibah, Ninik Nihayatul. 2019. Isolasi DNA daun jarak keyar (*Ricinus communis* L.) Menggunakan Genomic DNA mini kit (plant) Geneaid. Skripsi. Universitas Riau.
- Bustaman, S. 2011. Potensi pengembangan minyak daun cengkeh sebagai komoditas ekspor Maluku. Jurnal Litbang Pertanian, 30(4), 132-139.
- Carbone I, Kohn LM 1999. A method for designing primer sets for speciation studies in filamentous ascomycetes. Mycologia 91:553–556
- Chen, Z., Franco, C. F., Baptista, R. P., Cabral, J. M., Coelho, A. V., Rodrigues, C. J., & Melo, E. P. 2007. Purification and identification of cutinases from *Colletotrichum kahawae* and *Colletotrichum gloeosporioides*. Applied microbiology and biotechnology, 73, 1306-1313.
- Chowdhary, Kanika and Nutan Kaushik. 2015. Fungal Endophyte Diversity and Bioactivity in the Indian Medicinal Plant *Ocimum sanctum* Linn. Plosone, 10(11)
- Cooke, B. M. (2006). Disease assessment and yield loss. In The epidemiology of plant diseases (pp. 43-80). Dordrecht: Springer Netherlands.
- Cortés-Rojas, D. F., de Souza, C. R. F., & Oliveira, W. P. 2014. Clove (*Syzygium aromaticum*): a precious spice. Asian Pacific journal of tropical biomedicine, 4(2), 90-96.
- Cruz, A. F., Ishii, T., & Kadoya, K. 2000. Effects of arbuscular mycorrhizal fungi on tree growth, leaf water potential, and levels of 1-aminocyclopropane-1-carboxylic acid and ethylene in the roots of papaya under water-stress conditions. Mycorrhiza, 10, 121-123.
- De Jesus, J. M. I., Rodrigues, A. B. L., de Paula, K. L. M., & da Cunha, M. G. 2022. *Pestalotiopsis microspora* causes leaf spot on *Adenium obesum*. Journal of Phytopathology.
- Emmert, EAB & Handelsman, Jo. 2006. Biocontrol of plant disease: a (Gram-) positive perspective, FEMS Microbiology Letters 171:1–9
- Erdurmuş, D., Palacioğlu, G., Erdurmuş, G., & Bayraktar, H. 2023. First report of *Neopestalotiopsis rosae* causing leaf spot and crown rot of strawberry in Turkey. Journal of Plant Pathology, 105(1), 315-315.
- Freitas EF, Silva Md, Barros MV, Kasuya MC. 2019. *Neopestalotiopsis hadrolaeliae* sp. Nov., a new endophytic species from the roots of the endangered orchid *Hadrolaelia jongheana* in Brazil. Phytotaxa 416 (3): 211-220.
- Gao, X., Gong, Y., Huo, Y., Han, Q., Kang, Z., & Huang, L. 2015. Endophytic *Bacillus subtilis* strain E1R-J is a promising biocontrol agent for wheat powdery mildew. Biomed research international, 2015.

- Glass NL, Donaldson GC 1995. Development of primer sets designed for use with the PCR to amplify conserved genes from filamentous ascomycetes. *Applied and Environmental Microbiology* 61:1323–1330
- Gopi, R., Kalita, H., Avasthe, R. K., Yadav, A., Singh, M., & Thapa, D. 2018. Does *Pestalotiopsis royenae* cause leaf streak of large cardamom?
- Gunaeni, N., Setiawati, W., & Kusandriani, Y. 2014. Pengaruh Perangkap likat kuning, ekstrak tagetes erecta, dan imidacloprid terhadap perkembangan vektor kutukebul dan virus kuning keriting pada tanaman cabai merah.
- Gupta, S., Kaul, S., Singh, B., Vishwakarma, R. A., & Dhar, M. K. 2016. Production of gentisyl alcohol from *Phoma herbarum* endophytic in *Curcuma longa* L. And its antagonistic activity towards leaf spot patogen *Colletotrichum gloeosporioides*. *Applied biochemistry and biotechnology*, 180(6), 1093-1109.
- Harvianto, A. F., sutari, N. W. S., & Atmaja, I. W. D. Identifikasi Jamur Pada Pupuk Organik Cair (POC) Limbah Dapur di Desa Sanur Kauh.
- He, Y. K., Yang, Q., Sun, Y. R., Zeng, X. Y., Jayawardena, R. S., Hyde, K. D., & Wang, Y. (2022). Additions to *Neopestalotiopsis* (Amphisphaerales, Sporocadaceae) fungi: two new species and one new host record from China. *Biodiversity Data Journal*, 10.
- Hermawan, R., Safitri, R. R., & Sidiq, M. R. 2021. *Neopestalotiopsis zimbabweana* isolated from *Xylaria stromata*. *Biotropika: Journal of Tropical Biology*, 9(3), 203-209.
- Hidayah, N., & Yulianti, T. 2015. Uji Antagonisme *Bacillus cereus* terhadap *Rhizoctonia solani* dan *Sclerotium rolfsii*. Balai Penelitian Tanaman Pemanis dan Serat.
- Huanaluek N, Jayawardena RS, Maharachchikumbura SSN, Harishchandra DL (2021) Additions to pestalotioid fungi in Thailand: *Neopestalotiopsis hydeana* sp. Nov. And *Pestalotiopsis hydei* sp. Nov. *Phytotaxa* 479 (1): 43-23
- Huang, C, Wang, T, Chung, S & Chen, C 2005. Identification Of an Antifungal Chitinase From a Potential Biocontrol Agent, *Bacillus cereus* 28–9. *Journal of Biochemistry and Molecular Biology*. Volume 38. No.1.
- Jatnika, W., Abadi, A. L., & Aini, L. Q. 2013. Pengaruh aplikasi *Bacillus* sp. Dan *Pseudomonas* sp. Terhadap perkembangan penyakit bulai yang disebabkan oleh jamur patogen *Peronosclerospora maydis* pada tanaman jagung. *Jurnal HPT (Hama Penyakit Tumbuhan)*, 1(4), 19-29.
- Jayawardena, R. S., Purahong, W., Zhang, W., Wubet, T., Li, X., Liu, M., & Yan, J. 2018. Biodiversity of fungi on *Vitis vinifera* L. Revealed by traditional and high-resolution culture-independent approaches. *Fungal Diversity*, 90(1), 1-84.
- Jiang, N., Voglmayr, H., Xue, H., Piao, C. G., & Li, Y. 2022. Morphology and Phylogeny of *Pestalotiopsis* (Sporocadaceae, Amphisphaerales) from *Fagaceae* Leaves in China. *Microbiology Spectrum*, 10(6), e03272-22.

- Jongenburger, I., Reij, M. W., Boer, E. P. J., Gorris, L. G. M., & Zwietering, M. H. (2010). Factors influencing the accuracy of the plating method used to enumerate low numbers of viable micro-organisms in food. *International Journal of Food Microbiology*, 143(1-2), 32-40.
- Joseph B, Patra RR, Lawrence R 2007. Characterization of plant growth promoting Rhizobacteria associated with chickpea (*Cicer arietinum* L). *Intern J Plant Prod* 1(Suppl 2):141–152
- Keith LM, Velasquez ME, Zee FT 2006. Identification and characterization of *Pestalotiopsis* spp. Causing scab disease of guava, *Psidium guajava* in Hawaii. *Plant Disease* 90: 16–23.
- Khatoon, N., Sharma, Y., Sardar, M., & Manzoor, N. 2019. Mode of action and anti-Candida activity of Artemisia annua mediated-synthesized silver nanoparticles. *Journal de Mycologie Médicale*, 29(3), 201-209.
- Kishino H, Hasegawa M 1989. Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data. *Journal of Molecular Evolution* 29: 170–179.
- Kobayashi, N., & Branch, K. 1991. Biological control of soil borne disease with vesicular arbuscular mycorrhiza fungi and charcoal compost. In *Proceeding of the international seminar biological control of palnt disease and Virus vektor*. Sept (pp. 17-21).
- Kurniawati, Heny Dika., Tri Joko., Suryanti. 2022. Aplikasi *Bacillus cereus* dan Jamur Mikoriza Arbuskular (*R. INTRARADICES*) sebagai Upaya Peningkatan Kesehatan dan Pertumbuhan Bibit Cengkih. *Skripsi*. Universitas Gadjah Mada
- Kusdiana, A. P. J. 2020. Diagnosis Penyakit Gugur Daun Karet (*Hevea brasiliensis* Muell. Arg.). *Jurnal Penelitian Karet*, 165-178.
- Leelasuphakul, W., Hemmanee, P., & Chuenchitt, S. 2008. Growth inhibitory properties of *Bacillus subtilis* strains and their metabolites against the green mold patogen (*Penicillium digitatum* Sacc.) Of citrus fruit. *Postharvest biology and technology*, 48(1), 113-121.
- Lertcanawanichakul, M., & Sawangnop, S. 2008. A comparison of two methods used for measuring the antagonistic activity of Bacillus species. *Walailak Journal of Science and Technology (WJST)*, 5(2), 161-171.
- Li, T., Lin, G., Zhang, X., Chen, Y., Zhang, S., & Chen, B. 2014. Relative importance of an arbuscular mycorrhizal fungus (*Rhizophagus intraradices*) and root hairs in plant drought tolerance. *Mycorrhiza*, 24, 595-602.
- Hashem, A., Akhter, A., Alqarawi, A. A., Singh, G., Almutairi, K. F., & Abd_Allah, E. F. 2021. Mycorrhizal fungi induced activation of tomato defense system mitigates Fusarium wilt stress. *Saudi Journal of Biological Sciences*, 28(10), 5442-5450.

- Li, T., Sun, Y., Ruan, Y., Xu, L., Hu, Y., Hao, Z., ... & Chen, B. 2016. Potential role of D-myo-inositol-3-phosphate synthase and 14-3-3 genes in the crosstalk between *Zea mays* and *Rhizophagus intraradices* under drought stress. *Mycorrhiza*, 26, 879-893.
- Li, L., Kato, C., & Horikoshi, K. 1999. Microbial diversity in sediments collected from the deepest cold-seep area, the Japan Trench. *Marine biotechnology*, 1, 391-400.
- Mabuchi N, Hashizume I, Araki Y 2000. Characterization of chitinases exerted by *Bacillus cereus* CH. *Can J Microbiol* 46: 370–375
- Maharachchikumbura SS, Guo L, Cai L, Chukeatirote E, Wu WP, Sun X, Crous PW, Bhat DJ, mckenzie EH, Bahkali AH. 2012. A multi-locus backbone tree for *Pestalotiopsis*, with a polyphasic characterization of 14 new species. *Fungal Diversity* 56 (1): 95-129.
- Maharachchikumbura SS, Guo L, Chukeatirote E, Hyde KD (2014a) Improving the backbone tree for the genus *Pestalotiopsis*; addition of *P. Steyaertii* and *P. Magna* sp.nov. *Mycological Progress* 13 (3): 617-624.
- Maharachchikumbura, S. S., Guo, L. D., Chukeatirote, E., Bahkali, A. H., & Hyde, K. D. 2011. *Pestalotiopsis*—morphology, phylogeny, biochemistry and diversity. *Fungal Diversity*, 50, 167-187.
- Maier, A., Riedlinger, J., Fiedler, H. P., & Hampp, R. 2004. Actinomycetales bacteria from a spruce stand: characterization and effects on growth of root symbiotic and plant parasitic soil fungi in dual culture. *Mycological Progress*, 3(2), 129-136.
- Makovitzki, A, Viterbo, A, Brotman, Y, Chet, I & Shai, Y. 2007. Inhibition of fungal and bacterial plant pathogens in vitro and in planta with ultra shot cationic lipopeptides, *Appl. Environ. Microbiol* 73(20):6626–6636.
- Mandasari, P. A., Wirnas, D., & Sopandie, D. 2020. Perbedaan Tanggap Morfologi Akar Galur Inbrida Sorgum pada Kondisi P Rendah. *Indonesian Journal of Agronomy*, 48(1), 30-36.
- Maryeni, R dan D. Hervani. 2008. Pengaruh mikoriza arbuskula terhadap pertumbuhan tanaman selasih (*Ocimum sanctum*. L). *Jurnal Akta Agrosia* 11(1): 7-12.
- Mcquilken, M. P., & Hopkins, K. E. 2004. Biology and integrated control of *Pestalotiopsis* on container-grown ericaceous crops. *Pest Management Science: formerly Pesticide Science*, 60(2), 135-142.
- Milind P. And Deepa K. 2011. Clove: A champion spice. *International Journal of Research in Ayurveda and Pharmacy*; 2(1): 47-54.
- Mu'nisa, A., Wresdiyati, T., Kusumorini, N., & Manalu, W. 2012. Aktivitas antioksidan ekstrak daun cengkeh. *Jurnal Veteriner*, 13(3), 272-277.

- Muliani, P. N. 2021. Identification of Arbuscular Mycorrhizal Fungi (CMA) in Palm Oil Roots (*Elaeis guineensis*) in Bukit Harapan Village, Bulutaba District, Pasangkayu Regency (Doctoral dissertation, Universitas Islam Negeri Makassar).
- Nie, P., Li, X., Wang, S., Guo, J., Zhao, H., & Niu, D. 2017. Induced systemic resistance against *Botrytis cinerea* by *Bacillus cereus* AR156 through a JA/ET- and NPR1-dependent signaling pathway and activates PAMP-triggered immunity in *Arabidopsis*. *Frontiers in Plant Science*, 8, 238.
- Nie, P., Li, X., Wang, S., Guo, J., Zhao, H., & Niu, D. 2017. Induced systemic resistance against *Botrytis cinerea* by *Bacillus cereus* AR156 through a JA/ET- and NPR1-dependent signaling pathway and activates PAMP-triggered immunity in *Arabidopsis*. *Frontiers in Plant Science*, 8, 238.
- Norphanphoun C, Jayawardena R, Chen Y, Wen T, Meepol W, Hyde K. 2019. Morphological and phylogenetic characterization of novel pestalotioid species associated with mangroves in Thailand. *Mycosphere* 10: 531-578.
- Nurdjannah, N. 2004. Diversifikasi penggunaan cengkeh. Indonesian Center for Agricultural Postharvest Research and Development.
- Nurhayati, N., & Nurahmi, E. 2019. Respons pertumbuhan bibit kopi Arabika (*Coffea arabica* L.) Varietas ateng keumala akibat pemberian pupuk organik cair buah-buahan dan dosis pupuk fosfor. *Jurnal Ilmiah Mahasiswa Pertanian*, 4(4), 11-20.
- O'Donnell K, Kistler HC, Cigelnik E, Ploetz RC 1998. Multiple evolutionary origins of the fungus causing Panama disease of banana: concordant evidence from nuclear and mitochondrial gene genealogies. *Proceedings of the National Academy of Sciences* 95:2044–2049
- Ongena, M., Duby, F., Jourdan, E., Beaudry, T., Jadin, V., Dommes, J., & Thonart, P. (2005). *Bacillus subtilis* M4 decreases plant susceptibility towards fungal pathogens by increasing host resistance associated with differential gene expression. *Applied Microbiology and Biotechnology*, 67, 692-698.
- Pleban, S, Chernin, L & Chet, I 1997, Chitinolytic activity of an endophytic strain of *Bacillus cereus*, *Letters in Applied Microbiology* 25: 284–288.
- Poernomo, H., Setiawan, dan Senopati. 2018. Efektifitas minyak cengkih dan Pulperyl terhadap bakteri *Staphylococcus aureus* (secara in vitro). *Jurnal Kedokteran Gigi* : 18 – 24
- Pozo, M. J., Verhage, A., García-Andrade, J., García, J. M., & Azcón-Aguilar, C. (2009). Priming plant defence against pathogens by arbuscular mycorrhizal fungi. In *Mycorrhizas - Functional Processes and Ecological Impact* (pp. 123–135). Verlag, Berlin, Heidelberg: Springer. https://doi.org/10.1007/978-3-540-87978-7_9
- Prasetyo, A., & Nurnawati, E. 2017. *Bacillus subtilis* sp. B1, Chitinase Producing Isolated from Indonesian Tropical Shrimp Pond Waste Water. In *Proceeding International Conference on Science uengineering* (Vol. 1, pp. 1- 4).

- Prasty, M. Eka., Agung Suprihadi¹, Endang Kusdiyantini. 2014. Eksplorasi Rhizobakteri Indigenous Tanaman Cabai Rawit (*Capsicum frutescens* Linn.) Dari Pertanian Semi Organik Desa Batur Kabupaten Semarang Sebagai Agen Hayati Pengendali Pertumbuhan Jamur *Fusarium oxysporum* f.sp capsici. Jurnal Biologi, Volume 3 No 3
- Putri, a. O. T., hadisutrisno, b., & wibowo, a. 2016. Pengaruh inokulasi mikoriza arbuskular terhadap pertumbuhan bibit dan intensitas penyakit bercak daun cengkeh. Jurnal pemuliaan tanaman hutan, 10(2), 145-154.
- Raja, H. A., Miller, A. N., Pearce, C. J., & Oberlies, N. H. 2017. Fungal identification using molecular tools: a primer for the natural products research community. Journal of natural products, 80(3), 756-770.
- Raklami, A., Bechtaoui, N., Tahiri, A. I., Anli, M., Meddich, A., & Oufdou, K. 2019. Use of rhizobacteria and mycorrhizae consortium in the open field as a strategy for improving crop nutrition, productivity and soil fertility. *Frontiers in Microbiology*, 10, 1106.
- Rhouma, A., triki, M. A., & Msallem, M. 2010. First report of olive anthracnose caused by *Colletotrichum gloeosporioides* in Tunisia. *Phytopathologia Mediterranea*, 49(1), 95-98.
- Ruiz-Lozano, J. M., & Azcón, R. (2000). Symbiotic efficiency and infectivity of an autochthonous arbuscular mycorrhizal *Glomus* sp. From saline soils and *Glomus deserticola* under salinity. *Mycorrhiza*, 10, 137-143.
- Saitou, N., & Nei, M. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Molecular biology and evolution*, 4(4), 406-425.
- Sastrahidayat, I. R. 2013. Epidemiologi Teoritis Penyakit Tumbuhan. Universitas Brawijaya Press.
- Silvana, V. M., Carlos, F. J., Lucía, A. C., Natalia, A., & Marta, C. 2020. Colonization dynamics of arbuscular mycorrhizal fungi (AMF) in *Ilex paraguariensis* crops: Seasonality and influence of management practices. *Journal of King Saud University-Science*, 32(1), 183-188.
- Soenartiningih S, 2018. Potensi Cendawan Mikoriza Arbuskular sebagai Media Pengendalian Penyakit Busuk Pelepah pada Jagung. *Iptek tanaman pangan*, 8 (1): 48-53.
- Soesanto, L. 2013. Pengantar pengendalian hayati penyakit tanaman. Rajawali Pers.
- Soesetyaningsih, E., & Azizah, A. 2020. Akurasi perhitungan bakteri pada daging sapi menggunakan metode hitung cawan. *Berkala sainstek*, 8(3), 75-79.
- Song Y, Geng K, Hyde KD, Zhao W, Wei J, Kang J, Wang Y. 2013. Two new species of *Pestalotiopsis* from Southern China. *Phyotaxa* 126 (1): 32-22

- Steyaert RL 1949. Contributions a l'etude monographique de Pestalotia de Not. Et Monochaetia Sacc. (Truncatella gen. Nov. Et Pestalotiopsis gen. Nov.). Bulletin Jardin Botanique Etat Bruxelles 19: 285–354.
- Suganda, T., & Wulandari, D. Y. 2018. *Curvularia* sp. Jamur patogen baru penyebab penyakit bercak daun pada tanaman sawi. *Agrikultura*, 29(3), 119-123.
- Suharti, N., Habazar, T., Nasir, N., Dachryanus, & Jamsari. 2011. Induksi Ketahanan Tanaman Jahe Terhadap Penyakit Layu *Ralstonia solanacearum* Ras 4 Menggunakan Fungi Mikoriza Arbuskular (FMA) Indigenus. *Jurnal HPT Tropika*, 11(1), 102–111.
- Suherman, S., Rahim, I., & Akib, A. 2012. Aplikasi Mikoriza Vesikular Arbuskular terhadap pertumbuhan dan produksi tanaman kedelai (*Glycine max* L. Merrill). *Jurnal Galung Tropika*, 1(1).
- Sukmawati, S., & Hardianti, F. 2018. Analisis total plate count (TPC) mikroba pada ikan asin kakap di Kota Sorong Papua Barat. *Jurnal Biodjati*, 3(1), 72-78.
- Syukur, C., & Sukarman, B. N. 2016. Clustering of progeny clove a ccessions from cimanggu population in sumedang based on the morphological characters. *Jurnal Litri*, 22(1), 29-36.
- Tibpromma S, Hyde KD, mckenzie EH, Bhat DJ, Phillips AJ, Wanasinghe DN, Samarakoon MC, Jayawardena RS, Dissanayake AJ, Tennakoon DS. 2018. Fungal diversity notes 840–928: micro-fungi associated with Pandanaceae. *Fungal Diversity* 93(1): 1-160
- Van Loon, L. C., Bakker, P. A. H. M., & Pieterse, C. M. J. 1998. Systemic resistance induced by rhizosphere bacteria. *Annual review of phytopathology*, 36(1), 453-483.
- Vidhyasekaran, P. 1997. *Fungal Pathogenesis in Plants and Crops: Molecular Biology and Host Defense Mechanisms*. New York: Marcel Dekker Inc.
- Vilain, S., Luo, Y., Hildreth, M. B., & Brözel, V. S. 2006. Analysis of the life cycle of the soil saprophyte *Bacillus cereus* in liquid soil extract and in soil. *Applied and environmental microbiology*, 72(7), 4970-4977.
- Walgenbach, J. F. 2018. Integrated pest management strategies for field-grown tomatoes. *Sustainable Management of Arthropod Pests of Tomato*, 323-339.
- White, T. J., Bruns, T., Lee, S. J. W. T., & Taylor, J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. *PCR protocols: a guide to methods and applications*, 18(1), 315-322.
- Widodo. 2007. Status of Chili Anthracnose in Indonesia. P-27. In *First International Symposium and Chili Anthracnose*. National Horticultural Research Institute, Rural Development of Administration. Republic of Korea
- Wu, M. D., Li, G. Q., & Jiang, D. H. 2009. First report of *Pestalotiopsis microspora* causing leaf blight of *Reineckea carnea* in Central China. *Plant Disease*, 93(6), 667-667.

- Xiao, Z., Li, X., Duan, S., Sun, T., & Jiang, X. 2010. The identification on patogen of barbadosnut leaf blight. *Mycosystema*, 29(6), 874-878.
- Yu GY, Sinclair GL, Hartman GL, Bertagnolli BL 2002. Production of iturin A by *Bacillus amyloliquefaciens* suppressing *Rhizoctonia solani*. *Soil Biol Biochem* 34:955–963
- Zhang Y, Fernando WGD 2004. Zwittermicin A detection in *Bacillus* spp. Controlling *Sclerotinia sclerotiorum* on canola. *Phytopathology* 94:S116
- Zhang Z, Liu R, Liu S, Mu T, Zhang X, Xia J. 2022. Morphological and phylogenetic analyses reveal two new species of Sporocadaceae from Hainan, China.
- Zongzheng, Y., Xin, L., Zhong, L., Jinzhao, P., Jin, Q., & Wenyan, Y. 2010. Effect of *Bacillus subtilis* SY1 on antifungal activity and plant growth. *International Journal of Agricultural and Biological Engineering*, 2(4), 55-61.