



DAFTAR PUSTAKA

- Abedi, E., and M.A. Sahari. 2014. Long-chain polyunsaturated fatty acid sources and evaluation of their nutritional and functional properties. *Food Science and Nutrition*, 2(5): 443-463.
- Ahmad, A., A. Abbas, H. Sufia, L. Han. 2009. Extraction, Separation and Identification of Chemical Ingredients of *Elephantopus Scaber* L. Using Factorial Design of Experiment. *International Journal of Chemistry*.
- Al-Rahmad A.H., A. Annaria, and T.K. Fadjri. 2016. Faktor Resiko Peningkatan Kolesterol pada Usia Diatas 30 Tahun di Kota Banda Aceh. *Jurnal Nutrisia*, 18(2):109-114.
- Aman, S., Wijaya, A. Sukarianingsih, D. Sumari, S. Eviana, D. Putri. 2020. Synthesis of Methyl Ester from Rice Bran Oil Through the Esterification Reaction. *Key Engineering Materials*, 851: 164-171.
- Apridamayanti, P., R. Pratiwi, Y. A. Purwestri, W. A. S. Tunjung, and Rumiyati. 2017. Anthocyanin, nutrient contents, and antioxidant activity of black rice bran of *Oryza sativa* L. ‘Cempo Ireng’ from Sleman, Yogyakarta, Indonesia. *Indonesian Journal of Biotechnology*, 22(1): 49-54.
- Ardiansyah, H. Shirakawa, T. Koseki, K. Ohinata, K. Hazhizume, and M. Komai. 2006. Rice bran fractions improve blood pressure, lipid profile, and glucose metabolism in stroke-prone spontaneously hypertensive rats. *J Agric Food Chem*, 54 (5):1914-1920.
- Arlene, A., K. Steviana, dan I. Suharto. 2010. Pengaruh Temperatur dan F/S terhadap Ekstraksi Minyak dari Biji Kemiri Sisa Penekanan Mekanik. *Seminar Nasional Rekayasa Kimia dan Proses di Universitas Diponegoro Semarang*. <http://eprints.undip.ac.id/28003/1/C- 12.pdf>.
- Baer, D. J. et al. 2003. Stearic Acid Absorption and Its Metabolizable Energy Value Are Minimally Lower than Those of Other Fatty Acids in Healthy Men Fed Mixed Diets. *The Journal of Nutrition*, 133(12):4129–4134. <https://doi.org/10.1093/jn/133.12.4129>
- Banjerdpongchai, R., B. Wudtiwai ,K. Sringsarm. 2013. Cytotoxic and apoptotic inducing effects of purple rice extracts and chemotherapeutic drugs on human cancer cell lines. *Asian Pac J Cancer Prev*, 14(11):6541-6548.
- Boden, G. 2003. Effects of free fatty acids (FFA) on glucose metabolism: significance for insulin resistance and type 2 diabetes. *Experimental and Clinical Endocrinology and Diabetes*, 111(3): 121–124. <https://doi.org/10.1055/s-2003-39781>
- Capellini, M.C., V. Giacomini, M.S. Cuevas, C.E.C. Rodrigues. 2017. Rice bran oil extraction using alcoholic solvents: physicochemical characterization of oil and protein fraction functionality. *Ind. Crops Prod*, 104:133–143
- Caterina, R.D., J.K.Liao, and P. Libby. 2000. Fatty acid modulation of endothelial activation 1-3. *American Journal of Clinical Nutrition*, 71: 213S-223S.
- Cicero, A.F.G., and G. Derosa. 2005. Rice bran and its main components: potential role in the management of coronary risk factors. *Curr Top Nutraceutical Res*, 3: 29-46.
- Codex Standards. 2015. Codex Standards for Edible Fats and Oils Not Covered by Individual Standards. Codex Stan 19-1981 (Amendment 2015).



- Daud, N.S.M., D.N.A. Zaidel., K.S. Lai., N.Khairuddin, Y.M.M. Jusoh., I.I. Muhamad. 2018. Crude Oil Yield and Properties of Rice Bran Oil from Different Varieties as Affected by Extraction Conditions Using Soxhlet Method. *Arabian Journal for Science and Engineering*, 43:6237-6244
- de Roos, N.M., M.L. Bots, M.B. Katan. 2001. Replacement of dietary saturated fatty acids by trans fatty acids lowers serum HDL cholesterol and impairs endothelial function in healthy men and women. *Arterioscler Thromb Vasc Biol*, 21(7):1233-1240.
- Decara, D., P. Jenvanitpanjakul, S. Nitisoravut, S. Babe. 2003. Hexane Reduction in a Thai Rice Bran Oil Factory: A Cleaner Technology Approach. *Thammasat Int Sci Tech*, 8(4):1-17.
- Deng, G.F., X.R. Xu, Y. Zhang, D. Li, R.Y. Gan, H.B. Li. 2013. Phenolic Compounds and Bioactivities of Pigmented Rice. *Critical Reviews in Food Science and Nutrition*, 53:296–306.
- Desta, M., A. Molla, and Z. Yusuf. 2020. Characterization of physico-chemical properties and antioxidant activity of oil from seed, leaf and stem of purslane (*Portulaca oleracea* L.). *Biotechnology Report*. 27 <https://doi.org/10.1016/j.btre.2020.e00512>
- Dumitran, L.M., A. Ciuriuc, and P. Notinger. 2013. Thermal ageing effects on the dielectric properties and moisture content of vegetable and mineral oil used in power transformers. *8th International Symposium on Advanced Topics in Electrical Engineering (ATEE)*, 1-6. <http://dx.doi.org/10.1109/ATEE.2013.6563459>
- Etiashih, T., K. Ahmadi, V. Santoso. 2021. Senyawa bioaktif dan potensi bekatul beras (*Oryza sativa*) sebagai bahan pangan fungsional). *Teknologi Pangan*, 12(1):30-43.
- Faizah, F. Kusnandar, dan S. Nurjanah. 2020. Senyawa Fenolik, Oryzanol, dan Aktivitas Antioksidan Bekatul yang Difermentasi dengan *Rhizopus oryzae*. *Jurnal Teknologi dan Industri Pangan*, 31(1):86-94.
- Food and Agriculture Organization (FAO). 2015. Accessed 12 Maret 2022
- Foster, G., M. K. Raina, A. Kumar, S. Kumar, R. Agarwal, M.H. Chen, J.E. Baurer, A.M. McClung, and E.P. Ryan. 2013. Rice varietal differences in bioactive bran components for inhibition of colorectal cancer cell growth. *Food Chem*, 141: 1545-1552.
- Garofalo, S.F., T. Tommasi, D. Fino. 2021. A short review of green extraction technologies for rice bran oil. *Biomass Conv. Bioref.* 11, 569–587. <https://doi.org/10.1007/s13399-020-00846-3>
- Gul, K., B. Yousuf, A.K. Singh, P. Singh, and A.A. Wani. 2015. Rice Bran: Nutritional values and its emerging potential for development of functional food - a review. *Bioactive Carbohydrate Dietary Fibre*, 6: 24-30.
- Goufo, H. 2014. Trindade Rice antioxidants: Phenolic acids, flavonoids anthocyanins, proanthocyanidins, tocopherols, tocotrienols, γ -oryzanol, and phytic acid. *Food Sci Nutr*, 2 (2):75-104.
- Hartati, S., Y. Marsono, Suparmo, U. Santoso. 2015. Komposisi kimia serta aktivitas antioksidan ekstrak hidrofilik bekatul dari beberapa varietas padi. *J Agritech*, 35: 35-42.
- Hartono, H. S. O., H. Soetjipto, and A. Ign. Kristijanto. 2017. Extraction and Chemical Compounds Identification of Red Rice Bran Oil Using Gas



- Chromatography – Mass Spectrometry (GC-MS) Method. *EKSAKTA: Journal of Sciences and Data Analysis*, 17(2):98–110.
- Hadi, A. 2015. *Aktivitas Antioksidan Etanol Ekstrak Bekatul Beras Hitam (*Oryzae sativa L. indica*) dan Bekatul Beras Merah (*Oryza sativa L. nivara*) Beserta Penetapan Total Antosianin*. Skripsi. Fakultas Farmasi, Universitas Muhammadiyah Surakarta
- Handayani, S., S. Fajriah, Enjarlis. 2020. Rice Bran Oil Extraction as Trioxolane Raw material. *SIMETRIKAL*, 2(1):13-19
- Henderson, A.J., C.A. Ollila, A. Kumar, E.C. Borresen, K. Raina, R. Agarwal, and E. P. Ryan. 2012. Chemopreventive properties of dietary rice bran: current status and future prospects. *Adv Nutr*, 3: 643-653.
- Hidayati, N., dan D. Khaerunisa. 2018. Pengaruh Jenis Pelarut pada Pengambilan Minyak Daun Kelo Dengan Metode Ultrasonic Asited Extraction. *Symposium Nasional RAPI XVII FT UMS*.
- Hutami, R., & Ayu, D. F. (2017). Pembuatan dan Karakterisasi Metil Ester dari Minyak Goreng Kelapa Sawit Komersial. *Jurnal Agroindustri Halal*, 1(2): 124–131. <https://doi.org/10.30997/jah.v1i2.371>
- Husain, F., dan I. Marzuki. 2021. Pengaruh Temperatur Penyimpanan Terhadap Mutu dan Kualitas Minyak Goreng Kelapa Sawit. *Serambi Engineering*, 6(4):2270-2278.
- Hyun, J.W, and H.S. Chung. 2004. Cyanidin and malvidin from *Oryza sativa* cv. Heugjinjubyeo mediate cytotoxicity against human monocytic leukemia cells by arrest of G2/M phase and induction of apoptosis. *J Agric Food Chem*, 52(8): 2213–2217.
- Ichikawa, H., T. Ichiyanagi, B. Xu, Y. Yoshii, M. Nakajima, T. Konishi. 2004. Antioxidant activity of anthocyanin extract from purple black rice. *J Med Food*, 4(4): 211– 218.
- Igbo, U. E., M. A. Osinubi, R.O. Ishola, V.I. Isiba, E.U. Akubueze, A.S. Aroke, G.N. Elemo. 2016. Effect of Varietal Difference on the Physicochemical Properties and Fatty Acid Profile of Kenaf Seed Oil. *Scholarly Research Journal for Interdisciplinary Studies*, (4): 2908–2913.
- Irawan, C., A. Tiara, U. Sherly. 2013. Pengurangan Kadar Asam Lemak Bebas (Free Fatty Acid) Dan Warna Dari Minyak Goreng Bekas Dengan Proses Adsorpsi Menggunakan Campuran Serabut Kelapa Dan Sekam Padi. *Jurnal Konversi*.
- Islam, M.S., R. Nagasaka, K. Ohara, T. Hosoya, H. Ozaki, H. Ushio, and M. Hori .2011. Biological abilities of rice bran derived antioxidant phytochemicals for medical therapi - a review. *Curr Top Med Chem*, 11: 1847-1853.
- ITIS (Integrated taxonomix information system). 2023. Taxonomic Herarchy *Oryza sativa* L. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=41976#null
- Ivanova, M. A. Hangau, R. Dumitriu, M. Tociu, G. Ivanov, C. Stavarache, L. Popescu, A. Ghendov-Mosanu,R. Sturza, C. Deleanu, N.A. Chira. 2022. Saponification Value of Fats and Oils as Determined from 1H-NMR Data: The Case of Dairy Fats. *Foods*. <https://doi.org/10.3390/foods11101466>



- Kampa, J., R. Frazier, J. Rodriguez-Garcia. 2022. Physical and Chemical Characterisation of Conventional and Nano/Emulsions: Influence of Vegetable Oils from Different Origins. *Foods*, 11:681.
- Ketaren. 1986. *Pengantar Teknologi Minyak dan Lemak Pangan Edisi 1*. Penerbit Universitas Indonesia: Jakarta.
- Kementan. 2020. *Outlook Komoditas Pertanian Sub Sektor Tanaman Pangan*. Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian.
- Khatoon, S., and A.G. Gopalakrishna. 2004. Fat-soluble nutraceuticals and fatty acid composition of selected Indian rice varieties. *J Am Oil Chem Soc*, 81 (10): 939-943.
- Kristamtini, and H. Purwaningsih. 2009. *The use of Yogyakarta local black rice as functional foods source*. Balai Besar Penelitian Tanaman Padi: Sukamandi.
- Kristamtini, Taryono, P. Basunanda ,R.H. Murti, Supriyanta, S. Widayanti, and Sutarno. 2012. Morphological of genetic relationships among black rice landraces from Yogyakarta and surrounding areas. *ARPN J Agric Biol Sci*, 7:982–989.
- Kristamthi, Taryono, B. Panjisakti., dan R. H. Murti. 2014. Keragaman Genetik Kultivar Padi Beras Hitam Lokal Berdasarkan Penanda Mikrosatelit. *Agro Biogen*, 10(2): 69-76.
- Kumar, P., D. Yadav, P. Kumar,P.S. Panesar, D.S. Bunkar, D. Mishra, H.K. Chopra. 2016. Comparative study on conventional, ultrasonication and microwave assisted extraction of γ -oryzanol from rice bran. *J Food Sci Technol* 53:2047–2053. <https://doi.org/10.1007/s13197-016-2175-2>
- Kwon, H. N. , & C. B. Choi. 2015. Comparison of lipid content and monounsaturated fatty acid composition of beef by country of origin and marbling score. *Journal of the Korean Society of Food Science and Nutrition*, 44:1806–1812.
- Kushwana, U.K.S. 2016. *Black Rice*. Springer: Cham.
- Lai, O.M., J.J. Jacoby,W.F. Leong,W.T. Lai. 2019. *Nutritional studies of Rice bran oil*. In: *Rice Bran and Rice Bran Oil*. AOCS Press: Urbana.
- Lee, S.G., K. Kim, S. Arsenault, D. Bistrian, B. Puder, Mark. 2006. Current clinical applications of omega-6 and omega-3 fatty acids. *Nutrition in clinical practice : official publication of the American Society for Parenteral and Enteral Nutrition*. 21. 323-41.
- Li, Y., and B.A.Watkins. 2001. *Unit D1.4: Oil Quality Indices*. In *Current Protocols in Food Analytical Chemistry*, New York:John Wiley & Sons, Inc.
- Liauw, M.Y., F.A. Natan, P. Widiyanti, D.Ikasari, N. Indraswati, and f. Soetaredj .2008. Extraction of Neem Oil (*Azadirachta indica* A. Juss) Using n-Hexane and Ethanol: Studies of Oil Quality, Kinetic and Thermodynamic. *Journal of Engineering and Applied Sciences*.
- Lichtenstein, A.H., L.J. Appel, M. Brands, M. Carnethon,S. Daniels, H.A. Franch, et al. 2006. Diet and lifestyle recommendations revision 2006: A scientific statement from the American Heart Association Nutrition Committee. *Circulation*, 114(1):82-96.
- Mahasuari, N.P.S., N.V. Paramita,& A.G.R.Y. Putra. 2020. Effect of methanol concentration as a solvent on total phenolic and flavonoid content of



- Beluntas leaf extract (*Pulchea indica* L.). *Journal of Pharmaceutical Science and Application*, 2(2): 77-84
- Maulidna, A. N. Savitri, D. Christin, S. Purba, R. K. Tarigan, & E.N. Pohan. 2019. Perhitungan neraca massa pada proses pemurnian Crude Palm Kernel Oil (CPKO) menjadi Refined Bleached Degummed Palm Kernel Oil (RBDPKO) pada Unit Refinery di PT. Pacific Medan Industri. *Ready Star - 2*, 2(1):58-63. <https://ptki.ac.id/jurnal/index.php/readystar/article/view/35>
- Mingyai, S., K. Shrikaeo, A. Kettawan, and R. Singanusong. 2017. Physicochemical and Antioxidant Properties of Rice Bran Oils Produced Colored Rice Using Different Extraction Methods. *Journal of Oleo Science*, 66(6): 565-572.
- Mohammed, H.H., W. A. Laftah, A.N. Ibrahim, and M.A.C. Yunus. 2022. Extraction of essential oil from *Zingiber officinale* and statistical optimization of process parameters. *RSC Adv.*, 12: 4843-4851 DOI: <https://doi.org/10.1039/D1RA06711G>
- Muller, H., A.S. Lindman , A.L. Brantsaeter, J.I. Pedersen. 2003. The serum LDL/HDL cholesterol ratio is influenced more favorably by exchanging saturated with unsaturated fat than by reducing saturated fat in the diet of women. *J Nutr.*, 133(1):78-83. doi: [10.1093/jn/133.1.78](https://doi.org/10.1093/jn/133.1.78).
- Ningrum, D.M., D. A.S. Permana, M.R. Harahap, A.S. Ulandari, M.R. Ghozaly, D.E. Bimmaharyanto, Sulistiyyana, T. Ulya, R.A. Fardani, F.A.D. Hartanto, R.O. Umboro, S. Idawati, A. Suhada. 2023. *Buku Ajar Kimia Farmasi*. Samudra Biru: Yogyakarta.
- Negash, Y.A., Amare, D.E., Bitew, B.D. et al .2019. Assessment of quality of edible vegetable oils accessed in Gondar City, Northwest Ethiopia. *BMC Res Notes*, 12(7):89-91. <https://doi.org/10.1186/s13104-019-4831-x>
- Nurul, and N. M. Esa. 2017. The Healing Components of Rice Bran. https://www.researchgate.net/publication/324246893_The_Healing_Components_of_Rice_Bran
- Olagunju, A., A. Omowumi, O. Modupe. 2022. The effect of rice bran extract on the quality indices, physicochemical properties and oxidative stability of soybean oil blended with various oils. *Food*, 6:1-8 DOI:[10.1016/j.meafoo.2022.10003](https://doi.org/10.1016/j.meafoo.2022.10003)
- Palawe, J.F.P. 2020. *Biokimia Pangan Hasil Perikanan*. Politeknik Negeri Nusa Utara: Sulawesi Utara.
- Park, Y.S., S.J. Kim, and H.I. Chang. 2008. Isolation of anthocyanin from black rice (*Heugjinjubyeo*) and screening of its antioxidant activities. *J Microbiol Biotechnol*, 36: 55–60.
- Patria, D.G., Sukamto., and Sumarji. 2021. *Rice Science and Technology (Ilmu dan Teknologi Beras) 1st ed.* Literasi Nusantara: Malang.
- Prasad, N.M.N., K.R. Sanjay, M.S. Khatokar, M.N. Vismaya, and S.N. Swamy. 2011. Health benefits of rice bran—A review. *J Nutr Food Sci*, 1: 1–7.
- Pohndorf, R.S., T.R.S. Cadaval Jr, L.A.A. Pinto. 2016. Kinetic and thermodynamic adsorption of carotenoid and chlorophylls in rice bran oil bleaching. *Journal of Food Engineering*, 185:9-16.
- Purwano, A., A.N. Fajriyanti, dan D. Wahyuningtyas. 2014. Pengaruh Jenis Pelarut Terhadap Rendemen dan Aktivitas Antioksidan dalam minyak Bekatul Padi (Rice Bran Oil). *Ekuilibrium*, 13(1):29-34



- Purwanto, E. 2010. *Manfaat beras hitam*. Available online at <https://uns.ac.id/id/uns-update/ini-dia-berbagai-manfaat-beras-hitam.html> (diakses 10 Maret 2022)
- Putri, S.R., D.I. Anggraini. 2015. Obesitas sebagai faktor resiko peningkatan kadar trigliserida. *Jurnal Majority*, 4(9): 78–82.
- Rahmani, R. 2008. Penentuan Sifat Fisiko-Kimia Dan Komposisi Asam Lemak Penyusun Trigliserida Serta Optimasi Kondisi Reaksi Sintesis Biodiesel (Met Ester) Minyak Biji Sirsak (*Annona muricata*). Skripsi. Universitas Indonesia. Jakarta.
- Richmond, A. 2008. *Handbook of microalgae culture: biotechnology and applied phycology*. John Wiley & Sons: New York.
- Rohman, A., & A. Windarsih. 2017. Characterization, biological activities, and authentication of red fruit (*Pandanus conoideus* Lam) oil. *Food Research*. 2:134-138. 10.26656/fr.2017.2(2).152.
- Riyadi, A. 2018. Rantai Pasok Beras Hitam di Kabupaten Sleman D.I Yogyakarta. Available online at <https://kanalpengetahuan.tp.ugm.ac.id/menarailmu/2018/1291-rantai-pasok-sembada-hitam-di-sleman-yogyakarta.html> (diakses 22 Maret 2022)
- Rudzińska, M., M.M. Hassanein, A.G. Abdel-Razek, K. Ratusz, and A. Siger. 2015. Blends of rapeseed oil with black cumin and rice bran oils for increasing the oxidative stability. *Journal Food Science Technology*, 53: 1055-1062.
- Rodenbush, C.M., F.H. Hsieh, and D.S. Viswanath. 1999. Density and Viscosity of Vegetable Oils. *JAOCs*, 76:1415–1419.
- Saad, B., C.W. Ling, M.S. Jab, B.P. Lim, A.S.M Ali, W.T. Wai, M.I. Saleh. 2007. Determination of free fatty acids in palm oil samples using non-aqueous flow injection titrimetric method. *Food Chemistry*, 102(4): 1407–1414. <https://doi.org/10.1016/j.foodchem>.
- Saikia, S.C., and Deka. 2011. Cereals: From staple food to nutraceuticals. *Int Food Res J*, 18 (1): 21-30
- Sari, N., and A. S. Wahyuni. 2017. Effect of Black Rice Brand Extract to Decrease Glucose Level of Diabet Rats. *Pharmacon*, 18(1):8-12.
- Satria, A. W, P. Febriyanto, Y. L. Listyadevi, I. Sudarmanto. 2021. Peningkatan Mutu Ekstraksi Minyak Dedak Padi Lampung Melalui Proses Stabilisasi Dedak. *Jurnal Integrasi Proses*, 10(2):62-67.
- Shafie, N., and N.M. Esa. 2017. Functional foods: Wonder of the world, Evidence-based functional foods in health and disease Chapter: *The Healing Components of Rice Bran*. UPM Press: Selangor.
- Siduardi, D., dan Ridwan, I. 2009. Beras hitam, pangan berkhasiat yang belum populer. *Warta Penelitian dan Pengembangan Pertanian*, 31(2): 9–10.
- Singh, N., B. Mitulkumar, S. Jimi , S. Gosewade, R. Sharma, & K. Gandhi. 2018. *Application of GC-MS as an Analytical Tool for Quality Assurance of Dairy and Food Products*. ICAR-NDRI Publisher: Karnal.
- Sompong R., E.S. Siebenhandl, M.G. Linsberber, and E. Berghofer. 2011. Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China, and Sri Lanka. *Food Chem*, 124 :132-140.
- Sudarmadji, S., B. Haryono, dan Suhardi. 2010. *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. Yogyakarta:Liberty.
- Sumbono, A. 2021. *Lipida Seri Biokimia Pangan Dasar*. Yogyakarta:Deepublish



- Susanti , A.D., D. Ardian, G. Gumelar, Y. Bening. 2012. Polaritas pelarut sebagai pertimbangan dalam pemilihan pelrut untuk ekstraksi minyak bekatul dari bekatul vaitetas ketan (*Oryza sativa glatinosa*). *Symposium Nasional RApi XI FT UMS*.
- Tarone, A.G., C.B.B. Cazarin, and M.R. Marostica Junior, 2020. Anthocyanins: New Techniques and challenges in microencapsulation, *Food Research International*. 133:109092. doi:10.1016/j.foodres.2020.109092
- Tesfamicael, F., Y. Estifanos. 2016. Assessment of Fatty Acids Composition in Commercially Available and Widely Consumed Edible Oils in Ethiopia. *Their Relevance And Health Implications*. 39. 21-33.
- Tsuda, T., F. Horio, K. Uchida, H. Aoki, and T. Osawa. 2003. Dietary cyanidin 3 α - β -d-glucoside-rich purple corn color prevents obesity and ameliorates hyperglycemia in mice. *J Nutr*, 133: 2125–2130.
- van Rooijen M.A, R.P. Mensink. 2020. Palmitic Acid Versus Stearic Acid: Effects of Interesterification and Intakes on Cardiometabolic Risk Markers - A Systematic Review. *Nutrients*, 12(3):615-639. doi: 10.3390/nu12030615.
- Vergeer, M., A. G. Holleboom, J. J. Kastelein, and J. A. Kuivenhoven, 2010. The HDL hypothesis: does high density lipoprotein protect from atherosclerosis? *J. Lipid Res.*, 51(8):2058-2073.
- Wahyudi, I.N.G. Wardana, A. Widodo, W. Wijayanti. 2018. Improving Vegetable Oil Properties by Transforming Fatty Acid Chain Length in Jatropha Oil and Coconut Oil Blends. *Energies*, 11(2):394-312.
- Wang, M.Z., S. Li, M. Zhang, H. Yang, G. Li, X. Ren, S. Liang. 2022. Optimization of Oil Extraction from Rice Bran with Mixed Solvent Using Response Surface Methodology. *Foods*, 11(23):3849. <https://doi.org/10.3390/foods11233849>
- Wang, Y. 2019. *Applications of rice bran oil*. In: *Rice Bran and Rice Bran Oil*. Urbana: AOCS Press.
- Wilson,T.A., L.M. Ausman, and C.W.Lawton. 2000. Comparative cholesterol lowering properties of vegetable oils: beyond fatty acids. *Journal of the American College of Nutrition*, 19(5): 601-607