UNIVERSITAS
GADJAH MADA
Karakterisasi Fisiko-Kimia dan Profil Asam Lemak Minyak Bekatul Beras Hitam (Oryza sativa L. â€˜Sembada Hitamâ€™)
Fifiola Aditya Ponkiyawati, Dr. Yekti Asih Purwestri, S.Si., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abedi, E., and M.A.Sahari. 2014. Long-chain polyunsaturated fatty acid sources and evaluation of their nutritional and functional properties. *Food Science and Nutrition*, 2(5): 443-463.

Ahmad, A., A. Abbas, H. Sufia, L. Han. 2009. Extraction, Separation and Identification of Chemical Ingredients of *Elephantopus Scaber* L. Using Factorial Design of Experiment. *International Journal of Chemistry.*

Al-Rahmad A.H., A. Annaria, and T.K. Fadjri. 2016. Faktor Resiko Peningkatan Kolesterol pada Usia Diatas 30 Tahun di Kota Banda Aceh. *Jurnal Nutrisia,* 18(2):109-114.

Aman, S., Wijaya, A. Sukarianingsih, D. Sumari, S. Eviana, D. Putri. 2020. Synthesis of Methyl Ester from Rice Bran Oil Through the Esterification Reaction. *Key Engineering Materials,* 851: 164-171.

Apridamayanti, P., R. Pratiwi, Y. A. Purwestri, W. A. S. Tunjung, and Rumiyati. 2017. Anthocyanin, nutrient contents, and antoxidant actvity of black rice bran of *Oryza sativa* L. 'Cempo Ireng' from Sleman, Yogyakarta, Indonesia. *Indonesian Journal of Biotechnology,* 22(1): 49-54.

Ardiansyah, H. Shirakawa, T. Koseki, K. Ohinata, K. Hazhizume, and M. Komai. 2006. Rice bran fractions improve blood pressure, lipid profile, and glucose metabolism in stroke-prone spontaneously hypertensive rats. *J Agric Food Chem,* 54 (5):1914-1920.

Arlene, A., K. Steviana, dan I. Suharto. 2010. Pengaruh Temperatur dan F/S terhadap Ekstraksi Minyak dari Biji Kemiri Sisa Penekanan Mekanik. *Seminar Nasional Rekayasa Kimia dan Proses di Universitas Diponegoro Semarang.* http://eprints.undip.ac.id/28003/1/C- 12.pdf.

Baer, D. J. *et al.* 2003. Stearic Acid Absorption and Its Metabolizable Energy Value Are Minimally Lower than Those of Other Fatty Acids in Healthy Men Fed Mixed Diets. *The Journal of Nutrition*, 133(12):4129–4134. https://doi.org/10.1093/jn/133.12.4129

Banjerdpongchai, R., B. Wudtiwai ,K. Sringarm. 2013. Cytotoxic and apoptotic inducing effects of purple rice extracts and chemotherapeutic drugs on human cancer cell lines. *Asian Pac J Cancer Prev,* 14(11):6541-6548.

Boden, G. 2003. Effects of free fatty acids (FFA) on glucose metabolism: significance for insulin resistance and type 2 diabetes. *Experimental and Clinical Endocrinology and Diabetes,* 111(3): 121–124. https://doi.org/10.1055/s-2003-39781

Capellini, M.C., V. Giacomini, M.S. Cuevas, C.E.C. Rodrigues. 2017. Rice bran oil extraction using alcoholic solvents: physicochemical characterization of oil and protein fraction functionality. *Ind. Crops Prod,* 104:133–143

Caterina, R.D., J.K.Liao, and P. Libby. 2000. Fatty acid modulation of endothelial activation 1-3. *American Journal of Clinical Nutrition,* 71: 213S-223S.

Cicero, A.F.G., and G. Derosa. 2005. Rice bran and its main com-ponents: potential role in the management of coronary risk factors. *Curr Top Nutraceutical Res,* 3: 29-46.

Codex Standards. 2015. Codex Standards for Edible Fats and Oils Not Covered by Individual Standards. Codex Stan 19-1981 (Amendment 2015).

UNIVERSITAS
GADJAH MADA
Karakterisasi Fisiko-Kimia dan Profil Asam Lemak Minyak Bekatul Beras Hitam (Oryza sativa L. â€˜Sembada Hitamâ€™)
Fifiola Aditya Ponkiyawati, Dr. Yekti Asih Purwestri, S.Si., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Daud, N.S.M., D.N.A. Zaidel., K.S. Lai., N.Khairuddin, Y.M.M. Jusoh., I.I. Muhamad. 2018. Crude Oil Yield and Properties of Rice Bran Oil from Different Varieties as Affected by Extraction Conditions Using Soxhterm Method. *Arabian Journal for Science and Engineering,* 43:6237-6244

de Roos, N.M., M.L. Bots, M.B. Katan. 2001. Replacement of dietary saturated fatty acids by trans fatty acids lowers serum HDL cholesterol and impairs endothelial function in healthy men and women. *Arterioscler Thromb Vasc Biol,* 21(7):1233-1240.

Decara, D., P. Jenvanitpanjakul, S. Nitisoravut, S. Babe. 2003. Hexane Reduction in a Thai Rice Bran Oil Factory: A Cleaner Technology Approach. *Thammasat Int Sci Tech*, 8(4):1-17.

Deng, G.F., X.R. Xu, Y. Zhang, D. Li, R.Y. Gan, H.B. Li. 2013. Phenolic Compounds and Bioactivities of Pigmented Rice. *Critical Reviews in Food Science and Nutrition*, 53:296–306.

Desta, M., A. Molla, and Z. Yusuf. 2020. Characterization of physico-chemical properties and antioxidant activity of oil from seed, leaf and stem of purslane (*Portulaca oleracea* L.). *Biotechnology Report.* 27 https://doi.org/10.1016/j.btre.2020.e00512

Dumitran, L.M., A. Ciuriuc, and P. Notingher. 2013. Thermal ageing effects on the dielectric properties and moisture content of vegetable and mineral oil used in power transformers. *8th International Symposium on Advanced Topics in Electrical Engineering (ATEE),* 1-6. http://dx.doi.org/10.1109/ATEE.2013.6563459

Etiasih, T., K. Ahmadi, V. Santoso. 2021. Senyawa bioaktif dan potensi bekatul beras (Oryza sativa) sebagai bahan pangan fungsional). *Teknologi Pangan,* 12(1):30-43.

Faizah, F. Kusnandar, dan S. Nurjanah. 2020. Senyawa Fenolik, Oryzanol, dan Aktivitas Antioksidan Bekatul yang Difermentasi dengan *Rhizopus oryzae. Jurnal Teknoogi dan Industri Pangan*, 31(1):86-94.

Food and Agriculture Organization (FAO). 2015. Accessed 12 Maret 2022

Foster, G., M. K. Raina, A. Kumar, S. Kumar, R. Agarwal, M.H. Chen, J.E. Baurer, A.M. McClung, and E.P. Ryan. 2013. Rice varietal differences in bioactive brad components for inhibition of colerectal cacer cell growth. *Food Chem,* 141: 1545-1552.

Garofalo, S.F., T. Tommasi,D. Fino. 2021. A short review of green extraction technologies for rice bran oil. *Biomass Conv. Bioref.* 11, 569–587. https://doi.org/10.1007/s13399-020-00846-3

Gul, K., B. Yousuf, A.K. Singh, P. Singh, and A.A. Wani. 2015. Rice Bran: Nutritional values and its emerging potential for development of fuctional food - a review. *Bioactive Carbohdydrat Dietary Fibre*, 6: 24-30.

Goufo, H. 2014. Trindade Rice antioxidants: Phenolic acids, flavonoids anthocyanins, proanthocyanidins, tocopherols, tocotrienols, γ-oryzanol, and phytic acid. *Food Sci Nutr,* 2 (2):75-104.

Hartati, S., Y. Marsono, Suparmo, U. Santoso. 2015. Komposisi kimia serta aktivitas antioksidan ekstrak hidrofilik bekatul dari beberapa varietas padi. *J Agritech,* 35: 35-42.

Hartono, H. S. O., H. Soetjipto, and A. Ign. Kristijanto. 2017. Extraction and Chemical Compounds Identification of Red Rice Bran Oil Using Gas

UNIVERSITAS
GADJAH MADA
Karakterisasi Fisiko-Kimia dan Profil Asam Lemak Minyak Bekatul Beras Hitam (Oryza sativa L. â€˜Sembada Hitamâ€™)
Fifiola Aditya Ponkiyawati, Dr. Yekti Asih Purwestri, S.Si., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Chromatography – Mass Spectrometry (GC-MS) Method. *EKSAKTA: Journal of Sciences and Data Analysis,* 17(2):98–110.

Hadi, A. 2015. *Aktivitas Antioksidan Etanol Ekstrak Bekatul Beras Hitam* (*Oryzae sativa* L. *indica*) *dan Bekatul Beras Merah* (*Oryza sativa* L. *nivara*) *Beserta Penetapan Total Antosianin.* Skripsi. Fakultas Farmasi, Universitas Muhammadiyah Surakarta

Handayani, S., S. Fajriah, Enjarlis. 2020. Rice Bran Oil Extraction as Trioxolane Raw material. *SIMETRIKAL*, 2(1):13-19

Henderson, A.J., C.A. Ollila, A. Kumar, E.C. Borresen, K. Raina, R. Agarwal, and E. P. Ryan. 2012. Chemopreventive properties of dietary rice bran: current status and future prospects. *Adv Nutr,* 3: 643-653.

Hidayati, N., dan D. Khaerunisa. 2018. Pengruh Jenis Pelarut pada Pengambilan Minyak Daun Kelo Dengan Metode Ultrsonic Asited Extraction. *Simposium Nasional RAPI XVII FT UMS.*

Hutami, R., & Ayu, D. F. (2017). Pembuatan dan Karakterisasi Metil Ester dari Minyak Goreng Kelapa Sawit Komersial. J*urnal Agroindustri Halal*, 1(2): 124–131. https://doi.org/10.30997/jah.v1i2.371

Husain, F., dan I. Marzuki. 2021. Pengaruh Temperatur Penyimpanan Terhadap Mutu dan Kualitas Minyak Goreng Kelapa Sawit. *Serambi Engineering,* 6(4):2270-2278.

Hyun, J.W, and H.S. Chung. 2004. Cyanidin and malvidin from *Oryza sativa* cv. Heugjinjubyeo mediate cytotoxicity against human monocytic leukemia cells by arrest of G2/M phase and induction of apoptosis. *J Agric Food Chem,* 52(8): 2213–2217.

Ichikawa, H., T. Ichiyanagi, B. Xu, Y. Yoshii, M. Nakajima, T. Konishi. 2004. Antioxidant activity of anthocyanin extract from purple black rice. *J Med Food,* 4(4): 211– 218.

Igbo, U. E., M. A. Osinubi, R.O. Ishola, V.I. Isiba, E.U. Akubueze, A.S. Aroke, G.N. Elemo. 2016. Effect of Varietal Difference on the Physicochemical Properties and Fatty Acid Profile of Kenaf Seed Oil. *Scholarly Research Journal for Interdisciplinary Studies,* (4): 2908–2913.

Irawan, C., A. Tiara, U. Sherly. 2013. Pengurangan Kadar Asam Lemak Bebas (Free Fatty Acid) Dan Warna Dari Minyak Goreng Bekas Dengan Proses Adsorpsi Menggunakan Campuran Serabut Kelapa Dan Sekam Padi. *Jurnal Konversi*.

Islam, M.S., R. Nagasaka, K. Ohara, T. Hosoya, H. Ozaki, H. Ushio, and M. Hori .2011. Biological abilities of rice bran derived antioxidant phytochemicals for medical therapi - a review. *Curr Top Med Chem,* 11: 1847-1853.

ITIS (Integrated taxonomix information system). 2023. Taxonomic Herarchy *Oryza sativa* L. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=41976#null

Ivanova, M. A. Hanganu, R. Dumitriu, M. Tociu, G. Ivanov, C. Stavarache, L. Popescu, A. Ghendov-Mosanu,R. Sturza, C. Deleanu, N.A. Chira. 2022. Saponification Value of Fats and Oils as Determined from 1H-NMR Data: The Case of Dairy Fats. *Foods.* https://doi.org/10.3390/foods11101466

UNIVERSITAS
GADJAH MADA
Karakterisasi Fisiko-Kimia dan Profil Asam Lemak Minyak Bekatul Beras Hitam (Oryza sativa L. â€˜Sembada Hitamâ€™)
Fifiola Aditya Ponkiyawati, Dr. Yekti Asih Purwestri, S.Si., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Kampa, J., R. Frazier, J. Rodriguez-Garcia. 2022. Physical and Chemical Characterisation of Conventional and Nano/Emulsions: Influence of Vegetable Oils from Different Origins. *Foods,* 11:681.

Ketaren. 1986. *Pengantar Teknologi Minyak dan Lemak Pangan Edisi 1.* Penerbit Universitas Indonesia: Jakarta.

Kementan. 2020. *Outlook Komoditas Pertanian Sub Sektor Tanaman Pangan.* Pusat Data dan Sistem Informasi Pertanian Kementrian Pertanian.

Khatoon, S., and A.G. Gopalakrishna. 2004. Fat-soluble nutraceuticals and fatty acid composition of selected Indian rice varieties. *J Am Oil Chem Soc*, 81 (10): 939-943.

Kristamtini, and H. Purwaningsih. 2009. *The use of Yogyakarta local black rice as functional foods source.* Balai Besar Penelitian Tanaman Padi: Sukamandi.

Kristamtini, Taryono, P. Basunanda ,R.H. Murti, Supriyanta, S. Widyayanti, and Sutarno. 2012. Morphological of genetic relationships among black rice landraces from Yogyakarta and surrounding areas. *ARPN J Agric Biol Sci,* 7:982–989.

Kristamthi, Taryono, B. Panjisakti., dan R. H. Murti. 2014. Keragaman Genetik Kultivar Padi Beras Hitam Lokal Berdasarkan Penanda Mikrosatelit. *Agro Biogen,* 10(2): 69-76.

Kumar, P., D. Yadav, P. Kumar,P.S. Panesar, D.S. Bunkar, D. Mishra, H.K. Chopra. 2016. Comparative study on conventional, ultrasonication and microwave assisted extraction of γ-oryzanol from rice bran. *J Food Sci Technol* 53:2047–2053. https://doi.org/10.1007/s13197-016-2175-2

Kwon, H. N. , & C. B. Choi. 2015. Comparison of lipid content and monounsaturated fatty acid composition of beef by country of origin and marbling score. *Journal of the Korean Society of Food Science and Nutrition,* 44:1806–1812.

Kushwana, U.K.S. 2016. *Black Rice.* Springer: Cham.

Lai, O.M., J.J. Jacoby,W.F. Leong,W.T. Lai. 2019. *Nutritional studies of Rice bran oil. In: Rice Bran and Rice Bran Oil.* AOCS Press: Urbana.

Lee, S.G., K. Kim, S. Arsenault, D. Bistrian, B. Puder, Mark. 2006. Current clinical applications of omega-6 and omega-3 fatty acids. *Nutrition in clinical practice : official publication of the American Society for Parenteral and Enteral Nutrition*. 21. 323-41.

Li, Y., and B.A.Watkins. 2001. *Unit D1.4: Oil Quality Indices. In Current Protocols in Food Analytical Chemistry,* New York:John Wiley & Sons, Inc.

Liauw, M.Y., F.A. Natan, P. Widiyanti, D.Ikasari, N. Indraswati, and f. Soetaredj .2008. Extraction of Neem Oil (*Azadirachta indica* A. Juss) Using n-Hexane and Ethanol: Studies of Oil Quality, Kinetic and Thermodynamic. *Journal of Engineering and Applied Sciences.*

Lichtenstein, A.H., L.J. Appel, M. Brands, M. Carnethon,S. Daniels, H.A. Franch, et al. 2006. Diet and lifestyle recommendations revision 2006: A scientific statement from the American Heart Association Nutrition Committee. *Circulation,* 114(1):82-96.

Mahasuari, N.P.S., N.V. Paramita,& A.G.R.Y. Putra. 2020. Effect of methanol concentration as a solvent on total phenolic and flavonoid content of

UNIVERSITAS
GADJAH MADA
Karakterisasi Fisiko-Kimia dan Profil Asam Lemak Minyak Bekatul Beras Hitam (Oryza sativa L. â€˜Sembada Hitamâ€™)
Fifiola Aditya Ponkiyawati, Dr. Yekti Asih Purwestri, S.Si., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Beluntas leaf extract (*Pulchea indica* L.). *Journal of Pharmaceutical Science and Application,* 2(2): 77-84

Maulidna, A. N. Savitri, D. Christin, S. Purba, R. K. Tarigan, & E.N. Pohan. 2019. Perhitungan neraca massa pada proses pemurnian Crude Palm Kernel Oil (CPKO) menjadi Refined Bleached Degummed Palm Kernel Oil (RBDPKO) pada Unit Refinery di PT. Pacific Medan Industri. *Ready Star* - 2, 2(1):58-63. https://ptki.ac.id/jurnal/index.php/readystar/article/view/35

Mingyai, S., K. Shrikaeo, A. Kettawan, and R. Singanusong. 2017. Physicochemucal and Antioxidant Properties of Rice Bran Oils Produced Colored Rice Using Different Extraction Methods. *Journal of Oleo Science,* 66(6): 565-572.

Mohammed, H.H., W. A. Laftah, A.N. Ibrahinm, and M.A.C. Yunus. 2022. Extraction of essential oil from *Zingiber officinale* and statistical optimization of process parameters. *RSC Adv.,* 12: 4843-4851 DOI: https://doi.org/10.1039/D1RA06711G

Muller, H., A.S. Lindman , A.L. Brantsaeter, J.I. Pedersen. 2003.The serum LDL/HDL cholesterol ratio is influenced more favorably by exchanging saturated with unsaturated fat than by reducing saturated fat in the diet of women. *J Nutr.,*133(1):78-83. doi: 10.1093/jn/133.1.78.

Ningrum, D.M., D. A.S. Permana, M.R. Harahap, A.S. Ulandari, M.R. Ghozaly, D.E. Bimmaharyanto, Sulistiyana, T. Ulya, R.A. Fardani, F.A.D. Hartanto, R.O. Umboro, S. Idawati, A. Suhada. 2023. *Buku Ajar Kimia Farmasi.* Samudra Biru: Yogyakarta.

Negash, Y.A., Amare, D.E., Bitew, B.D. *et al* .2019. Assessment of quality of edible vegetable oils accessed in Gondar City, Northwest Ethiopia. *BMC Res Notes,*12(7):89-91. https://doi.org/10.1186/s13104-019-4831-x

Nurul, and N. M. Esa. 2017. The Healing Components of Rice Bran. https://www.researchgate.net/publication/324246893_The_Healing_Components_of_Rice_Bran

Olagunju, A., A. Omowumi, O. Modupe. 2022. The effect of rice bran extract on the quality indices, physicochemical properties and oxidative stability of soybean oil blended with various oils. *Food,* 6:1-8 DOI:10.1016/j.meafoo.2022.10003

Palawe, J.F.P. 2020. *Biokimia Pangan Hasil Perikanan*. Politeknik Negeri Nusa Utara: Sulawesi Utara.

Park, Y.S., S.J. Kim, and H.I. Chang. 2008. Isolation of anthocyanin from black rice (Heugjinjubyeo) and screening of its antioxidant activities. *J Microbiol Biotechnol,* 36: 55–60.

Patria, D.G., Sukamto., and Sumarji. 2021. *Rice Science and Technology (Ilmu dan Teknologi Beras) 1st ed.* Literasi Nusantara: Malang.

Prasad, N.M.N., K.R. Sanjay, M.S. Khatokar, M.N. Vismaya, and S.N. Swamy. 2011. Health benefits of rice bran—A review. *J Nutr Food Sci,*,1: 1–7.

Pohndorf, R.S., T.R.S. Cadaval Jr, L.A.A. Pinto. 2016. Kinetic and thermodynamic adsorption of carotenoid and chlorophylls in rice bran oik bleaching. *Journal of Food Engineering*, 185:9-16.

Purwano, A., A.N. Fajriyanti, dan D. Wahyuningtyas. 2014. Pengaruh Jenis Pelarut Terhadap Rendemen dan Aktivitas Antioksidan dalam minyak Bekatul Padi (Rice Bran Oil). *Ekuilibrium*, 13(1):29-34

UNIVERSITAS
GADJAH MADA
Karakterisasi Fisiko-Kimia dan Profil Asam Lemak Minyak Bekatul Beras Hitam (Oryza sativa L. â€˜Sembada Hitamâ€™)
Fifiola Aditya Ponkiyawati, Dr. Yekti Asih Purwestri, S.Si., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Purwanto, E. 2010. *Manfaat beras hitam.* Available online at https://uns.ac.id/id/uns-update/ini-dia-berbagai-manfaat-beras-hitam.html (diakses 10 Maret 2022)

Putri, S.R.,D.I. Anggraini. 2015. Obesitas sebagai faktor resiko peningkatan kadar trigliserida. *Jurnal Majority,* 4(9): 78–82.

Rahmani, R. 2008. Penentuam Sifat Fisiko-Kimia Dan Komposisis Asam Lemak Penyusun Trigliserida Serta Optimasi Kondisi Reaksi Sintesis Biodiesel (Meti Ester) Minyak Biji Sirsak (*Annova muricata*). Skripsi. Universitas Indonesia. Jakarta.

Richmond, A. 2008. *Handbook of microalgae culture: biotechnologi and appied phycology*. John Wiley & Sons: New York.

Rohman, A., & A. Windarsih. 2017. Characterization, biological activities, and authentication of red fruit (*Pandanus conoideus* Lam) oil. *Food Research*. 2:134-138. 10.26656/fr.2017.2(2).152.

Riyadi, A. 2018. Rantai Pasok Beras Hitam di Kabupaten Sleman D.I Yogyakarta. Available online at https://kanalpengetahuan.tp.ugm.ac.id/menarailmu/2018/1291-rantai-pasok-sembada-hitam-di-sleman-yogyakarta.html (diakses 22 Maret 2022)

Rudzińska, M., M.M. Hassanein, A.G. Abdel-Razek, K. Ratusz, and A. Siger. 2015. Blends of rapeseed oil with black cumin and rice bran oils forincreasing the oxidative stability. *Journal Food Science Technology,* 53: 1055-1062.

Rodenbush, C.M., F.H. Hsieh, and D.S. Viswanath. 1999. Density and Viscosity of Vegetable Oils. *JAOCS*, 76:1415–1419.

Saad, B., C.W. Ling, M.S. Jab, B.P. Lim, A.S.M Ali,W.T. Wai, M.I. Saleh. 2007. Determination of free fatty acids in palm oil samples using non-aqueous flow injection titrimetric method. *Food Chemistry,* 102(4): 1407–1414. https://doi.org/10.1016/j.foodchem.

Saikia, S.C., and Deka. 2011. Cereals: From staple food to nutraceuticals. *Int Food Res J,* 18 (1): 21-30

Sari, N., and A. S. Wahyuni. 2017. Effect of Black Rice Brand Extract to Decrease Glucose Level of Diabet Rats. *Pharmacon,*18(1):8-12.

Satria, A. W, P. Febriyanto, Y. L. Listyadevi, I. Sudarmanto. 2021. Peningkatan Mutu Ekstraksi Minyak Dedak Padi Lampung Melalui Proses Stabilisasi Dedak. *Jurnal Integrasi Proses,* 10(2):62-67.

Shafie, N., and N.M. Esa. 2017. Functional foods: Wonder of the world, Evidence-based functional foods in health and disease Chapter: *The Healing Components of Rice Bran.* UPM Press: Selangor.

Siduardi, D., dan Ridwan, I. 2009. Beras hitam, pangan berkhasiat yang belum populer. *Warta Penelitian dan Pengembangan Pertanian,* 31(2): 9–10.

Singh, N., B. Mitulkumar, S. Jimi , S. Gosewade,R. Sharma, & K. Gandhi. 2018. *Application of GC-MS as an Analytical Tool for Quality Assurance of Dairy and Food Products*. ICAR-NDRI Publisher: Karnal.

Sompong R., E.S. Siebenhandl, M.G. Linsberber, and E. Berghofer. 2011. Physicochemical and antoxidative properties of red and black rice varieties from Thailand, China, and Sri Lanka. *Food Chem,* 124 :132-140.

Sudarmadji, S., B. Haryono, dan Suhardi. 2010. *Prosedur Analisa untuk Bahan Makanan dan Pertanian.* Yogyakarta:Liberty.

Sumbono, A. 2021. *Lipida Seri Biokimia Pangan Dasar.* Yogyakarta:Deepublish

UNIVERSITAS
GADJAH MADA
Karakterisasi Fisiko-Kimia dan Profil Asam Lemak Minyak Bekatul Beras Hitam (Oryza sativa L. â€˜Sembada Hitamâ€™)
Fifiola Aditya Ponkiyawati, Dr. Yekti Asih Purwestri, S.Si., M.Si.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Susanti , A.D., D. Ardian, G. Gumelar, Y. Bening. 2012. Polaritas pelarut sebagai pertimbagan dlam pemilihan pelrut untuk ekstraksi minyak bekatul dari bekatul vaietas ketan (*Oryza sativa* glatinosa). *Simposium Nasional RApi XI FT UMS.*

Tarone, A.G., C.B.B. Cazarin, and M.R. Marostica Junior, 2020. Anthocyanins: New Techniques and challenges in microencapsulation, *Food Research International.* 133:109092. doi:10.1016/j.foodres.2020.109092

Tesfamicael, F., Y. Estifanos. 2016. Assessment of Fatty Acids Composition in Commercially Available and Widely Consumed Edible Oils in Ethiopia. *Their Relevance And Health Implications.* 39. 21-33.

Tsuda, T., F. Horio, K. Uchida, H. Aoki, and T. Osawa. 2003. Dietary cyanidin 3 o-β-d-glucoside-rich purple corn color prevents obesity and ameliorates hyperglycemia in mice. *J Nutr,*133: 2125–2130.

van Rooijen M.A, R.P. Mensink. 2020. Palmitic Acid Versus Stearic Acid: Effects of Interesterification and Intakes on Cardiometabolic Risk Markers - A Systematic Review. *Nutrients,* 12(3):615-639. doi: 10.3390/nu12030615.

Vergeer, M., A. G. Holleboom, J. J. Kastelein, and J. A. Kuivenhoven, 2010. The HDL hypthoesis: does high density lipoprotein protect from atherosclerosis? *J. Lipid Res.,* 51(8):2058-2073.

Wahyudi, I.N.G. Wardana, A. Widodo, W. Wijayanti. 2018. Improving Vegetable Oil Properties by Transforming Fatty Acid Chain Length in Jatropha Oil and Coconut Oil Blends. *Energies,* 11(2):394-312.

Wang, M.Z., S. Li, M. Zhang, H. Yang, G. Li, X. Ren, S. Liang. 2022. Optimization of Oil Extraction from Rice Bran with Mixed Solvent Using Response Surface Methodology. *Foods,* 11(23):3849. https://doi.org/10.3390/foods11233849

Wang, Y. 2019. *Applications of rice bran oil. In: Rice Bran and Rice Bran Oil.* Urbana: AOCS Press.

Wilson,T.A., L.M. Ausman, and C.W.Lawton. 2000. Comparative cholesterol lowering properties of vegetable oils: beyond fatty acids. *Journal of the American College of Nutrition,* 19(5): 601-607