



## DAFTAR PUSTAKA

- Adania, B. A., 2023. Pengaruh Pemberian Produk Olahan Pangan Fungsional Black Rice Crunch Terhadap Indeks Lee, Kadar Glukosa, SGPT, dan Bilirubin Darah Tikus (*Rattus norvegicus* Berkenhout, 1769) Obesitas. Skripsi. Universitas Gadjah Mada.
- Ahmed, M. H., Vasas, D., Hassan, A. & Molnar, J. 2022. The impact of functional food in prevention of malnutrition. *PharmaNutrition*, 19: 100288
- Akoh, C. C. 2017. *Food Lipids: Chemistry, Nutrition, and Biotechnology*. 4<sup>th</sup> edn. CRC Press: Boca Raton.
- Al-Muzafar, H. M. & Amin, K. A. 2017. Efficacy of functional foods mixture in improving hypercholesterolemia, inflammatory and endothelial dysfunction biomarkers-induced by high cholesterol diet. *Lipids in Health and Disease*, 16(1): 194
- Aoyama, K. & Nagano, A. 2020. Effects of saccharin consumption on operant responding for sugar reward and incubation of sugar craving in rats. *Foods*, 9(12): 1283
- Archer, N., Shaw, J., Cochet-Broch, M., Bunch, R., Poelman, A., Barendse, W. & Duesing, K. 2018. Obesity is associated with altered gene expression in human tastebuds. *IJO*, 43: 1475-1484
- Bandyopadhyay, D., Qureshi, A., Ghosh, S., Ashish, K., Heise, L. R., Hajra, A. & Ghosh, R. K. 2018. Safety and efficacy of extremely low LDL-Cholesterol levels and its prospects in hyperlipidemia management. *Journal of Lipids*, 2018:8598054
- Banwo K., Olojede, A. O., Adesulu-Dahunsi, A. T., Verma, D. K., Thakur, M., Tripathy, S., Singh, S., Ratel, A. R., Gupta, A. K., Aguilar, C. N. & Utama, G. L. 2021. Functional importance of bioactive compounds of foods with Potential Health Benefits: A review on recent trends. *Food Bioscience*, 43: 101320
- Bastias-Perez, M., Serra, D. & Herrero, L. 2020. Dietary option for rodents in the study of obesity. *Nutrients*, 12(11): 3234
- Bredefeld, C., Hussain, M. M., Averna, M., Black, D. D., Brin, M. F., Burnett, J. R., Charriere, S., Cuerq, C., Davidson, N. O., Deckelbaum, R. J., Goldberg, I. J., Granot, E., Hegele, R. A., Ishibashi, S., Karmally, W., Levy, E., Moulin, P., Okazaki, H., Poinsot, P., Rader, D. J., Takahashi, M., Tarugi, P., Traber, M. G., Filippo, M. & Peretti, N. Guidance for the diagnosis and treatment of hypolipidemia disorders. *Journal of Clinical Lipidology*, 16: 797-812
- Cole, T. G., Klotzsch, S. G., & McNamara, J. 1997. *Handbook of Lipoprotein Testing*. AAC Press: Washington
- Erlanson-Albertsson, C. *Fat Rich Food Palatability and Appetite Regulation*. In Montmayeur, J. & Coutre, J. 2010. *Fat Detection: Taste, Texture, and Post Ingestive Effects*. CRC Press: Boca Raton
- Flores-Dorantes, M. T., Diaz-Lopez, Y. E. & Gutierrez-Aguilar, R. 2020. Environment and gene association with obesity and their impact on neurodegenerative and neurodevelopmental diseases. *Frontiers in Neuroscience*, 14(863)



- Fu, J., Zhang, L. L., Li, W., Zhang, Y., Zhang, Y., Liu, F. & Zou, L. 2022. Application of metabolomics for revealing the interventional effects of functional foods on metabolic diseases. *Food Chemistry*, 367: 130697
- Fruh, S. M. 2017. Obesity: risk factors, complications, and strategies for sustainable long-term weight management. *Journal of the American Association of Nurse Practitioners*, 29
- Gurr, M. I., Harwood, J. L., Frayn, K. N., Murphy, D. J. & Michell, R. H. 2016. *Lipids: Biochemistry, Biotechnology and Health*. 6<sup>th</sup> edn. John Wiley & Sons Ltd: West Sussex
- Hunter, P. M. & Hegele, R. A. Functional foods and dietary supplements for the management of dysplidaemia. *Endocrinology*, 13(5): 278-288
- Ihedioha, J. I., Noel-Uneke, O. A. & Ihedioha, T. E. 2013. Reference values for the serum lipid profile of albino rats (*Rattus norvegicus*) of varied ages and sexes. *Comp Clin Pathol*, 22: 93-99
- Jia, Y., Wu, C., Kim, Y. S., Yang, S. O., Kim, Y., Kim, J. S., Jeong, M. Y., Lee, J. H., Kim, B., Lee, S., Oh, H. S., Kim, J., So, M. Y., Yoon, Y. E., Thach, T. T., Park, T. H. & Lee, S. J. 2020. A dietary anthocyanin cyanidin-3-O-glucoside binds to PPARs to regulate glucose metabolism and insulin sensitivity in mice. *Communications Biology*, 3(514)
- Jiang, Z. G., Tsugawa, Y., Tapper, E. B., Lai, M., Afdhal, N., Robson, S. C. & Mukamal, K. J. 2015. Low-fasting triglyceride levels are associated with non-invasive markers of advanced liver fibrosis among adults in United States. *Aliment Pharmacol Ther*, 42: 106-116
- Jomard, A. & Osto, E. 2020. High density lipoproteins: metabolism, function and therapeutic potential. *Frontiers in Cardiovascular Medicine*, 7(39)
- Kementrian Kesehatan Republik Indonesia. 2018. 1 dari 4 Penduduk Dewasa Mengalami Obesitas. Retrieved from <http://p2ptm.kemkes.go.id/artikel-sehat/1-dari-4-penduduk-dewasa-mengalami-obesitas>
- Kochumon, S., Madhoun, A., Rashed, F., Azim, R., Ozairi, E., Mulla, F. & Ahmad, R. Adipose tissue gene expression of CXCL10 and CXCL11 modulates inflammatory markers in obesity: implications for metabolic inflammation and insulin resistance. *Therapeutic Advances in Endocrinology and Metabolism*, 11: 1-11
- Kopec, A., Zawistowski, J. & Kitts, D. D. 2020. Benefits of anthocyanin-rich black rice fraction and wood sterols to control plasma and tissue lipid concentrations in Wistar Kyoto rats fed an atherogenic diet. *Molecules*, 25:5363
- Kristamtini, Taryono, Basunanda, P. & Murti, R. H. 2017. Korelasi kandungan antosianin total dengan peubah warna (L, a, dan b) dan penanda mikrosatellit pada beras hitam. *Penelitian Pertanian Tanaman Pangan*, 1(2): 115-124
- Kristamtini, Wiranti, E. W. & Sutarno. 2018. Variasi warna dan kandungan antosianin varietas lokal beras hitam Yogyakarta pada dua ketinggian, *Bul. Plasma Nutfah*, 24(2): 99-106
- Laksana, I., Rejeki, P. S., Herawati, L., Al-Arif, M. A. & Wardhani, I. L. 2021. High-fat diet increases serum HDL, but not for LDL and HDL/LDL ratio in mice. *Fol Med Indones*, 57(2): 117-120
- Lee, S. I., Kim, J. W., Lee, Y. K., Yang, S. H., Lee, I., Suh, J. W. & Kim, S. D. 2011. Anti-obesity effect of monascus pilosus mycelial extract in high fat



- diet-induced obese rats. *Journal of Applied Biological Chemistry*, 54(3): 197-205
- Liu, D., Ji, Y., Zhao, J., Wang, H., Guo, Y. & Wang, H. 2020. Black rice (*Oryza sativa L.*) reduces obesity and improves lipid metabolism in C57BL/6J mice fed a high-fat diet. *Journal of Functional Foods*, 64: 103605
- Luo, Z., Li, M., Yang, J., Li, J., Zhang, Y., Liu, F., El-Omar, E., Han, L., Bian, J., Gong, L. & Wang, M. 2022. Ferulic acid attenuates high-fat diet-induced hypercholesterolemia by activating classic bile acid synthesis pathway. *Frontiers in Nutrition*, 9:976638
- Lutz, T. A. & Woods, S. C. Overview of animal models of obesity. *Current Protocols in Pharmacology*, 5
- Mäkynen, K., Chitchumroonchokchai, C., Adisakwattana, S., Failla, M. L. & Ariyapitipun, T. 2012. Effect of gamma-oryzanol on the bioaccessibility and synthesis of cholesterol. *Eur Rev Med Pharmacol Sci*, 16(1): 49-56
- Marques, C., Meireles, M., Norberto, S., Leite, J., Freitas, J., Pestana, D., Faria, A. & Calhau, C. 2016. High-fat diet-induced obesity Rat model: a comparison between Wistar and Sprague-Dawley Rat. *Adipocyte*, 1: 11-21
- Milagro, F. I., Moreno-Aliaga, M. J. & Martinez, J. A. 2020. *Principles of Nutrigenetics and Nutrigenomics*. 1st Edition. Academic Press. Massachusetts. p: 431
- Millar, C. L., Duclos, Q. & Blesso, C. N. 2017. Effects of dietary flavonoids on reverse cholesterol transport, HDL metabolism, and HDL function. *Adv Nutr*, 8(2):226-239.
- Mnafgui, K., Derbali, A., Sayadi, S., Gharsallah, N., Elfeki, A. & Allouche N. 2015. Anti-obesity and cardioprotective effects of cinnamic acid in fat diet-induced obese rats. *J Food Sci Technol*, 52(7): 4369-4377
- Moon, J. Y., Choi, M. H. & Kim. J. Metabolic profiling of cholesterol and sex steroid hormones to monitor urological diseases. *Endocr Relat Cancer*, 23(10): 455-467
- Mullins, L. J. & Mullis, J. J. 2004. Insights from the rat genome sequence. *Genome Biology*, 5(5)
- Munro, I. A. & Garg, M. L. 2011. Weight loss and metabolic profiles in obese individuals using two different approaches. *Food & Function*, 2: 611-616
- Natesan, V. & Kim., S. J. 2021. Lipid metabolism, disorders and therapeutic drugs-review. *Biomolecules Ther*, 29(6): 596-604
- Nunes, S. V., Ferreira, G. S. & Quintao, E. C. R. 2022. Cholesterol metabolism in aging simultaneously altered in liver and nervous system. *Aging*, 14(3): 1549-1561
- Novelli, E. L. B., Diniz, Y. S., Galhardi, C. M., Exbaid, G. M. X., Rodrigues, H. G., Mani, F., Fernandes, A. A. H., Cicogna, A. C. & Novelli-Filho, J. L. V. B. Anthropometrical parameters and markers of obesity in rats. *Laboratory Animals*, 41(1): 111-119
- Nurdin, N. M., Rimbawan, Marliyati, S. A., Martianto, D. & Subangkit, M. 2016. Akumulasi lipid hati dan profil lipid darah tikus Sprague Dawley yang diintervensi minyak super olein dan olein. *J. Gizi Pangan*, 11(1): 67-74
- Ohara, K., Uchida, A., Nagasaka, R., Ushio, H. & Ohshima, T. 2009. The effects of hydroxycinnamic acid derivatives on adiponectin secretion. *Phytomedicine*, 16: 130-137



- Pinatih, P. T. P., Dewi, N. N. A. & Sutadarma, I. W. G. 2022. Effects of high-fat diet feeding on lipid profile in rats (*Rattus norvegicus*). *Jurnal Medika Udayana*, 11(10)
- Pratiwi, R., Tunjung, W. A. S., Rumiyati. & Amalia, A. R. 2015. Black rice bran extracts and fractions containing cyanidin 3-glucoside and peonidin 3-glucoside induce apoptosis in human cervical cancer cells. *Indonesian Journal of Biotechnology*, 20(1): 69-76
- Purwestri, Y. A., Pratiwi, R., Nuringtyas, T. Ri., Rumiyati, Fauzia, A. N., & Garusti. (2022). *Makanan Fungsional Berbahan Dasar Beras Hitam dan Proses Pembuatannya*
- Rifai, N., Bachorik, P. S., Albers, J. J. 1999. *Tietz Textbook of Clinical Chemistry*. 3<sup>rd</sup> edn. W.B Saunders Company: Philadelphia
- Rolls, B. J. 2017. Dietary energy density: applying behavioural science to weight management. *Nutr Bull*, 42(3): 246-253
- Sclafani, A. 1991. Starch and sugar tastes in rodent: an update. *Brain Research Bulletin*, 27: 383-386
- Seidell, J. C. & Halberstadt, J. 2015. The global burden of obesity and the challenges of prevention. *Ann Nutr Metab*, 66: 7-12
- Senduk, B., Bodhi, W. & Kepel, B. J. 2016. Gambaran profil lipid pada remaja obes di Kota Bitung. *Jurnal e-Biomedik*, 4(1): 122-127
- Shiyan, S., Herlina, H. & Bella, A. M. 2017. Antiobesity and antihypercholesterolemic effects of white tea (*Camellia sinensis*) infusion on high-fat diet induced obese rats. *Pharmaciana*, 7(2): 278-288
- Sunkara, R. & Verghese, M. Functional foods for obesity management. *Food and Nutrition Sciences*, 5: 1359-1369
- Syam, A. M. 2023. Pengaruh Pemberian Produk Pangan Fungsional “Black Rice Crunch” terhadap Berat Badan dan Profil Sel Darah Merah Tikus (*Rattus norvegicus Berkenhout, 1796*) Obesitas. Skripsi. Universitas Gadjah Mada
- Tantipaiboonwong, P., Pintha, K., Chaiwangyen, W., Chewonarin, T., Pangjit, K., Chumphukam, O., Kangwan, N. & Suttajit, M. 2017. Anti-hyperglycaemic and anti-hyperlipidaemic effects of black and red rice in streptozotocin-induced diabetic rats. *ScienceAsia*, 43: 281-288
- Tsalissavrina, I., Wahono, D. & Handayani, D. 2006. Pengaruh pemberian diet tinggi karbohidrat dibandingkan diet tinggi lemak terhadap kadar trigliserida dan HDL darah pada *Rattus norvegicus* galur wistar. *Jurnal Kedokteran Brawijaya*, 22(2): 80-89
- Udomkasemsab, A. & Prangthip, P. 2019. High fat diet for induced dyslipidemia and cardiac pathological alterations in Wistar rats compared to Sprague Dawley rats. *Clin Investig Arterioscler*, 31(2): 56-62
- Verma, D. K. & Sripastav, P. P. 2020. Bioactive compounds of rice (*Oryza sativa L.*): Review on paradigm and its potential benefit in human health. *Trends in Food Science & Technology*, 97: 355-365
- Wang, L., Wang, H., Zhang, B., Popkin, B.M. & Du, S. 2020. Elevated fat intake increases body weight and the risk of overweight and obesity among Chinese adults: 1991-2015 trends. *Nutrients*, 12(11): 3272
- World Health Organization, 2021. Malnutrition. Retrieved from <https://www.who.int/news-room/fact-sheets/detail/malnutrition>
- Xenoulis, P. G., Cammarata, P. J., Walzem, R. L., Suchodolski, J. S. & Steiner, J.



UNIVERSITAS  
GADJAH MADA

Pengaruh Pemberian Produk Pangan Fungsional Black Rice Crunch terhadap Profil Lipid Darah

Tikus

(*Rattus norvegicus* Berkenhout, 1769) Obesitas

Muhammad Fikri Almunawar, Dra. Rarastoeti Pratiwi, M.Sc., Ph.D.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- M. 2020. Effect of low-fat diet on serum triglyceride and cholesterol concentrations and lipoprotein profiles in miniature schnauzers with hypertriglyceridemia. *J Vet Intern Med*, 34: 2605-2616
- Yuliana, N. D., & Akhbar, M. A. 2020. Chemical and physical evaluation, antioxidant and digestibility profiles of white and pigmented rice from different areas of Indonesia. *Brazilian Journal of Food Technology*, 23
- Zhang, Y., Zheng, Y., Fu, Y. & Wang, C. 2019. Identification of biomarkers, pathways and potential therapeutic agents for white adipocyte insulin resistance using bioinformatics analysis. *Adipocyte*, 8: 318–329