



DAFTAR PUSTAKA

- Abqoriyah, A., R. Utomo, and B. Suwignyo. 2015. Produktivitas tanaman kaliandra (*Calliandra calothrysus*) sebagai hijauan pakan pada umur pemotongan yang berbeda. Bul. Peternak. 39:103. doi:10.21059/buletinpeternak.v39i2.6714.
- Addisu, S. 2016. Effect of dietary tannin source feeds on ruminal fermentation and production of cattle: a review. Online J. Anim. Feed Res. Sci. Online J. Anim. Feed Res. 6:45–56.
- Agus, A., and T. Widi. 2018. Current situation and future prospects for beef production in Indonesia - A review. Asian-Australasian J. Anim. Sci. 31:976–983. doi:10.5713/ajas.18.0201.
- Ajayi, F.T. 2011. Effects of feeding ensiled mixtures of elephant grass (*Pennisetum purpureum*) with three grain legume plants on digestibility and nitrogen balance of West African Dwarf goats. Livest. Sci. 142:80–84. doi:10.1016/j.livsci.2011.06.020.
- Al-Arif, M.A., L.T. Suwanti, A.S. Estoepangestie, and M. Lamid. 2017. The Nutrients Contents, Dry Matter Digestibility, Organic Matter Digestibility, Total Digestible Nutrient, and NH₃ Rumen Production of Three Kinds of Cattle Feeding Models. KnE Life Sci. 3:338. doi:10.18502/kls.v3i6.1142.
- Ananta, D., Z. Bachruddin, and N. Umami. 2019. Growth and production of 2 cultivars (*Pennisetum purpureum* Schumach.) on regrowth phase. IOP Conf. Ser. Earth Environ. Sci. 387. doi:10.1088/1755-1315/387/1/012033.
- Anonymous. 2014. Populasi Ternak di Indonesia 2000_2014.
- Atmojo, F.A., E. Indarto, and Kustantinah. 2019. Nutrients intake and fiber fraction digestibility of Kacang goats supplemented with different proportions of soybean meal and *Calliandra calothrysus* in the diet. IOP Conf. Ser. Earth Environ. Sci. 387:5–9. doi:10.1088/1755-1315/387/1/012095.
- Barbisan, M., E.E.L. Valente, M.L. Damasceno, S.A. Lopes, E. de S. Tanaka, C.P. Barros, and B.V.R. Melo. 2020. Balanced protein/energy supplementation plan for beef cattle on tropical pasture. Livest. Sci. 241:104211. doi:10.1016/j.livsci.2020.104211.
- Beigh, Y.A., A.M. Ganai, and H.A. Ahmad. 2017. Prospects of complete feed system in ruminant feeding: A review. Vet. World 10:424–437. doi:10.14202/vetworld.2017.424-437.
- Brown, R.E. 1970. Digestive Physiology and Nutrition of Ruminants. Digestive Physiology and Nutrition of Ruminants. Department of Animal Science, Oregon State University.
- Castro-Montoya, J.M., and U. Dickhoefer. 2020. The nutritional value of tropical legume forages fed to ruminants as affected by their growth habit and fed form: A systematic review. Anim. Feed Sci. Technol. 269:114641.



doi:10.1016/j.anifeedsci.2020.114641.

- Chuzaemi, S., M. Mashudi, P. Ndaru, and M. Mufidah. 2021. The effect of addition myristic acid and the levels of calliandra leaf meal in concentrates on nutrient content, feed digestibility and nitrogen retention. *Dev. Mod. Livest. Prod. Trop. Ctries.* 10:186–189.
- Crespo, M. 2015. Effect of the Physical Form of Tropical Legumes Cratylia. *J. Agric. Univ. Puerto Rico* 99:179–186.
- Dixon, R.A., C. Liu, and J.H. Jun. 2013. Metabolic engineering of anthocyanins and condensed tannins in plants. *Curr. Opin. Biotechnol.* 24:329–335. doi:10.1016/j.copbio.2012.07.004.
- Fahmi, M., R. Utomo, B. Suhartanto, A. Astuti, and N. Umami. 2021. Chemical quality and digestibility value in silage of pennisetum purpuphoides and pennisetum purpureum gamma with different levels of molasses supplementation. *Key Eng. Mater.* 884 KEM:204–211. doi:10.4028/www.scientific.net/KEM.884.204.
- Fajemisin, A.N., and O.B. Omotoso. 2020. Dry matter intake and weight gain of West African dwarf sheep fed *Pennisetum purpureum* substituted with leaves of mulberry (*Morus alba*). *Livest. Res. Rural Dev.* 32:3.
- FAO. 2014. Meat Consumption (Indicator).
- Franzel, S., S. Carsan, B. Lukuyu, J. Sinja, and C. Wambugu. 2014. Fodder trees for improving livestock productivity and smallholder livelihoods in Africa. *Curr. Opin. Environ. Sustain.* 6:98–103. doi:10.1016/j.cosust.2013.11.008.
- Gusha, J., T.E. Halimani, N.T. Ngongoni, and S. Ncube. 2015a. Effect of feeding cactus-legume silages on nitrogen retention, digestibility and microbial protein synthesis in goats. *Anim. Feed Sci. Technol.* 206:1–7. doi:10.1016/j.anifeedsci.2015.04.017.
- Gusha, J., T.E. Halimani, N.T. Ngongoni, and S. Ncube. 2015b. Effect of feeding cactus-legume silages on nitrogen retention, digestibility and microbial protein synthesis in goats. *Anim. Feed Sci. Technol.* 206:1–7. doi:10.1016/j.anifeedsci.2015.04.017.
- Hartadi, H.S., A.D. Tillman, S. Reksohadiprojo, S. Prawirokusumo, and S. Lebdosoekojo. 1998. Ilmu Makanan Ternak Dasar Cetakan Ke-6. UGM Press, Yogyakarta.
- Hess, H.D., M.L. Mera, T.T. Tiemann, C.E. Lascano, and M. Kreuzer. 2008. In vitro assessment of the suitability of replacing the low-tannin legume *Vigna unguiculata* with the tanniniferous legumes *Leucaena leucocephala*, *Flemingia macrophylla* or *Calliandra calothrysus* in a tropical grass diet. *Anim. Feed Sci. Technol.* 147:105–115. doi:10.1016/j.anifeedsci.2007.09.012.
- Hocquette, J.F., I. Ortigues-Marty, and M. Vermorel. 2001. Manipulation of Tissue



- Energy Metabolism in Meat-Producing Ruminants. Asian-Australasian J. Anim. Sci. 14:720–732. doi:10.5713/ajas.2001.720.
- Ibrahim, A., I.G.S. Budisatria, R. Widayanti, and W.T. Artama. 2020. The genetic profiles and maternal origin of local sheep breeds on Java Island (Indonesia) based on complete mitochondrial DNA D-loop sequences. Vet. World 13:2625–2634. doi:10.14202/vetworld.2020.2625-2634.
- Jatnika, A.R., M. Yamin, R. Priyanto, and L. Abdullah. 2019. Komposisi Dan Karakteristik Jaringan Karkas Domba Ekor Tipis Yang Diberi Ransum Berbasis Indigofera zollingeriana Pada Sistem Pemeliharaan Yang Berbeda. J. Ilmu Produksi dan Teknol. Has. Peternak. 7:111–119. doi:10.29244/jipthp.7.3.111-119.
- Jayanegara, A., M. Ridla, D.A. Astuti, K.G. Wiryawan, E.B. Laconi, and Nahrowi. 2017. Determination of energy and protein requirements of sheep in Indonesia using a meta-analytical approach. Media Peternak. 40:118–127. doi:10.5398/medpet.2017.40.2.118.
- Kabi, F., and F.B. Bareeba. 2008. Herbage biomass production and nutritive value of mulberry (*Morus alba*) and *Calliandra calothrysus* harvested at different cutting frequencies. Anim. Feed Sci. Technol. 140:178–190. doi:10.1016/j.anifeedsci.2007.02.011.
- Kearl, L.C. 1982. Nutrient Requirements of Ruminants in Developing Countries. All Grad. Theses Diss. 4183.
- Kenana, R.S., P.A. Onjoro, and M.K. Ambula. 2020. Relative palatability and preference by red Maasai sheep offered brachiaria and Rhodes grass hay supplemented with calliandra leaves in Kenya. Int. J. Vet. Sci. Anim. Husb. 5:18–22.
- Korir, D., J.P. Goopy, C. Gachuiiri, and K. Butterbach-Bahl. 2016. Supplementation with *Calliandra calothrysus* improves nitrogen retention in cattle fed low-protein diets. Anim. Prod. Sci. 56:619–626. doi:10.1071/AN15569.
- Kung, L., and L.M. Rode. 1996. Amino acid metabolism in ruminants. Anim. Feed Sci. Technol. 59:167–172. doi:10.1016/0377-8401(95)00897-7.
- Mabeza, G., E. Masama, and I.D.T. Mpofu. 2018. Evaluation of Browse Legume Diets (*Acacia angustissima*, *Leucaena trichandra* and *Calliandra calothrysus*) on Feed Intake and Growth of Goats. Univers. J. Agric. Res. 6:18–22. doi:10.13189/ujar.2018.060103.
- Makau, D.N., J.A. VanLeeuwen, G.K. Gitau, S.L. McKenna, C. Walton, J. Muraya, and J.J. Wichtel. 2019. Livelihood impacts of *Calliandra calothrysus* and *Sesbania sesban*: Supplementary feed in smallholder dairy farms in Kenya. J. Dev. Agric. Econ. 11:234–246. doi:10.5897/jdae2019.1079.
- McDOWELL, L.R. 1985. Nutrient Requirements of Ruminants. International Feedstuffs Institute.



- McSweeney, C.S., B. Palmer, R. Bunch, and D.O. Krause. 1999. Isolation and characterization of proteolytic ruminal bacteria from sheep and goats fed the tannin-containing shrub legume *Calliandra calothrysus*. *Appl. Environ. Microbiol.* 65:3075–3083. doi:10.1128/aem.65.7.3075-3083.1999.
- Mlambo, V., and C. Mapiye. 2015. Towards household food and nutrition security in semi-arid areas: What role for condensed tannin-rich ruminant feedstuffs?. *Food Res. Int.* 76:953–961. doi:10.1016/j.foodres.2015.04.011.
- de Morais, R.F., R.M. Boddey, S. Urquiaga, C.P. Jantalia, and B.J.R. Alves. 2013. Ammonia volatilization and nitrous oxide emissions during soil preparation and N fertilization of elephant grass (*Pennisetum purpureum* Schum.). *Soil Biol. Biochem.* 64:80–88. doi:10.1016/j.soilbio.2013.04.007.
- Muhlisin, M.A. Anas, C. Hanim, and L.M. Yusiat. 2017. *Calliandra calothrysus* as tannins source for in vitro methane production inhibitor agents. *Int. Semin. Trop. Anim. Prod. Contrib. Livest. Prod. Food Sovereignty Trop. Ctries.* 133–136.
- MUNRO, H.N., and J.B. ALLISON. 1964. *Mammalian Protein Metabolism*. Academic Press, London.
- Nasich, M., G. Ciptadi, A. Budiarto, S.B. Siswijono, Hermanto, A. Ridhowi, Mudawamah, D.K.H. Widjaja, A.R.I. Putri, H.N. Karima, S. Septian, and A.M. Ramadhan. 2021. Growth response and vital statistics of fat and thin tailed sheep with soybean husk supplements in Malang District. *IOP Conf. Ser. Earth Environ. Sci.* 743. doi:10.1088/1755-1315/743/1/012006.
- Nocek, J.E., and J.B. Russell. 1988. Protein and Energy as an Integrated System. Relationship of Ruminal Protein and Carbohydrate Availability to Microbial Synthesis and Milk Production. *J. Dairy Sci.* 71:2070–2107. doi:10.3168/jds.S0022-0302(88)79782-9.
- Noviani, F., and S.E. Kurnianto. 2013. Hubungan Genetik antara Domba Wonosobo (Dombos), Domba Ekor Tipis (DET) dan Domba Batur (Dombat) Melalui Analisis Polimorfisme Protein Darah. *Sains Peternak.* 11:1–9.
- Nurachma, S., A.A. Nurmeidiansyah, T. Dhalika, and D. Ramdani. 2019. Utilization of Fermented Complete Feed Based on Mixed *Pennisetum Purpureum* and *Indigofera* Sp on Performance of Garut Male Lambs. *IOP Conf. Ser. Earth Environ. Sci.* 334. doi:10.1088/1755-1315/334/1/012007.
- Nurcahyani, D.T., S. Wulandari, and S. Nusantoro. 2017. Pengaruh Pemberian Dedak Kasar Fermentasi pada Domba Ekor Tipis Sebagai Bahan Baku Konsentrat. *J. Ilmu Peternak. Terap.* 1:17–24. doi:10.25047/jipt.v1i1.532.
- Nurjannah, S., Rahman, and R. Krisnan. 2022a. Digestibility of *Calliandra*, *Indigofera* sp. and the Mixture in the Ration as a Substitute for the Concentrate Given to the Tup Garut. *Proc. Int. Conf. Improv. Trop. Anim. Prod. Food Secur. (ITAPS 2021)* 20:244–249. doi:10.2991/absr.k.220309.049.



- Nurjannah, S., Rahman, and R. Krisnan. 2022b. Digestibility of Calliandra, Indigofera sp. and the Mixture in the Ration as a Substitute for the Concentrate Given to the Tup Garut . Pages 244–249 in Proceedings of the International Conference on Improving Tropical Animal Production for Food Security (ITAPS 2021). Atlantis Press.
- O'Callaghan, T.F., D. Hennessy, S. McAuliffe, K.N. Kilcawley, M. O'Donovan, P. Dillon, R.P. Ross, and C. Stanton. 2016. Effect of pasture versus indoor feeding systems on raw milk composition and quality over an entire lactation. *J. Dairy Sci.* 99:9424–9440. doi:10.3168/jds.2016-10985.
- Okoruwa, M.I., and I. Ikhimioya. 2020. Influence of browse-tree leaves supplementation on digestibility, rumen fermentation and performance of goats fed mixed grass hay. *Livest. Res. Rural Dev.* 32.
- Ørskov, E.R. 1998. Feed evaluation with emphasis on fibrous roughages and fluctuating supply of nutrients: A Review. *Small Rumin. Res.* 28:1–8. doi:10.1016/s0921-4488(97)00042-4.
- Parakkasi, A. 1999a. Ilmu Nutrisi dan Makanan Ternak Ruminansia.
- Parakkasi, A. 1999b. Ilmu Nutrisi Dan Makanan Ternak Ruminansia. Penebar Swadaya, Jakarta.
- Pazla, R., Adrizal, and R. Sriagtula. 2021a. Intake, Nutrient Digestibility and Production Performance of Pesisir Cattle Fed *Tithonia diversifolia* and *Calliandra calothrysus*-Based Rations with Different Protein and Energy Ratios. *Adv. Anim. Vet. Sci.* 9:1608–1615. doi:10.17582/journal.aavs/2021/9.10.1608.1615.
- Pazla, R., Adrizal, and R. Sriagtula. 2021b. Intake, Nutrient Digestibility and Production Performance of Pesisir Cattle Fed *Tithonia diversifolia* and *Calliandra calothrysus*-Based Rations with Different Protein and Energy Ratios. *Adv. Anim. Vet. Sci.* 9:1608–1615. doi:10.17582/journal.aavs/2021/9.10.1608.1615.
- Piñeiro-Vázquez, A.T., J.R. Canul-Solís, J.A. Alayón-Gamboa, A.J. Chay-Canul, A.J. Ayala-Burgos, C.F. Aguilar-Pérez, F.J. Solorio-Sánchez, and J.C. Ku-Vera. 2015. Potencial de los taninos condensados para reducir las emisiones de metano entérico y sus efectos en producción de rumiantes. *Arch Med Vet* 47:263–272.
- Purbowati, E., C.M. Sri Lestari, R. Adiwinarti, V. Restitrisnani, S. Mawati, A. Purnomoadi, and E. Rianto. 2021. Productivity and carcass characteristics of lambs fed fibrous agricultural wastes to substitute grass. *Vet. World* 14:1559–1563. doi:10.14202/vetworld.2021.1559-1563.
- Ranjhan, S.K. 1980. Animal Nutrition in the Tropics. Vikas Publishing. Vikas Publishing House Pvt. Ltd.
- Rate, U.E. 2012. Nitrogen Kinetics in Growing Sheep Consuming Leucaena



- Ieucocephala , Gliricidia sepium or *Calliandra calothrysus* as a Sole Diet. J. Ilmu Ternak Vet. 17:215–220.
- dos Reis, G.B., A.T. Mesquita, G.A. Torres, L.F. Andrade-Vieira, A. Vander Pereira, and L.C. Davide. 2014. Genomic homeology between *Pennisetum purpureum* and *Pennisetum glaucum* (Poaceae). Comp. Cytogenet. 8:199–209. doi:10.3897/CompCytogen.v8i3.7732.
- Rimbawanto, E.A., S. Suhermiyati, and B. Hartoyo. 2018. Effects of Slow Release Urea Supplementation of Sheep Protein Source Feed Protected with Condensed Tannin from Leucaena on Protein Degradation in Rumen and Post-rumen In Vitro. Anim. Prod. 19:119. doi:10.20884/1.jap.2017.19.2.624.
- Rimbawanto, E.A., L.M. Yusiat, E. Baliarti, and R. Utomo. 2015. Effect of Condensed Tannin of Leucaena and Calliandra Leaves in Protein Trash Fish Silage on In vitro Ruminal Fermentation, Microbial Protein Synthesis and Digestibility. Anim. Prod. 17:83. doi:10.20884/1.anprod.2015.17.2.505.
- Rodriguez-Villanueva, H., J. Puch-Rodríguez, J. Muñoz-González, J. Sanginés-García, E. Aguilar-Urquiza, A. Chay-Canul, F. Casanova-Lugo, G. Jiménez-Ferrer, J. Alayon-Gamboa, and A. Piñeiro-Vázquez. 2020a. Intake, digestibility, and nitrogen balance in hair sheep fed *Pennisetum purpureum* supplemented with tropical tree foliage. Agrofor. Syst. 94:665–674. doi:10.1007/s10457-019-00439-8.
- Rodriguez-Villanueva, H., J. Puch-Rodríguez, J. Muñoz-González, J. Sanginés-García, E. Aguilar-Urquiza, A. Chay-Canul, F. Casanova-Lugo, G. Jiménez-Ferrer, J. Alayon-Gamboa, and A. Piñeiro-Vázquez. 2020b. Intake, digestibility, and nitrogen balance in hair sheep fed *Pennisetum purpureum* supplemented with tropical tree foliage. Agrofor. Syst. 94:665–674. doi:10.1007/s10457-019-00439-8.
- Rodriguez, A.A., M. Crespo, and P.F. Randel. 2015. Effect of the physical form of tropical Legumes *Cratylia argentea* (Desv.) Kuntze, *Calliandra calothrysus* meisn. and *leucaenaleucocephala* (Lam. de Wit) on selective consumption by lambs. J. Agric. Univ. Puerto Rico 99:179–186. doi:10.46429/jaupr.v99i2.3033.
- Sanjaya, H.B., N. Umami, A. Astuti, Muhlisin, B. Suwignyo, M.M. Rahman, K. Umpuch, and E.R.V. Rahayu. 2022. Performance and In vivo Digestibility of Three Varieties of Napier Grass in Thin-Tailed Sheep. Pertanika J. Trop. Agric. Sci. 45:505–517. doi:10.47836/pjtas.45.2.11.
- Sarwanto, D., C.H. Prayitno, N. Hidayat, and H. Harwanto. 2022. Quality and Rumen Fermentation Profile of Indigenous Forage on Karst Mountain. Proc. 6th Int. Semin. Anim. Nutr. Feed Sci. (ISANFS 2021) 21:210–214. doi:10.2991/absr.k.220401.042.
- Setyono, W., K. Kustantinah, E. Indarto, N.D. Dono, Z. Zuprizal, and I.H. Zulfa. 2019a. *Calliandra calothrysus* and *Artocarpus heterophyllus* as anti-parasite for Bligon goat. J. Indones. Trop. Anim. Agric. 44:400–407.



doi:10.14710/jitaa.44.4.400-407.

Setyono, W., K. Kustantinah, E. Indarto, N.D. Dono, Z. Zuprizal, and I.H. Zulfa. 2019b. *Calliandra calothrysus* and *Artocarpus heterophyllus* as anti-parasite for Bligon goat. *J. Indones. Trop. Anim. Agric.* 44:400–407. doi:10.14710/jitaa.44.4.400-407.

Setyono, W., K. Kustantinah, L.M. Yusiaty, B. Suwignyo, and N. Umami. 2022. Nitrogen Balance of Thin Tailed Sheep with the Addition of Soybean Meal and *Artocarpus heterophyllus* in *Pennisetum purpureum* cv. Mott as Basal Feed . Proc. 9th Int. Semin. Trop. Anim. Prod. (ISTAP 2021) 18:108–111. doi:10.2991/absr.k.220207.022.

Sodiq A, and A.Z. 2008. Sukses Menggemukan Domba. Jakarta. AgroMedia.

Stewart, J.L., M. Mulawarman, J. Roshetko, and M. Powell. 2001. Produksi Dan Pemanfaatan Kaliandra (*Calliandra Calothrysus*). International Centre For Research in Agroforestry, Bogor, Indonesia.

Sudarman, A., M. Hayashida, D. Pratama, and ... 2017. Performance of Local Thin Tailed Sheep Fed Sweet Potato (*Ipomoea batatas* L) Biomass as A Substitute for Concentrate Feed. ... Semin. Trop. ... 875–879.

Suranindyah, Y.Y., Rochijan, Adiarto, B.P. Widjyobroto, S.D. Astuti, and T.W. Murti. 2018. Effect of feeding high proportion concentrates containing tofu waste on nutrient consumption, milk production, body condition score and postpartum mating period of dairy goats in Yogyakarta, Indonesia. *Pakistan J. Nutr.* 17:702–708. doi:10.3923/pjn.2018.702.708.

Tamminga, S. 1979. Protein Degradation in the Forestomachs of Ruminants. *J. Anim. Sci.* 49:1615–1630. doi:10.2527/jas1979.4961615x.

Tilley, J.M.A., and R.A. Terry. 1963. a Two-Stage Technique for the in Vitro Digestion of Forage Crops. *Grass Forage Sci.* 18:104–111. doi:10.1111/j.1365-2494.1963.tb00335.x.

Umami, N., B. Suhartanto, B. Suwignyo, N. Suseno, S.A. Fenila, and R. Fajarwati. 2015. Productivity of Forages in Grassland Merapi Post-Eruption Area, Sleman, Yogyakarta, Indonesia. *Anim. Prod.* 17:97. doi:10.20884/1.anprod.2015.17.2.521.

Waterman, P.G. 1992. Roles for secondary metabolites in plants.. Ciba Found. Symp. 171. doi:10.1002/9780470514344.ch15.

Wulandari, S., A. Agus, M. Soejono, M.N. Cahyanto, and R. Utomo. 2014. Performa Produksi Domba Yang Diberi Complete Feed Fermentasi Berbasis Pod Kakao Serta Nilai Nutrien Tercernanya Secara in Vivo. *Bul. Peternak.* 38:42. doi:10.21059/buletinpeternak.v38i1.4615.

Yulistiani, D. 2017. Response of sheep fed on corn cob silage or elephant grass basal diet with or without *Calliandra* leaf meal supplementation. *J. Ilmu Ternak*



UNIVERSITAS
GADJAH MADA

Penggunaan kaliandra (*Calliandra calothrysus*) pada Pakan Komplet Berbasis Rumput gama umami (*Pennisetum purpureum* cv. gama umami) pada Domba Ekor Tipis

Ikhwanul Roychan, Prof. Ir. Nafiatul Umami. S.Pt., MP., Ph.D., IPM., ASEAN Eng.; Ir. Cuk Tri Noviandi, S.Pt., M.Anim.

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

dan Vet. 21:165. doi:10.14334/jtv.v21i3.1574.

Yulistiani, D., B. Haryanto, and K.R. Pond. 2018. Feeding Strategy to Support Small Ruminant Industry. Proc. Int. Semin. Livest. Prod. Vet. Technol. 380–389.