



## DAFTAR PUSTAKA

- Ahmadi, D. Y., Nurtama, B., & Muhandri, T. (2022). Optimasi Proses Ekstrusi Texturized Vegetable Protein di PT XYZ. *Jurnal Mutu Pangan : Indonesian Journal of Food Quality*, 8(2), 113–120. <https://doi.org/10.29244/jmp.i.2021.8.2.113>
- Ahn, J. S., & Lee, Y. K. (2008). Color distribution of a shade guide in the value, chroma, and hue scale. *Journal of Prosthetic Dentistry*, 100(1), 18–28. [https://doi.org/10.1016/S0022-3913\(08\)60129-8](https://doi.org/10.1016/S0022-3913(08)60129-8)
- Ajita, T., & Jha, S. K. (2017). Extrusion cooking technology: Principal mechanism and effect on direct expanded snacks - An overview. *International Journal of Food Studies*, 6(1), 113–128. <https://doi.org/10.7455/ijfs/6.1.2017.a10>
- Allan, M. P. (2018). Perancangan unit Extruder Pada Mesin Extrusion Laminasi Fleksible Packaging. *Jurnal Teknik Mesin ITI*, 2(2), 42–45. <https://doi.org/10.31543/jtm.v2i2.155>
- Berk, Z., Borda, D., Nicolau, A. I., Raspot, P., Rastogi, N., Criado, P., Fraschini, C., Hossain, F., Lacroix, M., Muncke, J., Renn, O., Ibarra, D., Robertson, G. L., Ahuja, L. R., Ma, L., Fang, Q. X., Saseendran, S. A., Islam, A., Malone, R. W., ... Ifc, P. (2018). Extrusion. *Food Process Engineering and Technology*, 2(C), iv. <http://dx.doi.org/10.1016/B978-0-12-801773-9/00051-0%0Ahttps://books.google.com/books?hl=en&lr=&id=NVaZBQAAQBAJ&oi=fnd&pg=PA363&dq=devops+,maturity+model%7C,capability+model%7C%22process+reference+model%22%7C%22process+model%22%7C%22process+assessment+m>
- Berrios, J. D. J., Wood, D. F., Whitehand, L., & Pan, J. (2004). Sodium bicarbonate and the microstructure, expansion and color of extruded black beans. *Journal of Food Processing and Preservation*, 28(5), 321–335. <https://doi.org/10.1111/j.1745-4549.2004.24008.x>
- Bordoloi, R. (2016). *Extrusion Technique in Food Processing and a Review on Its Various*. January 2014, 2–5.
- Brnčić, M., Tripalo, B., Ježek, D., Semenski, D., Drvar, N., & Ukrainczyk, M. (2006). Effect of twin-screw extrusion parameters on mechanical hardness of direct-expanded extrudates. *Sadhana - Academy Proceedings in Engineering Sciences*, 31(5), 527–536. <https://doi.org/10.1007/BF02715911>
- Byaruhanga, Y. B., Kassozi, V., Wafoyo, R., Mugoya, C., & Masiga, C. (2014). Properties of Extrudates From Sorghum Varieties. *African Crop Science Journal*, 22(January), 829–836.
- Carvalho, C. W. P., Takeiti, C. Y., Onwulata, C. I., & Pordesimo, L. O. (2010). Relative effect of particle size on the physical properties of corn meal extrudates: Effect of particle size on the extrusion of corn meal. *Journal of Food Engineering*, 98(1), 103–109.



<https://doi.org/10.1016/j.jfoodeng.2009.12.015>

- Case, L. P., Daristotle, L., Hayek, M. G., & Raasch, M. F. (2011). Nutrient Content of Pet Foods. *Canine and Feline Nutrition*, 141–162. <https://doi.org/10.1016/b978-0-323-06619-8.10016-7>
- Chandresh S, & Priya S. (2020). Extrusion cooking technology in food processing – an overview. *International Research Journal of Engineering and Technology*, 7(5), 4449–4458. [www.irjet.net](http://www.irjet.net)
- de Oliveira, F. C., Coimbra, J. S. dos R., de Oliveira, E. B., Zuñiga, A. D. G., & Rojas, E. E. G. (2016). Food Protein-polysaccharide Conjugates Obtained via the Maillard Reaction: A Review. *Critical Reviews in Food Science and Nutrition*, 56(7), 1108–1125. <https://doi.org/10.1080/10408398.2012.755669>
- Dhaval, M., Sharma, S., Dudhat, K., & Chavda, J. (2022). Twin-Screw Extruder in Pharmaceutical Industry: History, Working Principle, Applications, and Marketed Products: an In-depth Review. *Journal of Pharmaceutical Innovation*, 17(2), 294–318. <https://doi.org/10.1007/s12247-020-09520-7>
- Dileep, A. O., Shamasundar, B. A., Binsi, P. K., & Howell, N. K. (2010). Composition and quality of rice flour-fish mince based extruded products with emphasis on thermal properties of rice flour. *Journal of Texture Studies*, 41(2), 190–207. <https://doi.org/10.1111/j.1745-4603.2010.00221.x>
- Ding, Q. B., Ainsworth, P., Tucker, G., & Marson, H. (2005). The effect of extrusion conditions on the physicochemical properties and sensory characteristics of rice-based expanded snacks. *Journal of Food Engineering*, 66(3), 283–289. <https://doi.org/10.1016/j.jfoodeng.2004.03.019>
- Gui, Y., Gil, S. K., & Ryu, G. H. (2012). Effects of extrusion conditions on the physicochemical properties of extruded red ginseng. *Preventive Nutrition and Food Science*, 17(3), 203–209. <https://doi.org/10.3746/pnf.2012.17.3.203>
- Hagenimana, A., Ding, X., & Fang, T. (2006). Evaluation of rice flour modified by extrusion cooking. *Journal of Cereal Science*, 43(1), 38–46. <https://doi.org/10.1016/j.jcs.2005.09.003>
- Hakim, A. R. W. T. H. A. F. W. S. (2016). *Desain dan Kinerja Mesin Ekstruder Twin Screw untuk Pembuatan Pakan Ikan Terapung*. 1–23.
- Heywood, A. A., Myers, D. J., Bailey, T. B., & Johnson, L. A. (2002). Functional properties of low-fat soy flour produced by an extrusion-expelling system. *JAOCs, Journal of the American Oil Chemists' Society*, 79(12), 1249–1253. <https://doi.org/10.1007/s11746-002-0635-y>
- Kantrong, H., Charunuch, C., Limsangouan, N., & Pengpinit, W. (2018). Influence of process parameters on physical properties and specific mechanical energy of healthy mushroom-rice snacks and optimization of extrusion process parameters using response surface methodology. *Journal*



of Food Science and Technology, 55(9), 3462–3472.  
<https://doi.org/10.1007/s13197-018-3271-2>

Korkerd, S., Wanlapa, S., Puttanlek, C., Uttapap, D., & Rungsardthong, V. (2016). Expansion and functional properties of extruded snacks enriched with nutrition sources from food processing by-products. *Journal of Food Science and Technology*, 53(1), 561–570. <https://doi.org/10.1007/s13197-015-2039-1>

Lai, C. S., Guetzlaff, J., & Hoseney, R. C. (1989). Role of Sodium Bicarbonate and Trapped Air in Extrusion. In *Cereal Chemistry* (Vol. 66, Issue 2, pp. 69–73).

Leonel, M., de Freitas, T. S., & Mischan, M. M. (2009). Physical characteristics of extruded cassava starch. *Scientia Agricola*, 66(4), 486–493. <https://doi.org/10.1590/s0103-90162009000400009>

Lestari, T. I., Nurhidajah, & Yusuf, M. (2018). Kadar Protein, Tekstur, dan Sifat Organoleptik Cookies yang Disubstitusi Tepung Ganyong (Canna edulis) dan Tepung Kacang Kedelai (Glycine max L.). *Jurnal Pangan Dan Gizi*, 8(6), 53–63.

Lewandowski, A., & Wilczyński, K. (2022). Modeling of Twin Screw Extrusion of Polymeric Materials. *Polymers*, 14(2). <https://doi.org/10.3390/polym14020274>

Li, X., Masatcioglu, M. T., & Koksel, F. (2019). Physical and functional properties of wheat flour extrudates produced by nitrogen injection assisted extrusion cooking. *Journal of Cereal Science*, 89(March), 102811. <https://doi.org/10.1016/j.jcs.2019.102811>

Lobato, L. P., Anibal, D., Lazaretti, M. M., & Grossmann, M. V. E. (2011). Extruded puffed functional ingredient with oat bran and soy flour. *Lwt*, 44(4), 933–939. <https://doi.org/10.1016/j.lwt.2010.11.013>

Masatcioglu, M. T., Gokmen, V., Ng, P. K. W., & Koksel, H. (2014). Effects of formulation, extrusion cooking conditions, and CO<sub>2</sub> injection on the formation of acrylamide in corn extrudates. *Journal of the Science of Food and Agriculture*, 94(12), 2562–2568. <https://doi.org/10.1002/jsfa.6598>

Mohamed, I. O. (2023). Interaction of starch with some food macromolecules during the extrusion process and its effect on modulating physicochemical and digestible properties. A review. *Carbohydrate Polymer Technologies and Applications*, 5(February), 100294. <https://doi.org/10.1016/j.carpta.2023.100294>

Neder-Suárez, D., Lardizabal-Gutiérrez, D., Zazueta-Morales, J. de J., Meléndez-Pizarro, C. O., Delgado-Nieblas, C. I., Wong, B. R., Gutiérrez-Méndez, N., Hernández-Ochoa, L. R., & Quintero-Ramos, A. (2021). Anthocyanins and functional compounds change in a third-generation snacks prepared using extruded blue maize, black bean, and chard: An optimization. *Antioxidants*,



10(9). <https://doi.org/10.3390/antiox10091368>

Nithya, D. J., Bosco, K. A. S., Saravanan, M., Mohan, R. J., & Alagusundaram, K. (2016). Optimization of process variables for extrusion of rice – Bengal gram blends. *Journal of Scientific and Industrial Research*, 75(2), 108–114.

Nursaripah, S. A. (2016). *Pertumbuhan dan hasil tanaman jagung ( Zea mays L.) toleran herbisida akibat pemberian berbagai dosis herbisida kalium glifosat* Growth and yield of herbicide tolerant corn ( Zea Mays L .) due to application of various dosages of potassium glyphosate herb. 15(2), 86–91.

Offiah, V., Kontogiorgos, V., & Falade, K. O. (2019). Extrusion processing of raw food materials and by-products: A review. *Critical Reviews in Food Science and Nutrition*, 59(18), 2979–2998. <https://doi.org/10.1080/10408398.2018.1480007>

Oikonomou, N. A., & Krokida, M. K. (2012). Water absorption index and water solubility index prediction for extruded food products. *International Journal of Food Properties*, 15(1), 157–168. <https://doi.org/10.1080/10942911003754718>

Paeru, R. H. ., & Dewi, T. Q. (2017). *Panduan praktis budidaya jagung* (F. A. Nurrohmah (ed.); I). Penebar Swadaya.

Peksa, A., Kita, A., Carbonell-Barrachina, A. A., Miedzianka, J., Kolniak-Ostek, J., Tajner-Czopek, A., Rytel, E., Siwek, A., Miarka, D., & Drozdz, W. (2016). Sensory attributes and physicochemical features of corn snacks as affected by different flour types and extrusion conditions. *Lwt*, 72, 26–36. <https://doi.org/10.1016/j.lwt.2016.04.034>

Planini, M., Pavokovi, M., & Blazi, M. (2012). Effect of Screw Configuration, Moisture Content and Particle Size of Corn Grits on Properties of Extrudates. *Croatian Journal of Food Science and Technology*, 4(2), 95–101.

Potter, R., Stojceska, V., & Plunkett, A. (2013). The use of fruit powders in extruded snacks suitable for Children's diets. *Lwt*, 51(2), 537–544. <https://doi.org/10.1016/j.lwt.2012.11.015>

Prabowo, M. D., Sambodho, P., Harjanti, D. W., & Santosa, S. A. B. (2017). Pengaruh penambahan baking soda dalam pakan terhadap kandungan serum glutamat piruvat transaminase dan serum glutamat oksaloasetat transaminase sapi perah laktasi. *Jurnal Ilmu Dan Teknologi Peternakan*, 5(3), 128–132. <https://journal.unhas.ac.id/index.php/peternakan/article/view/3087>

Priastuti, R. C., Tamrin, & Suhandy, D. (2016). Pengaruh Arah Dan Ketebalan Irisan Kunyit Terhadap Sifat Fisik Tepung Kunyit Yang Dihasilkan. *Teknik Pertanian Lampung*, 5(2), 101–108.

Reddy, M. K., Kuna, A., Devi, N. L., Krishnaiah, N., Kaur, C., & Nagamalleswari, Y. (2014). Development of extruded Ready-To-Eat (RTE) snacks using corn, black gram, roots and tuber flour blends. *Journal of Food Science and*



*Technology*, 51(9), 1929–1937. <https://doi.org/10.1007/s13197-013-1251-0>

Ruiz-Gutiérrez, M. G., Sánchez-Madrigal, M. Á., & Quintero-Ramos, A. (2018). The Extrusion Cooking Process for the Development of Functional Foods. In *Extrusion of Metals, Polymers and Food Products*. <https://doi.org/10.5772/intechopen.68741>

Ryu, D., Kowalski, R. J., Ganjyal, G., & Lee, H. J. (2019). Reduction of ochratoxin A in oats and rice by twin-screw extrusion processing with baking soda. *Food Control*, 105(December 2018), 21–28. <https://doi.org/10.1016/j.foodcont.2019.05.014>

Saha, N., Goates, C., Hernandez, S., Jin, W., Westover, T., & Klinger, J. (2022). Characterization of particle size and moisture content effects on mechanical and feeding behavior of milled corn (*Zea mays L.*) stover. *Powder Technology*, 405(May), 117535. <https://doi.org/10.1016/j.powtec.2022.117535>

Sahu, C., Patel, S., & Tripathi, A. K. (2022). Effect of extrusion parameters on physical and functional quality of soy protein enriched maize based extruded snack. *Applied Food Research*, 2(1), 100072. <https://doi.org/10.1016/j.afres.2022.100072>

Santosa, S. A.B. Sudaryono, Widowati, S. (2010). *Karakteristik Ekstrudat Beberapa Varietas Jagung dengan Penambahan Aquades*.

Santoso, U., Murdaningsih, T., & Mudjisihono, R. (2007). Produksi ekstrusi berbasis tepung ubi jalar. In *Jurnal Teknologi dan Industri Pangan* (Vol. 18, Issue 1, pp. 40–46).

Schlick-Hasper, E., Bethke, J., Vogler, N., & Goedecke, T. (2022). Flow properties of powdery or granular filling substances of dangerous goods packagings—Comparison of the measurement of the angle of repose and the determination of the Hausner ratio. *Packaging Technology and Science*, 35(10), 765–782. <https://doi.org/10.1002/pts.2678>

Schmid, E. M., Farahnaky, A., Adhikari, B., & Torley, P. J. (2022). High moisture extrusion cooking of meat analogs: A review of mechanisms of protein texturization. *Comprehensive Reviews in Food Science and Food Safety*, 21(6), 4573–4609. <https://doi.org/10.1111/1541-4337.13030>

Sharma, C., Singh, B., Hussain, S. Z., & Sharma, S. (2017). Investigation of process and product parameters for physicochemical properties of rice and mung bean (*Vigna radiata*) flour based extruded snacks. *Journal of Food Science and Technology*, 54(6), 1711–1720. <https://doi.org/10.1007/s13197-017-2606-8>

Shrivastava, A. (2011). Plastics Processing. In *Applied Plastics Engineering Handbook: Processing and Materials*. <https://doi.org/10.1016/B978-0-323-39500-7.00005-8>



Shruti V H. (2018). *Effect of Temperature , Feed Moisture and Feed Composition on the Physical Properties on Corn Extrudates Effect of Temperature , Feed Moisture and Feed Composition on the Physical Properties on*. October 2016.

Singh, S. K., & Muthukumarappan, K. (2016). Effect of feed moisture, extrusion temperature and screw speed on properties of soy white flakes based aquafeed: A response surface analysis. *Journal of the Science of Food and Agriculture*, 96(6), 2220–2229. <https://doi.org/10.1002/jsfa.7339>

Singkhornart, S., Edou-Ondo, S., & Ryu, G. H. (2014). Influence of germination and extrusion with CO<sub>2</sub> injection on physicochemical properties of wheat extrudates. *Food Chemistry*, 143, 122–131. <https://doi.org/10.1016/j.foodchem.2013.07.102>

Statista. (2023). *Snack Food - Indonesia*. 2023. <https://www.statista.com/outlook/cmo/food/confectionery-snacks/snack-food-indonesia>

Tovar-Jiménez, X., Caro-Corrales, J., Gómez-Aldapa, C. A., Zazueta-Morales, J., Limón-Valenzuela, V., Castro-Rosas, J., Hernández-Ávila, J., & Aguilar-Palazuelos, E. (2015). Third generation snacks manufactured from orange by-products: physicochemical and nutritional characterization. *Journal of Food Science and Technology*, 52(10), 6607–6614. <https://doi.org/10.1007/s13197-015-1726-2>

Vatanparast, H., Islam, N., Masoodi, H., Shafiee, M., Patil, R. P., Smith, J., & Whiting, S. J. (2020). Time, location and frequency of snack consumption in different age groups of Canadians. *Nutrition Journal*, 19(1), 1–9. <https://doi.org/10.1186/s12937-020-00600-5>

Waliyansyah, R. R. (2020). Identifikasi jenis biji kedelai (Glycine Max L) menggunakan Gray Level Coocurance Matrix (GLCM) dan K-Means Clustering. *Jurnal Teknologi Informasi Dan Ilmu Komputer*, 7(1), 17–26. <https://doi.org/10.25126/jtiik202071066>

Wang, Y. Y., & Ryu, G. H. (2013). Physical properties of extruded corn grits with corn fibre by CO<sub>2</sub> injection extrusion. *Journal of Food Engineering*, 116(1), 14–20. <https://doi.org/10.1016/j.jfoodeng.2012.10.041>

Witdarko, Y., Bintoro, N., Suratmo, B., & Rahardjo, B. (2015). Modelling on Mechanical Cassava Flour Drying Process by Using Pneumatic Dryer: Correlation of Fineness Modulus and Drying Process Variable. *Agritech*, 35(4), 481–487.

Wittek, P., Zeiler, N., Karbstein, H. P., & Emin, M. A. (2021). High moisture extrusion of soy protein: Investigations on the formation of anisotropic product structure. *Foods*, 10(1). <https://doi.org/10.3390/foods10010102>

Yadav, K. C., Pashupati, M., Pramesh, K. D., Ranjit, R., Ghanendra, G., & Sushil,



D. (2015). Effects of incorporation of cassava flour on characteristics of corn grit-rice grit-chickpea flour blend expanded extrudates. *African Journal of Food Science*, 9(8), 448–455. <https://doi.org/10.5897/ajfs2014.1243>

Ye, J., Hu, X., Luo, S., Liu, W., Chen, J., Zeng, Z., & Liu, C. (2018). Propiedades del almidón despué de la extrusión. *Starch - Stärke*, 70, 11–12.

Yousf, N., Nazir, F., Salim, R., Ahsan, H., & Sirwal, A. (2017). Water solubility index and water absorption index of extruded product from rice and carrot blend. *Journal of Pharmacognosy and Phytochemistry*, 6(6), 2165–2168. <https://www.phytojournal.com/archives/2017/vol6issue6/PartAD/6-6-326-909.pdf>

Zaalouk, A. K., & Zabady, F. I. (2009). Effect of Moisture Content on Angle of Repose and Friction Coefficient of Wheat Grain. *Misr Journal of Agricultural Engineering*, 26(1), 418–427. <https://doi.org/10.21608/mjae.2020.110159>

Zhang, F., Yang, B., Zhang, M., Qi, J., Xu, X., & Xiong, G. (2023). Influence of sodium bicarbonate and moisture content on physicochemical properties of chicken-based extrudate by twin-screw extruder. *Food Chemistry*, 402(September 2022), 134313. <https://doi.org/10.1016/j.foodchem.2022.134313>