



## REFERENCES

- Alio, M. A., Tugui, O.-C., Vial, C., & Pons, A. (2019). Microwave-assisted Organosolv pretreatment of a sawmill mixed feedstock for bioethanol production in a wood biorefinery. *Bioresource technology*, 276, 170-176.
- Baruah, J., Nath, B. K., Sharma, R., Kumar, S., Deka, R. C., Baruah, D. C., & Kalita, E. (2018). Recent trends in the pretreatment of lignocellulosic biomass for value-added products. *Frontiers in Energy Research*, 6, 141.
- Betts, W. B., Dart, R. K., Ball, A. S., & Pedlar, S. L. (1991). Biosynthesis and Structure of Lignocellulose. *Springer Series in Applied Biology*, 139-155.
- Binder, J. B., Blank, J. J., Cefali, A. V., & Raines, R. T. (2010). Synthesis of furfural from xylose and xylan. *ChemSusChem*, 3(11), 1268-1272.
- Borand, M. N., & Karaosmanoğlu, F. (2018). Effects of organosolv pretreatment conditions for lignocellulosic biomass in biorefinery applications: A review. *Journal of Renewable and Sustainable Energy*, 10(3), 033104.
- Borand, Nazlı, M., & Karaosmanoğlu, F. (2018). Effects of organosolv pretreatment conditions for lignocellulosic biomass in biorefinery applications: a review. *Journal of renewable and sustainable energy*, 10(3), 033104.
- Brautaset, T., & Ellingsen, T. E. (2011). Lysine: Industrial Uses and Production. *Comprehensive Biotechnology (Second Edition)*, 541-554.
- Buxton, D. R., & Brasche, M. R. (1991). Digestibility of structural carbohydrates in cool-season grass and legume forages. *Crop Science*, 31(5), 1338-1345.
- Chang, S. H. (2014). An overview of empty fruit bunch from oil palm as feedstock for bio-oil production. *Biomass and Bioenergy*, 62, 174-181.
- Chen, H. (2014). *Biotechnology of Lignocellulose*. Springer.
- Chen, H., Liu, J., Chang, X., Chen, D., Xue, Y., Liu, P., . . . Han, S. (2017). A review on the pretreatment of lignocellulose for high-value chemicals. *Fuel Processing Technology*, 160, 196-206.



- Chen, W.-H., Wang, C.-W., Ong, H. C., Show, P. L., & Hsieh, T.-H. (2019). Torrefaction, pyrolysis and two-stage thermodegradation of hemicellulose, cellulose and lignin. *Fuel*, 258, 116168.
- Chotirotsukon, C., Raita, M., Champreda, V., & Laosiripojana, N. (2019). Fractionation of sugarcane trash by oxalic-acid catalyzed glycerol-based organosolv followed by mild solvent delignification. *Industrial Crops and Products*, 141, 111753.
- Chum, H. L., Douglas, L. J., Feinberg, D. A., & Schroeder, H. A. (1985). Evaluation of pretreatments of biomass for enzymatic hydrolysis of cellulose. *Organosolv process, wet oxidation, and steam explosion of wood chips*.
- Coffey, D. G., Bell, D. A., & Henderson, A. (2006). Cellulose and cellulose derivatives. *Food polysaccharides and their applications 2*, 146-179.
- Embrandiri, A., Quaik, S., Rupani, P. F., Srivastava, V., & Singh, P. (2015). Sustainable utilization of oil palm wastes: opportunities and challenges. *Waste management: challenges, threats and opportunities*, 217-232.
- FAO. (2023, May 21). *Crops and Livestock Products*. Retrieved from Food and Agriculture Organization of the United Nations: <https://www.fao.org/faostat/en/#data/QCL>
- Fengel, & Wegener. (1984). *Wood: Chemistry, ultrastructure, Reactions*. Berlin: De Guyter.
- Ferreira, J. A., & Taherzadeh, M. J. (2020). Improving the economy of lignocellulose-based biorefineries with organosolv pretreatment. *Bioresource technology*, 299, 122695.
- Gandini, A., & Belgacem, M. N. (2012). *The state of the art of polymers from renewable resources. Handbook of Biopolymers and Biodegradable Plastics: Properties, procession and applications, 1st ed*. Boston: William Andrew Publishing.



- Gordobil, O. R. (2016). Assesment of technical lignins for uses in biofuels and biomaterials: structure-related properties, proximate analysis and chemical modification. *Industrial crops and products*, 155-165.
- Gupta, V. G., & Rodriguez-Couto, S. (. (2018). *New and Future Developments in Microbial Biotechnology and Bioengineering: Penicillium system properties and applications*. Elsevier.
- Hansen, N. M., & Plackett, D. (2008). Sustainable films and coatings from hemicelluloses: a review. *Biomacromolecules*, 9(6), 1493-1505.
- Hendra, D., & Pari, G. (1999). Pembuatan arang aktif dari tandan kosong kelapa sawit. *Jurnal Penelitian Hasil Hutan*, 17(2), 113-122.
- Kamireddy, S. R., Li, J., Tucker, M., Degenstein, J., & Ji, Y. (2013). Effects and mechanism of metal chloride salts on pretreatment and enzymatic digestibility of corn stover. *Industrial & Engineering Chemistry Research*, 52(5), 1775-1782.
- Katrib, F., Chambat, G., & Joseleau, J. (1988). Organic solvent pretreatment to enhance enzymic saccharification of straw. *Journal of the Science of Food and Agriculture*, 43, 309.
- Kim, J. S., Lee, Y. Y., & Kim, T. H. (2016). A review on alkaline pretreatment technology for bioconversion of lignocellulosic biomass. *Bioresource technology*, 199, 42-48.
- Kim, K. H., & Kim, C. S. (2018). Recent efforts to prevent undesirable reactions from fractionation to depolymerization of lignin: toward maximizing the value from lignin. *Frontiers in Energy Research*, 6, 92.
- Köchermann, J., Mühlenberg, J., & Klemm, M. (2018). Kinetics of hydrothermal furfural production from organosolv hemicellulose and d-xylose. *Industrial & Engineering Chemistry Research*, 57(43), 14417-14427.



- Kresnowati, M., Mardawati, E., & Setiadi, T. (2015). Production of Xylitol from Oil Palm Empty Friuts Bunch: A Case Study on Bioefinery Concept. *Modern Applied Science*.
- Kumar, P., Barrett, D. M., Delwiche, M. J., & Stroeve, P. (2009). Methods for Pretreatment of Lignocellulosic Biomass for Efficient Hydrolysis and Biofuel Production. *Industrial & Engineering Chemistry Research*, 48(8), 3713–3729.
- Lange, J.-P., Heide, E. V., Buijtenen, J. v., & Price, R. (2012). Furfural—a promising platform for lignocellulosic biofuels. *ChemSusChem*, 5(1), 150-166.
- Latip, N. A., Sofian, A. H., Ali, M. F., Ismail, S. N., & Iidris, D. M. (2019). Structural and morphological studies on alkaline pre-treatment of oil palm empty fruit bunch (OPEFB) fiber for composite production. *Materials Today: Proceedings*, 17, 1105-1111.
- Law, K.-N., Daud, W. R., & Ghazali, A. (2007). Morphological and chemical nature of fiber strands of oil palm empty-fruit-bunch (OPEFB). *BioResources*, 2(3), 351-362.
- Lee, J. T., Khan, M. U., Tian, H., Ee, A. W., Lim, E. Y., Dai, Y., . . . Ahring, B. K. (2020). Improving methane yield of oil palm empty fruit bunches by wet oxidation pretreatment: Mesophilic and thermophilic anaerobic digestion conditions and the associated global warming potential effects. *Energy conversion and management*, 225, 113438.
- McDonough, T. J. (1993). The chemistry of organosolv delignification. *Tappi journal (USA)*.
- Mondylaksita, K., Ferreira, J. A., Millati, R., Budhijanto, W., Niklasson, C., & Taherzadeh, M. J. (2020). Recovery of High Purity Lignin and Digestible Cellulose from Oil Palm Empty Fruit Bunch Using Low Acid-Catalyzed Organosolv Pretreatment. *Agronomy*, 10(5), 674.
- Moo-Young, M. (2011). *Comprehensive Biotechnology*. Elsevier.



- Mussatto, S. I., & Teixeira, J. A. (2010). Lignocellulose as raw material in fermentation processes.
- Naraian, R., & Gautam, R. L. (2018). Penicillium Enzymes for the Saccharification of Lignocellulosic Feedstocks. *New and Future Developments in Microbial Biotechnology and Bioengineering*, 121-136.
- Ni, Y., & Hu, Q. (1995). Alcell® lignin solubility in ethanol–water mixtures. *Journal of Applied Polymer Science*, 57(12), 1441-1446.
- Nieves, D. C., Karimi, K., & Horváth, I. S. (n.d.).
- Noah, A. S. (2022). *Oil Palm Empty Fruit Bunches (OPEFB)–Alternative Fibre Source for Papermaking*. London: Intech Open.
- Novo, L. P., Gurgel, L. V., Marabezi, K., & Curvelo, A. A. (2011). Delignification of sugarcane bagasse using glycerol–water mixtures to produce pulps for saccharification. *Bioresource technology*, 102(21), 10040-10046.
- Omar, F. N., Mohammed, M. A., & Baharuddin, A. S. (2014). Microstructure Modelling of Silica Bodies from Oil Palm Empty Fruit Bunch (OPEFB) Fibres. *BioResources*, 9(1).
- Parchami, M., Agnihotri, S., & Taherzadeh, M. J. (2022). Aqueous ethanol organosolv process for the valorization of Brewer’s spent grain (BSG). *Bioresource Technology*, 362, 127764.
- Pujiasih, S., Masykur, A., Kusumaningsih, T., & Saputra, O. A. (2018). Silylation and characterization of microcrystalline cellulose isolated from indonesian native oil palm empty fruit bunch. *Carbohydrate polymers*, 184, 74-81.
- Pulingam, T., Lakshmanan, M., Chuah, J., Surendran, A., Zainab-L, I., Foroozandeh, P., . . . Sudesh, K. (2022). Oil palm trunk waste: Environmental impacts and management strategies. *Industrial Crops and Products*, 189, 115827.
- Pulingam, T., Lakshmanan, M., Chuah, J.-A., Surendran, A., Zainab-L, I., Foroozandeh, P., . . . Sudesh, K. (2022). Oil palm trunk waste:



Environmental impacts and management strategies. *Industrial Crops and Products*, 189, 115827.

Purwandari, F. A., Sanjaya, A. P., Millati, R., Cahyanto, M. N., Horváth, I. S., Niklasson, C., & Taherzadeh, M. J. (2013). Pretreatment of oil palm empty fruit bunch (OPEFB) by N-methylmorpholine-N-oxide (NMMO) for biogas production: structural changes and digestion improvement. *Bioresource technology*, 128, 461-466.

Pye, E. K. (2005). Industrial lignin production and applications. Biorefineries-Industrial Processes and Products. *Status Quo and Future Directions*, 165-200.

Rabelo, S. C., Nakasu, P. Y., Scopel, E., Araújo, M. F., Cardoso, L. H., & Costa, A. C. (2023). Organosolv pretreatment for biorefineries: Current status, perspectives, and challenges. *Bioresource Technology*, 369, 128331.

Saputra, O. A., Nauqinida, M., Pujiasih, S., Kusumaningsih, T., & Pramono, E. (2021). Improvement of anionic and cationic dyes removal in aqueous solution by Indonesian agro-waste oil palm empty fruit bunches through silylation approach. *Groundwater for Sustainable Development*, 13, 100570.

Sar, T., Arifa, V. H., Hilmy, M. R., Ferreira, J. A., Wikandari, R., Millati, R., & Taherzadeh, M. J. (2022). Organosolv pretreatment of oat husk using oxalic acid as an alternative organic acid and its potential applications in biorefinery. *Biomass Conversion and Biorefinery*, 1-10.

Schuchardt, F. D., & Guritno, P. (2002). Composting of empty oil palm fruit bunch (EFB) with simultaneous evaporation of oil mill waste water (POME). *Proceedings. Bali, Nusa Dua*.

Shiva, R. M.-J., Rosero-Chasoy, G., Lopez-Sandin, I., Morais, A. R., & Ruiz, H. A. (2023). Enzymatic hydrolysis, kinetic modeling of hemicellulose fraction, and energy efficiency of autohydrolysis pretreatment using agave bagasse. *BioEnergy Research*, 16(1), 75-87.



- Singh, S., Cheng, G., Sathitsuksanoh, N., Wu, D., Varanasi, P., George, A., . . . Simmons, B. (2015). Comparison of different biomass pretreatment techniques and their impact on chemistry and structure. *Front Energy Res Bioenergy Biofuels*, 1-12.
- Sluiter, A., Hames, B., Hyman, D., Payne, C., Ruiz, R., Scarlata, C., . . . Wolfe, J. (2008). Determination of total solids in biomass and total dissolved solids in liquid process samples. *National Renewable Energy Laboratory*, 9, 1-6.
- Sluiter, A., Hames, B., Ruiz, R., Scarlata, C., Sluiter, J., Templeton, D., & Crocker, D. L. (2008). Determination of structural carbohydrates and lignin in biomass. *Laboratory analytical procedure*, 1617(1), 1-16.
- Sun, Y.-G., Ma, Y.-L., Wang, L.-Q., Wang, F.-Z., Wu, Q.-Q., & Pan, G.-Y. (2015). Physicochemical properties of corn stalk after treatment using steam explosion coupled with acid or alkali. *Carbohydrate polymers*, 117, 486-493.
- Swift, L. M. (2008). Enzymatic degradation of cellulosic wastes.
- Taherzadeh, M. J., & Karimi, K. (2008). Pretreatment of lignocellulosic wastes to improve ethanol and biogas production: a review. *International journal of molecular sciences*, 9(9), 1621-1651.
- Tang, C., Chen, Y., Liu, J., Shen, T., Cao, Z., Shan, J., . . . Ying, H. (2017). Sustainable biobutanol production using alkali-catalyzed organosolv pretreated cornstalks. *Industrial Crops and Products*, 95, 383-392.
- Tao, J., Hosseinaei, O., Delbeck, L., Kim, P., Harper, D. P., Bozell, J. J., . . . Labbe, N. (2016). Effects of organosolv fractionation time on thermal and chemical properties of lignins. *RSC advances*, 6(82), 79228-79235.
- Thompson, D., Chen, H., & Grethlein, H. (1992). Comparison of pretreatment methods on the basis of available surface area. *Bioresource*, 39, 155-163.



- Vaidya, A. A., Murton, K. D., Smith, D. A., & Dedual, G. (2022). A review on organosolv pretreatment of softwood with a focus on enzymatic hydrolysis of cellulose. *Biomass conversion and biorefinery*, *12*(11), 5427-5442.
- Varman, M., Miyafuji, H., & Saka, S. (2010). Fractionation and characterization of oil palm (*Elaeis guineensis*) as treated by supercritical water. *Journal of wood science*, *56*, 488-494.
- Waisundara, V. (2018). *Palm Oil*. Intech.
- Wang, M., Leitch, M., & Xu, C. C. (2009). Synthesis of phenol–formaldehyde resol resins using organosolv pine lignins. *European Polymer Journal*, *45*(12), 3380-3388.
- Wei Kit Chin, D., Lim, S., Pang, Y. L., & Lam, M. K. (2020). Fundamental review of organosolv pretreatment and its challenges in emerging consolidated bioprocessing. *Biofuels, bioproducts and biorefining*, *14*(4), 808-829.
- Wildschut, J., Smit, A. T., Reith, J. H., & Huijgen, W. J. (2013). Ethanol-based organosolv fractionation of wheat straw for the production of lignin and enzymatically digestible cellulose. *Bioresource technology*, *135*, 58-66.
- Yang, S.-T. (2007). Bioprocessing—from biotechnology to biorefinery. In *Bioprocessing for value-added products from renewable resources* (pp. 1-24). Elsevier.
- Yunos, H. M., Seribainun, N., Baharuddin, A. S., Yunos, K. F., Hafid, H. S., Busu, Z., . . . Sulaiman, A. (2015). The Physicochemical Characteristics of Residual Oil and Fibers from Oil Palm Empty Fruit Bunches. *BioResources*, *10*(1).
- Zhao, X. K. (2009). Organosolv pretreatment of lignocellulosic biomass for enzymatic hydrolysis. *Applied microbiology and biotechnology*, *82*, 815-827.
- Zhou, Z., Lei, F., Li, P., & Jiang, J. (2018). Lignocellulosic biomass to biofuels and biochemicals: A comprehensive review with a focus on ethanol organosolv



pretreatment technology. *Biotechnology and Bioengineering*, 115(11), 2683-2702.

Zulkipl, N., Maskat, M. Y., & Hassan, O. (2016). Pretreatment of oil palm empty fruit fiber (OPEFB) with aqueous ammonia for high production of sugar. *Procedia Chemistry*, 18, 155-161.