

DAFTAR PUSTAKA

- Afkhamipour, M. and Mofarahi, M. (2013) 'Comparison of rate-based and equilibrium-stage models of a packed column for post-combustion CO₂ capture using 2-amino-2-methyl-1-propanol (AMP) solution', *International Journal of Greenhouse Gas Control*, 15, pp. 186–199. Available at: <https://doi.org/10.1016/j.ijggc.2013.02.022>.
- Åkesjö, A. et al. (2018) 'Experimental and numerical study of heat transfer in a large-scale vertical falling film pilot unit', *International Journal of Heat and Mass Transfer*, 125, pp. 53–65. Available at: <https://doi.org/10.1016/j.ijheatmasstransfer.2018.04.052>.
- Alhusseini, A.A., Tuzla, K. and Chen, J.C. (1998) 'Falling film evaporation of single component liquids', *International Journal of Heat and Mass Transfer*, 41(12), pp. 1623–1632. Available at: [https://doi.org/10.1016/S0017-9310\(97\)00308-6](https://doi.org/10.1016/S0017-9310(97)00308-6).
- Anderson, T.F., Abrams, D.S. and Grens, E.A. (1978) 'Evaluation of parameters for nonlinear thermodynamic models', *AIChE Journal*, 24(1), pp. 20–29. Available at: <https://doi.org/10.1002/aic.690240103>.
- Astarita, G. and Savage, D.W. (1980) 'Theory of chemical desorption', *Chemical Engineering Science*, 35(3), pp. 649–656. Available at: [https://doi.org/10.1016/0009-2509\(80\)80015-7](https://doi.org/10.1016/0009-2509(80)80015-7).
- Baboo, P. (2022) 'Some Fact about Urea stripper'. Available at: <https://doi.org/10.13140/RG.2.2.16894.66880>.
- Bandi, P. et al. (2018) 'On reduced modeling of mass transport in wavy falling films', *AIChE Journal*, 64(6), pp. 2265–2276. Available at: <https://doi.org/10.1002/aic.16065>.
- Battisti, R. et al. (2020) 'Energy conditions assessment of a two-phase annular thermosyphon used as heat supplier for a new pilot-scale falling film distillation unit', *Thermal Science and Engineering Progress*, 19, p. 100648. Available at: <https://doi.org/10.1016/j.tsep.2020.100648>.
- Battisti, R., Machado, R.A.F. and Marangoni, C. (2020) 'A background review on falling film distillation in wetted-wall columns: From fundamentals towards intensified technologies', *Chemical Engineering and Processing - Process Intensification*, 150, p. 107873. Available at: <https://doi.org/10.1016/j.cep.2020.107873>.
- Bernardis, M., Carvoli, G. and Santini, M. (1989) 'VLE calculations using an extended UNIQUAC equation', *Fluid Phase Equilibria*, 53, pp. 207–218.
- Brouwer, M. (2019) 'Urea', in John Wiley & Sons, Inc (ed.) *Kirk-Othmer Encyclopedia of Chemical Technology*. 1st edn. Wiley. Available at: <https://doi.org/10.1002/0471238961>.
- Cesari, D.K., Schbib, S. and Borio, D.O. (2005) 'Steady State Analysis of a Falling Film Reactor', *Second Mercosur Congress on Chemical Engineering [Preprint]*.
- Chen, K. et al. (2023) 'Efficient direct numerical simulation of gas absorption in falling films using a combined high-throughput/high-performance approach', *Chemical Engineering Science*, 273, p. 118603. Available at: <https://doi.org/10.1016/j.ces.2023.118603>.
- Chilton, T.H. and Colburn, A.P. (1934) 'Mass Transfer (Absorption) Coefficients Prediction from Data on Heat Transfer and Fluid Friction', *Industrial & Engineering Chemistry*, 26(11), pp. 1183–1187. Available at: <https://doi.org/10.1021/ie50299a012>.
- Chinda, R. et al. (2019) 'Industrial Urea Process – Simulation and Validation', *International Journal of Advanced Engineering Research and Science*, 6(8), pp. 324–330. Available at: <https://doi.org/10.22161/ijaers.68.40>.

Crause, J.C. and Nieuwoudt, I. (1999) 'Mass Transfer in a Short Wetted-Wall Column. 1. Pure Components', *Industrial & Engineering Chemistry Research*, 38(12), pp. 4928–4932. Available at: <https://doi.org/10.1021/ie990029f>.

Cussler, E.L. (2009) *Diffusion: mass transfer in fluid systems*. Cambridge; New York: Cambridge University Press. Available at: <https://doi.org/10.1017/CBO9780511805134> (Accessed: 23 December 2021).

Darde, V. et al. (2012) 'Comparison of two electrolyte models for the carbon capture with aqueous ammonia', *International Journal of Greenhouse Gas Control*, 8, pp. 61–72. Available at: <https://doi.org/10.1016/j.ijggc.2012.02.002>.

Dashliborun, A.M., Larachi, F. and Taghavi, S.M. (2019) 'Gas-liquid mass-transfer behavior of packed-bed scrubbers for floating/offshore CO₂ capture', *Chemical Engineering Journal*, 377, p. 119236. Available at: <https://doi.org/10.1016/j.cej.2018.06.025>.

Dean, D.E. and Stiel, L.I. (1965) 'The viscosity of nonpolar gas mixtures at moderate and high pressures', *AIChE Journal*, 11(3), pp. 526–532. Available at: <https://doi.org/10.1002/aic.690110330>.

Dente, M. et al. (1988) 'Simulation Program for Urea Plants', *Computers and Chemical Engineering*, 12, pp. 389–400.

Dribika, M.M. and Sandall, O.C. (1979) 'Simultaneous heat and mass transfer for multicomponent distillation in a wetted-wall column', *Chemical Engineering Science*, 34(5), pp. 733–739. Available at: [https://doi.org/10.1016/0009-2509\(79\)85121-0](https://doi.org/10.1016/0009-2509(79)85121-0).

Erasmus, A.B. and Nieuwoudt, I. (2001) 'Mass Transfer in Structured Packing: A Wetted-Wall Study', *Industrial & Engineering Chemistry Research*, 40(10), pp. 2310–2321. Available at: <https://doi.org/10.1021/ie000841e>.

Erisman, J.W. et al. (2008) 'How a century of ammonia synthesis changed the world', *Nature Geoscience*, 1(10), pp. 636–639. Available at: <https://doi.org/10.1038/ngeo325>.

Fairbanks, D.F. and Wilke, C.R. (1950) 'Diffusion Coefficients in Multicomponent Gas Mixtures', *Industrial & Engineering Chemistry*, 42(3), pp. 471–475. Available at: <https://doi.org/10.1021/ie50483a022>.

Fogler, H.S. (2016) *Elements of chemical reaction engineering*. Fifth edition. Boston: Prentice Hall.

Frank, M.J.W., Kuipers, J.A.M. and van Swaaij, W.P.M. (1996) 'Diffusion Coefficients and Viscosities of CO₂ + H₂O, CO₂ + CH₃OH, NH₃ + H₂O, and NH₃ + CH₃OH Liquid Mixtures', *Journal of Chemical & Engineering Data*, 41(2), pp. 297–302. Available at: <https://doi.org/10.1021/je950157k>.

Fuller, E.N., Schettler, P.D. and Giddings, J. Calvin. (1966) 'New Method For Prediction Of Binary Gas-Phase Diffusion Coefficients', *Industrial & Engineering Chemistry*, 58(5), pp. 18–27. Available at: <https://doi.org/10.1021/ie50677a007>.

Garlapati, C. (2018) 'New Expression to Mass Transfer Coefficient in a Wetted-Wall Column', *Journal of Applied Science and Engineering Methodologies*, 4(3), pp. 591–600.

Gilliland, E.R. and Sherwood, T.K. (1934) 'Diffusion of Vapors into Air Streams', *Industrial & Engineering Chemistry*, 26(5), pp. 516–523. Available at: <https://doi.org/10.1021/ie50293a010>.

Gmehling, J. et al. (2019) *Chemical thermodynamics for process simulation*. Second, completely revised and enlarged edition. Weinheim: Wiley-VCH.



- Goppert, U. and Maurer, G. (1988) 'Vapor—liquid equilibria in aqueous solutions of ammonia and carbon dioxide at temperatures between 333 and 393 K and pressures up to 7 MPa', *Fluid Phase Equilibria*, 41(1–2), pp. 153–185. Available at: [https://doi.org/10.1016/0378-3812\(88\)80042-6](https://doi.org/10.1016/0378-3812(88)80042-6).
- Haidl, J. et al. (2016) 'Absorption in wetted-wall column with phase properties close to distillation conditions', *Chemical Engineering Science*, 144, pp. 126–134. Available at: <https://doi.org/10.1016/j.ces.2015.12.027>.
- Hamidipour, M., Mostoufi, N. and Sotudeh-Gharebagh, R. (2005) 'Modeling the synthesis section of an industrial urea plant', *Chemical Engineering Journal*, 106(3), pp. 249–260. Available at: <https://doi.org/10.1016/j.cej.2004.12.020>.
- Han, K. et al. (2013) 'Current status and challenges of the ammonia-based CO₂ capture technologies toward commercialization', *International Journal of Greenhouse Gas Control*, 14, pp. 270–281. Available at: <https://doi.org/10.1016/j.ijggc.2013.01.007>.
- Hanson, D.S. et al. (2021) 'Catalytic Urea Synthesis from Ammonium Carbamate Using a Copper(II) Complex: A Combined Experimental and Theoretical Study', *Inorganic Chemistry*, 60(8), pp. 5573–5589. Available at: <https://doi.org/10.1021/acs.inorgchem.0c03467>.
- Heffer, P. and Praud'homme, M. (2016) 'Global Nitrogen Fertiliser Demand and Supply : Trend, Current Level and Outlook', *Proceedings of the 2016 International Nitrogen Initiative Conference, 'Solutions to improve nitrogen use efficiency for the world'*, pp. 4–8.
- Irazoqui, H.A., Isla, M.A. and Genoud, C.M. (1993) 'Simulation of a urea synthesis reactor. 2. Reactor model', *Industrial & Engineering Chemistry Research*, 32(11), pp. 2671–2680. Available at: <https://doi.org/10.1021/ie00023a034>.
- Isla, M.A., Irazoqui, H.A. and Genoud, C.M. (1993) 'Simulation of a urea synthesis reactor. 1. Thermodynamic framework', *Industrial & Engineering Chemistry Research*, 32(11), pp. 2662–2670. Available at: <https://doi.org/10.1021/ie00023a033>.
- Jaćimovski, D. et al. (2016) 'Mass transfer and concentration boundary layer in a particulate fluidized bed', *Powder Technology*, 303, pp. 68–75. Available at: <https://doi.org/10.1016/j.powtec.2016.09.025>.
- Jilvero, H. et al. (2015) 'Equilibrium measurements of the NH₃–CO₂–H₂O system – measurement and evaluation of vapor–liquid equilibrium data at low temperatures', *Fluid Phase Equilibria*, 385, pp. 237–247. Available at: <https://doi.org/10.1016/j.fluid.2014.11.006>.
- Kafesjian, R., Plank, C.A. and Gerhard, E.R. (1961) 'Liquid flow and gas phase mass transfer in wetted-wall towers', *AIChE Journal*, 7(3), pp. 463–466. Available at: <https://doi.org/10.1002/aic.690070324>.
- Kamei, S. and Oishi, J. (1955) 'Mass and Heat Transfer in a Falling Liquid Film of Wetted Wall Tower', *Memoirs of the Faculty of Engineering, Kyoto University*, 4(17), pp. 277–289.
- Kim, G.H. et al. (2014) 'CO₂ absorption kinetics in a CO₂-free and partially loaded aqueous ammonia solution', *Chemical Engineering Journal*, 250, pp. 83–90. Available at: <https://doi.org/10.1016/j.cej.2014.03.120>.
- Kurz, F., Rumpf, B. and Maurer, G. (1995) 'Vapor-liquid-solid equilibria in the system NH₃-CO₂-H₂O from around 310 to 470 K: New experimental data and modeling', *Fluid Phase Equilibria*, 104, pp. 261–275. Available at: [https://doi.org/10.1016/0378-3812\(94\)02653-1](https://doi.org/10.1016/0378-3812(94)02653-1).



- Lamourelle, A.P. and Sandall, O.C. (1972) 'Gas absorption into a turbulent liquid', *Chemical Engineering Science*, 27(5), pp. 1035–1043. Available at: [https://doi.org/10.1016/0009-2509\(72\)80018-6](https://doi.org/10.1016/0009-2509(72)80018-6).
- Lemkowitz, S.M., De Cooker, M.G.R.T. and Van Den Berg, P.J. (1973) 'An empirical thermodynamic model for the ammonia-water-carbon dioxide system at urea synthesis conditions', *Journal of Applied Chemistry and Biotechnology*, 23(1), pp. 63–76. Available at: <https://doi.org/10.1002/jctb.5020230107>.
- Levenspiel, O. (1999) *Chemical reaction engineering*. 3rd ed. New York: Wiley.
- Li, H. et al. (2018) 'Numerical Simulation for Falling Film Flow Characteristics of Refrigerant on the Smooth and Structured Surfaces', *Journal of Engineering Thermophysics*, 27(1), pp. 1–19. Available at: <https://doi.org/10.1134/S1810232818010010>.
- Lillia, S. et al. (2018) 'Experimental study of the aqueous CO₂-NH₃ rate of reaction for temperatures from 15 °C to 35 °C, NH₃ concentrations from 5% to 15% and CO₂ loadings from 0.2 to 0.6', *International Journal of Greenhouse Gas Control*, 70, pp. 117–127. Available at: <https://doi.org/10.1016/j.ijggc.2018.01.009>.
- Liu, H. (2014) 'Ammonia synthesis catalyst 100 years: Practice, enlightenment and challenge', *Chinese Journal of Catalysis*, 35(10), pp. 1619–1640. Available at: [https://doi.org/10.1016/S1872-2067\(14\)60118-2](https://doi.org/10.1016/S1872-2067(14)60118-2).
- Liu, J. et al. (2011) 'Kinetics and mass transfer of carbon dioxide absorption into aqueous ammonia', *Energy Procedia*, 4, pp. 525–532. Available at: <https://doi.org/10.1016/j.egypro.2011.01.084>.
- Mavrovic, I., Shirley, A.R. and Coleman, G.R. "Buck" (2000) 'Urea', in John Wiley & Sons, Inc. (ed.) *Kirk-Othmer Encyclopedia of Chemical Technology*. Hoboken, NJ, USA: John Wiley & Sons, Inc., p. 2118050113012218.a01. Available at: <https://doi.org/10.1002/0471238961.2118050113012218.a01>.
- Maxwell, G.R. (2004) *Synthetic nitrogen products: a practical guide to the products and processes*. New York: Kluwer Academic/Plenum Publishers.
- Meessen, J.H. (2010) 'Urea', in Wiley-VCH Verlag GmbH & Co. KGaA (ed.) *Ullmann's Encyclopedia of Industrial Chemistry*. Weinheim, Germany: Wiley-VCH Verlag GmbH & Co. KGaA, p. a27_333.pub2. Available at: https://doi.org/10.1002/14356007.a27_333.pub2.
- Nakamura, R., Breedveld, G.J.F. and Prausnitz, J.M. (1976) 'Thermodynamic Properties of Gas Mixtures Containing Common Polar and Nonpolar Components', *Industrial & Engineering Chemistry Process Design and Development*, 15(4), pp. 557–564. Available at: <https://doi.org/10.1021/i260060a015>.
- Nielsen, C.H.E. et al. (1998) 'Mass transfer in wetted-wall columns: Correlations at high Reynolds numbers', *Chemical Engineering Science*, 53(3), pp. 495–503. Available at: [https://doi.org/10.1016/S0009-2509\(97\)00320-5](https://doi.org/10.1016/S0009-2509(97)00320-5).
- Park, H.M. (2014) 'A multiscale modeling of carbon dioxide absorber and stripper using the Karhunen–Loève Galerkin method', *International Journal of Heat and Mass Transfer*, 75, pp. 545–564. Available at: <https://doi.org/10.1016/j.ijheatmasstransfer.2014.03.089>.
- Peruzzo, T. et al. (2022) 'Triethylene glycol recovery by an energetically intensified thermosyphon-assisted falling film distillation unit: Experimental assessment on a pilot-scale unit and in-silico comparison with a conventional column from natural gas processing', *Chemical*



Engineering and Processing - Process Intensification, 176, p. 108970. Available at: <https://doi.org/10.1016/j.cep.2022.108970>.

Piotrowski, J., Kozak, R. and Kujawska, M. (1998) 'Thermodynamic model of chemical and phase equilibrium in the urea synthesis process', Chemical Engineering Science, 53(1), pp. 183–186. Available at: [https://doi.org/10.1016/S0009-2509\(97\)00271-6](https://doi.org/10.1016/S0009-2509(97)00271-6).

Poling, B.E., Prausnitz, J.M. and O'Connell, J.P. (2001) The properties of gases and liquids. 5th ed. New York: McGraw-Hill.

Puxty, G., Rowland, R. and Attalla, M. (2010) 'Comparison of the rate of CO₂ absorption into aqueous ammonia and monoethanolamine', Chemical Engineering Science, 65(2), pp. 915–922. Available at: <https://doi.org/10.1016/j.ces.2009.09.042>.

Que, H. and Chen, C.-C. (2011) 'Thermodynamic Modeling of the NH₃–CO₂–H₂O System with Electrolyte NRTL Model', Industrial & Engineering Chemistry Research, 50(19), pp. 11406–11421. Available at: <https://doi.org/10.1021/ie201276m>.

Rahimpour, M.R., Barmaki, M.M. and Mottaghi, H.R. (2010) 'A comparative study for simultaneous removal of urea, ammonia and carbon dioxide from industrial wastewater using a thermal hydrolyser', Chemical Engineering Journal, 164(1), pp. 155–167. Available at: <https://doi.org/10.1016/j.cej.2010.08.046>.

Rejl, F.J. et al. (2016) 'Analogy of absorption and distillation processes. Wetted-wall column study', Chemical Engineering Science, 153, pp. 146–154. Available at: <https://doi.org/10.1016/j.ces.2016.07.021>.

Rejl, F.J. et al. (2019) 'Liquid phase axial mixing in distillation column packed with structured packing: Effect on column performance', Chemical Engineering Research and Design, 148, pp. 129–141. Available at: <https://doi.org/10.1016/j.cherd.2019.05.030>.

Rosa, L.P.S. et al. (2022) 'A comparative study of thermodynamic models to describe the VLE of the ternary electrolytic mixture H₂O–NH₃–CO₂', Chemical Product and Process Modeling, 17(3), pp. 255–271. Available at: <https://doi.org/10.1515/cppm-2020-0101>.

Sanyal, D., Vasishtha, N. and Saraf, D.N. (1988) 'Modeling of carbon dioxide absorber using hot carbonate process', Industrial & Engineering Chemistry Research, 27(11), pp. 2149–2156. Available at: <https://doi.org/10.1021/ie00083a032>.

Satyro, M.A. et al. (2003) 'Modeling Urea Processes: A New Thermodynamic Model and Software Integration Paradigm', The Chemical Engineers' Resource Page [Preprint]. Available at: <http://www.cheresources.com/>.

Seader, J.D., Henley, E.J. and Roper, D.K. (2016) Separation process principles with applications using process simulators. Fourth edition. Hoboken, NJ: John Wiley & Sons, Inc.

Singh, B. and Ryan, J. (2015) Managing Fertilizers to Enhance Soil Health. Paris: IFA.

Smith, J.M. et al. (2018) Introduction to chemical engineering thermodynamics. Eighth edition. New York, NY: McGraw-Hill Education.

Soave, G. (1993) '20 years of Redlich-Kwong equation of state', Fluid Phase Equilibria, 82, pp. 345–359. Available at: [https://doi.org/10.1016/0378-3812\(93\)87158-W](https://doi.org/10.1016/0378-3812(93)87158-W).

Soliman, M.A. (2019) 'Empirical Modeling of Urea Synthesis Chemical Equilibria', International Journal of Innovative Technology and Exploring Engineering, 8(12), pp. 727–729. Available at: <https://doi.org/10.35940/ijitee.L3024.1081219>.



Stiel, L.I. and Thodos, G. (1964) 'The thermal conductivity of nonpolar substances in the dense gaseous and liquid regions', *AIChE Journal*, 10(1), pp. 26–30. Available at: <https://doi.org/10.1002/aic.690100114>.

Tosun, İ. and Tosun, İ. (2007) *Modeling in transport phenomena: a conceptual approach*. 2nd ed. Amsterdam ; Boston: Elsevier.

United Nations (2019) 'World Population Prospects 2019'. Department of Economic and Social Affairs, Online Edition. Rev. 1.

United Nations Population Fund (2023) *State of World Population 2023: 8 Billion Lives, Infinite Possibilities: The Case for Rights and Choices*. United Nations (State of World Population). Available at: <https://doi.org/10.18356/9789210027137>.

Voskov, A.L. and Voronin, G.F. (2016) 'Thermodynamic Model of the Urea Synthesis Process', *Journal of Chemical & Engineering Data*, 61(12), pp. 4110–4122. Available at: <https://doi.org/10.1021/acs.jced.6b00557>.

Wang, C. et al. (2018) 'Beyond the standard two-film theory: Computational fluid dynamics simulations for carbon dioxide capture in a wetted wall column', *Chemical Engineering Science*, 184, pp. 103–110. Available at: <https://doi.org/10.1016/j.ces.2018.03.021>.

Wang, X. et al. (2011) 'Kinetics of the Reversible Reaction of CO₂ (aq) with Ammonia in Aqueous Solution', *The Journal of Physical Chemistry A*, 115(24), pp. 6405–6412. Available at: <https://doi.org/10.1021/jp108491a>.

Welty, J.R. (2015) *Fundamentals of momentum, heat and mass transfer*. 6th edition. Hoboken, NJ: Wiley.

Wen, T. et al. (2020) 'Fundamentals and applications of CFD technology on analyzing falling film heat and mass exchangers: A comprehensive review', *Applied Energy*, 261, p. 114473. Available at: <https://doi.org/10.1016/j.apenergy.2019.114473>.

Wilke, C.R. (1950) 'A Viscosity Equation for Gas Mixtures', *The Journal of Chemical Physics*, 18(4), pp. 517–519. Available at: <https://doi.org/10.1063/1.1747673>.

Won, Y.S. and Mills, A.F. (1982) 'Correlation of the effects of viscosity and surface tension on gas absorption rates into freely falling turbulent liquid films', *International Journal of Heat and Mass Transfer*, 25(2), pp. 223–229. Available at: [https://doi.org/10.1016/0017-9310\(82\)90008-4](https://doi.org/10.1016/0017-9310(82)90008-4).

Yaws, C.L. (1999) *Chemical properties handbook: physical, thermodynamic, environmental, transport, safety, and health related properties for organic and inorganic chemicals*. New York: McGraw-Hill (McGraw-Hill handbooks).

Yih, S.-M. and Chen, K.-Y. (1982) 'GAS ABSORPTION INTO WAVY AND TURBULENT FALLING LIQUID FILMS IN A WETTED-WALL COLUMN', *Chemical Engineering Communications*, 17(1–6), pp. 123–136. Available at: <https://doi.org/10.1080/00986448208911620>.

Yubing, R. (2010) 'High Pressure Stripper Efficiency Problems', *UreaKnowHow*, pp. 1–9.

Zahid, S., Ramzan, N. and Rustam, M. (2014) 'Simulation and Parametric Study of Urea Decomposition Section', *Proceedings of the Pakistan Academy of Sciences*, 4(51), pp. 227–288.

Zendehboudi, S. et al. (2014) 'A dual approach for modelling and optimisation of industrial urea reactor: Smart technique and grey box model', *The Canadian Journal of Chemical Engineering*, 92(3), pp. 469–485. Available at: <https://doi.org/10.1002/cjce.21824>.



Zhang, X. et al. (2005) 'Modeling and simulation of high-pressure urea synthesis loop', *Computers & Chemical Engineering*, 29(5), pp. 983–992. Available at: <https://doi.org/10.1016/j.compchemeng.2004.10.004>.

Zhang, X. et al. (2015) 'Managing nitrogen for sustainable development', *Nature*, 528(7580), pp. 51–59. Available at: <https://doi.org/10.1038/nature15743>.

Zhu, X. et al. (2021) 'Electrochemical synthesis of urea on MBenes', *Nature Communications*, 12(1), p. 4080. Available at: <https://doi.org/10.1038/s41467-021-24400-5>.