

CONTENTS

Acknowledgement.....	i
INTISARI.....	ii
ABSTRACT	iii
Contents.....	iv
List of Figures	vi
List of Tables.....	viii
CHAPTER 1. INTRODUCTION.....	1
1.1 Background.....	1
1.2 Problem Formulation	3
1.3 Scope and Limitations	3
1.4 Research Objective	3
1.5 Research Benefits	3
1.6 Research Contributions.....	4
1.7 Thesis Overview	4
CHAPTER 2. LITERATURE REVIEW.....	6
CHAPTER 3. THEORETICAL BASIS	11
3.1 Whole Slide Images.....	11
3.1.1 Whole Slide Image Classification.....	12
3.1.2 Evaluation Metrics for Whole Slide Images Classification	13
3.1.3 Dataset for Whole Slide Image Classification	14
3.2 Feedforward Neural Network	15
3.2.1 Activation Functions	18
3.2.2 Back-propagation	19
3.3 Convolutional Neural Networks	21
3.3.1 Convolution Layer	21
3.3.2 Pooling Layer.....	23
3.3.3 Architecture.....	24
3.3.4 Self-Supervised Contrastive Learning	26
3.4 Multiple Instance Learning.....	28
3.4.1 Problem Definition.....	28
3.4.2 Paradigms and Approaches	29
3.4.3 Aggregation Functions	32
3.5 Meta-learning.....	35
3.5.1 MAML Algorithm.....	36

3.5.2 MAML in Supervised Learning	38
3.6 K-means Clustering	39
CHAPTER 4. RESEARCH METHODOLOGY	41
4.1 System Analysis.....	41
4.2 Research Procedures	43
4.3 System Design	44
4.3.1 Data Preparation and Preprocessing	45
4.3.2 Feature Extraction	46
4.3.3 Multiple Instance Learning Classification and Meta-Learning	49
4.4 Evaluation Design.....	53
CHAPTER 5. IMPLEMENTATION	55
5.1 Environment	55
5.1.1 Cropping WSIs.....	55
5.1.2 Feature extraction.....	57
5.1.3 MIL Classifier	61
5.1.4 Cluster-based Latent Augmentation.....	63
5.1.5 Model-Agnostic Meta-Learning	63
5.1.6 Testing and Evaluation.....	66
CHAPTER 6. RESULT AND DISCUSSION	67
6.1 Preprocessing Result.....	67
6.2 Feature Extraction Result	67
6.3 Classification Result	69
6.3.1 Result on Camelyon16 dataset.....	69
6.3.2 Result on TCGA dataset	71
6.3.3 Ablation Study	72
CHAPTER 7. CONCLUSIONS	75
7.1 Research Summary	75
7.2 Limitation	76
7.3 Future Research	76
BIBLIOGRAPHIES	77

LIST OF FIGURES

Figure 3.1 The example of Whole Slide Images from TCGA-LUAD dataset.....	11
Figure 3.2 Camelyon16 dataset example	15
Figure 3.3 The illustration of XOR problem. White points (class C_1) and black points (class C_2) can not be separated by a linear function. Adapted from (Goodfellow et al., 2016).	16
Figure 3.4 This is a common visualization of a two-layer MLP consisting of one hidden layer and one output layer, where each unit is drawn as a node in the graph representations. Adapted from (Goodfellow et al., 2016).....	18
Figure 3.5 Illustration of convolution operation with input image 3×4 , kernel size 2×2 , stride $s = 1$, and no padding. Adapted from (Goodfellow et al., 2016).	22
Figure 3.6 Illustration of the three Stages of CNN: Convolution Layer with 3×3 Kernel and Stride $s = 1$, Detector Layer with ReLU Activation, and Pooling Layer with 2×2 Kernel and Average Pooling.	24
Figure 3.7 Residual Connection as a building block of ResNet.....	25
Figure 3.8 ResNet-18 architecture. Each block represents the kernel size of the convolution, number of filters, and stride, respectively. The dotted shortcuts increase the dimensions.	26
Figure 3.9 SimCLR framework. Augmented images are fed to a shared weights encoder, producing a 1-dim feature vector that is then passed to a small MLP. The green double-arrowed line minimizes the similarity of positive pairs, while the red double-arrowed line maximizes the similarity of negative pairs. Adapted from (T. Chen et al., 2020).	27
Figure 3.10 a) MIL setup with positive bags in blue ellipse and negative bags in orange ellipse. b) Illustration of the Instance-Space paradigm with a classifier f . Adapted from (Amores, 2013).	30
Figure 3.11 Illustration of the Bag-Space paradigm: a) model is trained using distances between bags, b) model is tested using distances between new bag and all of training bags. Adapted from (Amores, 2013).....	30
Figure 3.12 Illustration of the Embedded-Space paradigm: a) model is trained using the bags embedding, b) model is tested on new bag using the trained model on embedded-space. Adapted from (Amores, 2013).	31
Figure 3.13 Illustration of initial model parameter in traditional learning.....	36
Figure 3.14 Illustration of initial model parameter in MAML algorithm (Finn et al., 2017) ..	36
Figure 3.15 Overall MAML algorithm workflow (Finn et al., 2017)	38
Figure 4.1 Distribution of class for each dataset. A) and B) are the class distribution of Camelyon16 and TCGA dataset, respectively.	42
Figure 4.2 General Flowchart of The System	44
Figure 4.3 Data Preparation and Preprocessing Illustration	46
Figure 4.4 Finetuning ResNet-18 with SimCLR framework.	47
Figure 4.5 Projection head $g(.)$ used in the SimCLR framework.	47
Figure 4.6 Feature extraction with pretrained ResNet-18 on WSIs data.....	49
Figure 4.7 MIL Classification under Meta-Learning Setting.....	49
Figure 4.8 Data Splitting Schema.....	50
Figure 5.1 Code Snippets of WSI Cropping.....	56
Figure 5.2 ResNet18 pretraining with SimCLR	58
Figure 5.3 NT-Xent Loss.....	59
Figure 5.4 Feature Extraction with ResNet18	59
Figure 5.5 ResNet Encoder	60

Figure 5.6 Convert to Numpy array	60
Figure 5.7 Attention-based MIL.....	61
Figure 5.8 Dual-stream MIL	62
Figure 5.9 Cluster-based Noise Injection	63
Figure 5.10 Tasks creation for MAML	64
Figure 5.11 Meta-Training Phase	65
Figure 5.12 Testing and Evaluation	66
Figure 6.1 Bag Size Distribution of TCGA Dataset.....	67
Figure 6.2 Bag Size Distribution of Camelyon-16 Dataset.....	67
Figure 6.3 The example of bag embeddings extracted from ResNet-18. Right: Whole Slide Images. Left: Visualized bag embeddings with t-SNE.	68
Figure 6.4 Accuracy with respect to the number of support samples.	73
Figure 6.5 Accuracy with respect to the number of clusters	73
Figure 6.6 Accuracy with respect to the perturbation	74
Figure 6.7 Left: Feature embeddings before clustering; Center: Feature embeddings after clustering; Right: Feature embeddings after noise injections.	74

LIST OF TABLES

Table 2.1 Summary of Related Works	9
Table 4.1 Research Procedures	44
Table 4.2 Augmentation Module Details	48
Table 4.3 Hyperparameters Setting for Pre-training ResNet-18 on SimCLR Framework	48
Table 4.4 Hyperparameters for MIL classifier and MAML algorithm	50
Table 5.1 Software Specification	55
Table 5.2 Hardware Specification	55
Table 6.1 Result on Camelyon16 dataset.	70
Table 6.2 Result on TCGA dataset.....	71