

## DAFTAR PUSTAKA

- Abbas, T. E. 2015. Threonine-Lysine ratio and its effect on broiler Performance. *Int. J. Adv. Res. Biol.Sci.* 2(2): 174–179.
- Abdl-Rahman, M., S.Y. Saleh, A.Z. Amal, and S. Abd. E. Safaa. 2011. Growth performance, cecal fermentation and blood biochemistry of rabbits fed diet supplemented with urea-bentonite combination. *J. Agr. Sci.* 3:14-21.
- Abreu, V.M., P.G. Abreu., A. Coldebella., F.R. Jaenisch, and V.S. Silva. 2011. Evaluation of *litter* material and ventilation systems in poultry production: I. Overall performance. *Rev. Bras. Zootec.* 40: 1364–71.
- Adedokun, S.A., P. Utterback., C.M. Parsons., O. Adeola., M.S. Lilburn, and T.J. Applegate. 2009. Comparison of amino acid digestibility of feed ingredients in broilers, laying hens and caeectomised roosters. *Br Poult Sci.* 50(3): 350-358.
- Adzitey, F and S.P. Adzitey. 2011. Produksi Itik. Apakah terdapat potensi dalam mengurangi tingkat kemiskinan diantara pedesaan pada masyarakat Asia. *Review. J. World. Poultry Res.* 1(1): 7-10.
- Alagawany, M., M.A. El-Hack., M.R. Farag., R. Tiwari., S. Sachan., K. Karthik, and K. Dhama. 2016. Positive and negative impacts of dietary protein levels in laying hens. *Asian J. Anim. Sci.* 10:165-174.
- Aletor, V.A., I.I. Hamid, E. Nieß, and E. Pfeffer. 2000. Low-protein amino acid supplemented diets in broilers chickens: effects on performance, carcass characteristics, whole-body composition and efficiencies of nutrien utilization. *Poult. Sci.* 80: 243–253.
- Allameh, S. and M. Toghyani. 2019. Effect of dietary valine supplementation to low protein diets on performance, intestinal morphology and immune responses in broiler chickens. *Liv. Sci.* 229: 137-144.
- Almeida, E.A., Sant'Anna, A.C., Crowe, T.G., Macari, M, and Furlan, R.L. 2010. Poultry rearing on perforated plastic floors and the effect on air quality, growth performance, and carcass injuries—Experiment 2: Heat stress situation. *Poultry Science.* 12(3): 189-195.
- Asaniyan, E.K., Agbede, J.O, and Laseinde, E.A. 2006. Comparative influence of sand and wood shavings *litter* replacement frequency on the performance of broiler chickens. *Journal of Animal and Veterinary Advances.* 5(12): 1080–7.
- Attia, Y.A., Bovera, F., Abd-El-Hamid, A.E., Tag EL-Din, A.E., Al-Harhi, M.A., Nizza, A., Elharidy, R.M., 2017. Effect of dietary protein concentrations, amino acids and conjugated linoleic acid supplementations on productive performance and lipid metabolism of broiler chicks. *Ital. J. Anim. Sci.* 16, 563–572.

- Auza, F.A., S. Purwanti., J.A. Syamsu, and A. Natsir. 2021. The Effect of Substitution of Fish Meal by Maggot Meal (*Hermetia Illucens* L) on the Relatif Length of Digestive Tract, Histomorphology of Small Intestines, and the Percentage of Carcass Parts in Native Chickens. J. World Poult. Res., 11 (1): 36-46.
- Av Huis, A. 2013. Potential of insects as food and feed in assuring food security. Annu Rev Entomol. 58: 563–83.
- Baeza, E., and B. Leclercq. 1998. Use of industrial amino acids to allow low protein concentrations in finishing diets for growing Muscovy As. Br. Poult. Sci. 39:90–96.
- Barragan-Fonseca, K. B., M. Dicke, and J.J.A. van Loon. 2017. Nutritional value of the black soldier fly (*Hermetia illucens* L.) and its suitability as animal feed - a review. J. Insects Food Feed. 3(2): 105–120.
- Behera, N.K., L.K. Babu., S.K. Sahoo. S. Giri., P.K. Pati., B. Panigrahi, and S.K. Joshi. 2016. Effect of feeding different levels of protein on mortality, carcass characteristics, biochemical parameter, time motion study and economics of desi ducks under intensive system of rearing. Asian J. Anim. Sci. 10. 106-112.
- Belloir, P., B. M'eda., W. Lambert., E. Corrent., H. Juin., M. Lessire, and S. Tesseraud. 2017. Reducing the CP content in broiler feeds: impact on animal performance, meat quality and nitrogen utilization. Animal. 11: 1881–1889.
- Belluco, S., C. Losasso, M. Maggioletti, C.C. Alonzi, M.G. Paoletti, and A. Ricci. 2013. Edible insect in a food safety and nutritional perspective: A critical review. Compr. Rev. Food Sci. Food Saf. 12:296–313.
- Benhabiles, M.S., R. Salah., H. Lounici., N. Drouiche., M.F.A. Goosen, and N. Mameri. 2012. Antibacterial activity of chitin, chitosan and its oligomers prepared from shrimp shell waste. Food Hydrocoll. 29: 48–56.
- Beshara, M.M., Y.S. Rizk., A.M. El-Shhat., A.L. Awad, and A.G. Abdallah. 2017. Effect of feeding different levels of dietary fiber on productive and economical performance in local ducks: 1-during growing period and subsequent laying performance. J. Animal and Poultry Prod. Mansoura Univ. 8(11): 425 – 433.
- Beski, S.S.M., R.A. Swick and P.A. Iji. 2015. Specialized protein products in broiler chicken nutrition: A review. Anim. Nutr. 1: 47-53.
- Biasato, I., M. Renna., F. Gai., S. Dabbou., M. Meneguz., G. Perona., S. Martinez., A.C.B. Lajusticia., S. Bergagna, and L. Sardi. 2019. Partially defatted black soldier fly larva meal inclusion in piglet diets: Effects on the growth performance, nutrient digestibility, blood profile, gut morphology and histological features. J. Anim. Sci. Biotechno. 10:12.
- Boateng, L., R. Ansong, R., W.B. Owusu, and M. Steiner-Asiedu. 2016. Coconut Oil and Palm Oil's Role in Nutrition, Health and National Development: A review. Ghana Med J. 50(3):189-196.

- Bovera, F., R. Loponte, S. Marono, G. Piccolo, G. Parisi, V. Iaconisi, L. Gasco, and A. Nizza. 2016. Use of *Tenebrio molitor* larvae *meal* as protein source in broiler diet: Effect on growth performance, nutrient digestibility, and carcass and meat traits. *J. Anim. Sci.* 94:639–647.
- Bovera, F., S. Marono, C. Di Meo, G. Piccolo, F. Iannaccone, and A. Nizza. 2010. Effect of mannanoligosaccharides supplementation on caecal microbial activity of rabbits. *Animal* 4:1522–1527.
- Bregendahl, K., J.L. Sell, and D.R. Zimmerman. 2002. Effect of low-protein diets on growth performance and body composition of broiler chicks. *Poult. Sci.* 81: 1156–1167.
- Brink, M., G.P.J. Janssens., P. Demeyer, Ö. Bağcı, and E. Delezie. 2022. Reduction of dietary crude protein and feed form: Impact on broiler litter quality, ammonia concentrations, excreta composition, performance, welfare, and meat quality. *Anim. Nutr.* 9: 291-303.
- Cappelaere, L., T. De Rauglaudre., W. Lambert., A.R.A. Avila, and M.P. Letourneau. 2021. The impact of low crude protein diet in pigs and broilers through meta-analysis approach. *Anim. Sci. Proc.* 12 (3): 261–262.
- Central Bureau for Livestock Feeding (CVB). 2018. CVB Feed Table 2018: Chemical composition and nutritional values of feedstuffs. Central Livestock Feeding. Lelystad, The Netherlands.
- Cheeke, P.R. 2005. *Applied Animal Nutrition: Feeds and Feeding*. 3rd Ed. p. 604. Pearson Prentice Hall, Upper Saddle River, USA.
- Chirkov, S.N. 2002. The antiviral activity of Chitosan (review). *Appl. Biochem. Microbiol.* 38: 1–8.
- Choct, M. 2006. Enzymes for the feed industry: Past, present and future. *Worlds Poult. Sci. J.* 62: 5–16.
- Chrystal, P.V., A.F. Moss., A. Khoddami., V.D. Naranjo., P.H. Selle, and S.Y. Liu. 2020. Effects of reduced crude protein levels, dietary electrolyte balance, and energy density on the performance of broiler chickens offered maize-based diets with evaluations of starch, protein, and amino acid metabolism. *Poult. Sci.* 99 (3), 1421–1431.
- Clevers, H. 2013. The intestinal crypt, a prototype stem cell compartment. *Cell.* 154(2): 274-284.
- Dabbou, S., F. Gai., I. Biasato., M.T. Capucchio., E. Biasibetti., D. Dezzutto., M. Meneguz., I. Plachà., L. Gasco, and A. Schiavone. 2018. Black soldier fly defatted *meal* as a dietary protein source for broiler chickens: Effects on growth performance, blood traits, gut morphology and histological features. *J. Anim. Sci. Biotechnol.* 9: 49.

- Deehan, E.C., R.M. Duar., A.M. Armet., M.E. Perez-Munoz., M. Jin, and J. Walter. 2017. Modulation of the gastrointestinal microbiome with nondigestible fermentable carbohydrates to improve human health. *Microbiol. Spectr.* 5(5).
- Diener, S., Zurbrugg, C., Gutierrez, F. R., Nguyen, D. H., Morel, A., Kootatep, T., Tockner, K. 2011. Black soldier fly larvae for organik waste treatment-prospect and constrain. In *Proceedings of the WaterSafe 2011, 2nd International Conference on Solid Waste Management in Developing Countries*. 13–15 February 2011. Khulna, Bangladesh. pp. 978–984.
- Direktorat Jendral Peternakan dan Kesehatan Hewan. 2019. *Statistik Peternakan dan Kesehatan Hewan*. Kementerian Pertanian Republik Indonesia. Jakarta.
- Djissou A.S.M., I. Odjo., T. Godome., S. Koshio, and E.D. Fiogbe. 2018. Amino acids composition of maggot, earthworm, termite and chicken viscera meals used as proteins sources in fish feeding. *International Journal of Aquaculture*, 8(1): 114-118.
- Djunaidi, I.H. 2021. Alternatif Penyediaan Bahan Pakan Unggas (Sebuah Pemikiran Solusi). Artikel. <https://pb-ispi.org/alternatif-penyediaan-bahan-pakan-unggas-sebuah-pemikiran-solusi/>. Diakses pada 3 Agustus 2022 pukul 11.58 WIB.
- Dunlop, M.W., , A.F. Moss., P.J. Groves., S.J. Wilkinson., R.M. Stuetz, and P.H. Selle. 2016. The multidimensional causal factors of 'wet *litter*' in chicken-meat production. *Sci. Total Environ.* 562: 766–776.
- Ewald, N., A. Vidakovic., M. Langeland., A. Kiessling., S. Sampels, and C. Lalander. 2019. Fatty acid composition of black soldier fly larvae (*Hermetia illucens*) – Possibilities and limitations for modification through diet. *Waste Manag.* 102: 40-47.
- Facey, H., M. Kithama., M. Mohammadigheisar., L.A. Huber., A.K. Shoveller, and E.G. Kiarie. 2023. Complete replacement of soybean meal with black soldier fly larvae meal in feeding program for broiler chickens from placement through to 49 days of age reduced growth performance and altered organs morphology. *Poult Sci.* 102(1):102293.
- Fauzi, R.U.A., dan E.R.N. Sari. 2018. Analisis usaha budidaya maggot sebagai alternatif pakan lele. *Ind. J. Teknol. dan Manaj. Agroindustri.* 7: 39–46.
- Ferguson, N.S., R.S. Gates., J.L. Taraba., A.H. Cantor., A.J. Pescatore., M.J. Ford, and D.J. Burnham. 1998. The effect of dietary crude protein on growth, ammonia concentration, and litter composition in broilers. *Poult. Sci.* 77:1481–1487.
- Filipovic, N., Z. Stojeviae., S. Milinkoviae-Tur., B.B. Ljubiae, and M. Zdelar-Tuk. 2007. Changes in concentration and fractions of blood serum proteins of chickens during fattening. *Vet. Arhiv.* 77:319–326.

- Fry, J.P., N.A. Mailloux., D.C Love., M.C. Milli, and L. Cao. 2018. Corrigendum: Feed conversion efficiency in aquaculture: do we measure it correctly? *Environ. Res. Lett.* 13(7): 079502.
- Gariglio, M., S. Dabbou., F. Gai., A. Trocino., G. Xiccato., M. Holodova, L. Gresakova., J. Nery., S.B. Oddon, and I. Biasato. 2021. Black soldier fly larva in Muscovy duck diets: Effects on duck growth, carcass property, and meat quality. *Poult. Sci.* 100(9).
- Gariglio, M., S. Dabbou., M. Crispo., I. Biasato., F. Gai., L. Gasco., F. Piacente., P. Odetti., S. Bergagna., I. Placha., E. Valle., E. Colombino., M. Capucchio, and A. Schiavone. 2019. Effects of the dietary inclusion of partially defatted black soldier fly (*Hermetia illucens*) meal on the blood chemistry and tissue (spleen, liver, thymus, and bursa of fabricius) histology of muscovy ducks (*Cairina moschata domestica*). *Animals.* 9. 307.
- Giannenas, I., C.P. Papaneophytou., E. Tsalie., I. Pappas., E. Triantafillou., D. Tontis, and G.A. Kontopidis. 2014. Dietary supplementation of benzoic acid and essential oil compounds affects buffering capacity of the feeds, performance of turkey poult and their antioxidant status, pH in the digestive tract, intestinal microbiota and morphology. *Asian-australas. J. Anim. Sci.* 27(2): 225–236.
- Gilani, S., G.S. Howarth., S.M. Kitessa., C.D. Tran., R.E.A. Forder, and R.J. Hughes. 2016. New biomarkers for increased intestinal permeability induced by dextran sodium sulphate and fasting in chickens. *Anim. Physiol. Anim. Nutr. (Berl).* 101(5): e237-e245.
- Gutierrez, A.G.P., R.A.R. Vergara, and H.M. Velez. 2004. Compositional, microbiological and protein digestibility analysis of larva meal of *Hermetia illucens* (Diptera:Stratiomyidae) at Angelopolis-Antioquia, Colombia. *Rev. Facult. Nacl. Agron. Med.* 57:2491–2499.
- Hada, F.H., R. Malheiros., J.D.T. Silva., R.H. Marques., R. Gravena., V. Silva, and V.M.B. Moraes. 2013. Effect of protein, carbohydrate, lipid, and selenium levels on the performance, carcass yield, and blood changes in broilers. *Braz. J. Poult. Sci.* 15. 385-394.
- Han, H., Y. Zhou., Q. Liu., G. Wang., J. Feng, and M. Zhang. 2021. Effects of Ammonia on Gut Microbiota and Growth Performance of Broiler Chickens. *Animals (Basel).* 11(6): 1716.
- Hargis, S.P. 1988. Modifying egg yolk cholesterol in the domestic fowl. *World Poult. Jour. Sci.* 44: 17-19.
- Hernández, F., M.J. López., V. García., S. Martínez, and M.D. Megías, and J. Madrid. 2011. Influence of cereal type and the inclusion of sunflower meal as a source of additional dietary fibre on nutrient retention, growth performance and digestive organ size in broilers from one to twenty-one days of age. *Anim. Feed Sci. Technol.* 165(3-4): 251-257.

- Hernández, F.M. López, S. Martínez, M.D. Megías, P. Catalá, J. Madrid. 2012. Effect of low-protein diets and single sex on production performance, plasma metabolites, digestibility, and nitrogen excretion in 1- to 48-day-old broilers, *Poult. Sci.* 91(3): 683-692.
- Hetland, H. and Svihus, B., 2001. Effect of oat hulls on performance, gut weight and feed passage time in broiler chickens. *British Poultry Science.* 42: 354-361.
- Hinton, A.Jr., D.E. Corrier., G.E. Spates., J.O. Norman., R.L. Ziprin., R.C. Beier, and J.R. DeLoach. 1990. Biological control of *Salmonella typhimurium* in young chickens. *Avian Dis.* 34(3): 626-33.
- Hossain, S. and R. Blair. 2007. Chitin utilization by broilers and its effect on body composition and blood metabolites. *Br. Poult. Sci.* 48: 33-8.
- Hristov, A.N. 2011. Contribution of ammonia emitted from livestock to atmospheric fine particulate matter (PM<sub>2.5</sub>) in the United States. *J. Dairy Sci.* 94(6): 3130-3136.
- Hsu, J.C., L.I. Chen, and B. Yu. 2000. Effects of levels of crude fiber on growth performance and performance and intestinal carbohydrates of domestic goslings. *Asian-australas. J. Anim. Sci.* 13(10): 1450-1454.
- Jacobs, C., and C.M. Parsons. 2013. The effects of coarse ground corn, whole sorghum, and a prebiotic on growth performance, nutrient digestibility, and cecal microbial populations in broilers fed diets with and without corn distillers dried grains with solubles. *Poult. Sci.* 92: 2347-2357.
- Jahanian R. 2010. Threonine needs of growing broiler chickens for performance and optimum immunological functions in response to dietary crude protein concentration. 2nd International Veterinary Poultry Congress. 200.
- Jiménez-Moreno, E., A. de Coca-Sinova., J.M. González-Alvarado, and G.G. Mateos. 2016. Inclusion of insoluble fiber sources in mash or pellet diets for young broilers. 1. Effects on growth performance and water intake. *Poult. Sci.* 95(1): 41-52.
- Jones, T.A., and M.S. Dawkins. 2010. Environment and management factors affecting Pekin duck production and welfare on commercial farms in the UK. *Br. Poult. Sci.* 51(1): 12–21.
- Kamel, N.F., M. Ragaa., R.A. El-Banna, and F.F. Mohamed. 2015. Effects of a monocomponent protease on performance parameters and protein digestibility in broiler chickens. *Agric. Agric. Sci. Procedia.* 6: 216–225.
- Kamphues J., I. Youssef., A. Abd El-Wahab., B. Üffing., M. Witte, and M. Tost. 2011. Influences of feeding and housing on foot pad health in hens and turkeys (in German). *Übers. Tierernähr.* 39: 147–193.



- Kamran, Z., M. Sarwar., M.U. Nisa., M.A. Nadeem, and S. Mahmood. 2010. Effect of low levels of dietary crude protein with constant metabolizable energy on nitrogen excretion, litter composition and blood parameters of broilers. *Int. J. Agric. Biol.* 12: 401–405.
- Khajali, F. and H.N. Moghaddam. 2006. Methionine of low protein broiler diets: Influence upon growth performance and efficiency of protein utilization. *Int. J. Poult. Sci.* 5: 569–573.
- Khambualai, O., K. Yamauchi., S. Tangtaweewipat, and B. Cheva-Isarakul. 2009. Growth performance and intestinal histology in broiler chickens fed with dietary chitosan. *Br. Poult. Sci.* 50(5): 592–597.
- Khan, S.H. 2018. Recent advances in role of insects as alternative protein source in poultry nutrition. *Journal of Applied Animal Research.* 46(1): 1144-1157.
- Kim, J-H. 2014. Energy metabolism and protein utilization in chicken-A Review. *Korean J. Poult. Sci.* 41(4): 313-322.
- Kleyn, R. and P. Chrystal. 2020. *Broiler Nutrition*. Masterclass. Context Products Ltd. England.
- Koerkamp, P.W.G.G. 1994. Review on emissions from housing systems for laying hens in relation to sources, processes, building design, and manure handling. *J. agric. Eng. Res.* 59:73–78.
- Koerkamp, P.W.G.G. 1994. Review on emissions from housing systems for laying hens in relation to sources, processes, building design, and manure handling. *J. agric. Eng.Res.* 59:73–87.
- Krás R.V., de M. Kessler A., Ribeiro A.M.L., Henn J.D., Bockor L., Sbrissia A.F. 2013. Effect of dietary fiber, genetic strain and age on the digestive metabolism of broiler chickens. *Braz. J. Poult. Sci.* 15:83–90.
- Law, F.L., I. Zulkifli., A.F. Soleimani., J.B. Liang, and E.A. Awad. 2018. The effects of low-protein diets and protease supplementation on broiler chickens in a hot and humid tropical environment. *Asian-Australas J Anim Sci.* 31(8):1291-1300.
- Law, F.L., I. Zulkifli., A.F. Soleimani., L.J. Boo, and E.A. Awad. 2019. Effects of protease supplementation of low protein and/or energy diets on growth performance and blood parameters in broiler chickens under heat stress condition. *Ital. J. Anim. Sci.* 18(1): 679-689.
- Lee, C.G., C.A. Da Silva., J.Y. Lee., D. Hartl, and J.A. Elias. 2008. Chitin regulation of immune responses: An old molecule with new roles. *Curr. Opin. Immunol.* 20: 684–689.
- Leeson, S. and J.D. Summers. 2005. *Commercial Poultry Nutrition*. Third Edition. Nottingham University Press. Nottingham.

- Leinonen, I. and I. Kyriazakis. 2016. How can we improve the environmental sustainability of poultry production? *Proc. Nutr. Soc.* 75(3): 265-273.
- Lemme, A., P. Hiller., M. Klahsen., V. Taube., J. Stegemann, and I. Simon. 2019. Reduction of dietary protein in broiler diets not only reduces N-emissions but is also accompanied by several further benefits. *J. Appl. Poult. Res.* 28(4): 867–880.
- Liaqat, F. and R. Eltem. 2018. Chitooligosaccharides and their biological activities: A comprehensive review. *Carbohydr. Polym.* 184: 243–259.
- Lien, R.J., J.P. Hess., D.E. Conner., C.W. Wood, and R.A. Shelby. 1998. Peanut hulls as a *litter* source for broiler breeder replacement pullets. *Poult. Sci.* 77: 41–46.
- Liu, L., Q. Li., Y. Yang, and A. Guo. 2021. Biological function of short-chain fatty acids and its regulation on intestinal health of poultry. *Front. Vet. Sci.* 18(8): 736-739.
- Liu, N., J.Q. Wang., K.T. Gua., Q.Q. Denga, and J.P. Wang. 2017. Effects of dietary protein levels and multienzyme supplementation on growth performance and markers of gut health of broilers fed a miscellaneous *meal* based diet. *Anim. Feed Sci. Technol.* 234. 110–117.
- Longvah, T., K. Mangthya, and P. Ramulu. 2011. Nutrien composition and protein quality evaluation of eri silkworm (*Samia ricinii*) prepupae and pupae. *Food Chem.* 128: 400–403.
- Lu, S., N. Taethaisong., W. Meethip., J. Surakhunthod., B. Sinpru., T. Sroichak., P. Archa., S. Thongpea., S. Paengkoum., R.A.P. Purba, and P. Paengkoum. 2022. Nutritional composition of black soldier fly larvae (*Hermetia illucens* L.) and its potential uses as alternative protein sources in animal diets: A Review. *Insects.* 13(9): 831.
- Mahmud, A.T.B.A., Santi., D.P. Rahardja., R.R.S.R.A. Bugiwati, dan D.K. Sari. 2020. The nutritional value of black soldier flies (*Hermetia illucen*) as poultry feed. *IOP Conf. Ser. Earth Environ. Sci.* 492. 012129.
- Manurung, R., A. Supriatna., R.E. Esyanti, and R.E. Putra. 2016. Bioconversion of rice straw by black soldier fly larvae (*Hermetia illucens*): Optimal feed rate for biomass production. *J. Entomol. Zool. Stud.* 4(4): 1036-1041.
- Marono, S., R. Loponte., P. Lombardi., G. Vassalotti., M.E. Pero., F. Russo., L. Gasco., G. Parisi., G. Piccolo., S. Nizza., C. Di Meo., Y.A. Attia, and F. Bovera. 2017. Productive performance and blood profiles of laying hens fed *Hermetia illucens* larvae meal as total replacement of soybean meal from 24 to 45 weeks of age. *Poult Sci.* 96(6):1783-1790.
- Mateos, G.G., E. Jimenez-Moreno, M.P. Serrano, and R.P. Lazaro. 2012. Poultry response to high levels of dietary fiber sources varying in physical and chemical characteristics. *J. Appl. Poult. Res.* 21(1):156-174.



- Maurer, V., M. Holinger., Z. Amsler., B. Fruh., J. Wohlfahrt., A. Stamer, and F. Leiber. 2016. Replacement of soybean cake by *Hermetia illucens* meal in diets for layers. *J. Insect Food Feed.* 2:83-90.
- Maynard, C., W.A. Ghane., P.V. Chrystal., P.H. Selle, and S.Y. Liu. 2021. Sustaining live performance in broilers offered reduced crude protein diets based on corn and wheat blend. *Anim. Feed Sci. Tech.* 276: 114928.
- Mignon-Grasteau, S., N. Muley., D. Bastianelli., J. Gomez., A. Peron., N. Sellier., N. Millet., J. Besnard., J.M. Hallouis, and B. Carré. 2004. Heritability of digestibilities and divergent selection for digestion ability in growing chicks fed a wheat diet. *Poult. Sci.* 83:860-867.
- Mohammed, H.H., A.I. Abdelaty., A. Saleem., M.I. Youssef, and S. Abdel-Hamid. 2019. Effect of bedding materials on duck's welfare and growth performance. *Slov. Vet. Res.* 56 (Suppl 22): 149–156.
- Mottet, A. and G. Tempio. 2017. Global poultry production: current state and future outlook and challenges. *Worlds Poult. Sci. J.* 73(2): 245-256.
- Murawska, D., T. Daszkiewicz., W. Sobotka., M. Gesek., D. Witkowska., P. Matusevicius, and T. Bakula. 2021. Partial and total replacement of soybean meal with full-fat black soldier fly (*Hermetia illucens* L.) larvae meal in broiler chicken diets: impact on growth performance, carcass quality and meat quality. *Animals.* 11. 2715.
- Nabizadeh, A., A. Golian., A. Hassanabadi, and S. Zerehdaran. 2017. Effects of nutrient density and exogenous enzymes in starter diet on performance, intestinal microflora, gut morphology and immune response of broiler chickens. *Rev. Bras. Cienc. Avic.* 19(3): 509–518.
- Namroud, N.F., M. Shivazad, and M. Zaghari. 2008. Effects of fortifying low crude protein diet with crystalline amino acids on performance, blood ammonia level, and excreta characteristics of broiler chicks. *Poult Sci.* 87(11): 2250-2258.
- Ndazigaruye, G., D.H. Kim., C.W. Kang., K.R. Kang., Y.J. Joo., S.R. Lee, and K.W. Lee. 2019. Effects of low-protein diets and exogenous protease on growth performance, carcass traits, intestinal morphology, cecal volatile fatty acids and serum parameters in broilers. *Animals (Basel).* 9(5):226.
- Nguyen, D.T.N. 2021. Relationship between the ratio of villous height: crypt depth and gut bacteria counts as well production parameters in broiler chickens. *J. Agric. Environ. Int. Dev.* 20(03): 1–10.
- Nikraves-Masouleh, T., A. Seidavi., M. Solka, and M. Dadashbeiki. 2021. Using different levels of energy and protein and their effects on bodyweight and blood chemistry of ostriches. *Vet. Res. Commun.* 45(2-3):129-139.
- Noblet, J., S.B. Wu, and M. Choct. 2022. Methodologies for energy evaluation of pig and poultry feeds: A review. *Anim. Nutr.* 8(1): 185–203.

- Nursiam, I., M. Ridla., W. Hermana, and Nahrowi. 2021. Effect of fiber source on growth performance and gastrointestinal tract in broiler chickens. In: IOP Conf. Ser. Earth Environ. Sci. 788:012058.
- Ospina-Rojas, I.C., A.E. Murakami., C.R.A. Duarte., C. Eyng., C.A.L. Oliveira, and V. Janeiro. 2014. Isoleucine, arginine and glycine supplementation of low-protein diets for broiler chickens during the starter and grower phases. Br. Poult. Sci. 55: 766–773.
- Piotrowska, A., K. Burlikowska, and R. Szymeczko. 2011. Changes in blood chemistry in broiler chickens during the fattening period. Folia Biol. (Krakow). 59(3-4): 183-187.
- Pogosyan, D.G., R.N. Tyurdenev., E.N. Varlamova, and E.A. Zueva. 2022. Meat performance and metabolism of broiler ducklings on diets with different protein levels. IOP Conf. Ser. Earth Environ. Sci. 953: 012027.
- Pond, W.P., D.C. Church, and K.R. Pond, 1995. Basic Animal Nutrition and Feeding. John Wiley and Sons. New York.
- Rabbani, Md. A.G., S. Chandra Das., Md.A. Ali., Md.R. Hassan, and Md.Y. Ali. 2019. Growth performance of pekin ducks under full confinement system fed diets with various nutrient concentrations. Asian J. Biol. Sci. 12(4): 717-723.
- Rachmawati., D. Buchori., P. Hidayat., S. Hem, dan M.R. Fahmi. 2010. Perkembangan dan kandungan nutrisi larva *Hermetia illucens* (Linnaeus) (Diptera: Stratiomyidae) pada bungkil kelapa sawit. J. Entomol. Indones. 7:28-41.
- Rahman, M.H., L.G. Hjeljord., B.B. Aam., M. Sørli, and A. Tronsmo. 2015. Antifungal effect of chito-oligosaccharides with different degrees of polymerization. Eur. J. Plant Pathol. 141: 147–158.
- Ravindran, V., M. Abdollahi, and S.M. Bootwalla. 2014. Nutrient analysis, apparent metabolisable energy and ileal amino acid digestibility of full fat soybean for broilers. Animal Feed Science and Technology. 197: 233-240.
- Ravindran. V. and M.R. Abdollahi. 2021. Nutrition and Digestive Physiology of the Broiler Chick: State of the Art and Outlook. Animals (Basel). 11(10): 2795.
- Roberts, S.A., H. Xin., B.J. Kerr., J.R. Russell, and K. Bregendahl. 2007. Effects of dietary fiber and reduced crude protein on ammonia emission from laying-hen manure. Poult. Sci. 86:1625–1632.
- Rosebrough, R.W. and N.C. Steele. 1985. Energy and protein relationships in the broiler. 1. Effect of protein levels and feeding regimens on growth, body composition, and in vitro lipogenesis of broiler chickens. Poult. Sci. 64(1): 119–126.
- Rostagno, H.S., L.F.T. Albino., M.I. Hannas., J.L. Donzele., N.K. Sakomura., F.G. Perazzo., A. Saraiva., M.L.T. de Abreu., P.B. Rodrigues., R.F. de Oliveira.,

- S.L.T. Barreto, and C.O. Brito. 2017. Brazilian Tables for Poultry and Swine: Composition of Feedstuffs and Nutritional Requirements. 4th ed. 488p. Federal Univ. Viçosa MG, Brazil.
- Sanchez J., S. Barbut., R. Patterson, and E.G. Kiarie. 2021. Impact of fiber on growth, plasma, gastroi;ntestinal and excreta attributes in broiler chickens and turkey poult fed corn- or wheat- based diets with or without multi-enzyme supplement. Poult. Sci.100(8).
- Sanchez-Muros, M.J., F.G. Barroso, and F. Manzano-Agugliaro. 2014. Insect *meal* as renewable source of food for animal feeding: A review. J. Clean. Prod. 65:16–27.
- Santonja, G. G., K. Georgitzikis., B. M. Scalet., P. Montobbio., S. Roudier, and L.D. Sancho. 2017. Best available techniques (BAT) Reference document for the intensive rearing of poultry or pigs. EUR 28674 EN.
- Sarwar, G.G., C. Wu Xiao, and K. A. Cockell. 2012. Impact of antinutritional factors in food proteins on the digestibility of protein and the bioavailability of amino acids and on protein quality. Br. J. Nutr. 108:315-332.
- Schiavone, A., M. De Marco., S. Martínez., S. Dabbou., M. Renna., J. Madrid., F. Hernandez., L. Rotolo., P. Costa., F. Gai, and L. Gasco. 2017. Nutritional value of a partially defatted and a highly defatted black soldier fly larvae (*Hermetia illucens* L.) *meal* for broiler chickens: apparent nutrien digestibility, apparent metabolizable energy and apparent ileal amino acid digestibility. J Anim. Sci. Biotechnol. 8:51.
- Shao, D., S. Yiru., Z. Xu., W. Qiang., H. Yan., S. Shourong, and T. Haibing. 2018. Low-protein diets with balanced amino acids reduce nitrogen excretion and foot pad dermatitis without affecting the growth performance and meat quality of free-range yellow broilers. Ital. J. Anim. Sci.17(3):698-705.
- Sigolo, S., Z. Zohrabi., A. Gallo., A. Seidavi, and A. Prandini. 2017. Effect of a low crude protein diet supplemented with different levels of threonine on growth performance, carcass traits, blood parameters, and immune responses of growing broilers. Poult. Sci. 96(8).
- Simon, Á., G. Gulyás., Z. Mészár., M. Bhide., J. Oláh., P. Bai., E. Csősz., A. Jávör., I. Komlósi., J. Remenyik, and L. Czeglédi. 2019. Proteomics alterations in chicken jejunum caused by 24 h fasting. PeerJ. 7.
- Singh, Y., A.M. Amerah, and V. Ravindran. 2014. Whole grain feeding: Methodologies and effects on performance, digestive tract development and nutrien utilisation of poultry. Anim. Feed Sci. Technol. 190:1-18.
- Smith, E.A., and G.T. Macfarlane. 1997. Dissimilatory amino Acid metabolism in human colonic bacteria. Anaerobe. 3(5): 327–337.

- Sotak-Peper, K.M., J.C. González-Vega, and H.H. Stein. 2017. Amino acid digestibility in soybean meal sourced from different regions of the United States and fed to pigs. *J. Anim. Sci.* 95(2):771-778.
- Steel, R. G. D dan J. H. Torrie. 1991. *Prinsip dan Prosedur Statistika*. Gramedia Pustaka Utama. Jakarta.
- St-Hilaire, S., K. Cranfill., M.A. McGuire., E.E. Mosley., J.K. Tomberlin., L. Newton., W. Sealey., C. Sheppard, and S. Irving. 2007. Fish offal recycling by the blacksoldier fly produces a foodstuff high in omega-3 fatty acids. *J. World Aquacult. Soc.* 38:309–313.
- Such, N., L. Pál., P. Strifler., B. Horváth., I.A. Koltay., M.A. Rawash., V. Farkas., Á. Mezölaki., L. Wágner, and K. Dublec. 2021. Effect of feeding low protein diets on the production traits and the nitrogen composition of excreta of broiler chickens. *Agriculture* 11(8): 781.
- Sunarno., Solikhin, dan K. Budiraharjo. 2021. Histomorphometry of the duodenum of ducks (*Anas platyrhynchos*) after administration of nanochitosan in feed. *Biosaintifika*. 13(3): 267-274.
- Supriyatna, A., R. Manurung., R.R. Esyanti, dan R.E. Putra. 2016. Growth of black soldier larvae fed on cassava peel wastes, an agriculture waste. *J. Entomol. Zool. Stud.* 4(6): 161-165.
- Svihus, B., H. Hetland., M. Choct, and F. Sundby. 2010. Passage rate through the anterior digestive tract of broiler chickens fed on diets with ground and whole wheat. *Br. Poult. Sci.* 43: 662-668.
- Swennen, Q., G.P.J. Janssens., A. Collin., E.L. Bihan-Duval., K. Verbeke., E. Decuypere, and J. Buyse. 2006. Diet-induced thermogenesis and glucose oxidation in broiler chickens: Influence of genotype and diet composition. *Poult. Sci.* 85(4): 731–742.
- Swiatkiewicz, S., M. Swiatkiewicz., A. Arczewska-Wlosek, and D. Jozefiak. 2015. Chitosan and its oligosaccharide derivatives (chito-oligosaccharides) as feed supplements in poultry and swine nutrition. *J. Anim. Physiol. Anim. Nutr.* 99(1): 1–12.
- Tabata, E., A. Kashimura., S. Wakita., M. Ohno., M. Sakaguchi., Y. Sugahara., Y. Kino., V. Matoska., P.O. Bauer, and F. Oyama. 2017. Gastric and intestinal proteases resistance of chicken acidic chitinase nominates chitin-containing organisms for alternative whole edible diets for poultry. *Sci. Rep.* 7(1):6662.
- Tansil, F., L.A. Huber., E. Kiarie., D.A. Columbus., A.K. Shoveller. 2023. Standardized ileal digestibility of partially defatted black soldier fly larvae meal in growing pig diets. *J. Anim. Sci.* 99(S3): 120-121.
- Tasirnafas, M.E., A.R. Seidavi, and B. Rasouli. 2014. Effects of different levels of dietary vegetable wastages and energy on ostrich chickens glucose and uric acid. *Int. J. Biol. Pharm. Allied. Sci.* 3:1926–1933.

- Tomberlin, J.K. and D.C. Sheppard. 2002. Factors influencing mating and oviposition of Black Soldier Flies (Diptera: Stratiomyidae) in a colony. *J Entomology Sci.* 37:345-352.
- Tomberlin, J.K., D.C. Sheppard, and J.A. Joyce. 2002. Selected lifehistory traits of Black Soldier Flies (Diptera: Stratiomyidae) reared on three artificial diets. *Ann Entomol Soc Am.* 95:379-386.
- Truong, H.H., A.F. Moss., S.Y. Liu, and P.H. Selle. 2017. Pre- and post-pellet whole grain inclusions enhance feed conversion efficiency, energy utilisation and gut integrity in broiler chickens offered wheat-based diets. *Anim. Feed Sci. Technol.* 224:115-123.
- Tufan, T. and C. Arslan. 2020 Dietary supplementation with chitosan oligosaccharide affects serum lipids and nutrient digestibility in broilers. *S. Afr. j. anim. sci.* 50(5): 663-671.
- van Emous, R. A., C.E. de la Cruz, and V.D. Naranjo. 2018. Effects of dietary protein level and age at photo stimulation on reproduction traits of broiler breeders and progeny performance. *Poult. Sci.* 97:1968–1979.
- Van Harn, J., M.A. Dijkslag, and M. Van Krimpen. 2019. Effect of low dietary protein levels on performance, *litter* quality and footpad lesions in broilers. *Poult. Sci.* 98(10): 4868–4877.
- Veldkamp, T. and G. Bosch. 2015. Insects: A protein-rich feed ingredient in pig and poultry diets. *Anim Front.* 5:45- 50.
- Vital, M., A.C. Howe, and J.M. Tiedje. 2014. Revealing the bacterial butyrate synthesis pathways by analyzing (meta)genomic data. *mBio.* 5(2):e00889.
- Waldroup, P.W., Q. Jiang, and C. Fritts. 2005. Effects of supplementing broiler diets low in crude protein with essential and nonessential amino acids. *Int. J. Poult. Sci.* 4(6): 425-431.
- Wang, D., S. Li., K.Y. Zhang., Y. Zhang., S.P. Bai., X.M. Ding., J.P. Wang., H.W. Peng., G. Tian., Y. Xuan., Z.W. Su, and Q.F. Zeng. 2020a. Protease supplementation attenuates the intestinal health damage caused by low-protein diets in Pekin ducks. *Poult. Sci.* 99(12): 6630-6642.
- Wang, Q.D., K.Y. Zhang., Y. Zhang., S.P. Bai., X.M. Ding., J.P. Wang., H.W. Peng., G. Tian., Y. Xuan., Z.W. Su, and Q.F. Zeng. 2020b. Effects of dietary protein levels and protease supplementation on growth performance, carcass traits, meat quality, and standardized ileal digestibility of amino acid in Pekin ducks fed a complex diet. *Poult. Sci.* 99(7): 3557-3566.
- Windey, K., V. De Preter., T. Louat., F. Schuit., J. Herman., G. Vansant, K. Verbeke. 2012. Modulation of protein fermentation does not affect fecal water toxicity: a randomized cross-over study in healthy subjects. *PloS one.* 7(12): e52387.

- Xia, J., C. Ge, and Yao H. 2021. Antimicrobial Peptides from black soldier fly (*Hermetia illucens*) as potential antimicrobial factors representing an alternative to antibiotics in livestock farming. *Animals (Basel)*. 11(7):1937.
- Xie, M., Y. Jiang., J. Tang., Z.G. Wen., Q. Zhang., W. Huang, and S.S. Hou. 2017. Effects of low-protein diets on growth performance and carcass yield of growing White Pekin ducks. *Poult. Sci.* 96(5): 1370-1375.
- Yason, C.V., B.A. Summers, and K.A. Schat. 1987. Pathogenesis of rotavirus infection in various age groups of chickens and turkeys: Pathology. *Am. J. Vet. Res.* 48(6): 927–938.
- Yu G., Y. Chen., Z. Yu, and P. Cheng. 2009. Research progress on the larvae and prepupae of black soldier fly *Hermetia illucens* used as animal feedstuff. *Chin. Bull. Entomol.* 46:41–45.
- Yu, D., W. Zhu, and S. Hang. 2019. Effects of low-protein diet on the intestinal morphology, digestive enzyme activity, blood urea nitrogen, and gut microbiota and metabolites in weaned pigs. *Arch Anim Nutr.* 273(4):287-305.
- Yuan, J., J. Yao., F. Yang., X. Yang., X. Wan., J. Han., Y. Wang., X. Chen., Y. Liu., Z. Zhou., N. Zhou, and X. Feng 2008. Effects of supplementing different levels of a commercial enzyme complex on performance, nutrient availability, enzyme activity and gut morphology of broilers. *Asian-australas. J. Anim. Sci.* 21: 692–700.
- Zaefarian, F., M. Abdollahi, and V. Ravindran. 2016. Particle size and feed form in broiler diets: Impact on gastrointestinal tract development and gut health. *Worlds Poult. Sci. J.* 72(2): 277-290.