

Daftar Pustaka

- Alhusseini, N., Farhan, H., Yaseen, L., Abid, S., Imad, S. S., & Ramadan, M. (2023). Premarital mental health screening among the Saudi population. *Journal of Taibah University Medical Sciences*, 18(1), 154–161. <https://doi.org/10.1016/j.jtumed.2022.06.013>
- American Educational Research Association (AERA), American Psychological Association (APA), & National Council on Measurement in Education (NCME). (2014). *Standards for educational and psychological testing*. American Educational Research Association.
- Baker, F. B., & Kim, S.-H. (2017). The Basics of Item Response Theory Using R. Dalam *Measurement: Interdisciplinary Research and Perspectives* (Vol. 16, Nomor 3). Springer. <https://doi.org/10.1080/15366367.2018.1462078>
- Benjamini, Y., & Hochberg, Y. (1995). Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. Dalam *Source: Journal of the Royal Statistical Society. Series B (Methodological)* (Vol. 57, Nomor 1).
- Bentler, P. M., & Bonett, D. G. (1980). Significance tests and goodness of fit in the analysis of covariance structures. *Psychological Bulletin*, 88(3), 588–606. <https://doi.org/10.1037/0033-2909.88.3.588>
- Beswick, E., Quigley, S., Macdonald, P., Patrick, S., Colville, S., Chandran, S., & Connick, P. (2022). The Patient Health Questionnaire (PHQ-9) as a tool to screen for depression in people with multiple sclerosis: a cross-sectional validation study. *BMC Psychology*, 10(1). <https://doi.org/10.1186/s40359-022-00949-8>
- Bi, Y., Wang, L., Cao, C., Fang, R., Li, G., Liu, P., Luo, S., Yang, H., & Hall, B. J. (2021). The factor structure of major depressive symptoms in a sample of Chinese earthquake survivors. *BMC Psychiatry*, 21(1). <https://doi.org/10.1186/s12888-020-02993-3>
- Blake, C. (2022). Depression Screening Implementation: Quality Improvement Project in a Primary Care Clinic for First Responders. *Workplace Health and Safety*, 70(12), 543–550. <https://doi.org/10.1177/21650799221119147>
- Bock, R. D. (1972). Estimating item parameters and latent ability when responses are scored in two or more nominal categories. *Psychometrika*, 37(1), 29–51. <https://doi.org/10.1007/BF02291411>
- Bock, R. D. (1997). The Nominal Categories Model. Dalam W. J. van der Linden & R. K. Hambleton (Ed.), *Handbook of Modern Item Response Theory* (hlm. 33–49). Springer New York. https://doi.org/10.1007/978-1-4757-2691-6_2
- Browne, M. W., & Cudeck, R. (1992). Alternative Ways of Assessing Model Fit. *Sociological Methods & Research*, 21(2), 230–258. <https://EconPapers.repec.org/RePEc:sae:somere:v:21:y:1992:i:2:p:230-258>
- Cai, L., & Monroe, S. L. (2014). A New Statistic for Evaluating Item Response Theory Models for Ordinal Data. CRESST Report 839. *National Center for Research on Evaluation, Standards, and Student Testing*.
- Cassiani-Miranda, C. A., & Scoppetta, O. (2018). Factorial structure of the Patient Health Questionnaire-9 as a depression screening instrument for university students in Cartagena, Colombia. *Psychiatry Research*, 269, 425–429. <https://doi.org/10.1016/j.psychres.2018.08.071>
- Chalmers, R. P. (2012). mirt: A Multidimensional Item Response Theory Package for the R Environment. *Journal of Statistical Software*, 48(6), 1–29. <https://doi.org/10.18637/jss.v048.i06>
- Chen, X., Mo, Q., Yu, B., Bai, X., Jia, C., Zhou, L., & Ma, Z. (2022). Hierarchical and nested associations of suicide with marriage, social support, quality of life, and depression among the elderly in rural China: Machine learning of psychological autopsy data. *Frontiers in Psychiatry*, 13. <https://doi.org/10.3389/fpsy.2022.1000026>



- Chiang, Y.-H., Ma, Y.-C., Lin, Y.-C., Jiang, J.-L., Wu, M.-H., & Chiang, K.-C. (2022). The Relationship between Depressive Symptoms, Rumination, and Suicide Ideation in Patients with Depression. *International Journal of Environmental Research and Public Health*, 19(21). <https://doi.org/10.3390/ijerph192114492>
- Chilcot, J., Rayner, L., Lee, W., Price, A., Goodwin, L., Monroe, B., Sykes, N., Hansford, P., & Hotopf, M. (2013). The factor structure of the PHQ-9 in palliative care. *Journal of Psychosomatic Research*, 75(1), 60–64. <https://doi.org/10.1016/j.jpsychores.2012.12.012>
- Christensen, K. B., Makransky, G., & Horton, M. (2017). Critical Values for Yen's Q3: Identification of Local Dependence in the Rasch Model Using Residual Correlations. *Applied Psychological Measurement*, 41(3), 178–194. <https://doi.org/10.1177/0146621616677520>
- Chung, T. H., Hanley, K., Le, Y. C., Merchant, A., Nascimento, F., De Figueiredo, J. M., Wilcox, H. C., Coryell, W. H., Soares, J. C., & Selvaraj, S. (2023). A validation study of PHQ-9 suicide item with the Columbia Suicide Severity Rating Scale in outpatients with mood disorders at National Network of Depression Centers. *Journal of Affective Disorders*, 320, 590–594. <https://doi.org/10.1016/j.jad.2022.09.131>
- de Ayala, R. J. (2022). *The Theory and Practice of Item Response Theory* (Second edition). The Guilford Press.
- DeMars, C. E., & Dary Erwin, T. (2004). SCORING NEUTRAL OR UNSURE ON AN IDENTITY DEVELOPMENT INSTRUMENT FOR HIGHER EDUCATION. Dalam *Research in Higher Education* (Vol. 45, Nomor 1).
- Elhai, J. D., Contractor, A. A., Tamburrino, M., Fine, T. H., Prescott, M. R., Shirley, E., Chan, P. K., Slembariski, R., Liberzon, I., Galea, S., & Calabrese, J. R. (2012). The factor structure of major depression symptoms: A test of four competing models using the Patient Health Questionnaire-9. *Psychiatry Research*, 199(3), 169–173. <https://doi.org/10.1016/j.psychres.2012.05.018>
- Erol, E., Koyuncu, Z., & Batgı, D. (2022). Quality of Life, Depressive Symptoms, and Personality Traits in Syrian Refugee Adolescents. *Child Indicators Research*. <https://doi.org/10.1007/s12187-022-09983-9>
- Familiar, I., Ortiz-Panozo, E., Hall, B., Vieitez, I., Romieu, I., Lopez-Ridaura, R., & Lajous, M. (2015). Factor structure of the Spanish version of the patient health questionnaire-9 in Mexican women. *International Journal of Methods in Psychiatric Research*, 24(1), 74–82. <https://doi.org/10.1002/mpr.1461>
- Fujimoto, K. A., Gordon, R. A., Peng, F., & Hofer, K. G. (2018). Examining the Category Functioning of the ECERS-R Across Eight Data Sets. *AERA Open*, 4(1). <https://doi.org/10.1177/2332858418758299>
- Furr, R. M. (2022). *Psychometrics An Introduction* (Fourth Edition). Sage Publications Ltd.
- Hall, B. J., Patel, A., Lao, L., Liem, A., Mayawati, E. H., & Tjipto, S. (2021). Structural validation of The Patient Health Questionnaire-9 (PHQ-9) among Filipina and Indonesian female migrant domestic workers in Macao: STRUCTURAL VALIDATION OF PHQ-9. *Psychiatry Research*, 295. <https://doi.org/10.1016/j.psychres.2020.113575>
- Harada, K., Sugisawa, H., Sugihara, Y., Yanagisawa, S., & Shimmei, M. (2022). Big Five Personality Traits, Social Networks, and Depression Among Older Adults in Japan: A Multiple Mediation Analysis. *International Journal of Aging and Human Development*. <https://doi.org/10.1177/00914150221109893>
- Hawton, K., Casañas i Comabella, C., Haw, C., & Saunders, K. (2013). Risk factors for suicide in individuals with depression: A systematic review. *Journal of Affective Disorders*, 147(1), 17–28. <https://doi.org/10.1016/j.jad.2013.01.004>
- Heslin, M., Jin, H., Trevillion, K., Ling, X., Nath, S., Barrett, B., Demilew, J., Ryan, E. G., O'Connor, S., Sands, P., Milgrom, J., Bick, D., Stanley, N., Hunter, M. S., Howard, L. M., & Byford, S. (2022). Cost-effectiveness of screening tools for identifying depression in early



Hidayat, R., & Primasari, I. (2011). Metodologi Penelitian Psikodiagnostika. *Buletin Psikologi*, 19(2), 81–92.

Hu, L. T., & Bentler, P. M. (1999). Cutoff criteria for fit indexes in covariance structure analysis: Conventional criteria versus new alternatives. *Structural Equation Modeling*, 6(1), 1–55.

<https://doi.org/10.1080/10705519909540118>

Ikatan Psikolog Klinis Indonesia (IPK). (2022). *Pusat Data Strategis dan Statistik Ikatan Psikolog Klinis (IPK) Indonesia*. <https://data.ipkindonesia.or.id/>

Kaggwa, M. M., Najjuka, S. M., Ashaba, S., & Mamun, M. A. (2022). Psychometrics of the Patient Health Questionnaire (PHQ-9) in Uganda: A Systematic Review. Dalam *Frontiers in Psychiatry* (Vol. 13). Frontiers Media S.A. <https://doi.org/10.3389/fpsy.2022.781095>

Kemkes RI. (2022). *Sistem Kesehatan Jiwa di Indonesia*.

Kim, H.-Y. (2013). Statistical notes for clinical researchers: assessing normal distribution (2) using skewness and kurtosis. *Restorative Dentistry & Endodontics*, 38(1), 52.

<https://doi.org/10.5395/rde.2013.38.1.52>

Krause, J. S., Bombardier, C., & Carter, R. E. (2008). Assessment of Depressive Symptoms During Inpatient Rehabilitation for Spinal Cord Injury: Is There an Underlying Somatic Factor When Using the PHQ? *Rehabilitation Psychology*, 53(4), 513–520.

<https://doi.org/10.1037/a0013354>

Krause, J. S., Reed, K. S., & McArdle, J. J. (2010). Factor structure and predictive validity of somatic and nonsomatic symptoms from the patient health questionnaire-9: A longitudinal study after spinal cord injury. *Archives of Physical Medicine and Rehabilitation*, 91(8), 1218–1224. <https://doi.org/10.1016/j.apmr.2010.04.015>

Kroenke, K., Spitzer, R. L., & Williams, J. B. W. (2001). The PHQ-9. *Journal of General Internal Medicine*, 16(9), 606–613. <https://doi.org/10.1046/j.1525-1497.2001.016009606.x>

Le Hoang Ngoc, T., Le, M. A. T., Nguyen, H. T., Vo, H. V., Le, N. Q., Tang, L. N. P., Tran, T. T., & Le, T. Van. (2021). Patient Health Questionnaire (PHQ-9): A depression screening tool for people with epilepsy in Vietnam. *Epilepsy and Behavior*, 125.

<https://doi.org/10.1016/j.yebeh.2021.108446>

Leung, J., Gouda, H., Chung, J. Y. C., & Irmansyah, I. (2021). Comorbidity between depressive symptoms and chronic conditions - findings from the Indonesia Family Life Survey. *Journal of affective disorders*, 280(Pt A), 236–240. <https://doi.org/10.1016/j.jad.2020.11.007>

López-Guerra, V. M., López-Núñez, C., Vaca-Gallegos, S. L., & Torres-Carrión, P. V. (2022). Psychometric Properties and Factor Structure of the Patient Health Questionnaire-9 as a Screening Tool for Depression Among Ecuadorian College Students. *Frontiers in Psychology*, 13. <https://doi.org/10.3389/fpsyg.2022.813894>

Marvianto, R. D., & Widhiarso, W. (2018). Adaptasi dan Evaluasi Properti Psikometris Skala Academic Motivation Scale (AMS) versi Bahasa Indonesia. *Gadjah mada Journal of Psychology*, 4(1), 87–95.

Matlock Cole, K. L., Turner, R. C., & Gitchel, W. D. (2018). A Study of Reverse-Worded Matched Item Pairs Using the Generalized Partial Credit and Nominal Response Models. *Educational and Psychological Measurement*, 78(1), 103–127.

<https://doi.org/10.1177/0013164416670211>

Moulton, S. E., Young, E. L., & Sudweeks, R. R. (2019). Examining the Psychometric Properties of the SRSS-IE With the Nominal Response Model Within a Middle School Sample.

Assessment for Effective Intervention, 44(4), 227–240.

<https://doi.org/10.1177/1534508418777866>



- Mufson, L., Morrison, C., Shea, E., Kluisza, L., Robbins, R., Chen, Y., & Mellins, C. A. (2022). Screening for depression with the PHQ-9 in young adults affected by HIV. *Journal of Affective Disorders*, 297, 276–282. <https://doi.org/10.1016/j.jad.2021.10.037>
- Murray, A. L., Booth, T., & Molenaar, D. (2016). When Middle Really Means “top” or “bottom”: An Analysis of the 16PF5 Using Bock’s Nominal Response Model. *Journal of Personality Assessment*, 98(3), 319–331. <https://doi.org/10.1080/00223891.2015.1095197>
- Murray, A. L., Hemady, C. L., Do, H., Dunne, M., Foley, S., Osafo, J., Sikander, S., Madrid, B., Baban, A., Taut, D., Ward, C. L., Fernando, A., Thang, V. Van, Eisner, M., Hughes, C., Fearon, P., Valdebenito, S., Tomlinson, M., Pathmeswaran, A., & Walker, S. (2022). Measuring Antenatal Depressive Symptoms Across the World: A Validation and Cross-Country Invariance Analysis of the Patient Health Questionnaire-9 (PHQ-9) in Eight Diverse Low-Resource Settings. *Psychological Assessment*. <https://doi.org/10.1037/pas0001154>
- Muthén, L. K., & Muthén, B. O. (2011). *Mplus User’s Guide* (Sixth Edition). Muthén & Muthén.
- Nafilyan, V., Pabon, M. A., & de Coulon, A. (2021). *The Causal Impact of Depression on Cognitive Functioning: Evidence from Europe*. www.iza.org
- Nunnally, J. C., & Bernstein, I. H. (1994). *Psychometrics Theory* (third edit). McGraw-Hill. https://doi.org/10.1007/978-1-4020-9173-5_8
- Paljärvi, T., Tiihonen, J., Lähtenvuo, M., Tanskanen, A., Fazel, S., & Taipale, H. (2023). Psychotic depression and deaths due to suicide. *Journal of affective disorders*, 321, 28–32. <https://doi.org/10.1016/j.jad.2022.10.035>
- Pranckeviciene, A., Saudargiene, A., Gecaite-Stonciene, J., Liaugaudaite, V., Griskova-Bulanova, I., Simkute, D., Naginiene, R., Dainauskas, L. L., Ceidaite, G., & Burkauskas, J. (2022). Validation of the patient health questionnaire- 9 and the generalized anxiety disorder-7 in Lithuanian student sample. *PLoS ONE*, 17(1 January). <https://doi.org/10.1371/journal.pone.0263027>
- Preston, K., Reise, S., Cai, L., & Hays, R. D. (2011). Using the nominal response model to evaluate response category discrimination in the PROMIS emotional distress item pools. *Educational and Psychological Measurement*, 71(3), 523–550. <https://doi.org/10.1177/0013164410382250>
- Purborini, N., Lee, M.-B., Devi, H. M., & Chang, H.-J. (2021). Associated factors of depression among young adults in Indonesia: A population-based longitudinal study. *Journal of the Formosan Medical Association*, 120(7), 1434–1443. <https://doi.org/https://doi.org/10.1016/j.jfma.2021.01.016>
- R Core Team. (2023). *R: A Language and Environment for Statistical Computing*. <https://www.R-project.org/>
- Rahman, M. A., Dhira, T. A., Sarker, A. R., & Mehareen, J. (2022). Validity and reliability of the Patient Health Questionnaire scale (PHQ-9) among university students of Bangladesh. *PLoS ONE*, 17(6 June). <https://doi.org/10.1371/journal.pone.0269634>
- Reise, S. P., Hubbard, A. S., Wong, E. F., Schalet, B. D., Haviland, M. G., & Kimerling, R. (2021a). Response Category Functioning on the Health Care Engagement Measure Using the Nominal Response Model. *Assessment*. <https://doi.org/10.1177/10731911211052682>
- Reise, S. P., Hubbard, A. S., Wong, E. F., Schalet, B. D., Haviland, M. G., & Kimerling, R. (2021b). Response Category Functioning on the Health Care Engagement Measure Using the Nominal Response Model. *Assessment*. <https://doi.org/10.1177/10731911211052682>
- Ren, Z. (2022). *Relationship between Big Five Personality and Depression Index of High School Students*. www.wjx.com
- Reutfors, J., Andersson, T. M.-L., Tanskanen, A., DiBernardo, A., Li, G., Brandt, L., & Brenner, P. (2021). Risk Factors for Suicide and Suicide Attempts Among Patients With Treatment-Resistant Depression: Nested Case-Control Study. *Archives of Suicide Research*, 25(3), 424–438. <https://doi.org/10.1080/13811118.2019.1691692>



- Rosseel, Y. (2012). {lavaan}: An {R} Package for Structural Equation Modeling. *Journal of Statistical Software*, 48(2), 1–36. <http://www.jstatsoft.org/v48/i02/>
- Schober, P., & Schwarte, L. A. (2018). Correlation coefficients: Appropriate use and interpretation. *Anesthesia and Analgesia*, 126(5), 1763–1768. <https://doi.org/10.1213/ANE.0000000000002864>
- Smith, M. L., Sanchez, S. E., Rondon, M., Gradus, J. L., & Gelaye, B. (2022). Validation of the patient health Questionnaire-9 (PHQ-9) for detecting depression among pregnant women in Lima, Peru. *Current Psychology*, 41(6), 3797–3805. <https://doi.org/10.1007/s12144-020-00882-2>
- Tama, T. D., Astutik, E., & Reuwpassa, J. O. (2021). Predictors of depressive symptoms based on the human capital model approach: Findings from the Indonesia family life survey. *Yale Journal of Biology and Medicine*, 94(3), 395–406. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85117204066&partnerID=40&md5=6a75db4c86e5e4e468acc5ebe8903118>
- Tele, A. K., Carvajal-Velez, L., Nyongesa, V., Ahs, J. W., Mwaniga, S., Kathono, J., Yator, O., Njuguna, S., Kanyanya, I., Amin, N., Kohrt, B., Wambua, G. N., & Kumar, M. (2023). Validation of the English and Swahili Adaptation of the Patient Health Questionnaire–9 for Use Among Adolescents in Kenya. *Journal of Adolescent Health*, 72(1), S61–S70. <https://doi.org/10.1016/j.jadohealth.2022.10.003>
- Thissen, D., Cai, L., & Bock, R. D. (2010). The nominal categories item response model. Dalam *Handbook of polytomous item response theory models*. (hlm. 43–75). Routledge/Taylor & Francis Group.
- Vu, L. G., Le, L. K., Dam, A. V. T., Nguyen, S. H., Vu, T. T. M., Trinh, T. T. H., Do, A. L., Do, N. M., Le, T. H., Latkin, C., Ho, R. C. M., & Ho, C. S. H. (2022). Factor Structures of Patient Health Questionnaire-9 Instruments in Exploring Depressive Symptoms of Suburban Population. *Frontiers in Psychiatry*, 13. <https://doi.org/10.3389/fpsy.2022.838747>
- Wang, Y., Liang, L., Sun, Z., Liu, R., Wei, Y., Qi, S., Ke, Q., & Wang, F. (2023). Factor structure of the patient health questionnaire-9 and measurement invariance across gender and age among Chinese university students. *Medicine (United States)*, 102(1), E32590. <https://doi.org/10.1097/MD.00000000000032590>
- Waqas, A., Koukab, A., Meraj, H., Dua, T., Chowdhary, N., Fatima, B., & Rahman, A. (2022). Screening programs for common maternal mental health disorders among perinatal women: report of the systematic review of evidence. *BMC Psychiatry*, 22(1). <https://doi.org/10.1186/s12888-022-03694-9>
- Williams, S. Z., Lewis, C. F., Muennig, P., Martino, D., & Pahl, K. (2022). Self-reported anxiety and depression problems and suicide ideation among black and latinx adults and the moderating role of social support. *Journal of Community Health*, 47(6), 914–923. <https://doi.org/10.1007/s10900-022-01127-y>
- World Health Organization (WHO). (2022, Juni 17). *Mental health: strengthening our response*. <https://www.who.int/news-room/fact-sheets/detail/mental-health-strengthening-our-response>
- Yanagida, T. (2023). *misty: Miscellaneous Functions* “T. Yanagida.” <https://CRAN.R-project.org/package=misty>
- Yen, W. M. (1984). Effects of Local Item Dependence on the Fit and Equating Performance of the Three-Parameter Logistic Model. Dalam *APPLIED PSYCHOLOGICAL MEASUREMENT* (Vol. 8, Nomor 2).
- Yu, X., Tam, W. W. S., Wong, P. T. K., Lam, T. H., & Stewart, S. M. (2012). The Patient Health Questionnaire-9 for measuring depressive symptoms among the general population in Hong Kong. *Comprehensive Psychiatry*, 53(1), 95–102. <https://doi.org/10.1016/j.comppsy.2010.11.002>