



DAFTAR PUSTAKA

- Abebe, W., Collar, C., & Ronda, F. (2015). Impact of variety type and particle size distribution on starch enzymatic hydrolysis and functional properties of tef flours. *Carbohydrate Polymers*, 115, 260–268. <https://doi.org/10.1016/j.carbpol.2014.08.080>
- Acquah, C., Ohemeng-Boahen, G., Power, K. A., & Tosh, S. M. (2021). The Effect of Processing on Bioactive Compounds and Nutritional Qualities of Pulses in Meeting the Sustainable Development Goal 2. In *Frontiers in Sustainable Food Systems*, 5. <https://doi.org/10.3389/fsufs.2021.681662>
- Agathian, G., Semwal, A. D., & Sharma, G. K. (2015). Optimization of barrel temperature and kidney bean flour percentage based on various physical properties of extruded snacks. *Journal of Food Science and Technology*, 52(7), 4113–4123. <https://doi.org/10.1007/s13197-014-1483-7>
- Ajita, T. (2018). Extrusion Cooking Technology: An Advance Skill for Manufacturing of Extrudate Food Products. In *Extrusion of Metals, Polymers and Food Products*, Qamar, S.Z, IntechOpen, London. Pp. 197 – 205. <https://doi.org/10.5772/intechopen.73496>
- Ajita, T., & Jha, S. K. (2017). Extrusion cooking technology: Principal mechanism and effect on direct expanded snacks-An overview. *International Journal of Food Studies*, 6(1), 113–128. <https://doi.org/10.7455/ijfs/6.1.2017.a10>
- Alam, M. S., & Aslam, R. (2020). Extrusion for the Production of Functional Foods and Ingredients. In *Innovative Food Processing Technologies: A Comprehensive Review*, Knoezker, K., & Mathukumarappan, K, Academic Press, Cambridge. Pp. 22–35. <https://doi.org/10.1016/b978-0-08-100596-5.23041-2>
- Alam, M. S., Pathania, S., & Sharma, A. (2016). Optimization of the extrusion process for development of high fibre soybean-rice ready-to-eat snacks using carrot pomace and cauliflower trimmings. *LWT*, 74, 135–144. <https://doi.org/10.1016/j.lwt.2016.07.031>
- Alam, S. A., Järvinen, J., Kirjoranta, S., Jouppila, K., Poutanen, K., & Sozer, N. (2014). Influence of Particle Size Reduction on Structural and Mechanical Properties of Extruded Rye Bran. *Food and Bioprocess Technology*, 7(7), 2121–2133. <https://doi.org/10.1007/s11947-013-1225-2>
- Alengaram, U. Johnson. 2022. Valorization of industrial byproducts and wastes as sustainable construction materials. In: *Handbook of Sustainable Concrete and Industrial Waste Management*; Colangelo, F. Cioffi, R. & Farina, I. Elsevier Science, Amsterdam. Pp. 23-43.
- Ali, S., Singh, B., & Sharma, S. (2017). Development of high-quality weaning food based on maize and chickpea by twin-screw extrusion process for low-income populations. *Journal of Food Process Engineering*, 40(3). <https://doi.org/10.1111/jfpe.12500>
- Altan, A., McCarthy, K. L., & Maskan, M. (2008). Extrusion cooking of barley flour and process parameter optimization by using response surface methodology. *Journal of the Science of Food and Agriculture*, 88(9), 1648–1659. <https://doi.org/10.1002/jsfa.3262>



- Alvarez, J.C.M. (2020). Engineering aspects of extrusion: Extrusion processing as a multiple-input and multiple output system. In: *Extrusion Cooking Cereal Grains Processing Second Edition*; Ganjyal, G.M, Woodhead, Cambridge. Pp. 31
- Amer, S. A., & Rizk, A. E. (2022). Production and evaluation of novel functional extruded corn snacks fortified with ginger, bay leaves and turmeric powder. *Food Production, Processing and Nutrition*, 4(1). <https://doi.org/10.1186/s43014-022-00083-3>
- Anderson, R. A., Conway, H. F., & Peplinski, A. I. (1969). Gelatinization of Corn Grits by Roll Cooking, Extrusion Cooking and Steaming. *WILEY*, 22(4), 130 – 135.
- Becker, D. (2016). *Color Measurement*. In *Color Trends and Selection for Product Design*, Becker, D, Elsevier Science, USA. Pp. 179–182. <https://doi.org/10.1016/B978-0-323-39395-9.00037-2>
- Brennan, M., Brennan, C. S., Brennan, M. A., & Mason, S. L. (2017). The effects of fortification of legumes and extrusion 2 on the protein digestibility of wheat based snack. *Journal of Foods*, 5, 1 – 8. <https://doi.org/10.3390/www.mdpi.com/journal/foods>
- Brishti, F. H., Chay, S. Y., Muhammad, K., Ismail-Fitry, M. R., Zarei, M., & Saari, N. (2021). Texturized mung bean protein as a sustainable food source: Effects of extrusion on its physical, textural and protein quality. *Innovative Food Science and Emerging Technologies*, 67. <https://doi.org/10.1016/j.ifset.2020.102591>
- Cabanillas, B., Jappe, U., & Novak, N. (2018). Allergy to Peanut, Soybean, and Other Legumes: Recent Advances in Allergen Characterization, Stability to Processing and IgE Cross-Reactivity. *Wiley-VCH Verlag*, 62(1). <https://doi.org/10.1002/mnfr.201700446>
- Careddu, N. (2020). Chromaticism differentiations: A study of the diversified aesthetic appeal of the Ghiandone granite range. *Journal of Building Engineering*, 30. <https://doi.org/10.1016/j.jobe.2020.101300>
- Chakraborty, S. (2022). TOPSIS and Modified TOPSIS: A comparative analysis. *Decision Analytics Journal*, 2, 100021. <https://doi.org/10.1016/j.dajour.2021.100021>
- Chaudhari, B. B., & Annapure, U. S. (2021). Rheological, Physicochemical, and Spectroscopic characterizations of *Limonia acidissima* L. gum exudate with an application in extrusion processing. *Carbohydrate Polymer Technologies and Applications*, 2. <https://doi.org/10.1016/j.carpta.2020.100020>
- Chen, Q., Zhang, J., Liu, H., Li, T., & Wang, Q. (2023). Mechanism of high-moisture extruded protein fibrous structure formation based on the interactions among pea protein, amylopectin, and stearic acid. *Food Hydrocolloids*, 136. <https://doi.org/10.1016/j.foodhyd.2022.108254>
- Cheng, M. H., & Rosentrater, K. A. (2017). Profitability analysis of soybean oil processes. *Bioengineering*, 4(4). <https://doi.org/10.3390/bioengineering4040083>
- Cho, K. Y., & Rizvi, S. S. H. (2009). 3D microstructure of supercritical fluid extrudates I: Melt rheology and microstructure formation. *Food Research*



- International*, 42(5–6), 595–602.
<https://doi.org/10.1016/j.foodres.2008.12.014>
- Dadi, D. W., Emire, S. A., Hagos, A. D., & Eun, J. B. (2019). Effects of spray drying process parameters on the physical properties and digestibility of the microencapsulated product from *Moringa stenopetala* leaves extract. *Cogent Food and Agriculture*, 5(1). <https://doi.org/10.1080/23311932.2019.1690316>
- Dahmer, A. M., Rigo, A. A., Steffens, J., Steffens, C., & Carrão-Panizzi, M. C. (2018). Thermal treatment for soybean flour processing with high-quality color and reduced Kunitz trypsin inhibitor. *Journal of Food Process Engineering*, 41(8). <https://doi.org/10.1111/jfpe.12925>
- De Cindio, B., Gabriele, D., Pollini, C. M., Peressini, D., & Sensidoni, A. (2002). Filled snack production by coextrusion-cooking: 1. Rheological modelling of the process. *Journal of Food Engineering*, 52, 67 – 74. www.elsevier.com/locate/jfoodeng
- de Mesa, N. J. E., Alavi, S., Singh, N., Shi, Y. C., Dogan, H., & Sang, Y. (2009). Soy protein-fortified expanded extrudates: Baseline study using normal corn starch. *Journal of Food Engineering*, 90(2), 262–270. <https://doi.org/10.1016/j.jfoodeng.2008.06.032>
- Delgado-González, M. J., Carmona-Jiménez, Y., Rodríguez-Dodero, M. C., & García-Moreno, M. V. (2018). Color Space Mathematical Modeling Using Microsoft Excel. *Journal of Chemical Education*, 95(10), 1885–1889. <https://doi.org/10.1021/acs.jchemed.7b00681>
- Demmer, E., Van Loan, M. D., Rivera, N., Rogers, T. S., Gertz, E. R., Bruce German, J., Zivkovic, A. M., & Smilowitz, J. T. (2016). Consumption of a high-fat meal containing cheese compared with a vegan alternative lowers postprandial C-reactive protein in overweight and obese individuals with metabolic abnormalities: A randomised controlled cross-over study. *Journal of Nutritional Science*, 5. <https://doi.org/10.1017/jns.2015.40>
- Ding, Q. B., Ainsworth, P., Plunkett, A., Tucker, G., & Marson, H. (2006). The effect of extrusion conditions on the functional and physical properties of wheat-based expanded snacks. *Journal of Food Engineering*, 73(2), 142–148. <https://doi.org/10.1016/j.jfoodeng.2005.01.013>
- Dunford, Nurhan. 2019. Oil and Oilseed Processing I. Oklahoma State University. Available online: <https://extension.okstate.edu/fact-sheets/oil-and-oilseed-processing-i.html>. (accessed on 02 June 2023).
- Djeukeu, W. A., Gouado, I., Leng, M. S., Vijaykrishnaraj, M., & Prabhansankar, P. (2017). Effect of dried yam flour (*Dioscorea schimperiana*) on cooking quality, digestibility profile and antioxidant potential of wheat based pasta. *Journal of Food Measurement and Characterization*, 11(3), 1421–1429. <https://doi.org/10.1007/s11694-017-9521-6>
- Egal, A., & Oldewage-Theron, W. (2020). Extruded food products and their potential impact on food and nutrition security. *South African Journal of Clinical Nutrition*, 33(4), 142–143. <https://doi.org/10.1080/16070658.2019.1583043>



- Ek, P., Baner, J.M., & Ganjyal, G.M. (2020). Extrusion processing of cereal grains, tubers, and seeds. In: Extrusion Cooking Cereal Grains Processing Second Edition; Ganjyal, G.M, Woodhead, Cambridge. Pp. 256.
- Ek, P., & Ganjyal, G.M. (2020). Basics of extrusion processing. In: Extrusion Cooking Cereal Grains Processing Second Edition; Ganjyal, G.M, Woodhead, Cambridge. Pp. 15 – 16.
- Enyisi, S. I., Umoh, V., Whong, C., Abdullahi, I., & Alabi, O. (2014). Chemical and nutritional value of maize and maize products obtained from selected markets in Kaduna State, Nigeria. *African Journal of Food Science and Technology*, 5(4), 100–104. <https://doi.org/10.14303/ajfst.2014.029>
- Erenstein, O., Chamberlin, J., & Sonder, K. (2021). Estimating the global number and distribution of maize and wheat farms. *Global Food Security*, 30. <https://doi.org/10.1016/j.gfs.2021.100558>
- Falade, K. O., & Omiwale, O. O. (2015). Effect of Pretreatments on Color, Functional and Pasting Properties of White (*Dioscorea rotundata*) and Yellow Yam (*Dioscorea cayenensis*) Varieties. *Journal of Food Processing and Preservation*, 39(6), 1542–1554. <https://doi.org/10.1111/jfpp.12380>
- FAOSTAT, 2022. Global Review of Agricultural production statistics (2000–2021). FAOSTAT analytical brief 60. FAO, Rome. <https://www.fao.org/3/cc3751en/cc3751en.pdf>
- Félix-Medina, J. V., Montes-Ávila, J., Reyes-Moreno, C., Perales-Sánchez, J. X. K., Gómez-Favela, M. A., Aguilar-Palazuelos, E., & Gutiérrez-Dorado, R. (2020). Second-generation snacks with high nutritional and antioxidant value produced by an optimized extrusion process from corn/common bean flours mixtures. *LWT*, 124. <https://doi.org/10.1016/j.lwt.2020.109172>
- Fritzson, C., & Persson, N. (2021). *Modelling and Control of an Extruder Cooling System*. Lund University, Sweden. <https://lup.lub.lu.se/luur/download?func=downloadFile&recordOID=9061627&fileOID=9061628>
- Ganesan, P., Sathish, B. S., Leo Joseph, L. M. I., & Kalist, V. (2018). CIELch color space based satellite image segmentation using soft computing techniques. *Communications in Computer and Information Science*, 828, 854–861. https://doi.org/10.1007/978-981-10-8660-1_64
- Garcia-Valle, D. E., Bello-Pérez, L. A., Agama-Acevedo, E., & Alvarez-Ramirez, J. (2021). Structural characteristics and in vitro starch digestibility of pasta made with durum wheat semolina and chickpea flour. *LWT*, 145. <https://doi.org/10.1016/j.lwt.2021.111347>
- Gu, B.-J., & Kowalski, R. J. (2017). *Food extrusion processing: an overview*. WSU Extention, Washington. <https://hdl.handle.net/2376/12875>
- Gui, Y., & Ryu, G. H. (2014). Effects of extrusion cooking on physicochemical properties of white and red ginseng (Powder). *Journal of Ginseng Research*, 38(2), 146–153. <https://doi.org/10.1016/j.jgr.2013.12.002>
- Guiling, X., Xiaoping, C., Cai, L., Pan, X., & Changsui, Z. (2017). Experimental investigation on the flowability properties of cohesive carbonaceous powders. *Particulate Science and Technology*, 35(3), 322–329. <https://doi.org/10.1080/02726351.2016.1154910>



- Guzmán-Ortiz, F. A., Hernández-Sánchez, H., Yee-Madeira, H., Martín-Martínez, E. S., Robles-Ramírez, M. del C., Rojas-López, M., Berrios, J. D. J., & Mora-Escobedo, R. (2015). Physico-chemical, nutritional and infrared spectroscopy evaluation of an optimized soybean/corn flour extrudate. *Journal of Food Science and Technology*, 52(7), 4066–4077. <https://doi.org/10.1007/s13197-014-1485-5>
- Hegazy, H. S., El-Fath, A., El-Bedawey, A., Rahma, E.-S. H., & Gaafar, A. M. (2017). Effect of Extrusion Processs on Nutritional, Functional Properties and Antioxidant Activity of Germinated Chickpea Incorporated Corn Extrudates To cite this article Effect of Extrusion Processs on Nutritional, Functional Properties and Antioxidant Activity of Germinated Chickpea Incorporated Corn Extrudates. *American Journal of Food Science and Nutrition Research*, 4(1), 59–66. <http://www.openscienceonline.com/journal/fsnr>
- Hernández-Santos, B., Juárez-Barrientos, J. M., Torruco-Uco, J. G., Ramírez-Figueroa, E., Ramírez-Rivera, E. de J., A Bautista-Viazcan, V. O., & Rodríguez Miranda, J. (2021). Physicochemical properties of extruded ready-to-eat snack from unripe plantain blends, pineapple by-products and stevia. *Nova Scientia*, 13(27). <https://doi.org/10.21640/ns.v13i27.2842>
- Huang, D.P., & Rooney, L.W. (2001) Starches for Snack Foods. In: Snack Food Processing; Lusas, R.W. & Rooney, L.W. CRC Press, Boca Raton. Pp.117-119.
- Huang, X., Liu, H., Ma, Y., Mai, S., & Li, C. (2022). Effects of Extrusion on Starch Molecular Degradation, Order–Disorder Structural Transition and Digestibility—A Review. *Journal of Foods*, 11(16), <https://doi.org/10.3390/foods11162538>
- Hymowitz, T., & Newell, C. A. (1981). Taxonomy of the Genus Glycine, Domestication and Uses of Soybeans. *Springer*. 35(3), <https://www.jstor.org/stable/4254296>
- Igual, M., García-Segovia, P., & Martínez-Monzó, J. (2020). Effect of Acheta domesticus (house cricket) addition on protein content, colour, texture, and extrusion parameters of extruded products. *Journal of Food Engineering*, 282. <https://doi.org/10.1016/j.jfoodeng.2020.110032>
- Anton, A.A., & Luciano, F.B. (2007). Instrumental texture evaluation of extruded snack foods: A review. *Ciencia y Tecnología Alimentaria*, 5(4), 245 – 251. <https://www.researchgate.net/publication/26504583>
- Jaceldo-Siegl, K., Lütjohann, D., Sirirat, R., Mashchak, A., Fraser, G. E., & Haddad, E. (2017). Variations in dietary intake and plasma concentrations of plant sterols across plant-based diets among North American adults. *Molecular Nutrition and Food Research*, 61(8). <https://doi.org/10.1002/mnfr.201600828>
- Jain, R., Goomer, S., & Singh, S. N. (2022). Mung-Oat snack of high protein content by twin screw extrusion using response surface methodology. *Applied Food Research*, 2(1). <https://doi.org/10.1016/j.afres.2022.100099>
- Jozinović, A., Šubarić, D., Ačkar, D., Babić, J., & Miličević, B. (2016). Influence of spelt flour addition on properties of extruded products based on corn grits.



- Journal of Food Engineering*, 172, 31–37.
<https://doi.org/10.1016/j.jfoodeng.2015.04.012>
- Kalman, H. (2021). Quantification of mechanisms governing the angle of repose, angle of tilting, and Hausner ratio to estimate the flowability of particulate materials. *Powder Technology*, 382, 573–593.
<https://doi.org/10.1016/j.powtec.2021.01.012>
- Kaur, J. (2014). A comprehensive review on metabolic syndrome. *Cardiology Research and Practice*. 21. <https://doi.org/10.1155/2014/943162>
- Kaur, K., Kaur, A., & Singh, B. (2016). Technological Innovations in Third Generation Snack Food. *Society for Scientific Development in Agriculture and Technology*, 11, 4948-4959.
<https://www.researchgate.net/publication/327906601>
- Korkerd, S., Wanlapa, S., Puttanlek, C., Uttaapap, D., & Rungsardthong, V. (2016). Expansion and functional properties of extruded snacks enriched with nutrition sources from food processing by-products. *Journal of Food Science and Technology*, 53(1), 561–570. <https://doi.org/10.1007/s13197-015-2039-1>
- Kowalski, R. J., Hause, J. P., Joyner (Melito), H., & Ganjyal, G. M. (2018). Waxy flour degradation – Impact of screw geometry and specific mechanical energy in a co-rotating twin screw extruder. *Food Chemistry*, 239, 688–696.
<https://doi.org/10.1016/j.foodchem.2017.06.120>
- Kudelka, W., Kowalska, M., & Popis, M. (2021). Quality of soybean products in terms of essential amino acids composition. *Molecules*, 26(16).
<https://doi.org/10.3390/molecules26165071>
- Kuktaite, R., Repo-Carrasco-Valencia, R., de Mendoza, C. C. H., Plivelic, T. S., Hall, S., & Johansson, E. (2022). Innovatively processed quinoa (*Chenopodium quinoa* Willd.) food: chemistry, structure and end-use characteristics. *Journal of the Science of Food and Agriculture*, 102(12), 5065–5076. <https://doi.org/10.1002/jsfa.11214>
- Kumar, A., Samuel, D. V. K., & Sinha, J. P. (2015). Twin Screw Extrusion of Sorghum and Soya Blends: A Response Surface Analysis. *Journal of Agriculture Science Technology*, 17, 649 – 662.
<https://www.researchgate.net/publication/275894284>
- Kumar, S., Kumar, A., Kumar, S., Kumar, A., & Satish Kumar, C. (2018). Process Optimization for the Development of Ready to eat Corn grits. *Journal of Pharmacognosy and Phytochemistry*, 1.
- Kumari, R., Abhishek, V., & Gupta, M. (2021). In-vitro starch digestibility, nutritional-functional and texture properties of hull less barley incorporated extruded noodles. *Vegetos*, 34(1), 205–211. <https://doi.org/10.1007/s42535-021-00187-0>
- Leonard, W., Zhang, P., Ying, D., & Fang, Z. (2020). Application of extrusion technology in plant food processing byproducts: An overview. *Comprehensive Reviews in Food Science and Food Safety*, 19(1), 218–246.
<https://doi.org/10.1111/1541-4337.12514>
- Liu, L., Li, S., Zhong, Y., Li, Y., Qu, J., Feng, J., Xu, S., Zhang, R., Xue, J., & Guo, D. (2017). Nutritional, physical and sensory properties of extruded products



- from high-amyllose corn grits. *Emirates Journal of Food and Agriculture*, 29(11), 846–855. <https://doi.org/10.9755/ejfa.2017.v29.i11.1494>
- Rweyemamu, L.MP., Yusuph, A., & Mrema, G.D. (2015). Physical properties of extruded snacks enriched with soybean and moringa leaf powder. *African Journal of Food Science and Technology*, 06(01). <https://doi.org/10.14303/ajfst.2015.010>
- Ma, X., & Ryu, G. (2019). Effects of green tea contents on the quality and antioxidant properties of textured vegetable protein by extrusion-cooking. *Food Science and Biotechnology*, 28(1), 67–74. <https://doi.org/10.1007/s10068-018-0437-7>
- Manna, M., & Kim, K. D. (2018). Effect of temperature and relative humidity on growth of *Aspergillus* and *Penicillium* spp. and biocontrol activity of *Pseudomonas protegens* AS15 against Aflatoxigenic *Aspergillus flavus* in stored rice grains. *Mycobiology*, 46(3), 287–295. <https://doi.org/10.1080/12298093.2018.1505247>
- McGurk, K. A., Owen, B., Watson, W. D., Nethononda, R. M., Cordell, H. J., Farrall, M., Rider, O. J., Watkins, H., Revell, A., & Keavney, B. D. (2020). Heritability of haemodynamics in the ascending aorta. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-71354-7>
- Mejía Terán, A., & Blanco-Lizarazo, C. M. (2021). Considerations for functional food design based on starch-protein interactions: a systematic review. *International Journal of Food Sciences and Nutrition*, 72(8), 1009–1018. <https://doi.org/10.1080/09637486.2021.1905784>
- Ministry of Health. (2021). *Stunting Rate to Fall in 2021.* <https://www.litbang.kemkes.go.id/angka-stunting-turun-di-tahun-2021/>. (Accessed on 01 July 2023)
- Mohamed, I. O. (2023). Interaction of starch with some food macromolecules during the extrusion process and its effect on modulating physicochemical and digestible properties. A review. *Carbohydrate Polymer Technologies and Applications*, 5. Elsevier Ltd. <https://doi.org/10.1016/j.carpta.2023.100294>
- Mulyaningsih, T., Mohanty, I., Widyaningsih, V., Gebremedhin, T. A., Miranti, R., & Wiyono, V. H. (2021). Beyond personal factors: Multilevel determinants of childhood stunting in Indonesia. *PLoS ONE*, 16. <https://doi.org/10.1371/journal.pone.0260265>
- Muthukumarappan, K., & Karunanithy, C. (2012). Extrusion Process Design. In: *Handbook of Food Process Design*; Ahmed, J., & Rahman, M.S, Wiley-Blackwell, Hoboken. Pp. 710
- Nakamura, Y., Ono, M., Hatta, T., Kainuma, K., Yashiro, K., Matsuba, G., Matsubara, A., Miyazato, A., & Mizutani, G. (2020). Effects of BEIIb-Deficiency on the Cluster Structure of Amylopectin and the Internal Structure of Starch Granules in Endosperm and Culm of Japonica-Type Rice. *Frontiers in Plant Science*, 11. <https://doi.org/10.3389/fpls.2020.571346>
- Nandi, U., Trivedi, V., Ross, S. A., & Douroumis, D. (2021). Advances in twin-screw granulation processing. *Pharmaceutics*, 13(5). <https://doi.org/10.3390/pharmaceutics13050624>



- Nazir, F., Naik, H. R., & Hussain, S. Z. (2016). Effect of extrusion conditions and apricot powder incorporation on colour parameters of rice based breakfast snacks. *Biosciences Biotechnology Research Asia*, 13(3), 1673–1678. <https://doi.org/10.13005/bbra/2316>
- Nikmaram, N., Leong, S. Y., Koubaa, M., Zhu, Z., Barba, F. J., Greiner, R., Oey, I., & Roohinejad, S. (2017). Effect of extrusion on the anti-nutritional factors of food products: An overview. *Food Control*, 79, 62–73. <https://doi.org/10.1016/j.foodcont.2017.03.027>
- Nissar, J., Ahad, T., Naik, H. R., & Hussain, S. Z. (2017). Effect of extrusion conditions on colour coordinates of breakfast snacks using corn-honey blends. *International Journal of Food Science and Nutrition*, 2(6), 75 – 82. www.foodsciencejournal.com
- Nwazulu Innocent, O., Nkechinyere Lucy, E., Joel, N., & Nwankwo Anthony, U. (2019). Quality Characteristics of Soy-<i>akamu</i> Powder Formulated from Sorghum and Sprouted Soybean Flour Blends for Complementary Feeding. *World Journal of Food Science and Technology*, 3(4), 48. <https://doi.org/10.11648/j.wjfst.20190304.12>
- Panak Balentic, J., Babic, J., Jozinovic, A., Ackar, D., Milicevic, B., Muhamedbegovic, B., & Subasic, D. (2018). Production of third-generation snacks. *Croatian Journal of Food Science and Technology*, 10(1), 98–105. <https://doi.org/10.17508/CJFST.2018.10.1.04>
- Patil, S. S., & Kaur, C. (2018). Current trends in extrusion: Development of functional foods and novel ingredients. *Food Science and Technology Research*, 24(1), 23–34. <https://doi.org/10.3136/fstr.24.23>
- Paula, A. M., & Conti-Silva, A. C. (2014). Texture profile and correlation between sensory and instrumental analyses on extruded snacks. *Journal of Food Engineering*, 121(1), 9–14. <https://doi.org/10.1016/j.jfoodeng.2013.08.007>
- Philipp, C., Emin, M. A., Buckow, R., Silcock, P., & Oey, I. (2018). Pea protein-fortified extruded snacks: Linking melt viscosity and glass transition temperature with expansion behaviour. *Journal of Food Engineering*, 217, 93–100. <https://doi.org/10.1016/j.jfoodeng.2017.08.022>
- Philipp, C., Oey, I., Silcock, P., Beck, S. M., & Buckow, R. (2017). Impact of protein content on physical and microstructural properties of extruded rice starch-pea protein snacks. *Journal of Food Engineering*, 212, 165–173. <https://doi.org/10.1016/j.jfoodeng.2017.05.024>
- Qamar, S., Aslam, M., & Javed, M. A. (2016). Determination of Proximate Chemical Composition and Detection of Inorganic Nutrients in Maize (*Zea mays* L.). *Materials Today: Proceedings*, 3(2), 715–718. <https://doi.org/10.1016/j.matpr.2016.01.118>
- Qin, P., Wang, T., & Luo, Y. (2022). A review on plant-based proteins from soybean: Health benefits and soy product development. *Journal of Agriculture and Food Research*, 7. <https://doi.org/10.1016/j.jafr.2021.100265>
- Rani, P., Kumar, A., Purohit, S. R., & Rao, P. S. (2021). Extrusion of fermented rice-black gram flour for development of functional snacks: Characterization, optimization and sensory analysis. *Journal of Food Science and Technology*, 58(2), 494–509. <https://doi.org/10.1007/s13197-020-04558-4>



- Ranum, P., Peña-Rosas, J. P., & Garcia-Casal, M. N. (2014). Global maize production, utilization, and consumption. *Annals of the New York Academy of Sciences*, 1312(1), 105–112. <https://doi.org/10.1111/nyas.12396>
- Rao, R. R., Pandey, A., Hegde, A. R., Kulkarni, V. I., Chincholi, C., Rao, V., Bhushan, I., & Mutualik, S. (2022). Metamorphosis of Twin Screw Extruder-Based Granulation Technology: Applications Focusing on Its Impact on Conventional Granulation Technology. *AAPS PharmSciTech*, 23(1). <https://doi.org/10.1208/s12249-021-02173-w>
- Rathod, R. P., & Annapure, U. S. (2016). Effect of extrusion process on antinutritional factors and protein and starch digestibility of lentil splits. *LWT*, 66, 114–123. <https://doi.org/10.1016/j.lwt.2015.10.028>
- Richana, N., Ratnaningsih, dan H. Winda. 2012. *Teknologi Pascapanen Jagung. Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian*. Bogor. Hal 38
- Rizzo, G., & Baroni, L. (2018). Soy, soy foods and their role in vegetarian diets. *Nutrients*, 10(1). <https://doi.org/10.3390/nu10010043>
- Rodríguez-Vidal, A., Martínez-Flores, H. E., González Jasso, E., Velázquez de la Cruz, G., Ramírez-Jiménez, A. K., & Morales-Sánchez, E. (2017). Extruded snacks from whole wheat supplemented with textured soy flour: Effect on instrumental and sensory textural characteristics. *Journal of Texture Studies*, 48(3), 249–257. <https://doi.org/10.1111/jtxs.12234>
- Roulon, S., Soulairol, I., Cazes, M., Lemierre, L., Payre, N., Delbreilh, L., & Alié, J. (2021). D-sorbitol physical properties effects on filaments used by 3d printing process for personalized medicine. *Molecules*, 26(10). <https://doi.org/10.3390/molecules26103000>
- Sahu, C., & Patel, S. (2021). Optimization of maize–millet based soy fortified composite flour for preparation of RTE extruded products using D-optimal mixture design. *Journal of Food Science and Technology*, 58(7), 2651–2660. <https://doi.org/10.1007/s13197-020-04771-1>
- Sahu, C., Patel, S., & Tripathi, A. K. (2022). Effect of extrusion parameters on physical and functional quality of soy protein enriched maize based extruded snack. *Applied Food Research*, 2(1). <https://doi.org/10.1016/j.afres.2022.100072>
- Sani, M. A., Tavassoli, M., Hamishehkar, H., & McClements, D. J. (2021). Carbohydrate-based films containing pH-sensitive red barberry anthocyanins: Application as biodegradable smart food packaging materials. *Carbohydrate Polymers*, 255. <https://doi.org/10.1016/j.carbpol.2020.117488>
- Singh, R.P., & Helman, D.R. (2009). *Food Process Engineering and Technology, Third Edition*. Academic Press, USA
- Schlick-Hasper, E., Bethke, J., Vogler, N., & Goedecke, T. (2022). Flow properties of powdery or granular filling substances of dangerous goods packagings—Comparison of the measurement of the angle of repose and the determination of the Hausner ratio. *Packaging Technology and Science*, 35(10), 765–782. <https://doi.org/10.1002/pts.2678>



- Schloss, K. B., Lessard, L., Racey, C., & Hurlbert, A. C. (2018). Modeling color preference using color space metrics. *Vision Research*, 151, 99–116. <https://doi.org/10.1016/j.visres.2017.07.001>
- Selani, M. M., Brazaca, S. G. C., Dos Santos Dias, C. T., Ratnayake, W. S., Flores, R. A., & Bianchini, A. (2014). Characterisation and potential application of pineapple pomace in an extruded product for fibre enhancement. *Food Chemistry*, 163, 23–30. <https://doi.org/10.1016/j.foodchem.2014.04.076>
- Serna-Saldivar, S. O., & Carrillo, E. P. (2018). Food uses of whole corn and dry-milled fractions. In *Corn: Chemistry and Technology, 3rd Edition* (pp. 435–467). Elsevier. <https://doi.org/10.1016/B978-0-12-811971-6.00016-4>
- Sharifi, S., Majzoobi, M., & Farahnaky, A. (2021a). Development of healthy extruded maize snacks; Effects of soybean flour and feed moisture content. *International Journal of Food Science and Technology*, 56(7), 3179–3187. <https://doi.org/10.1111/ijfs.14842>
- Sharifi, S., Majzoobi, M., & Farahnaky, A. (2021b). Effects of particle size and moisture content of maize grits on physical properties of expanded snacks. *Journal of Texture Studies*, 52(1), 110–123. <https://doi.org/10.1111/jtxs.12565>
- Sharmila, B., & Athmaselvi, K.A. (2017). Development of Ready to Eat Extruded Snacks from Blend of Under-Utilized Legumes and Millets. *Journal of Pharmaceutical Sciences and Research*, 9(6), 947 – 954.
- Shelar, G. A., & Gaikwad, S. T. (2019). Extrusion in food processing: An overview. *The Pharma Innovation Journal*, 562(2), 562–568. www.thepharmajournal.com
- Singh, B., Sharma, C., & Sharma, S. (2017). *Fundamentals of extrusion processing*. In: Novel Food Processing Technologies; Nanda, V. & Sharma, S. New India Publishing Agency, New Delhi.
- Statista. (2023). *Snack Food - Indonesia*. 2023. <https://www.statista.com/outlook/cmo/food/confectionery-snacks/snack-food-indonesia/>. (Accessed on 20 June 2023)
- Sun, C., Fu, J., Chang, Y., Li, S., & Fang, Y. (2022). Structure Design for Improving the Characteristic Attributes of Extruded Plant-Based Meat Analogues. *Food Biophysics*, 17(2), 137–149. <https://doi.org/10.1007/s11483-021-09692-w>
- Sun, C., Gao, X., Fu, J., Zhou, J., & Wu, X. (2015). Metabolic response of maize (*Zea mays L.*) plants to combined drought and salt stress. *Plant and Soil*, 388(1–2), 99–117. <https://doi.org/10.1007/s11104-014-2309-0>
- Taghdir, M., Mazloomi, S. M., Honar, N., Sepandi, M., Ashourpour, M., & Salehi, M. (2017). Effect of soy flour on nutritional, physicochemical, and sensory characteristics of gluten-free bread. *Food Science and Nutrition*, 5(3), 439–445. <https://doi.org/10.1002/fsn3.411>
- Tangsrianugul, N., Hongsanyatham, S., Kapcum, C., Sungayuth, N., Boonsanong, N., Somprasong, N., Smith, S. M., Amornsakchai, T., Pinyo, J., & Wongsagonsup, R. (2023). Physicochemical and sensory properties of corn grits and pineapple stem starch-based extruded snacks enriched with oyster mushroom powder. *International Journal of Food Science and Technology*, 58(3), 1528–1540. <https://doi.org/10.1111/ijfs.16322>



- Tas, A. A., & Shah, A. U. (2021). The replacement of cereals by legumes in extruded snack foods: Science, technology and challenges. *Trends in Food Science and Technology*, 116, 701–711. <https://doi.org/10.1016/j.tifs.2021.08.016>
- Thymi, S., Krokida, M. K., Pappa, A., & Maroulis, Z. B. (2005). Structural properties of extruded corn starch. *Journal of Food Engineering*, 68(4), 519–526. <https://doi.org/10.1016/j.jfoodeng.2004.07.002>
- Tiefenbacher, K. F. (2019). *Glossary of Terms in Wafers, Waffles and Adjuncts*. In The Technology of Wafers and Waffles II. Elsevier Science, Amsterdam. Pp. 325–411. <https://doi.org/10.1016/b978-0-12-809437-2.00010-1>
- Tongoona, P., & Danquah, E. Y. (2019). Understanding tropical maize (*Zea mays L.*): The major monocot in modernization and sustainability of agriculture in sub-Saharan Africa. *International Journal of Agricultural Research*, 7, 32 – 77. <https://doi.org/10.33500/ijaar.2019.07.004>
- Toomer, O. T., Oviedo, E. O., Ali, M., Patino, D., Joseph, M., Frinsko, M., Vu, T., Maharjan, P., Fallen, B., & Mian, R. (2023). Current Agronomic Practices, Harvest & Post-Harvest Processing of Soybeans (*Glycine max*)—A Review †. *Agronomy*, 13(2). <https://doi.org/10.3390/agronomy13020427>
- Vera Zambrano, M., Dutta, B., Mercer, D. G., MacLean, H. L., & Touchie, M. F. (2019). Assessment of moisture content measurement methods of dried food products in small-scale operations in developing countries: A review. *Trends in Food Science and Technology*, 88, 484–496. <https://doi.org/10.1016/j.tifs.2019.04.006>
- Wang, Y. Y., & Ryu, G. H. (2013). Physicochemical and antioxidant properties of extruded corn grits with corn fiber by CO₂ injection extrusion process. *Journal of Cereal Science*, 58(1), 110–116. <https://doi.org/10.1016/j.jcs.2013.03.013>
- Wani, S. A., & Kumar, P. (2016). Development and parameter optimization of health promising extrudate based on fenugreek oat and pea. *Food Bioscience*, 14, 34–40. <https://doi.org/10.1016/j.fbio.2016.02.002>
- Wanjala, W. N., Mary, O., & Symon, M. M. (2020). Influence of Feed Rate, Moisture and Mixture Composition from Composites Containing Rice (*Oryza sativa*), Sorghum (*Sorghum bicolor(L.) Moench*) and Bamboo (*Yushania alpina*) Shoots on Physical Properties of Extruded Flour and Mass Transfer. *Food and Nutrition Sciences*, 11(08), 807–823. <https://doi.org/10.4236/fns.2020.118057>
- Wernecke, R., & Wernecke, J. (2013). *Industrial Moisture and Humidity Measurement*. Wiley-VCH., Hoboken. <https://onlinelibrary.wiley.com/doi/book/10.1002/9783527652419>
- Wiederstein, M., Baumgartner, S., & Lauter, K. (2022). Soybean (*Glycine max*) allergens—A Review on an Outstanding Plant Food with Allergenic Potential. *ACS Food Science and Technology*, 3, 363 – 378. <https://doi.org/10.1021/acsfoodscitech.2c00380>
- Witdarko, Y., Bintoro, N., Suratmo, B., & Rahardjo, B. (2015). Modelling on Mechanical Cassava Flour Drying Process by Using Pneumatic Dryer: Correlation of Fineness Modulus and Drying Process Variable. *AGRITECH*, 35(4), 481 – 487.



- Xu, E., Wu, Z., Pan, X., Long, J., Wang, F., Xu, X., Jin, Z., & Jiao, A. (2016). Effect of enzymatic (thermostable α -amylase) treatment on the physicochemical and antioxidant properties of extruded rice incorporated with soybean flour. *Food Chemistry*, 197, 114–123. <https://doi.org/10.1016/j.foodchem.2015.10.109>
- Yacu, W.A., (2012). Extruder selection, design and operation for different food applications. In: *Advances in Food Extrusion Technology* ; Maskan, M., & Altan, A, CRC Press. Pp. 62 – 65
- Yağcı, S., & Göğüş, F. (2008). Response surface methodology for evaluation of physical and functional properties of extruded snack foods developed from food-by-products. *Journal of Food Engineering*, 86(1), 122–132. <https://doi.org/10.1016/j.jfoodeng.2007.09.018>
- Yağcı, S., Altan, A., & Doğan, F. (2020). Effects of extrusion processing and gum content on physicochemical, microstructural and nutritional properties of fermented chickpea-based extrudates. *LWT*, 124. <https://doi.org/10.1016/j.lwt.2020.109150>
- Ye, J., Hu, X., Luo, S., Liu, W., Chen, J., Zeng, Z., & Liu, C. (2018). Properties of Starch after Extrusion: A Review. *Starch/Staerke*, 70(11–12). <https://doi.org/10.1002/star.201700110>
- Yu, X., Chen, L., Jin, Z., & Jiao, A. (2021). Research progress of starch-based biodegradable materials: a review. *Journal of Materials Science*, (56(19), pp. 11187–11208). <https://doi.org/10.1007/s10853-021-06063-1>
- Zahari, I., Ferawati, F., Helstad, A., Ahlström, C., Östbring, K., Rayner, M., & Purhagen, J. K. (2020). Development of high-moisture meat analogues with hemp and soy protein using extrusion cooking. *Foods*, 9(6). <https://doi.org/10.3390/foods9060772>
- Zheng, H., Yan, G. Sen, Lee, Y., Alcaraz, C., Marquez, S., & de Mejia, E. G. (2020). Effect of the extrusion process on allergen reduction and the texture change of soybean protein isolate-corn and soybean flour-corn mixtures. *Innovative Food Science and Emerging Technologies*, 64. <https://doi.org/10.1016/j.ifset.2020.102421>