



DAFTAR PUSTAKA

- Abbott WS. 1925. A method of computing the effectiveness of an insecticide. *Journal of Economic Entomology*, 18(2): 265-267.
- Abdullah M, Sarnthoy O, Chaeychomsri S. 2000. Comparative study of artificial diet and soybean leaves on growth, development and fecundity of beet armyworm, *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae). *Kasetsart Journal: Natural Sciences*, 34: 339-344.
- ADW (Animal Diversity). 2022. *Attacus atlas*. https://animaldiversity.org/accounts/Attacus_atlas/classification/. Diakses pada 25 Maret 2022.
- Afifah L, Hidayat P, Buchori D, Marwoto, Rahardjo BT. 2015. Pengaruh perbedaan pengelolaan agroekosistem tanaman terhadap struktur komunitas serangga pada pertanaman kedelai di Ngale, Kabupaten Ngawi, Jawa Timur. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 15(1): 53-64.
- Ali E, Liao X, Yang P, Mao K, Zhang X, Shakeel M, Salim AM, Wan H, Li J. 2017. Sublethal effects of buprofezin on development and reproduction in the white-backed planthopper, *Sogatella furcifera* (Hemiptera: Delphacidae). *Scientific Reports*, 7(16913): 1-9.
- Bahagiawati. 2002. Penggunaan *Bacillus thuringiensis* sebagai bioinsektisida. *Buletin AgroBio*, 5(1): 21-28.
- Bahri S, Zulkifli L, Rasmi DAC, Sedijani P. 2021. Isolation, purification, and toxicity test of *Bacillus thuringiensis* from cows cage soil against *Drosophila melanogaster*. *Jurnal Biologi Tropis*, 21(3): 1106-1114.
- BPS (Badan Pusat Statistik). 2022. *Produksi Tanaman Sayuran 2020*. <https://www.bps.go.id/indicator/55/61/1/produksi-tanaman-sayuran.html>. Diakses pada 25 Maret 2022.
- Brar SK, Verma M, Tyagi RD, Valero JR. 2006. Review: Recent advances in downstream processing and formulations of *Bacillus thuringiensis* based biopesticides. *Process Biochemistry*, 41(2006): 323-343.
- Brewer MJ, Trumble JT. 1994. Beet armyworm resistance to fenvalerate and methomyl: resistance variation and insecticide synergism. *J. Agric. Entomol.*, 11(4): 291-300.
- Capinera JL. 1999. *Beet Armyworm, Spodoptera exigua* (Hübner) (*Insecta: Lepidoptera: Noctuidae*). Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida.



- Castro BM, Martinez LC, Barbosa SG, Serrao JE, Wilcken CF, Soares MA, Silva AA, Carvalho AG, Zanuncio JC. 2019. Toxicity and cytopathology mediated by *Bacillus thuringiensis* in the midgut of *Anticarsia gemmatalis* (Lepidoptera: Noctuidae). *Scientific Reports*, 9 (6667): 1- 10.
- Che W, Shi T, Wu Y, Yang Y. 2013. Insecticide resistance status of field populations of *Spodoptera exigua* (Lepidoptera: Noctuidae) From China. *Journal of Economic Entomology*, 106(4): 1855-1862.
- Cheng T, Wu J, Wu Y, Chilukuri RV, Huang L, Yamamoto K, Feng L, Li W, Chen Z, Guo H, Liu J, Li S, Wang X, Peng L, Liu D, Guo Y, Fu B, Li Z, Liu C, Chen Y, Tomar A, Hilliou F, Montagne N, Jacquin-Joly E, d'Alecon E, Seth RK, Bhatnagar RK, Jouraku A, Shiotsuki T, Okuda KK, Promboon A, Smagghe G, Arunkumar KP, Kishino H, Goldsmith MR, Feng Q, Xia Q, Mita K. 2017. Genomic adaptation to polyphagy and insecticides in a major East Asian noctuid pest. *Nature Ecology & Evolution*, 1: 1747-1756.
- Desmawita BK, Fuag AM, Ekastuti DR. 2013. Intensification of wild silkworm *Attacus atlas* rearing (Lepidoptera: Saturniidae). *Media Peternakan*, 36(3): 159-164.
- Donglikar MM, Deore SL. 2016. Sunscreens: A review. *Pharmacognosy Journal*, 8(3): 171-179.
- El-Helaly A. 2020. Moringa water extract promising additive to prolong the activity of baculovirus under field-sunlight conditions in Egypt. *Brazilian Journal of Biology*, 80(4): 891-896.
- Elleuch J, Jaoua S, Darriet F, Chandre F, Tounsi S, Zghal RZ. 2015. Cry4Ba and Cyt1Aa proteins from *Bacillus thuringiensis israelensis*: Interactions and toxicity mechanism against *Aedes aegypti*. *Toxicon*, 104: 83-90.
- Elvira S, Gorria N, Munoz D, Williams T, Caballero P. 2010. A simplified low-cost diet for Rearing *Spodoptera exigua* (Lepidoptera: Noctuidae) and its effect on *S. exigua* nucleopolyhedrovirus production. *Journal of Economic Entomology*, 103(1): 17-24.
- Endrawati YC, Fuah AM. 2012. Morfometri kokon *Attacus atlas* hasil pemeliharaan di laboratorium, *Jurnal Peternakan Indonesia*, 14(1): 337-342.
- Endrawati YC, Solihin DD, Suryani A, Subyakto. 2019. Improving Poly(Lactic acid) properties by using fiber reinforcement of wild silkworm *Attacus atlas*. *Pakistan Journal of Scientific and Industrial Research: Series A: Physical Sciences*, 62(1): 38-47.



Faharani S, Talebi AA, Fathipour Y. 2012. Life table of *Spodoptera exigua* (Lepidoptera: Noctuidae) on five soybean cultivars. *Psyche: A Journal of Entomology*, 2012(3): 1-7.

Fera AP, Sumartono GH, Tini EW. 2019. Pertumbuhan dan hasil tanaman bawang daun (*Allium fistulosum* L.) pada jarak tanam dan pemotongan bibit yang berbeda. *Jurnal Penelitian Pertanian Terapan*, 19(1): 11-18.

Gama ZP, Yanuwiadi B, Kurniati TH. 2010. Strategi pemberantasan nyamuk aman lingkungan: Potensi *Bacillus thuringiensis* Isolat Madura Sebagai musuh alami nyamuk *Aedes aegypti*. *Jurnal Pembangunan dan Alam Lestari*, 1(1) 1-10.

Gill AK, Arora R, Jindal V. 2015. Beet armyworm *Spodoptera exigua* (Hubner): A newly emerging pest of Egyptian clover in Punjab. *Range Management and Agroforestry*, 36(2): 170-174.

Hafeez M, Liu S, Jan S, Ali B, Shahid M, Fernandez-Grandon GM, Nawaz M, Ahmad A, Wang M. 2019. Gossypol-induced fitness gain and increased resistance to deltamethrin in beet armyworm, *Spodoptera exigua* (Hübner). *Pest Management Science*, 75(3): 683-693.

Hana W, Sukirno S, Sumarmi S, Purwanto H, Soesilohadi RC, Sudaryadi I. 2022. UV protectant ability of *Attacus atlas* L. (Lepidoptera: Saturniidae) sericin extract to increase nucleopolyhedrovirus effectiveness against beet army worm, *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae). The 7th International Conference on Biological Science (ICBS 2021). *Atlantis Press*: 82-89.

Harlita, Fitriani, Hendarto S. 2021. Aplikasi insektisida dan fungisida terhadap intensitas serangan hama dan patogen pada bibit tembakau (*Nicotiana tabaccum* L.). *Jurnal Biologica Samudra*, 3(1): 25-34.

Harsiti, Muttaqin Z, Srihartini E. 2022. Penerapan metode regresi linier sederhana untuk prediksi persediaan obat jenis tablet. *Jurnal Sistem Informasi*, 9(1): 12-16.

Heimpel AM. 1967. A critical review of *Bacillus thuringiensis* var. *thuringiensis* Berliner and other crystalliferous bacteria. *Annu Rev Entomol*, 12: 287-322.

Helmi, Sulistyanto D, Purwatiningsih. 2015. Aplikasi agen pengendali hayati terhadap populasi hama (*Plutella xylostella* Linn. dan *C. pavonana* Zell.) dan musuh alaminya pada tanaman kubis di Desa Kalibaru Kulon, Kab. Banyuwangi. *Jurnal Ilmu Dasar*, 16(2): 55-62.



Hernandez-Martinez P, Ferre J, Escriche B. 2008. Susceptibility of *Spodoptera exigua* to 9 toxins from *Bacillus thuringiensis*. *Journal of Invertebrate Pathology*, 97(3): 245-250.

Hollensteiner J, Poehlein A, Sproer C, Bunk B, Sheppard AE, Rosentiel P, Schulenburg H, Liesegang H. 2017. Complete Genome sequence of the nematicidal *Bacillus thuringiensis* MYBT18246. *Standards in Genomic Science*, 12(48): 1-10.

Ibrahim MA, Griko N, Junker M, Bulla LA. 2010. *Bacillus thuringiensis*: A genomics and proteomics perspective. *Bioengineered Bugs*, 1(1): 31-50.

Ibuki T, Iwasawa S, Lian A, Lye PY, Maruta R, Asano S, Kotani E, Mori H. 2022. Development of a cypovirus protein microcrystal-encapsulated *Bacillus thuringiensis* UV-tolerant and mosquitocidal δ-endotoxin. *Biology Open*, 11(9): 1-7.

Indiati SW, Marwoto. 2017. Penerapan pengendalian hama terpadu (PHT) pada tanaman kedelai. *Buletin Palawija*, 15(2): 87-100.

Ishtiaq M, Saleem MA, Wright DJ. 2012. Stability, cross-resistance and effect of synergists, PBO and DEF, on deltamethrin resistant strain of *Spodoptera exigua* (Lepidoptera: Noctuidae) from Pakistan. *Pakistan Journal of Zoology*, 44(6): 1677-1682.

ITIS (Integrated Taxonomic Information System). 2022a. *Spodoptera exigua* (Hubner, 1808). https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=117471#null. Diakses pada 25 Maret 2022.

ITIS (Integrated Taxonomic Information System). 2022b. *Bacillus thuringiensis* Berliner, 1915. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=959828#null. Diakses pada 25 Maret 2022.

Jan S, Liu S, Hafeez M, Zhang X, Dawar FU, Guo J, Gao C, Wang M. 2017. Isolation and functional identification of three cuticle protein genes during metamorphosis of the beet armyworm, *Spodoptera exigua*. *Scientific Reports*, 7(16061): 1-8.

Kaur J, Rajkhowa R, Tsuzuki T, Millington K, Zhang J, Wang X. 2013. Photoprotection by silk cocoons. *Biomacromolecules*, 14(10): 3660-3667.

Kerns DL, Palumbo JC, Tellez T. 1998. Resistance of field strains of beet armyworm (Lepidoptera: Noctuidae) from Arizona and California to carbamate insecticides. *Journal of Economic Entomology*, 91(5): 1038-1043.



- Khoury ME, Azzouz H, Chavanieu A, Abdelmalak N, Chopineau J, Awad MK. 2014. Isolation and characterization of a new *Bacillus thuringiensis* strain Lip harboring a new Cry1Aa gene highly toxic to *Ephestia kuehniella* (Lepidoptera: Pyralidae) larvae. *Archives of Microbiology*, 196(6): 435-444.
- Kumar R, Chandel RS, Anil, Mehta V, Kalpana HS. 2020. *Spodoptera exigua* (Hübner), a newly emerging pest of potato in Himachal Pradesh. *Indian Journal of Entomology*, 82(4): 842-845
- Kunz RI, Brancalhao RM, Ribeiro LF, Natali MR. 2016. Silkworm sericin: Properties and biomedical applications. *BioMed Research International*, 2016: 1-19.
- Kusuma IWD, Purnama SG. 2017. Uji kerentanan nyamuk *Aedes* sp. terhadap fogging insektisida melathion 5% di wilayah Kota Denpasar tahun 2016. *Archive of Community Health*, 4(2): 10-18.
- Lai T, Su J. 2011. Effects of chlorantraniliprole on development and reproduction of beet armyworm, *Spodoptera exigua* (Hubner). *Journal of Pest Science*, 84(2011): 381-386.
- Liu TY, Sui MJ, Ji DD, Wu IH, Chou CC, Chen CC. 1993. Protection from ultraviolet irradiation by melanin of mosquitocidal activity of *Bacillus thuringiensis* var. *israelensis*. *Journal of Invertebrate Pathology*, 62(2): 131-136.
- Lozano ER, Neves PM, Alves LF, Potrich M, Vilas-Boas GF, Monnerat RG. 2017. Action of natural phytosanitary products on *Bacillus thuringiensis* subsp. *kurstaki* S-1905. *Bulletin of Entomological Research*, 108(2): 223-231.
- Mafazah A, Zulaika E. 2017. Potensi *Bacillus thuringiensis* dari tanah perkebunan Batu Malang sebagai bioinsektisida terhadap larva *Spodoptera litura* F. *Jurnal Sains dan Seni ITS*, 6(2): 82-86.
- Maghsoudi S, Jalali E. 2017. Noble UV protective agent for *Bacillus thuringiensis* based on a combination of graphene oxide and olive oil. *Scientific Reports*, 7(11019): 1-6.
- Manan A, Nutiati, Mugiaستuti E. 2018. Pengelolaan tanaman bawang merah ramah lingkungan dengan pemanfaatan biopestisida *Trichoderma*. *Jurnal Solma*, 7(2): 182-192.
- Marsadi D, Supartha IW, Sunari A. 2017. Invasi dan Tingkat Serangan Ulat Bawang (*Spodoptera exigua* Hubner) pada dua kultivar tanaman bawang merah di Desa Songan, Kecamatan Kintamani, Kabupaten Bangli. *E-Jurnal Agroekoteknologi Tropika*, 6(4): 360-369.



- McGuire MR, Behle RW, Goebel HN, Fry TC. 2000. Calibration of a sunlight simulator for determining solar stability of *Bacillus thuringiensis* and *Anagrypha falcifera* nuclear polyhedrovirus. *Environmental Entomology*, 29(5): 1070-1074.
- Mckenney PT, Driks A, Eichenberger P. 2012. The *Bacillus subtilis* endospore: Assembly and functions of the multilayered coat. *Nature Reviews Microbiology*, 11: 33-44.
- Mehta V, Jayaram CS, Koranga R, Negi N. 2021. Developmental biology of *Spodoptera exigua* (Hubner) (Lepidoptera: Noctuidae) on tomato under mid hills (sub-humid) conditions of India. *Biological Forum*, 13(3a): 11-15.
- Miguel GA, Alvarez-Lopez C. 2020. Extraction and antioxidant activity of sericin, a protein from silk. *Brazilian Journal of Food Technology*, 23: 1-14.
- Miller JC, Hammond PC. 2003. *Lepidoptera of The Pacific Northwest: Caterpillars and Adults*. Forest Health Technology Enterprise Team. Morgantown, West Virginia. p. 11-13.
- Moekasan TK, Basuki RS, Prabaningrum L. 2012. Penerapan ambang pengendalian organisme pengganggu tumbuhan pada budidaya bawang merah dalam upaya mengurangi penggunaan pestisida. *Jurnal Hortikultura*, 22(1): 47-56.
- Moekasan TK, Basuki RS. 2007. Status resistensi *Spodoptera exigua* Hubn. pada tanaman bawang merah asal Kabupaten Cirebon, Brebes, dan Tegal terhadap insektisida yang umum digunakan petani di daerah tersebut. *Jurnal Hortikultura*, 17(4): 343-354.
- Moekasan TK. 1998. Status resistensi ulat bawang, *Spodoptera exigua* Hubn. strain Brebes terhadap beberapa jenis insektisida. *Jurnal Hortikultura*, 7(4): 913-918.
- Nawrot-Esposito M, Babin A, Paso M, Poirie M, Gatti J, Gallet A. 2020. *Bacillus thuringiensis* bioinsecticides induce developmental defects in non-target *Drosophila melanogaster* larvae. *Insects*, 11(697): 1-24.
- Nindhia TS, Nindhia TG, Surata IW, Knejzlik Z, Rum T. 2018. Effect of feeding with herb of *Erythrina variegata* to biocompatibility of the cocoon fiber of wild silk moth *Attacus atlas* for future application as biocompatible of silk sutures. *Asian Journal of Pharmaceutical and Clinical Research*, 11(3): 20-23.



Nurofik MFI, Utomo PS. 2018. Pengaruh pupuk urea dan petroganik terhadap pertumbuhan dan hasil bawang daun (*Allium fistulosum* L.) varietas fragrant. *Jurnal Ilmiah Hijau Cendekia*, 3(1): 35-40.

Paembonan R, Salama N, Ramadani D, Gazali A. 2021. Pemanfaatan limbah kokon ulat sutra (*Bombyx mori*.L) sebagai serum anti-aging. *Jurnal Ilmiah Ecosystem*, 21(1): 1-7.

Paparang M, Memah VV, Kaligis JB. 2016. Populasi dan persentase serangan larva *Spodoptera exigua* Hubner pada tanaman bawang daun dan bawang merah di Desa Ampreng Kecamatan Langowan Barat. *Cocos*, 7(7): 1-10.

Polanczky RA, da-Silva RF, Fiúza LM. 2000. Effectiveness of *Bacillus thuringiensis* strains against *Spodoptera frugiperda* (lepidoptera: noctuidae). *Brazilian Journal of Microbiology*, 31: 165-167.

Purba D, Purba M. 2022. Aplikasi analisis korelasi dan regresi menggunakan pearson product moment dan simple linear regression. *Citra Sains Teknologi*, 1(2): 97-103.

Pusztai M, Fast P, Gringorten L, Kaplan H, Lessard T, Carey PR. 1991. The mechanism of sunlight-mediated inactivation of *Bacillus thuringiensis* Crystals. *Biochemical Journal*, 273(1): 43-47.

Putra ILI, Martina ND. 2021. Siklus hidup *Spodoptera frugiperda* dengan pemberian pakan kangkung dan daun bawang di laboratorium. *Jurnal Ilmu Pertanian Indonesia*, 26(3): 386-391.

Rahmatullah R, Sukirno, Ningtyas NS, Wiranto AS, Sa'adah NS, Alwandri H, Arssalsabila TP, Asma' A, Adi H. 2023. Effectiveness of *Samia cynthia ricini* Boisduval (Lepidoptera: Saturniidae) cocoon extract as uv protectant of *Bacillus thuringiensis kurstaki* in controlling beet armyworm *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae) under sunlight. *Pertanika Journal: Tropical Agricultural Science*, 46(1): 347-357.

Rahmawati AF, Ikawati S, Himawan T. 2016. Evaluasi berbagai insektisida terhadap hama ulat bawang (*Spodoptera exigua* Hubner) (Lepidoptera: Noctuidae) pada tanaman bawang merah. *Jurnal Hama dan Penyakit Tumbuhan*, 4(2): 54-60.

Ratnawati E, Ermawati R, Susilowati R. 1996. Formulasi bioinsektisida dari bakteri *Bacillus thuringiensis*. *Bulletin Penelitian*, 18(1): 1-8.

Reddy N, Zhao Y, Yang Y. 2013. Structure and properties of cocoons and silk fibers produced by *Attacus atlas*. *Journal of Polymers and the Environment*, 21: 16-23.



Rehman A, Belhaouari SB. 2021. Unsupervised outlier detection in multidimensional data. *Journal of Big Data*, 8(80): 1-27.

Risnawati. 2021. Meta analisis: Perkembangan sediaan insektisida botani berdasarkan pengaruhnya terhadap reproduksi serangga. *UG Jurnal*, 15(5): 24-31.

Rosas-Gracia NM. 2009. Biopesticide production from *Bacillus thuringiensis*: An environmentally friendly alternative. *Recent Patents on Biotechnology*, 3(1): 28-36.

Rosena A, Koobkokruad T, Eaknai W, Bunwatcharaphansakun P, Maniratanachote R, Aueviriyavit S. 2018. Protective effect of thai silk extracts on drug-induced phototoxicity in human epidermal A431 cells and a reconstructed human epidermis model. *Journal of Photochemistry and Photobiology B: Biology*, 188: 50-59.

Safitri WR. 2016. Analisis korelasi pearson dalam menentukan hubungan antara kejadian demam berdarah dengue dengan kepadatan penduduk di Kota Surabaya pada tahun 2012 - 2014. *Jurnal Ilmiah Keperawatan*, 2(2): 21-29.

Saha J, Mondal MIH, Sheikh MRK, Habib MA. 2019. Extraction, structural and functional properties of silk sericin biopolymer from *Bombyx mori* Silk cocoon waste. *Journal of Textile Science & Engineering*, 9(1): 1-6.

Sansinenea E, Salazar F, Ramirez M, Ortiz A. 2015. An ultra-violet tolerant wild-type strain of melanin-producing *Bacillus thuringiensis*. *Jundishapur Journal of Microbiology*, 8(7): 1-7.

Sathe TV, Kavane RP. 2014. Biology of *Attacus atlas* (Lepidoptera: Saturniidae): A wild silk worm of India. *Indian Journal of Applied Research*, 4(10): 4-6.

Schnepf E, Crickmore N, Rie JV, Lereclus D, Baum J, Feitelson J, Zeigler DR, Dean DH. 1998. *Bacillus thuringiensis* and its pesticidal Crystal proteins. *Microbiology and Molecular Biology Reviews*, 62(3): 775-806.

Schunemann R, Knaak N, Fiuz LM. 2014. Review article: Mode of action and specificity of *Bacillus thuringiensis* toxins in the control of caterpillars and stink bugs in soybean culture. *ISRN Mircobiology*, 2014(8): 1-13.

Sella SR, Vandenberghe LP, Soccol CR. 2014. Life cycle and spore resistance of spore-forming *Bacillus atrophaeus*. *Microbiological Research*, 169(2014): 931-939.

Setiawan AN, Supriyadi A. 2014. Uji efektivitas berbagai konsentrasi pestisida nabati bintaro (*Cerbera manghas*) terhadap hama ulat grayak (*Spodoptera*



litura) pada tanaman kedelai. *Planta Tropika Journal of Agro Science*, 2(2): 99-105.

Silva SMB, Silva-Werneck JO, Falcao R, Gomes AC, Fragoso RR, Quezado MT, Neto OBO, Aguiar JB, Sa MFG, Bravo A, Monnerat RG. 2004. Characterization of novel brazilian *Bacillus thuringiensis* strains active against *Spodoptera frugiperda* and other insect pests. *Journal of Applied Entomology*, 128(2): 102-107.

Sukirno S, Lukmawati D, Hanum SS, Ameliya VF, Sumarmi S, Purwanto H, Suparmin S, Sudaryadi I, Soesilohadi RC, Aldawood AS. 2022. The effectiveness of *Samia ricini* Drury (Lepidoptera: Saturniidae) and *Attacus atlas* L. (Lepidoptera: Saturniidae) cocoon extracts as ultraviolet protectants of *Bacillus thuringiensis* for controlling *Spodoptera litura* Fab. (Lepidoptera: Noctuidae). *International Journal of Tropical Insect Science*, 42(1): 255-260.

Sukirno S, Tufail M, Rasool KG, Salamouny SE, Sutanto KD, Aldawood AS. 2017. The effectiveness of spinosad and neem extract against *Spodoptera littoralis* (Boisd.) and *Spodoptera exigua* (Hubner): Exploring possibilities to enhance the bio-pesticide persistence with natural uv protectants under field-sunlight conditions of Saudi Arabia. *Pak. J. Agri. Sci*, 54(4): 743-751.

Sukmawati E. 2014. Efektivitas campuran protoksin *Bacillus thuringiensis* subsp. Aizawai dan konidia *Beauveria bassiana* terhadap ulat grayak *Spodoptera litura* F. *Jurnal Teknosains*, 8(1): 19-30.

Sumarmi S, Arlinda M, Sukirno S. 2020. The effectiveness of red spinach (*Amaranthus tricolor* L.) and green spinach (*Amaranthus hybridus* L.) extracts for *Bacillus thuringiensis* var. *kurstaki* protectant against uvb radiation for the control of armyworm (*Spodoptera litura* Fab.). *Journal of Tropical Biodiversity and Biotechnology*, 5(2): 143-148.

Sutanto KD, Salamouny SE, Tufail M, Rasool KG, Sukirno S, Shepard M, Shapiro M, Aldawood AS. 2017. Evaluation of natural additives to enhance the persistence of *Spodoptera littoralis* (Lepidoptera: Noctuidae) nucleopolyhedrovirus (SpliMNPV) under field conditions in Saudi Arabia. *Journal of Economic Entomology*, 0(0): 1-7.

Sutarto, Syani AY. 2018. Resistensi insektisida pada *Aedes aegypti*. *Journal Agromedicine Unila*, 5(2): 582-586.

Suwarno, Maridi, Sari DP. 2015. Uji toksisitas isolat kristal protein *Bacillus thuringiensis* (Bt) sebagai agen pengendali hama terpadu wereng hijau (*Nephrotettix virescens*) vektor penyakit tungro sebagai upaya peningkatan ketahanan pangan nasional. *Bioedukasi*, 8(1): 16-19.



Syawal Y, Marlina, Kunianingsih A. 2019. Budidaya tanaman bawang merah (*Allium cepa* L.) dalam polybag dengan memanfaatkan kompos tandan kosong kelapa sawit (tkks) pada tanaman bawang merah. *Jurnal Pengabdian Sriwijaya*, 7(1): 671-677.

Truzzi CC, Vieira NF, Souza JMD, Bortoli SAD. 2021. Artificial diets with different protein levels for rearing *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Journal of Insect Science*, 21(4): 1–7.

Udiarto BK, Setiawati W, Suryaningsih E. 2005. *Pengendalian Hama dan Penyakit pada Tanaman Bawang Merah dan Pengendaliannya*. Balai Penelitian Tanaman Sayuran, Pusat Penelitian dan Pengembangan Hortikultura, Badan Penelitian dan Pengembangan Pertanian.

Wu HM, Fen HL, Wang GD, Zhang LL, Zulu L, Liu YH, Zheng YL, Rao Q. 2022. Sublethal effects of three insecticides on development and reproduction of *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Agronomy*, 12(6): 1-11.

Wulandari W, Sukiya, Suhandoyo. 2013. Efek insektisida decis terhadap mortalitas dan struktur histologis insang ikan nila merah “lokal cangkringan”. *Jurnal Sain Veteriner*, 31(2): 251-265.

Yuantari MG, Widjanarko B, Sunoko HR. 2015. Analisis risiko pajanan pestisida terhadap kesehatan petani. *Jurnal Kesehatan Masyarakat*, 10(2): 239-245.

Yuliani, Sari W, Fatimah N. 2020. Uji efektivitas beberapa pestisida nabati terhadap mortalitas (*Spodoptera exigua* Hubner) pada tanaman bawang daun (*Allium fistulosum* L.). *Jurnal Pro-Stek*, 2(2): 72-77.

Zhang JT, Yan JP, Zheng DS, Sun YJ, Yuan ZM. 2007. Expression of mel gene improves the UV resistance of *Bacillus thuringiensis*. *Journal of Applied Microbiology*, 105(2008): 151-157.

Zhang L, Zhang X, Zhang Y, Wu S, Gelbic I, Xu L, Guan X. 2016. A new formulation of *Bacillus thuringiensis*: UV protection and sustained release mosquito larvae studies. *Scientific Reports*, 6(39425): 1-8.

Zhaorigetu S, Yanaka N, Sasaki M, Watanabe H, Kato N. 2003. Inhibitory effects of silk protein, sericin on uvb-induced acute damage and tumor promotion by reducing oxidative stress in the skin of hairless mouse. *Journal of Photochemistry and Photobiology B: Biology*, 71(1-3): 11-17.