

DAFTAR PUSTAKA

- ACS. 2018. *Surgical Education Program: Surgical Wounds*, Indiana: American College of Surgeons.
- Andi, B. dan Masykur, R., 2010, *Trauma Oral dan Maksilofasial*, EGC, Jakarta, hal.17-8.
- Anithaa, A., Sowmyaa, S., Sudheesh Kumar, P.T., Deepthi, S., Chennazhi, K.P., Ehrlichb, H., Tsurkanc, M., Jayakumar, R., 2014, Chitin and Chitosan in Selected Biomedical Applications, *Prog. Polym. Sci.*, 39, pp. 1644–67.
- Aprilia, Y.A., Dahlia, H., dan Kwartarini, M, 2018, Pengaruh Nanofiber Ekstrak Daun Kelor (*Moringa Oleifera* Lam.) 0,1% terhadap Proliferasi Osteoblas pada Proses Osteogenesis (Kajian pada Osteoblast Cell Line Mg63), *Tesis Prodi IKGK*, Fakultas Kedokteran Gigi, UGM Yogyakarta.
- Ashjaran, A. and Namayi, A., 2014, Survey of Nanofiber Material as Drug Delivery System, *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 5(3): p.1262.
- Ashok, P.K. and Upadhyaya, K, 2012, Tannins are astringent, *J. Pharmacogn. Phytochem.*, pp. 1, 45-50.
- Awodele, O., Oreagba, I.A., Odoma, S., da Silva, J.A., and Osunkalu, V.O., 2012, Toxicological Evaluation of The Aqueous Extract of *Moringa oleifera*. *J Ethnopharmacol*, 139(2), pp. 330-6.
- Bamishaiye, E.I., Olayemi, F.F., Awagu, E.F., and Bamishaiye, O.M., 2011, Proximate and Phytochemical Composition of *Moringa Oleifera* Leaves at Three Stages of Maturation, *Advanced Journal of Food Science and Technology*, 3(4), pp. 233-237.
- Baxter, C. 1990, *The Normal Healing Process. In: New Directions in Wound Healing*. NJ: E.R. Squibb & Sons, Inc. Princeton.
- Borle, R.M., 2014, *Textbook of Oral and Maxillofacial Surgery*, 1st Edition, New Delhi, Jaypee Brothers.
- Bhullar, S.K. and Bhuttar, H.S., 2015, Nanofiber Devices for the Targeted Delivery of Therapeutically Active Plant and Herbal Ingredients, *Biomedical Reviews*, 26, pp. 37-42.
- Cacciotti, I., Ciocci, M., Di Giovanni, E., Nanni, F., Melino, S., 2018, Hydrogen Sulfide-Releasing Fibrous Membrane: Potential Patches for Simulating

Human Stem-Cell Proliferation and Viability Under Oxidative Stress,
International Journal of Molecular Science, (19)8, pp. 2368.

Caetano, G.F., Fronza, M., Leite, M.N., Gomes, A. and Frade, M.A.C., 2016, Comparison of Collagen Content in Skin Wounds Evaluated by Biochemical Assay and by Computer-aided Histomorphometric Analysis, *Pharmaceutical Biology*, 54(11) pp. 2555-9.

Cockbill, S., 2002, Wounds: the Healing Process., *Hospital Pharmacist*. 9, p.255-60.

Carere C., Maestripieri D., 2013, *Animal Personalities: Behavior, Physiology, and Evolution*. Chicago (USA): University of Chicago, pp.75-77.

Chandra, S., Shridhar, N.B., and Sanganal, J., 2015, Nanofibers in Drug Delivery: An Overview, *World Journal of Pharmaceutical Research*, 4(8), pp.2576-94.

Charernsriwilaiwat, N., Rojanarata, T., Ngawhirunpat, T., Sukma, M., and Opanasopit, P., 2013, Electrospun Chitosan Based Nanofiber Mats Loaded with *Garcinia Mangostana* Extract, *International Journal of Pharmaceutics*, 452, pp. 333-43.

Croitoru, A.M., Fikai, D., Fikai, A., Mihailescu, N., Andronescu, E., and Turculet, C.F., 2020, Nanostructured Fibers Containing Natural or Synthetic Bioactive Compounds in Wound Dressing Applications, *Journal Material*, (13) 2407: pp. 1-14.

Chou, S.F., Carson, D., and Woodrow, K.A., 2015, Current Strategies for Sustaining Drug Release from Electrospun Nanofiber, *Journal of Controlled Release*, 12, pp. 57-65.

Conn, P.M., 2008, *Sourcebook of Model for Biomedical Research*, Humana press, New jersey, p. 631-9.

de Sousa, O.M; Lopes, N.N; Alves, M.T; Caran, M.M., 2018, Effects of Glycine on Collagen, PDGF, and EGF Expression in Model of Oral Mucositis. *Nutrients*. 10, p. 1485.

Dian, W., Dahlia, H., dan Kwartarini, M., 2017, Pengaruh Penambahan Ekstrak Daun Kelor (*Moringa Oleifera* Lam.) pada Polimer Kitosan-PVA terhadap Drug Release Nanofiber, *Tesis Prodi IKGK*, Fakultas Kedokteran Gigi, UGM Yogyakarta.

Elsabee, M.Z., Naguib, H.N., and Morsi, R.E., 2012, Chitosan Based Nanofibers, Review, *Materials Science and Engineering*, 32, pp. 1711-26.

Eroschenko, V.P.. 2005, *Di Fiore's Atlas of Histology with Functional Correlations*. Philadelphia: Lippincott Wilkins & Wilkins.

Farooq, A., 2015, Synthesis of Piroxicam Loaded Novel Electrospun Biodegradable Nanocomposite Scaffolds For Periodontal Regeneration. *Materials Science & Engineering*, 56, pp. 104–3.

Fayemi, O.E., Ekennia, A.C., Katata-Seru, L., 2018, Antimicrobial and Wound Healing Properties of Polyacrylonitrile-Moringa Extract Nanofibers, *American Chemical Society (ACS) Omega Publications*, 3, pp. 4791–7.

Feinberg, S.E., 2005, *Oral Maxillofacial Trauma*, vol. 1, WB Saunders Philadelphia, p. 25-61.

Fishman, T.D., 2010, Phases of Wound Healing, *J Prac Med Surg.*, 56(3), p. 112-120.

Fitria, L., dan Sarto, M., 2014, Profil Hematologi Tikus (*Rattus novergicus* Berkenhout, 1769) Galur Wistar Jantan dan Betina Umur 4, 6, dan 8 Minggu, *Biogenesis*, 2(2), p. 94-100.

Fonseca, J.R., and Walker R.V., 2013, *Oral and Maxillofacial Surgery Trauma*, WB Saunders Philadelphia, pp. 186-187.

Gal, P., Toprcer, T., Vidinsky, B., Motky, M., Novetny, M., and Kilik, R., 2006, Early Change in the Tensile Strength and Morphology of Primary Suture Skin in Wound in Rats, *Folia Biologica*, 52, pp. 109-15.

Gantwerker, E.A. dan Hom, D.B., 2011, Skin: Histology and Physiology of Wound Healing, *Facial Plast Surg Clin N Am.*, 19, p. 441–53.

Gayatri, D., 1999, Perkembangan Manajemen Perawatan Luka: Dulu dan Kini, *Jurnal Keperawatan Indonesia*, 2(8), hal. 304-8.

Geng, X., Kwon, O.H., and Jang, J., 2005, Electrospinning of Chitosan Dissolved in Concentrated Acetic Acid Solution, *Biomaterials* 26 : 5427-32.

Greenhalgh, D.,G., 2016, Burr: *Care for General Surgeon and General Practitioners*, Springer, California, pp. 100-1.

Gupta, A., and Kumar, P., 2015, Current Concepts in Wound Healing: Assessment of the Histological State of the Healing Wound, *Plastic and Aesthetic Research*, 2, pp. 239-42.

Haider, A., Haider, S., dan Kang, I.K., 2015, Comprehensive Review Summarizing Effect Electrospinning Parameters and Potential Application of Nanofibers in Biomedical and Biotechnology, *Arabian Journal of Chemistry*, hal 3-4.

Hanafiah, O. A., Hanafiah, D. S., Bayu, E.S., Abidin, T., Ilyas, S., Nainggolan, M., dan Syamsudin, E, (n.d.), 2017, Quantity Differences of Secondary Metabolites (Saponins, Tannins, and Flavonoids) from Binahong Plant Extract (*Anredera Cordifolia* (Ten.) Steenis) Treated and Untreated with Colchicines that Play a Role in Wound Healing, *World Journal of Dentistry*, pp. 8(4):296–9.

Hani, N.M., Amir, E.T., Mohammad, H.A., Kamil, W.A.M., and Siti, H., Nagalim, 2017, *Characterization of Electrospun Gelatine Nanofibers Encapsulated with Moringa Oleifera Bioactive Extract*, University Sains Malaysia.

Hupp, J.R., Ellis, E., Tucker, M.R., 2018, *Contemporary Oral and Maxillofacial Surgery*, 6th Ed., Elsevier, pp. 42-43, 49-62.

IACUC, 2014, *Weight loss in research animals*, The University of North Carolina at Capel Hill USA, pp. 1-4.

Imohiosen, O., Gurama, H.H., and Lamidi, T.B., 2014, Phytochemical And Antimicrobial Studies on *Moringa Oleifera* Leaves Extracts, *IOSR Journal of Environmental Science, Toxicology And Food Technology*, pp. 39-45.

Ingold, M., 1993, Wound Therapy: Growth Factors as Agents to Promote Healing, *Trends Biotechno.*, 11(9), p. 387-92.

Kaplan, N.E., and Hentz, V.R., 1992, *Emergency Management of Skin and Soft Tissue Wounds*, Little Brown, Boston.

Khairurijal, Munir, M.M., Saehana, S., Iskandar, I., dan Abdullah, M., 2009, Teknik Pemintalan Elektrik untuk Pembuatan Nanoserat: dari Permodelan hingga Eksperimen, *Jurnal Nanosains dan Nanoteknologi* : ISSN 1979-0880.

Kiani, F. A., Kachiwal, A. B., Shah, M. G., Khan, M. S., Lochi, G. M., Manan, A., HaQ, I., dan Khan, F.M., 2014. Histological Characterization of Wound Healing of Flank Verses Midline Ovariohysterectomy in Different Age Groups of Cats, *Journal of Clinical Pathology and Forensic Medicine*, 5(2), p. 6-16.

Kumar, V., Abbas, A.K., Fausto, N., 2010, *Tissue Renewal, Repair, and Regeneration In: Pathologic Basis of Disease*, 8th ed., Philadelphia, Elsevier, pp. 111-5.

Leone, A., Spaa, A., Battezzati, A., Schiraldi, A., Aristil, J., and Bertoi, S., 2015, Cultivation, Genetic, Ethnopharmacology, Phytochemistry and Pharmacology of *Moringa Oleifera* Leaves: An Overview, *International Journal of Molecular Sciences*, pp. 12791-12835.

Leong, 2012, *Wound Healing in Sebiston Textbook of Surgery*, 19th Ed., Elsevier Saunders Co., Amsterdam, p. 984-992.

Miguel, S.P., Sequeira, R.S., Moreira, A.F., Cabral, C.S.D., Mendonça, A.G., Ferreira, P., Correia, I.J., 2017, An Overview of Electrospun Membranes Loaded with Bioactive Molecules for Improving the wound Healing Process. *Eur. J. Pharm. Biopharm.*139, 1–22.

Muhammad, A.A., Pauzi, N.A., Arulselvan, P., Abas, F., and Fakurazi, S., 2013, In Vitro Wound Healing Potential and Identification of Bioactive Compounds from *Moringa Oleifera* Lam, *BioMed Research International*.

Murphy, P.S dan Evans, G.R., 2012, Advances in Wound Healing: A review of Currentt Wound Healing Products. *Plast Surg Int.*, 19(43), p. 11-9.

Nanci, A., 2005, *Ten Cate's Oral Histology Development, Structure, and Function*, 6th Ed., St Louis, Mosby, Elsevier, Canada, pp. 401-4.

Novaes, R.D., Cupertino, M.C., Sarandy, M.M., Souza, A., Soares, E.A. and Gonçalves, R.V., 2015, Time-Dependent Resolution of Collagen Deposition During Skin Repair in Rats: A Correlative Morphological and Biochemical Study, *Microscopy and Microanalysis*, 21(06): pp.1482-90.

Orsted, H.L., Keast, D., Forest, L., and Megie, M.F., 2004, Basic Principles of Wound Healing, *Journal Wound Care Canada*, 9(2), pp. 4-12.

Paikra, B.K., and Gidwani, B., 2017, Phytochemistry and Pharmacology of *Moringa Oleifera* Lam, *J. Parmacopuncture*, 20(3), pp. 194–200.

Paipitak, K., Pornpra, T., Mongkontalang, P., Techitdheera, W., and Pecharapa, W., 2011, Characterization of PVA-Chitosan Nanofibers Prepared by Electrospinning, *Procedia Engineering*, 8, pp. 101–10.

Paul, W. and Sharma. C. P., 2004, Chitosan and Alginate Wound Dressing: a Short Review, *Trends Biomaterial Artificial Organ*, 18: 18-23.

Pelipenko, J., Kocbek, P., and Kristl, J., 2015, Critical Attributes of Nanofibers: Preparation, Drug Loading, and Tissue Regeneration, *International Journal of Pharmaceutics*.

Phillips, S.J., 2000, Physiology of Wound Healing and Surgical Wound Care, *ASAIO Journal*. pp. 2-5.

Putra, I. W.D.P., Dharmayuda, A.A.G.O., dan Sudimartini, L.M., 2016, Identifikasi Senyawa Kimia Ekstrak Etanol Daun Kelor (*Moringa oleifera* L.) di Bali, *Indonesia Medicus Veterinus*, 5(5), pp. 464-73.

Ramakrishna, S., Fujihara, K., Wee-EongTeo, Teik-ChengLim, ZuweiMa, 2005, *Introduction to Electrospinning and Nanofiber*, Singapore: World Scientific Publishing.

Ridwan, E. 2013, Etika Pemanfaatan Hewan Percobaan dalam Penelitian Kesehatan, *J Indon Med Assoc*, 63(3), hal. 112-6.

Rieger, K.A. and Schiffman, J.D., 2014, Electrospinning An Essential Oil: Cinnamaldehyde Enhances The Antimicrobial Efficacy of Kitosan/Poly(Ethylene Oxide) Nanofibers, *Carbohydrate Polymers*, 113, pp. 561-8.

Robinson, J.K., Hanke, C.W., Sangelmann, R.D., Siegel, D.M., 2005, *Surgery of the Skin, Pcedural Dermatology*, Philadelphia, Elsevier Mosby, p. 117-35.

Robson, M.C., Steed, D.L., and Franz, M.G., 2001, *Wound Healing: Biologic Features and Approaches to Maximize Healing Trajectories*, Current Problems in Surgery, 38, pp. 72-140.

Rohaeti, E., 2009, Karakterisasi Biodegradasi Polimer, *Prosiding Seminar Nasional Penelitian, Pendidikan dan Penerapan MIPA*, Fakultas MIPA, Universitas Negeri Yogyakarta.

Sabirin, I.P.R., Maskoen, A.M., Hemowo, B.S., 2013, Peran Ekstrak Etanol Topikal Daun Mengkudu (*Morindacitrifolia* L.) pada Penyembuhan Luka Ditinjau dari Imunoekspresi CD34 dan Kolagen pada Tikus Galur Wistar, *MKB*, 45(4) : hal. 226-233.

Sandhu S., dkk. 2012, Collagen in Health and Disease, *Journal of Orofacial Research*, 22(33), pp. 153-9.

Sarhan, W.A. and Azzazy, H.M.E., and El-Sherbiny, I., 2016, Honey/Chitosan Nanofiber Wound Dressing Enriched with *Allium sativum* and *Cleome droserifolia*: Enhanced Antimicrobial and Wound Healing Activity, *American Chemical Society (ACS) Applied Materials & Interfaces Publications*, Washington, DC, pp. 1-45.

Sikareepaisan, P., Ruktanonchai, U., dan Supaphol, P., 2011, Preparation and Characterization of Asiaticoside-Loaded Alginate Films and Their Potential for Use as Effetual Wound Dressings, *Carbohydrate Polymers*, 83, pp. 1457-69.

Sirosis M. 2005. *Laboratory Animal Medicine: Principles and Procedures*, United State of America. Mosby Inc, pp.43-45.

Sjamsuhidajat, R., dan Jong, W.D., 2010, *Buku Ajar Ilmu Bedah*, Edisi ketiga, EGC, Jakarta, hal. 95-101; 394-96.

Sood, A., Mark, S.G., Tomaselli, N.L., 2014, Wound Dressing and Comparative Effectiveness Data, *Advanced in Wound Care*, (3): pp.511-29.

Taylor, J.R., 1997, *Buku Ajar Praktek Kebidanan*, Penerbit Buku Kedokteran EGC, Jakarta, hal. 21-5.

Townsend, C.M., Beauchamp, R.D., Evers, B.M. and Mattox, K.L., 2012, *Sabiston Textbook of Surgery*, 19th. Ed., Elsevier Saunders, p. 60-2.

Ubbink, D.,T., Vermeulen, H., Groossens, A., Kelner, R.B., 2008, Occlusive vs Gauze Dressing for Local Wound Care in Surgical Patient: A Randomized Clinical Trial, *J. Ach Surg.*, 143: 950-1.

Vasanth, K., Minakshi, G.C., Ilango, K., Kumar, R.M., and Agrawal, A., 2015, *Moringa Oleifera Attenuates the Release of Pro-Inflammatory Cytokines in Lypopolysaccharide Stimulated Human Monocytoc Cell Line*, *Industrial Crops and Products*, 77, pp.44-50.

Velnar, T., Bailey, T., and Smrkolj V., 2009. The Wound Healing Process: an Overview of the Cellular and Molecular Mechanisms, *The Journal of International Medical Research*, 37, pp. 1528-42.

Vidinsky, B., Gal, P., Toporcer, T., 2006, Histological Study of the First Seven Days of Skin Wound Healing in Rats, *Acta vet. Brno*, 75 : 197-202.

Vowden, Kathryn, Peter, V., 2014, *Wound Dressings: Principles and Practice*, Surgery, Oxford, pp. 462-7.

Walter, C.J; Dumville, J.C; Sharp, C.A. page, T., 2012, Systematic Review and Metaanalysis of Wound Dressings in the Prevention of Surgical-Site Infections in Surgical Wound Healing by Primary Intention, *Br J Surg.*, 99, p. 1185-94.

Wang, J. and Windbergs, M., 2017, Functional Electrospun Fibers for the Treatment of Human Skin Wounds. *Eur. J. Pharm. Biopharm.*, pp. 119, 283–299.

Webster, J., Scuffham, P., Sherriff, K.L., Stankiewicz, M., Chaboyer, W.P., 2012, Negaive Pressure Wound Therapy for Skin Graft and Surgical Wound Healing by Primary Intention, *Cochrane Database of Systemic Review*, 4th Ed., pp. 1-45.

Wijaya I., 2018, *Perawatan Luka dengan Pendekatan Multidisiplin*, Penerbit Andi Offset, Yogyakarta, hal: 47-90.

Winter, G.D., 1962, Formation of the Scab and the Rate of Epithelization of Superficial Wounds in the Skin of the Young Domestic Pig, *Nature*, 193, pp. 293-4.

World Union of Wound Healing Societies (WUWHS), 2016, *Closed Surgical Incision Management: Preventing Surgical Site Complications*, Wounds International.

Xu, R., Xia, H., He, W., Zhichao, L., Jian, B., Bo, L., Yuzhen, W., Qiang, L., Yi, K., Yang, B., Zhihui, Y., Rongshuai, Y., Haisheng, L., and Rixing, Z., 2016, Controlled Water Vapor Transmission Rate Promotes Wound-Healing via Wound Reepithelialization and Contraction Enhancement. *Scientific Reports*, 6(24596), pp. 1-12.

Xue, M. dan Jackson, C.J., 2015, Extracellular Matrix Reorganization During Wound Healing and Its Impact on Abnormal Scarring, *Advances in Wound Care (New Rochelle)*, 4(3), p. 119-36

Yang, G.Z., Li, J.J., Yu, D.G., He, M.F., Yang, J.H., and Williams, G.R., 2017, Nanosized Sustained-released Drug Depots Fabricated Using Modified Tri-axial Electrospinning, *Acta Biomaterialia*, 53, pp. 233-241.

Yao K; Bae, L; and Yew, P.W., 2013, Post-operative Wound Management, *Australian Family Physician*, 42, pp. 12.

Zahedi, P., Rezaeiana, I., Ranaei, O., Jafaria, H., dan Supaphol, P., 2010, A Review on Wound Dressings with An Emphasis on Electrospun Nanofibrous Polymeric Bandages, *Polymer Advanced Technology*, 21: 77-95.

Zheng, M.H., Zhang, Y.Z., Kotakic, M., and Ramakhrisna, S., 2010, A Review on Polymer Nanofiber by Electrospinning and Their Applications in Nanocomposites, *Composites Science and Technology*, 63: pp.2223-53.