

DAFTAR PUSTAKA

- Adria, & Idris, H. (2004). Biologi *Aspidomorpha miliaris*, F. pada Beberapa Konsentrasi Ekstrak Daun Gambir. *Jurnal Litiri*, 10(2), 51-58.
- Adria, & Suriati, S. (2010). Aspek Biologis Hama *Aspidomorpha miliaris* F. (Coleoptera: Crysomelidae) pada Tanaman Ylang-Ylang. *Bul. Littro.*, 21(2), 145-155.
- Alexander, M. E., Dick, J. T. A., Weyl, O. L. F., Robinson, T. B., Richardson, D. J. (2014). Existing and Emerging High Impact Invasive Species are Characterized by Higher Functional Responses Than Natives. *Biol. Lett.*, 2(10), 20130946. doi:10.1098/rsbl.2013.0946
- Al-Idrus, S., Rahmawati, R., Hadisaputra, S., & Quadratuddarsi, H. (2021). Analysis of Detergent Waste Absorption Using Water Spinach (*Ipomoea aquatica*). *Journal of Science and Science Education*, 2(1), 17-21.
- Alkiyumi, S. S., Abdullah, M. M. S., AlRashdi, A. S., Salama, S. M., Abdelwahab, S. I., & Hadi, A. H. A. (2012). *Ipomoea aquatica* Extract Shows Protective Action Against Thioacetamide-induced Hepatotoxicity. *Molecules*, 5(17), 6146-6155. doi:10.3390/molecules17056146
- Araujo, L. S., Medina, A. M., & Gimenes, M. (2018). Pollination Efficiency on *Ipomoea bahiensis* (Convolvulaceae): Morphological and Behavioural Aspects of Floral Visitors. *Iheringia, Sér. Zool.*, 10(108). doi:10.1590/1678-4766e2018012
- Ariyawansa, H. A., & Shen, Y. (2022). New Records of Powdery Mildews From Taiwan: *Erysiphe ipomoeae* Comb. Nov., *E. Aff. betae* on Buckwheat, and *E. neolycopersici* Comb. Nov. on *Cardiospermum halicacabum*. *Diversity*, 3(14), 204. doi:10.3390/d14030204
- Armien, A. G., Tokarnia, C. H., Peixoto, P., Barbosa, J., & Frese, K. (2011). Clinical and Morphologic Changes in Ewes and Fetuses Poisoned by *Ipomoea carnea* subspecies *fistulosa*. *J VET Diagn Invest*, 2(23), 221-232. doi:10.1177/104063871102300205

- Aziz, N. F. A., Hanafiah, M. M., Halim, N. H., Fidri, P. A. S. (2020). Phytoremediation of Tss, Nh3-n and Cod From Sewage Wastewater by *Lemna minor* L., *Salvinia minima*, *Ipomoea aquatica* and *Centella asiatica*. *Applied Sciences*, 16(10), 5397. doi:10.3390/app10165397
- Balogh, K. K. I. M. d., Dimande, A. P., Lugt, J. J. V. d., Molyneux, R. J., Naudé, T. W., & Welman, W. G. (1999). A Lysosomal Storage Disease Induced by *Ipomoea carnea* in Goats in Mozambique. *J VET Diagn Invest*, 3(11), 266-273. doi:10.1177/104063879901100310
- Beckers, O. M., Anderson, W., & Moczek, A. P. (2015). A Combination of Developmental Plasticity, Parental Effects, and Genetic Differentiation Mediates Divergences in Life History Traits Between Dung Beetle Populations. *Evolution & Development*, 17(2), 148-159. doi:10.1111/ede.12117
- Behmer, S. T., & Joern, A. (1994). The Influence of Proline on Diet Selection: Sex-Specific Feeding Preferences by The Grasshoppers *Ageneotettix deorum* and *Phoetaliotes nebrascensis* (Orthoptera: Acrididae). *Oecologia*, 98(1), 76-82. doi:10.1007/BF00326093
- Beutel, R. G., & Yavorskaya, M. (2019). Structure and Evolution of Mouthparts in Coleoptera. In H. Krenn, *Insect Mouthparts. Zoological Monographs*, vol 5. (pp. 387-418). Cham: Springer.
- Bezemer, T. M., Harvey, J., & Cronin, J. (2014). Response of Native Insect Communities to Invasive Plants. *Annual Review of Entomology*, 59(1), 119-141.
- Bhalerao, S. A., & Teli, N. C. (2016). *Ipomoea carnea* Jacq: Ethnobotany, Phytochemistry and Pharmacological Potential. *International Journal of Current Reseaarch in Bioscience Plant Biology*, 3(8), 138-144.
- Bhuyan, M., Mahanta, J. J., & Bhattacharya, P. R. (2008). Biocontrol Potential of Tortoise Beetle (*Aspidomorpha miliaris*) (Coleoptera: Chrysomelidae) on *Ipomoea carnea* in Assam, India. *Biocontrol Science and Technology*, 18(9), 941-947.

- Bieńkowski, A. O. (2010). Feeding Behavior of Leaf Beetles (Coleoptera, Chrysomelidae). *Entomological Review*, 90(1), 1-10. doi:10.1134/S001387381001001X
- Blau, W. S. (1981). Life History Variation in The Black Swallow-Tail Butterfly. *Oecologia*, 48(1), 116-122.
- Boroweic, L., & Świętojańska, J. (2002). *Cassidinae of the world - an interactive manual*. Wrocław, Poland: Department of Biodiversity and Evolutionary Taxonomy, University of Wrocław.
- Borror, D. J., Triplehorn, C. A., & Johnson, N. F. (1992). *Pengenalan Pelajaran Serangga (terjemahan)* (VI ed.). Yogyakarta: Gadjah Mada University Press.
- Bouzan, A. M., Flinte, V., Macedo, M. V., & Monteiro, R. F. (2015). Elevation and Temporal Distributions of Chrysomelidae in Southeast Brazil with Emphasis on The Galerucinae. *ZooKeys*, 547, 103-117. Retrieved from 10.3897/zookeys.547.9723
- Budečević, S., Savković, U., Đorđević, M., Vlajnić, L., & Stojković, B. (2021). Sexual Dimorphism and Morphological Modularity in *Acanthoscelides obtectus* (Say, 1831) (Coleoptera: Chrysomelidae): A Geometric Morphometric Approach. *Insect*, 12(4), 350. doi:10.3390/insects12040350
- CABI (2022). *Ipomoea aquatica* (swamp morning-glory), CABI Compendium. CABI International. doi: 10.1079/cabicompendium.28781.
- Chen, P. Y., Chang, H. L., & Ma, M. (2021). Feeding Preference of *Altica deserticola* (Coleoptera: Chrysomelidae: Alticinae) for Leaves of *Glycyrrhiza inflata* and *G. uralensis*. *Anais da Academia Brasileira de Ciencias*, 93(2). doi:10.1590/0001-3765202120190267
- Cheng, C.-L., & Hsiao, W.-F. (2019). Studies on Seasonal Incidence and Behavior of *Aspidomorpha miliaris* (Fabricius, 1775) (Coleoptera: Chrysomelidae). *Formosan Entomologist*, 39, 75-83. doi:10.6662/TESFE.201905_39(2).004

- Chitchak, N., Stewart, A., & Traiperm, P. (2022). Functional Ecology Of External Secretory Structures In *Rivea ornata* (Roxb.) Choisy (Convolvulaceae). *Plants*, 15(11), 2068. doi:10.3390/plants11152068
- Cook, D., Beaulieu, W. T., Mott, I. W., Riet-Correa, F., Gardner, D. R., Grum, D., Pfister, J. A., Clay, K., & Marcolongo-Pereira, C. (2013). Production of The Alkaloid Swainsonine by A Fungal Endosymbiont of The Ascomycete Order Chaetothyriales in The Host *Ipomoea carnea*. *J. Agric. Food Chem.*, 16(61), 3797-3803. doi:10.1021/jf4008423
- Danks, H. V. (2000). Measuring and Reporting Life-Cycle Duration in Insects and Arachnids. *Eur. J. Entomol.*, 97, 285-303.
- Doka, I. G., Tigani, S. E., & Yagi, S. M. (2014). Nutritional Composition and Antioxidant Properties of *Ipomoea aquatica* (Forssk) Leaves. *J. For. Prod. Ind*, 3, 205-210.
- Dong, Z., Huang, Y., Manawasinghe, I. S., Wanasinghe, D. N., Liu, J., Shu, Y., Zhao, M, P., Xiang, M. M., & Luo, M. (2021). *Stagonosporopsis pogostemonis*: A Novel Ascomycete Fungus Causing Leaf Spot and Stem Blight on *Pogostemon cablin* (Lamiaceae) in South China. *Pathogens*, 9(10), 1093. doi:10.3390/pathogens10091093
- Dury, G. J., Bede, J. C., & Windsor, D. M. (2014). Preemptive Circular Defence of Immature Insects: Definition and Occurrences of Cycloalexy Revisited. *Psyche: A Journal of Entomology*, 2014, 1-13. doi:10.1155/2014/642908
- Eid, E. M., Shaltout, K. H., & Al-Sodany, Y. M. (2017). *Population Ecology of Ipomoea carnea in Egypt*. Saarbrücken, Germany: LAP Lambert Academic Publishing.
- El-Barougy, R. F., Cadotte, M. W., Khedr, A.-H. A., Nada, R. M., & Maclvor, J. S. (2017). Heterogeneity in Patterns of Survival of The Invasive Species *Ipomoea carnea* in Urban Habitats Along The Egyptian Nile Delta. *NeoBiota*, 33, 1-17.

- Fatima, N., Rahman, M. M., Khan, M. A., & Fu, J. (2014). A Review on *Ipomoea carnea*: Pharmacology, Toxicology and Phytochemistry. *J Complementnnt Integr Med*, 11(2), 55-62.
- Fernandez, P., & Hilker, M. (2007). Host Plant Location by Chrysomelidae. *Basic and Applied Ecology*, 8, 97-116.
- Flowers, R. W. (2008). Leaf Beetles (Coleoptera: Chrysomelidae). In J. L. Capinera, *Encyclopedia of Entomology* (pp. 2145-2150). Dordrecht: Springer.
- French, B. W., & Hammack, L. (2010). Reproductive Traits of Northern Corn Rootworm (Coleoptera: Chrysomelidae) in Relation to Female and Male Body Size. *Annals of the Entomological Society of America*, 103(4), 688-694. doi:10.1603/AN09174
- Ganjari, L. E. (2016). Keanekaragaman dan Aktivitas Kumbang Kura-Kura (Tortoise) pada Tanaman Kangkung Pagar (*Ipomoea carnea*) di Madiun. *Widya Warta*, 2, 270-282.
- García-Robledo, C., Kuprewicz, E. K., Staines, C. L., & Kress, W. J. (2016). Limited Tolerance by Insects to High Temperatures Across Tropical Elevational Gradients and The Implications of Global Warming For Extinction. *Proceedings of the National Academy of Sciences*, 113(3), 680-685. doi:10.1073/pnas.1507681113
- Gardner, D. R., & Cook, D. (2016). Analysis of Swainsonine and Swainsonine N-Oxide as Trimethylsilyl Derivatives by Liquid Chromatography–Mass Spectrometry and Their Relative Occurrence in Plants Toxic to Livestock. *Journal of Agricultural and Food Chemistry*, 64(31), 6156–6162 . doi:10.1021/acs.jafc.6b02390
- GBIF. (2021). *Aspidimorpha miliaris* (Fabricius, 1775). (GBIF Secretariat) doi:10.15468/39
- Ghate, H. V., Borowiec, L., Rane, N. S., Ranade, S. P., & Pandit, S. (2003). Tortoise Beetles and Their Host Plants from Pune (Maharashtra State,

India) and Nearby Place (Coleoptera: Chrysomelidae: Cassidinae). *Genus*, 14(4), 519-539.

Gimenes, M., Araujo, L., & Medina, A. (2021). The Light Intensity Mediates the Pollination Efficacy Of A Caatinga Morning Glory *Ipomoea bahiensis* (Convolvulaceae). *Sociobiology*, 4(68), e5906. doi:10.13102/sociobiology.v68i4.5906

Gitaari, N., Kareru, P., Githua, M., Nyaga, C. (2021). Allelopathic Properties Of *Ipomoea hildebrandtii* Vatke. *CSIJ*, 21-31. doi:10.9734/csji/2021/v30i330221

Goss, E. M., Tabima, J. F., Cooke, D. E. L., Restrepo, S., Fry, W. E., Forbes, G. A., Fieland, V. J., Cardenas, M., & Grünwald, N. J. (2014). The Irish Potato Famine Pathogen *Phytophthora infestans* Originated in Central Mexico Rather Than The Andes. *Proc. Natl. Acad. Sci. U.S.A.*, 24(111), 8791-8796. doi:10.1073/pnas.1401884111

Gotardo, A. T., Pfister, J. A., Raspantini, P. C., & Górniak, S. L. (2016). Maternal Ingestion of *Ipomoea carnea*: Effects on Goat-Kid Bonding and Behavior. *Toxins (Basel)*, 8(3), 74-90. doi:10.3390/toxins8030074

Guo, R., Wang, X., Han, X., Chen, X., & Wang-Pruski, G. (2020). Physiological and Transcriptomic Responses of Water Spinach (*Ipomoea aquatica*) to Prolonged Heat Stress. *BMC Genomics*, 21(533). doi:10.1186/s12864-020-06953-9

Hassa, P., Traiperm, P. & Stewart, A.B. (2020). Pollinator Visitation and Female Reproductive Success in Two Floral Color Morphs of *Ipomoea aquatica* (Convolvulaceae). *Plant Syst Evol* 306, 88. doi:10.1007/s00606-020-01716-1

Hirakawa, H., Okada, Y., Tabuchi, H., Shirasawa, K., Watanabe, A., Tsuruoka, H., Minami, C., Nakayama, S., Sasamoto, S., Kohara, M., Kishida, Y., Fujishiro, T., Kato, M., Nanri, K., Komaki, A., Yoshinaga, M., Takahata, Y., Tanaka, M., Tabata, S., & Isobe, S. (2015). Survey Of Genome

- Sequences In a Wild Sweet Potato, *Ipomoea trifida* (H. B. K.) G. Don. *DNA Research*, 2(22), 171-179. doi:10.1093/dnares/dsv002
- Honek, A. (1993). Intraspecific Variation in Body Size and Fecundity in Insects - A General Relationship. *Oikos*, 66(3), 483-492.
- Hu, M., Li, C., Zhou, X., Xue, Y., Wang, S., Hu, A., Chen, S., Mo, X., & Zhou, J. (2021). Microbial Diversity Analysis and Genome Sequencing Identify *Xanthomonas perforans* as The Pathogen of Bacterial Leaf Canker of Water Spinach (*Ipomoea aquatica*). *Front. Microbiol.*, (12). doi:10.3389/fmicb.2021.752760
- iNaturalist. (2018). *Wet Morning Glory Ipomoea aquatica*. Retrieved July 1, 2023, from iNaturalist: <https://www.inaturalist.org/observations/27986991>
- ITIS. (2011). *Ipomoea aquatica* Forssk. Retrieved January 13, 2022, from Integrated Taxonomic Information System on-line database: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=30759#null
- ITIS. (2011). *Ipomoea carnea* Jacq. Retrieved 10 13, 2021, from Integrated Taxonomic Information System on-line database: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=30767#null
- Jirabanjongjit, A., Traiperm, P., Sando, T., & Stewart, A. (2021). Pollination and Floral Biology of A Rare Morning Glory Species Endemic to Thailand, *Argyreia siamensis*. *Plants*, 11(10), 2402. doi:10.3390/plants10112402
- Joel, U. C., Uwabunkeonye, O. C., Ogechukwu, M. R., & Azubuike, A. C. (2020). Comparative Phytochemical Study of The Parts of *Ipomoea* species. *Journal of Medicinal Plants Studies*, 8(4), 257-261.
- Jolivet, P. (2008). Cycloalexy. In J. L. Capinera, *Encyclopedia of Entomology* (pp. 1139-1140). Dordrecht: Springer. doi:10.1007/978-1-4020-6359-6_10149
- Kadu, S. G. (2021). Sublethal Effects of Indigenous Plant Extracts on The Biochemical Composition of Midgut of Carpenter Ant, *Camponotus*

compressus F. (Hymenoptera : Formicidae). *Advances in Zoology and Botany*, 9(2), 52-59. doi:10.13189/azb.2021.090203

Kalshoven, L. G. (1981). *The Pests of Crops in Indonesia*. (P. A. Van Der Laan, Ed.) Jakarta: PT Ichtiar Baru.

Kaur, J., Rawat, A., Renu, Kumar, S., & Narain, S. (2016). Taxonomy, Phytochemistry, Traditional Uses and Cultivation of *Ipomoea aquatica* Forssk. *Imperial Journal of Interdisciplinary Research (IJIR)*, 2(10), 408-412.

Keeler, K. (1977). The Extrafloral Nectaries Of *Ipomoea carnea* (Convolvulaceae). *American Journal of Botany*, 10(64), 1182-1188. doi:10.1002/j.1537-2197.1977.tb10810.x

Kelly, K., Ellacott, K., Chen, H., McGuinness, O., & Johnson, C. (2021). Time-Optimized Feeding is Beneficial Without Enforced Fasting. *Open Biology*, 11(10). doi:10.1098/rsob.210183

Khasanah, N., Martono, E., Trisyono, Y. A., & Wijonarko, A. (2022). Preliminary Valuation Activity of *Calotropis gigantea* L. Extracts Against Several Insect Pests. *JPTI*, 2(26). doi:10.22146/jpti.71938

Kiran, D. B., & Parisara, D. N. (2016). A Review on Importance of *Ipomoea carnea*. *International Journal of Engineering Research and Modern Education*, 1(1), 98-101.

Kuester, A., Wilson, A., Chang, S., & Baucom, R. (2016). A Resurrection Experiment Finds Evidence of Both Reduced Genetic Diversity and Potential Adaptive Evolution in The Agricultural Weed *Ipomoea purpurea*. *Mol Ecol*, 18(25), 4508-4520. doi:10.1111/mec.13737

Kunal, Vishal, Singla, C., Sharma, A., & Dhiman, A. (2021). An Update on Phytochemistry and Therapeutic Properties of *Ipomoea carnea*. *Journal of Pharmacognosy and Phytochemistry*, 10(1), 1-6.

Liu, X., Song, H., Li, X., & Yang, F. (2013). Power Generation Enhancement By Utilizing Plant Photosynthate in Microbial Fuel Cell Coupled Constructed

Wetland System. *International Journal of Photoenergy*, 1-10.
doi:10.1155/2013/172010

Lucio-García, J. N., Sánchez-Reyes, U. J., Horta-Vega, J. V., Reyes-Muñoz, J. L., Clark, S. M., & Niño-Maldonado, S. (2022). Seasonal and Microclimatic Effects on Leaf Beetles (Coleoptera, Chrysomelidae) in A Tropical Forest Fragment in Northeastern Mexico. *ZooKeys*, 1080, 21-52.
doi:10.3897/zookeys.1080.76522

Madani, I., Majbour, M., & Sinada, F. (2015). Morphological Variation of Four *Ipomoea* species from Sudan. *European Academic Research*, 3(7), 8240-8249.

Manvar, M., & Desai, T. (2013). Phytochemical and Pharmacological Profile of *Ipomoea aquatica*. *Indian Journal of Medical Sciences*, 67(3 & 4), 49-60.

Mattson, W. J. (1980). Herbivory in Relation to Plant Nitrogen Content. *Annual Review of Ecological Systematics*, 11, 119-161.

Meira, M., Silva, E., David, J., & David, J. (2012). Review Of the Genus *Ipomoea*: Traditional Uses, Chemistry And Biological Activities. *Rev. bras. farmacogn.*, 3(22), 682-713. doi:10.1590/s0102-695x2012005000025

Miah, M. I., Buiya, B. A., & Mohiuddin, M. (1991). Some Aspects of the Biology of *Aspidomorpha miliaris* (Coleoptera: Chrysomelidae, Cassidinae). *Bangladesh Journal of Entomology*, 1, 11-17.

Michael, J. P. (2008). Indolizidine and Quinolizidine Alkaloids. *Nat. Prod. Rep.*, 1(25), 139-165. doi:10.1039/b612166g

Milléo, J., Souza, J. M., Barbola, I. d., Moura, L. d., & Pucci, M. B. (2013). Diversidade e Sazonalidade de Crisomelídeos (Coleoptera: Chrysomelidae) em Pomar, no Município de Ponta Grossa, Paraná, Brasil. *Rev. Bras. Frutic*, 2(35), 454-463. doi:10.1590/s0100-29452013000200014

- Mohamedsaid, M. S. (1993). The Tortoise Beetles of Malaysia. *Nature Malaysiana*, 18(2), 44-47.
- Muhaimin, A. M., Halim, M., Zulaikha, S. A., & Yaakop, S. (2019). Habitat Preferences of Leaf Beetles (Coleoptera: Chrysomelidae) Based On Abiotic Factors: A Study From Fraser's Hill, Pahang, Malaysia. *IOP Conf. Series: Earth and Environmental Science*, 269, 1-7.
- Murugesan, A. G., & Paulraj, M. G. (2003). Feeding Potential of Fool's Gold Beetle, *Aspidomorpha miliaris* (Fabricius) (Coleoptera: Chrysomelidae) on *Ipomoea carnea* Jacq. *J. Biol. Control*, 17(2), 171-174.
- Nathanoi. (2017). *Asian Spotted Tortoise Beetle Aspidomorpha miliaris*. Retrieved October 13, 2021, from iNaturalist: <https://www.inaturalist.org/photos/9696410>
- National Socio-Environmental Synthesis Center. (2017). *Predicting insect feeding preferences after deforestation*. Retrieved May 9, 2023, from ScienceDaily: www.sciencedaily.com/releases/2017/10/171006101823.htm
- NatureMuseum. (2020). *What Are Host Plants*. Retrieved October 31, 2021, from Peggy Notebaert Nature Museum: <https://naturemuseum.org/2020/05/what-are-host-plants/>
- Neupane, S., Brandon, H., Brooke, G., & Nayduch, D. (2023). Sex-specific Feeding Behavior of Adult House Flies, *Musca domestica* L. (Diptera: Muscidae). *Journal of Medical Entomology*, 60(1), 7-13. doi:10.1093/jme/tjac161
- Nikola, V., Mirko, Š., & Marko, M. (2022). A New Greenhouse Invader: The First Report of The Alien Ring-legged Earwig, *Euborellia annulipes* (Dermaptera, Anisolabididae) in Serbia, with The First Checklist of Earwigs of The Country. *TRAVAUX*, 2(65), 27-38. doi:10.3897/travaux.65.e85829

- Novotny, V., & Basset, Y. (2005). Host Specificity of Insect Herbivores in Tropical Forests. *Proc. R. Soc. B*, 272, 1083-1090.
- Nurwahyudi, M. R., & Hatta, H. (2021). Hydroponically Planting *Ipomoea aquatica* Vegetables Using Planting Media from Used Goods. *IOP Conf. Ser.: Earth Environ. Sci.*, 810. doi:10.1088/1755-1315/810/1/012001
- Ojija, F., & Manyanza, N. (2021). Invasion, Impact and Control Techniques for Invasive *Ipomoea hildebrandtii* on Maasai Steppe Rangelands. *J. Basic Appl. Sci.*, (17), 25-36. doi:10.29169/1927-5129.2021.17.03
- Opene, A. O., Ogunka-Nnka, C. U., & Uwakwe, A. A. (2018). Comparative Study on The Nutrient Composition and in-Vitro Antioxidant Properties of Leaves and Stems of *Ipomoea involucrata*. *International Journal of Agriculture Innovations and Research*, 7(2), 272-279.
- Othman, S. N., & Latip, S. N. H. M. (2021). Antifeedant Activity of *Peltophorum pterocarpum* and *Ipomoea aquatica* Extracts as Botanical Pesticides Against *Pomacea canaliculata*. *IOP Conf. Ser.: Earth Environ. Sci.*, 1(685), 012028. doi:10.1088/1755-1315/685/1/012028
- Oudhia, P. (2000). Studies on Host specificity and Preference of Metallic Coloured Tortoise Beetle (*Aspidomorpha miliaris* F.). *Ecology and Environment conservation*, 6(3), 357-359.
- Oudhia, P., & Ganguli, J. (1999). Outbreak of Tortoise beetle *Aspidomorpha miliaris* F. (Coleoptera; Chrysomelidae) in Chhattisgarh Plains. *Insect Environment*, 5(3), 110-111.
- Park, I., Yang, S., Kim, W., Noh, P., Lee, H. O., & Moon, B. C. (2018). The Complete Chloroplast Genomes of Six *Ipomoea* Species and Indel Marker Development for the Discrimination of Authentic Pharbitidis Semen (Seeds of *I. nil* or *I. purpurea*). *Front. Plant Sci.*, 9. doi:10.3389/fpls.2018.00965
- Pedigo, L. P., & Rice, M. E. (2015). *Entomology and Pest Management* (6th ed.). Long Grove, Illinois: Waveland Press.

- Prentice, K., Christiaens, O., Pertry, I., Bailey, A. M., Niblett, C. L., Ghislain, M., Gheysen, G., & Smagghe, G. (2016). RNAi-based Gene Silencing Through DsRNA Injection or Ingestion Against The African Sweet Potato Weevil *Cylas puncticollis* (Coleoptera: Brentidae). *Pest. Manag. Sci.*, 1(73), 44-52. doi:10.1002/ps.4337
- Rieppel, O. (1988). Louis Agassiz (1807–1873) and The Reality of Natural Groups. *Biology and Philosophy*, 3, 29-47.
- Ríos, E., Cholic, L. A., Silva, J., & Pérez, O. A. d. (2008). Histopathological Lesions in Central Nervous System of Goats Poisoned By *Ipomoea carnea*. *Rev. vet.*, 2(19), 130. doi:10.30972/vet.1921892
- Rolff, J., Johnston, P. R., & Reynolds, S. (2019). Complete Metamorphosis of Insects. *Philos Trans R Soc Lond B Biol Sci.*, 374(1783). doi:10.1098/rstb.2019.0063
- Rushby, H. J., Mirth, C. K., Piper, M. D., & Andrews, Z. B. (2023). Ageing Impairs Protein Leveraging in Sex-Specific Manner in *Drosophila melanogaster*. *Animal Behaviour*, 195, 43-51. doi:10.1016/j.anbehav.2022.10.013
- Rutter, C. M. (2000). Bootstrap Estimation of Diagnostic Accuracy with Patient-Clustered Data. *Academic radiology*, 7(6), 413-419 . doi:10.1016/S1076-6332(00)80381-5
- Sabtharishi, S., & Nc, N. (2017). Bioassay for Monitoring Insecticide Toxicity in *Bemisia tabaci* Populations. *Protocol Exchange*. doi:10.1038/protex.2017.015
- Sahayaraj, K., Kombiah, P., Dikshit, A. P., & Rathi, J. M. (2015). Chemical Constituents of Essential Oils of *Tephrosia purpurea* and *Ipomoea carnea* and Their Repellent Activity Against *Odoiporus longicollis*. *JSCS*, 4(80), 465-473. doi:10.2298/jsc140425082s

- Sahu, K., & Kohli, S. (2016). Qualitative Phytochemical Screening of Leaves and Stem of *Ipomoea carnea*. *European Journal of Biomedical and Pharmaceutical Sciences*, 3(11), 208-211.
- Sánchez-Reyes, U. J., Niño-Maldonado, S., & Jones, R. (2014). Diversity and Altitudinal Distribution of Chrysomelidae (Coleoptera) in Peregrina Canyon, Tamaulipas, Mexico. *ZooKeys*, 417, 103-132. Retrieved from 10.3897/zookeys.417.7551
- Sanjeewa, D. M., Premathilake, K. G., Silva, P. D., & Udage, A. C. (2021). Life cycle, feeding preferences and control of *Sena caterpillar* (Fall Armyworm) (*Spodoptera frugiperda*). *Journal of Agriculture and Value Addition*, 4(1), 34-45.
- Saputra, M. R., Kismiati, S., & Sarjana, T. A. (2020). Perubahan Mikroklimatik Amonia dan Kondisi Litter Ayam Broiler Periode Starter Akibat Panjang yang Berbeda. *Sains Peternakan*, 18(1), 7-14. doi:10.20961/sainspet.v%vi%i.31636
- Saxena, P. K., Nanda, D., Gupta, R., Kumar, N., & Tyagi, N. (2017). A Review on *Ipomoea carnea*: An Exploration. *International Research Journal of Pharmacy*, 8(6), 1-8. doi:10.7897/2230-8407.08688
- Scharf, I., Daniel, A., MacMillan, H. A., & Katz, N. (2017). The Effect of Fasting and Body Reserves on Cold Tolerance in 2 Pit-Building Insect Predators. *Current zoology*, 63(3), 287-294. doi:10.1093/cz/zow049
- Schoonhoven, L. M., Loon, J. J., & Dicke, M. (2005). *Insect-Plant Biology* (2nd ed.). Oxford: Oxford University Press.
- Schou, M. F., Loeschcke, V., & Kristensen, T. N. (2015). Strong Costs and Benefits of Winter Acclimatization in *Drosophila melanogaster*. *PLoS ONE*, 10(6). doi:10.1371/journal.pone.0130307
- Shah, S. M., Hameed, M., Ahmad, M. S., & Wahid, M. A. (2023). Invasive Success of *Ipomoea carnea* Jacq. Through Plasticity in Physio-Anatomical

and Phytochemical Traits Across Diversified Habitats. *Biological Invasions*, 25, 197–219. doi:10.1007/s10530-022-02909-0

Shaikh, T. J. (2017). Taxonomic Study of The Water Spinach (*Ipomoea aquatica* Forsk. Convolvulaceae). *North Asian International Research Journal of Science*, 3(4), 1-11.

Shameem, K., Hiremath, N., & Prathapan, N. (2022). First Report Of *Acanthocoris scabrator* (Coreidae) as A Pest of Vegetables In India. *Indian Journal of Entomology*, 85(2), 473-475. doi:10.55446/ije.2021.383

Sharavati, T., Charaborti, S., & Modak, M. (2012). Isolation and Characterization of gut bacteria from *Aspidomorpha milliaris*. *World Journal of Environmental Biosciences*, 2(1), 13-20.

Shrestha, S., Shrestha, N., & Rajbhandary, S. (2017). Micromorphological Studies of the Genus *Ipomoea* L. (Convolvulaceae) in Nepal. *Himalayan Biodiv.*, 1(5), 16-23. doi:10.3126/hebids.v5i1.36149

Stocchino, G. A., Sluys, R., Sirotkin, A. V., Mansour, L., Manconi, R. (2019). The Invasive Alien Freshwater Flatworm *Girardia tigrina* (Girard, 1850) (Platyhelminthes, Tricladida) In Western Europe: New Insights Into Its Morphology, Karyology and Reproductive Biology. *Zoology*, 1-21. <https://doi.org/10.1163/18759866-20191406>

Sugiarto, A. (2018, November). Inventarisasi Kumbang Kura-Kura (Cassidinae) pada Kawasan Ekosistem Persawahan Pasca Panen di Desa Serdang Menang, Kecamatan Sirih Pulau Padang. *Kumpulan artikel Insect Village*, 1(5), 1-17.

Sultan, A., Borowiec, L., Rafi, M. A., Ilyas, M., Naz, F., & Shezad, A. (2008). Tortoise Beetles of Rawalpindi-Islamabad, Pakistan and Their Host Preferences (Coleoptera: Chrysomelidae: Cassidinae). *Genus*, 19(1), 93-102.

Takahashi, O., & Kawabe, S. (2003). Suitability of Electronic Monitoring System to The Analysis of Feeding Behavior of The Diamondback Moth, *Plutella*

xylostella (Lepidoptera: Yponomeutidae), Larvae. *Appl. Entomol. Zool.*, 1(38), 69-72. doi:10.1303/aez.2003.69

Tiro, L., Isa, I., & Iyabu, H. (2017). Potensi Tanaman Kangkung Air (*Ipomoea aquatica*) sebagai Bioabsorpsi Logam Pb dan Cu. *Jurnal Entropi*, 12(1), 81-86.

Tugume, A., Mukasa, S., Valkonen, J. (2016). Mixed Infections of Four Viruses, The Incidence and Phylogenetic Relationships of Sweet Potato Chlorotic Fleck Virus (Betaflexiviridae) Isolates in Wild Species and Sweetpotatoes in Uganda and Evidence of Distinct Isolates in East Africa. *PLoS ONE*, 12(11), e0167769. doi:10.1371/journal.pone.0167769

Umar, K. J., Hassan, L. G., Dangonggo, S. M., & Ladan, M. J. (2007). Nutritional Composition of Water Spinach (*Ipomoea aquatica* Forsk.) Leaves. *Journal of Applied Sciences*, 7(6), 803-809.

Usher, B. A., Bernays, E. A., & Barbehenn, R. V. (1988). Antifeedant Tests with Larvae of *Pseudaletia unipuncta*: Variability of Behavioral Response. *Entomologia Experimentalis Et Applicata*, 203-212. doi:10.1111/j.1570-7458.1988.tb01165.x

Vasquez, E. A., Asio, L. G., Ferraren, D. O., & Dacera, R. M. (2021). Biology of Tortoiseshell Beetle (*Aspidomorpha miliaris* Fabr.) on Sweetpotato (*Ipomoea batatas* Lam.) and Its Relatives as Affected by Host's Nutritional Profiles. *Annals of Tropical Research*, 43(2), 102-119. doi:10.32945/atr4329.2021

Wickman, P.-O., Wiklund, C., & Karlsson, B. (1990). Comparative Phenology of Four Satyrine Butterflies Inhabiting Dry Grasslands in Sweden. *Ecography*, 13(3), 238-246. doi:10.1111/j.1600-0587.1990.tb00614.x

Williams, A. E. (2006, August 29). *Species profile: Ipomoea aquatica*. (National Biological Information Infrastructure (NBII) & IUCN/SSC Invasive Species Specialist Group (ISSG)) Retrieved May 2, 2023, from Global Invasive Species Database: <http://www.iucngisd.org/gisd/species.php?sc=477>

Yap, C. K., Cheng, W., Wong, K. W., Yaacob, A., Razalai, R., Leow, C. S., Peng, S. H. T., Ismail, M. S., Yap, C. W., He, Y., Sharifinia, M., Bakhtiari, A. R., & Al-Shami, S. A. (2020). Health Risks of Essential Ni and Fe Via Consumption of Water Spinach *Ipomoea aquatica* Collected from Peninsular Malaysia. *Ann Environ Sci Toxicol*, 1(4), 001-004. doi:10.17352/aest.000018

Xu, J., Tan, J., Li, Y., Xu, Y., Tang, A., & Shi, P. (2023). Diversity and Dynamics of Endosymbionts in A Single Population of Sweet Potato Weevil, *Cylas formicarius* (Coleoptera: Brentidae): A Preliminary Study. *Journal of Insect Science*, 2(23). doi:10.1093/jisesa/iead021

Zhang, Z.-J., Zhang, S.-S., Niu, B.-L., Ji, D.-F., Liu, X.-J., Li, M.-W., Bai, H., Palli, S. R., Wang, C.-Z., Tan, A.-J. (2019). A Determining Factor for Insect Feeding Preference in The Silkworm, *Bombyx mori*. *PLoS biology*, 17(2). doi:10.1371/journal.pbio.3000162