

DAFTAR PUSTAKA

- Amalina, A.N., Suendo, V., Reza, M., Milana, P., Sunarya, R.R., Adhika, D.R., and Tanuwijaya, V. V., 2019, Preparation of polyaniline emeraldine salt for conducting-polymer-activated counter electrode in Dye Sensitized Solar Cell (DSSC) using rapid-mixing polymerization at various temperature, *Bull. Chem. React. Eng. & Catal.*, 14, 521.
- B.Organ and M. Grätzel. 1991. A Low-Cost, High-Efficiency Solar-Cell Based on Dye-Sensitized Colloidal TiO₂ Films. *Nature*. Vol. 353, no. 6346, pp. 737-740
- Brabec, C.J., Sariciftci, N.S., and Hummelen, J.C., 2001, Plastic solar cells, *Adv. Funtional Mater.*, 11, 15–26.
- Buraidah, M.H., Teo, L.P., Majid, S.R., Yahya, R., Taha, R.M., and Arof, A.K., 2010, Characterizations of Chitosan-Based Polymer Electrolyte, *Intenational Publishing Corporation*, ID 805836, 7
- Champagne, L.M., 2008, The Synthesis of Water Soluble N-Acyl Chitosan Derivatives for Characterization As Antibacterial Agents, *LSU Dr. Diss.*, 1–126.
- Chani, M.T.S., Karimov, K.S., Khalid, F.A., and Moiz, S.A., 2013, Polyaniline based impedance humidity sensors, *Solid State Sci.*, 18, 78–82.
- Dewan, M.A.R., Zhang, G., and Ostrovski, O., 2010, Phase Development in Carbothermal Reduction of Ilmenite Concentrates and Synthetic Rutile, *ISIJ International*, 50, 647–653.
- Deyab, M.A., 2014, Corrosion protection of aluminum bipolar plates with polyaniline coating containing carbon nanotubes in acidic medium inside the polymer electrolyte membrane fuel cell, *J. Power Sources*, 268, 50–55.
- Diebold, U., 2003, The surface science of titanium dioxide, 48, .
- Dong, B., He, B., Xu, C., and Li, H., 2007, Preparation and electrochemical characterization of polyaniline / multi-walled carbon nanotubes composites for supercapacitor, *Materials Science and Engineering B*, 143, 7–13.
- Grätzel, M., 2004, Conversion of sunlight to electric power by nanocrystalline dye-sensitized solar cells, *J. Photochem. Photobiol. A Chem.*, 164, 3–14.
- Green, M.A., Emery, K., King, D.L., Hisikawa, Y., and Warta, W., 2006, Solar cell efficiency tables (version 27), *Prog. Photovoltaics Res. Appl.*, 14, 45–51.
- Halme, J., 2002, Dye-sensitized nanostructured and organic photovoltaic cells: technical review and preliminary tests, *Master's Thesis*, Department of Engineering Physics and Mathematic Helsinki University of Technology.
- Harianingsih, 2010, Pemanfaatan Limbah Cangkang Kepiting menjadi Kitosan Sebagai Bahan Pelapis (Coater) pada Buah, *Tesis*, Program Magister Teknik Kimia Universitas Diponegoro, Semarang.
- Hatmanto, A.D., 2012, Gel Elektrolit Berbasis Kitosan Sebagai Elektrolit Redoks dalam Sel Surya Tersensitisasi Zat Warna, *Skripsi*, Prodi Kimia Universitas Gadjah Mada, Yogyakarta.
- Kaur, M. and Verma, N.K., 2014, CaCO₃/TiO₂ Nanoparticles Based Dye Sensitized Solar Cell, 30, 328–334.
- Kay, A. and Grätzel, M., 1996, Low cost photovoltaic modules based on dye

- sensitized nanocrystalline titanium dioxide and carbon powder, *Sol. Energy Mater. Sol. Cells*, 44, 99–117.
- Kolmakov, A. and Moskovits, M., 2004, Chemical Sensing and Catalysis by One-Dimensional Metal-Oxide, *Annu. Rev. Mater. Res*, 34, 151-80.
- Kongsong, P., Sikong, L., Niyomwas, S., and Rachpech, V., 2014, Photocatalytic Antibacterial Performance of Glass Fibers Thin Film Coated with N-Doped SnO₂/TiO₂, *The Scientific World Journal*, ID 869706, 9.
- Kumari, J.M.K.W., Senadeera, G.K.R., Weerasinghe, A.M.J.S., Thotawatthage, C.A., and Dissanayake, M.A.K.L., 2021, Effect of polyaniline (PANI) on efficiency enhancement of dye-sensitized solar cells fabricated with poly(ethylene oxide)-based gel polymer electrolytes, *J. Solid State Electrochem.*, 25, 695–705.
- Lestari, D., Sunarto, W., and Susatyo, E.B., 2012, Preparasi Nanokomposit ZnO/TiO₂ dengan Sonokimia serta Uji Aktivitasnya untuk Fotodegradasi Fenol, *Indones. J. Chem. Sci.*, 1(1).
- Lim, S.M., Moon, J., Baek, U.C., Lee, J.Y., Chae, Y., and Park, J.T., 2021, Shape-controlled tio₂ nanomaterials-based hybrid solid-state electrolytes for solar energy conversion with a mesoporous carbon electrocatalyst, *Nanomaterials*, 11, .
- Listanti, A., Taufiq, A., Hidayat, A., and Sunaryono, S., 2018, Investigasi Struktur dan Energi Band Gap Partikel Nano TiO₂ Hasil Sintesis Menggunakan Metode Sol-Gel, *Journal of Physical Science and Engineering*, 3(1), 8–15.
- Liu, Z., Zein, S., Abedin, E., and Endres, F., 2014, Electrodeposition and stripping of zinc from an ionic liquid polymer gel electrolyte for rechargeable zinc-based batteries, *J Solid State Electrochem*, DOI 10.1007/s10008-014-2526-8.
- Lu, S., Koeppe, R., Gu, S., and Serdar, N., 2007, Quasi-solid-state dye-sensitized solar cells with cyanoacrylate as electrolyte matrix, *Solar Energy Materials & Solar Cells*, 91, 1081–1086.
- Masdarolomoor, F., Innis, P.C., Ashraf, S., Kaner, R.B., and Wallace, G.G., 2006, Nanocomposites of Polyaniline/Poly (2- methoxyaniline-5-sulfonic acid), 1995–2000.
- Narayan, M.R., 2012, Review: Dye sensitized solar cells based on natural photosensitizers, *Renew. Sustain. Energy Rev.*, 16, 208–215.
- Ningsih, R. and Hastuti, H., 2013, Karakterisasi Ekstrak Teh Hitam Dan Tinta Cumi-Cumi Sebagai Fotosensitiser Pada Sel Surya Berbasis Pewarna Tersensitisasi, *Sainstis*, 1(2), 2089-0699.
- Niski Kumila, B. and Prajitno, G., 2017, The Effect of Gel-Electrolyte on Dye Sensitized Solar Cell (DSSC) Prototype based on Nanosized-TiO₂ Using Mangosteen Pericarp as Absorber, *J. Nat. Scien. Math. Res*, 3, 186.
- Di Paola, A., Cufalo, G., Addamo, M., Bellardita, M., Campostrini, R., Ischia, M., Ceccato, R., and Palmisano, L., 2008, Photocatalytic activity of nanocrystalline TiO₂ (brookite, rutile and brookite-based) powders prepared by thermohydrolysis of TiCl₄ in aqueous chloride solutions, *Colloids Surfaces A Physicochem. Eng. Asp.*, 317, 366–376.
- Park, J.Y., Lee, C., Woo, K., and Jung, D., 2009, Structure Related Photocatalytic Properties of TiO₂, *Bull. Korean Chem. Soc*, 30, 402–404.

- Pratiwi, D.E., 2018, Sintesis Membran Elektrolit Padat Berbahan Dasar Kitosan
Synthesis of Chitosan-Based Solid Electrolyte Membrane, *J. Sainsmat*, VII, 86–91.
- Praveen, E., Peter, I.J., Kumar, A.M., Ramachandran, K., and Jayakumar, K., 2019, Performance of ZnO/ZnS nanocomposite based dye-sensitized solar cell with chitosan-polymer electrolyte, *Mater. Today Proc.*, 35, 27–30.
- Pullanjiot, N. and Swaminathan, S., 2019, Enhanced electrochemical properties of metal oxide interspersed polymer gel electrolyte for QSDSSC application, *Sol. Energy*, 186, 37–45.
- Purnama, A., 2013, Sintesis Ni-TiO₂ dengan Metode Sol-gel dan Uji Aktivitasnya untuk Dekomposisi Air, *Skripsi*, Universitas Negeri Semarang, Jawa Tengah.
- Rasyida, K., Kuswandi, B., and Kristiningrum, N., 2014, Deteksi Kemurnian Air Zamzam Menggunakan Metode Spektrofotometri Fourier Transform Infrared (FTIR) dan Kemometrik (Detection of Zamzam Water Purity Using Fourier Transform Infrared (FTIR) Spectroscopy Technique and Chemometrics), *e-Jurnal Pustaka Kesehatan*, 2(2), 320–326.
- Rosanti, A.D., Wardani, A.R.K., and Anggraeni, H.A., 2020, Pengaruh Suhu Kalsinasi Terhadap Karakteristik dan Aktivitas Fotokatalis N/TiO₂ pada Penjernihan Limbah Batik Tenun, *Indonesian E-Journal of Applied Chemistry*, 8(1), 26–33.
- Scanlon, D.O., Dunnill, C.W., Buckeridge, J., Shevlin, S.A., Logsdail, A.J., Woodley, S.M., Catlow, C.R.A., Powell, M.J., Palgrave, R.G., Parkin, I.P., Watson, G.W., Keal, T.W., Sherwood, P., Walsh, A., and Sokol, A.A., 2013, Band alignment of rutile and anatase TiO₂, *Nat. Mater.*, 12, 798–801.
- Septiady, R.K.D. and Musyhar, G., 2018, Analisa Pemanfaatan Energi Surya Sebagai Sumber Energi Pada Mesin Pengeruk Sampah Di Kecamatan Wonokerto, *J. Cahaya Bagaskara*, 3, 1–5.
- Setiawan, I.N., Giriantari, I.A.D., Ariastina, W.G., and Kumara, I.N.S., 2020, Sel Surya Berbasis Pewarna Alami dan Potensi Pengembangannya di Indonesia sebagai Sumber Energi Alternatif yang Ramah Lingkungan, *Pros. Semin. Nas. Ketenagalistrikan dan Apl. SENKA 2015*, B1-4, 127–132.
- Shen, S., Dong, R., Shih, P., Ramamurthy, V., Lin, J., and Ho, K., 2014, Novel Polymer Gel Electrolyte with Organic Solvents for Quasi-Solid-State Dye-Sensitized Solar Cells, *ACS Appl. Mater. Interfaces* 6, 18489–18496.
- Stephan, A.M. and Nahm, K.S., 2006, Review on composite polymer electrolytes for lithium batteries, *Polymer*, 47, 5952–5964.
- Sun, S., Song, P., Cui, J., and Liang, S., 2019, Amorphous TiO₂ nanostructures: Synthesis, fundamental properties and photocatalytic applications, *Catal. Sci. Technol.*, 9, 4198–4215.
- Triandi, R. and Gunlazuardi, J., 2001, Preparasi Lapisan Tipis TiO₂ sebagai Fotokatalis : Keterkaitan antara Ketebalan dan Aktivitas Fotokatalisis, *Jurnal Penelitian Universitas Indonesia*, 5(2), 81–90.
- Vijayalakshmi, R. and Rajendran, V., 2012, Synthesis and characterization of nano-TiO₂ via different methods, *Sch. Res. Libr.*, 4, 1183–1190.
- Wang, J., 1994, *Analytical Electrochemistry*, VHC Publisher Inc., New York.
- West, A. R., 1984, *Basic Solid State Chemistry Second Edition*, Wiley, New York.

- Wu, J., Lan, Z., Lin, J., Huang, M., Huang, Y., Fan, L., and Luo, G., 2015, Electrolytes in Dye-Sensitized Solar Cells, *Chem. Rev.*, 115, 2136-2173.
- Yanagida, S., 2006, Recent research progress of dye-sensitized solar cells in Japan, *C. R. Chimie*, 9, 597–604.
- Zhang, H. and Banfield, J.F., 2000, Understanding Polymorphic Phase Transformation Behavior during Growth of Nanocrystalline Aggregates: Insights from TiO₂, 3481–3487.
- Zhang, L., Huai, W.J., Ming, L.J., and Liang, H.M., 2010, A Highly Efficient Electric Additive for Enhancing Photovoltaic Kinerjance of Dye Sensitized Solar Cells, *Sci. China*, 6(53), 1352-1357
- Zhu, K., Zhang, M., Hong, J., and Yin, Z., 2005, Size effect on phase transition sequence of TiO₂ nanocrystal, *Materials Science and Engineering A*, 403, 87–93.