



## DAFTAR PUSTAKA

- Alfaridz, F., & Amalia, R. (2019). Review Jurnal : Klasifikasi Dan Aktivitas Farmakologi Dari Senyawa Aktif Flavonoid. *Farmaka*, 3, 1–9.
- Amiteye, S. (2021). Basic Concepts And Methodologies Of Dna Marker Systems In Plant Molecular Breeding. *Heliyon*, 7(10), e08093. Retrieved from <https://doi.org/10.1016/j.heliyon.2021.e08093>
- Ardiyanto, D., & Friska Dewi, T. (2019). Analisis Ramuan Jamu Antihipertensi di Rumah Riset Jamu Hortus Medicus Tawangmangu Periode Januari-Juni 2017. *Jurnal Jamu Indonesia*, 4(2), 42–47. Retrieved from <https://doi.org/10.29244/jji.v4i2.128>
- Ayres, N. M., McClung, A. M., Larkin, P. D., Bligh, H. F. J., Jones, C. A., & Park, W. D. (1997). Microsatellites and a single-nucleotide polymorphism differentiate apparent amylose classes in an extended pedigree of US rice germ plasm. *Theoretical and Applied Genetics*, 94(6–7), 773–781. Retrieved from <https://doi.org/10.1007/s001220050477>
- Babu, T. D., Kuttan, G., & Padikkala, J. (1995). Cytotoxic and anti-tumour properties of certain taxa of Umbelliferae with special reference to *Centella asiatica* (L.) Urban. *Journal of Ethnopharmacology*, 48(1), 53–57. Retrieved from [https://doi.org/10.1016/0378-8741\(95\)01284-K](https://doi.org/10.1016/0378-8741(95)01284-K)
- Backer, C. A., & Brink, B. van den. (1963). *Flora of Java (Spermatophyte Only): vol.II. angiofermae, families 160-238*. Groningen: N.V.P. Noordhoff.
- Beers, S. J. (2001). *Jamu the ancient Indonesian art of herbal healing*. Periplus (HK) Ltd. Singapore.
- Bermawie, N., & Purwiyanti, S. (2008). KERAGAAN SIFAT MORFOLOGI , HASIL DAN MUTU PLASMA NUTFAH PEGAGAN ( *Centella asiatica* ( L .) Urban .) Variation in Morphological Characteristics , Yield and Quality of Asiatic Pennywort ( *Centella* mengatasi berbagai masalah kesehatan . nutrisi dan komponen. *Bul. Littro*, XIX(1), 1–17.
- Bhandari, H., Bhanu, A. N., Srivastava, K., Singh, M., Shreya, & Hemantaranjan, A. (2017). Assessment of Genetic Diversity in Crop Plants - An Overview. *Advances in Plants & Agriculture Research*, 7(3), 279–286. Retrieved from <https://doi.org/10.15406/apar.2017.07.00255>
- Bunaim, M. K., Kamisah, Y., Mohd Mustazil, M. N., Fadhlullah Zuhair, J. S., Juliana, A. H., & Muhammad, N. (2021). *Centella asiatica* (L.) Urb. Prevents Hypertension and Protects the Heart in Chronic Nitric Oxide Deficiency Rat Model. *Frontiers in Pharmacology*, 12(December), 1–12. Retrieved from <https://doi.org/10.3389/fphar.2021.742562>
- Chase, M. W., Christenhusz, M. J. M., Fay, M. F., Byng, J. W., Judd, W. S., Soltis, D. E., ... Weber, A. (2016). An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. *Botanical Journal of the Linnean Society*, 181(1), 1–20. Retrieved from <https://doi.org/10.1111/BOJ.12385>
- Cheng, C. L., & Koo, M. W. (2000). Effects of *Centella asiatica* on ethanol induced gastric mucosal lesions in rats. *Life Sciences*, 67(21), 2647–2653. Retrieved from [https://doi.org/10.1016/S0024-3205\(00\)00848-1](https://doi.org/10.1016/S0024-3205(00)00848-1)



- Chua, L. S., Abdullah, F. I., & Sari, E. (2022). Comparing herbal phytochemicals in different Pegaga: *Centella asiatica* and *Hydrocotyle verticillata*. *Future of Food: Journal on Food, Agriculture and Society*, 10(4). Retrieved from <https://doi.org/10.17170/kobra-202204136015>
- Corlett, R. T. (2013). Where are the subtropics? *Biotropica*. Retrieved from <https://doi.org/10.1111/btp.12028>
- Dharmayanti, N. L. . I. (2011). Filogenetika Molekuler: Metode Taksonomi Organisme Berdasarkan Sejarah Evolusi FILOGENETIKA. *WARTAZOA*, 21(1). Retrieved from <https://doi.org/https://doi.org/10.14334/wartazoa.v21i1.948>
- Drude, O. (1898). Umbelliferae. In A. Engler & K. Prantl (Eds.), *Die Natürlichen Pflanzenfamilien, vol. III* (pp. 63–250). Leipzig: Verlag von Wilhelm Engelmann.
- Due, R. (2013). *Etnobotani Tumbuhan Obat Suku Dayak Pesaguan dan Implementasinya dalam Pembuatan Flash Card Biodiversitas*. Universitas Tanjungpura.
- Elfahmi, Woerdenbag, H. J., & Kayser, O. (2014). Jamu: Indonesian traditional herbal medicine towards rational phytopharmacological use. *Journal of Herbal Medicine*, 4(2), 51–73. Retrieved from <https://doi.org/10.1016/j.hermed.2014.01.002>
- Ellison, A. M., Buckley, H. L., Miller, T. E., & Gotelli, N. J. (2004). Morphological variation in *Sarracenia purpurea* (Sarraceniaceae): Geographic, environmental, and taxonomic correlates. *American Journal of Botany*, 91(11), 1930–1935. Retrieved from <https://doi.org/10.3732/AJB.91.11.1930>
- Fraser, L. G., Harvey, C. F., Crowhurst, R. N., & De Silva, H. N. (2004). EST-derived microsatellites from *Actinidia* species and their potential for mapping. *Theoretical and Applied Genetics*, 108(6), 1010–1016. Retrieved from <https://doi.org/10.1007/s00122-003-1517-4>
- Goltenboth, F., Timotius, K., Po Milan, P., & Margraf, J. (Eds.). (2006). *Ecology of Insular Southeast Asia: The Indonesian Archipelago*. Amsterdam: Elsevier.
- Gottlieb, L. D. (1984). Genetics and Morphological Evolution in Plants. *Source: The American Naturalist*, 123(5), 681–709.
- Govindaraj, M., Vetriventhan, M., & Srinivasan, M. (2015). Importance of genetic diversity assessment in crop plants and its recent advances: An overview of its analytical perspectives. *Genetics Research International*, 2015(Figure 1). Retrieved from <https://doi.org/10.1155/2015/431487>
- Gower, A. J. C. (1971). A General Coefficient of Similarity and Some of Its Properties. *International Biometric Society*, 27(4), 857–871.
- Gray, N. E., Harris, C. J., Quinn, J. F., & Soumyanath, A. (2016). *Centella asiatica* modulates antioxidant and mitochondrial pathways and improves cognitive function in mice. *Journal of Ethnopharmacology*, 180, 78–86. Retrieved from <https://doi.org/10.1016/j.jep.2016.01.013>
- Hadiyanti, N., Supriyadi, S., & Pardono, P. (2018). KERAGAMAN BEBERAPA TUMBUHAN CIPLUKAN (*Physalis* spp.) DI LERENG GUNUNG KELUD, JAWA TIMUR. *Berita Biologi*, 17(2). Retrieved from <https://doi.org/10.14203/beritabiologi.v17i2.3238>



- Hammer, Ø., Harper, D. A. T., & Ryan, P. D. (2001). PAST: Paleontological statistics software package for education and data analysis. *Palaeontologia Electronica*, 4(1).
- Hargono, D., Lastari, P., Astuti, Y., & van den Bergh, M. H. (1999). *Centella asiatica* (L.) Urb. Retrieved 10 November 2016, from [http://proseanet.org/prosea/e-prosea\\_detail.php?frt=&id=68](http://proseanet.org/prosea/e-prosea_detail.php?frt=&id=68)
- ITIS. (2022). ITIS - Report: *Centella asiatica*. Retrieved 8 June 2022, from <https://itis.gov/servlet/SingleRpt/SingleRpt#null>
- Javaid, A., Gurmet, R., & Sharma, N. (2018). *Centella asiatica* (L.) urban: A predominantly self-pollinated herbal perennial plant of family apiaceae. *Vegetos*, 31(2), 53–59. Retrieved from <https://doi.org/10.5958/2229-4473.2018.00056.3>
- Jayashree, G., Kurup Muraleedhara, G., Sudarslal, S., & Jacob, V. B. (2003). Antioxidant activity of *Centella asiatica* on lymphoma-bearing mice. *Fitoterapia*, 74(5), 431–434. Retrieved from [https://doi.org/10.1016/S0367-326X\(03\)00121-7](https://doi.org/10.1016/S0367-326X(03)00121-7)
- Jayathirtha, M. G., & Mishra, S. H. (2004). Preliminary immunomodulatory activities of methanol extracts of *Eclipta alba* and *Centella asiatica*. *Phytomedicine*, 11(4), 361–365. Retrieved from <https://doi.org/10.1078/0944711041495236>
- Jin, S. G., Kim, K. S., Yousaf, A. M., Kim, D. W., Jang, S. W., Son, M. W., ... Choi, H. G. (2015). Mechanical properties and in vivo healing evaluation of a novel *Centella asiatica*-loaded hydrocolloid wound dressing. *International Journal of Pharmaceutics*, 490(1–2), 240–247. Retrieved from <https://doi.org/10.1016/j.ijpharm.2015.05.058>
- Kementerian Pertanian, R. I. (2006). *Keputusan Menteri Pertanian No. 511 Tahun 2006 tentang Jenis Komoditi Tanaman Binaan Direktorat Jenderal Perkebunan, Direktorat Jenderal Tanaman Pangan Dan Direktorat Jenderal Hortikultura. Kementerian Pertanian*.
- Kriswiyanti, E., Junitha, I. K., Sri Kentjonowati, E., Darsini, N., & Setyawati, I. (2011). Inventarisasi Bahan Obat Tradisional Di Kecamatan Kintamani, Kabupaten Bangli, Bali. In *Seminar Nasional HUT Kebun Raya Cibodas Ke-159* (pp. 108–112).
- Kumar, M. H. V., & Gupta, Y. . (2002). Effect of different extracts of *Centella asiatica* on cognition and markers of oxidative stress in rats. *Journal of Ethnopharmacology*, 79(2), 253–260. Retrieved from [https://doi.org/10.1016/S0378-8741\(01\)00394-4](https://doi.org/10.1016/S0378-8741(01)00394-4)
- Kumar, M. H. V., & Gupta, Y. K. (2003). Effect of *Centella asiatica* on cognition and oxidative stress in an intracerebroventricular streptozotocin model of Alzheimer's disease in rats. *Clinical and Experimental Pharmacology and Physiology*, 30(5–6), 336–342. Retrieved from <https://doi.org/10.1046/j.1440-1681.2003.03842.x>
- Kumpatla, S. P., & Mukhopadhyay, S. (2005). Mining and survey of simple sequence repeats in expressed sequence tags of dicotyledonous species. *Genome*, 48(6), 985–998. Retrieved from <https://doi.org/10.1139/g05-060>
- Lee, S. J., Shin, Y. W., Kim, Y. H., & Lee, S. W. (2017). Molecular markers based



- on chloroplast and nuclear ribosomal DNA regions which distinguish Korean-specific ecotypes of the medicinal plant *Cudrania tricuspidata* Bureau. *Journal of Plant Biotechnology*, 44(3), 235–242. Retrieved from <https://doi.org/10.5010/JPB.2017.44.3.235>
- Li, C., Xie, X., Li, F., Tian, E., Shu, Y., & Chao, Z. (2020). The complete chloroplast genome sequence of *Centella asiatica* (Linnaeus) Urban. *Mitochondrial DNA Part B: Resources*, 5(3), 2149–2150. Retrieved from <https://doi.org/10.1080/23802359.2020.1768922>
- Li, W.-H. (1997). *Molecular evolution*. Sinauer. Sunderland, MA. Retrieved from [https://doi.org/10.1016/0968-0004\(76\)90191-2](https://doi.org/10.1016/0968-0004(76)90191-2)
- Li, X., Wang, J., Qiu, Y., Wang, H., Wang, P., Zhang, X., ... Li, X. (2021). Ssr-sequencing reveals the inter-and intraspecific genetic variation and phylogenetic relationships among an extensive collection of radish (*Raphanus*) germplasm resources. *Biology*, 10(12), 1250. Retrieved from <https://doi.org/10.3390/biology10121250>
- Liu, M., Plunkett, G. M., Lowry, P. P., Wyk, B. E. Van, Tilney, P. M., & Nicolas, A. N. (2016). The Phylogenetic Significance of Fruit and Trichome Structures in Apiaceae Subfamily Mackinlayoideae. *Systematic Botany*, 41(3), 685–699. Retrieved from <https://doi.org/10.1600/036364416X692541>
- Maksylewicz, A., & Baranski, R. (2013). Intra-population genetic diversity of cultivated carrot (*Daucus carota* L.) assessed by analysis of microsatellite markers. *Acta Biochimica Polonica*, 60(4), 753–760. Retrieved from [https://doi.org/10.18388/abp.2013\\_2053](https://doi.org/10.18388/abp.2013_2053)
- Malik, S., & Sharma, A. (2020). Study of Phenology of A Medicinal Plant *Centella asiatica* of Family Apiaceae. *Voyager*, 11, 15–21.
- Mariska, E., Sitorus, T. D., & Rachman, J. A. (2015). Effect of *Centella asiatica* Leaves on Gastric Ulcer in Rats. *Althea Medica Journal*, 2(1), 114–118.
- Maruzy, A., Budiarti, M., & Subositi, D. (2020). Autentikasi *Centella asiatica* (L.) Urb. (Pegagan) dan Adulterannya Berdasarkan Karakter Makroskopis, Mikroskopis, dan Profil Kimia. *Jurnal Kefarmasian Indonesia*, 10(1), 19–30. Retrieved from <https://doi.org/10.22435/jki.v10i1.1830>
- Mathavaraj, S., & Sabu, K. K. (2021). Genetic diversity and structure revealed by genomic microsatellite markers in *Centella asiatica* (L.) Urb., a plant with medicinal potential. *Molecular Biology Reports*, 48(11), 7387–7396. Retrieved from <https://doi.org/10.1007/S11033-021-06748-5/FIGURES/3>
- Mehrotra, S., & Goyal, V. (2014). Repetitive Sequences in Plant Nuclear DNA: Types, Distribution, Evolution and Function. *Genomics, Proteomics and Bioinformatics*, 12(4), 164–171. Retrieved from <https://doi.org/10.1016/j.gpb.2014.07.003>
- Milner, M. L., McIntosh, E. J., Crisp, M. D., Weston, P. H., & Rossetto, M. (2013). Microsatellite variation for phylogenetic, phylogeographic and population-genetic studies in *Lomatia* (Proteaceae). *Australian Systematic Botany*, 26(3), 186–195. Retrieved from <https://doi.org/10.1071/SB13002>
- Mubarok, H., Handayani, N. S. N., Maryanto, I., & Arisuryanti, T. (2023). Phylogenetic and genetic variation analysis of lesser short-nosed fruit bat *Cynopterus brachyotis* (Müller 1838) on Java island, Indonesia, inferred from



- mitochondrial D-loop. *Journal of Genetic Engineering and Biotechnology*, 21(1), 1–10. Retrieved from <https://doi.org/10.1186/s43141-022-00460-y>
- Mumtazah, H. M., Supriyono, Widyastuti, Y., & Yunus, A. (2020). The diversity of leaves and asiaticoside content on three accessions of *Centella asiatica* with the addition of chicken manure fertilizer. *Biodiversitas*, 21(3), 1035–1040. Retrieved from <https://doi.org/10.13057/biodiv/d210325>
- Nanditha, R. J., Ravi, C. S., Rohini, M. R., Girish, R., & Bhoomika, H. R. (2022). Germplasm collection and characterization of Mandukaparni (*Centella asiatica* L.) accessions of coastal zone of Karnataka, 11(11), 893–900.
- Nicolas, A. N., & Plunkett, G. M. (2009). The demise of subfamily Hydrocotyloideae (Apiaceae) and the re-alignment of its genera across the entire order Apiales. *Molecular Phylogenetics and Evolution*, 53(1), 134–151. Retrieved from <https://doi.org/10.1016/j.ympev.2009.06.010>
- Nonić, M., & Šijačić-Nikolić, M. (2021). Genetic Diversity: Sources, Threats, and Conservation. In *Nature* (Vol. 492, pp. 421–435). Retrieved from [https://doi.org/10.1007/978-3-319-95981-8\\_53](https://doi.org/10.1007/978-3-319-95981-8_53)
- Paradis, E. (2018). Analysis of haplotype networks: The randomized minimum spanning tree method. *Methods in Ecology and Evolution*, 9(5), 1308–1317. Retrieved from <https://doi.org/10.1111/2041-210X.12969>
- Pavlinov, I. Y. (2021). *Biological Systematics: History and Theory*. Boca Raton: CRC Press.
- Permata, D. A. Y. U., & Susandarini, R. (2022). Morphological diversity and phenetic relationship of wild and cultivated Begonia based on morphology and leaf venation, 23(2), 928–937. Retrieved from <https://doi.org/10.13057/biodiv/d230235>
- Petit, R. J., Duminil, J., Fineschi, S., Hampe, A., Salvini, D., & Vendramin, G. G. (2005). Comparative organization of chloroplast, mitochondrial and nuclear diversity in plant populations. *Molecular Ecology*, 14(3), 689–701. Retrieved from <https://doi.org/10.1111/j.1365-294X.2004.02410.x>
- Poncet, V., Rondeau, M., Tranchant, C., Cayrel, A., Hamon, S., De Kochko, A., & Hamon, P. (2006). SSR mining in coffee tree EST databases: Potential use of EST-SSRs as markers for the *Coffea* genus. *Molecular Genetics and Genomics*, 276(5), 436–449. Retrieved from <https://doi.org/10.1007/s00438-006-0153-5>
- POWO. (2022a). Apiaceae Lindl. | Plants of the World Online | Kew Science. Retrieved 7 June 2022, from <https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:30000180-2>
- POWO. (2022b). *Centella asiatica* (L.) Urb. | Plants of the World Online | Kew Science. Retrieved 6 June 2022, from <https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:1197718-2#bibliography>
- Prasad, A., Dhawan, S. S., Mathur, A. K., Prakash, O., Gupta, M. M., Verma, R. K., ... Mathur, A. (2014). Morphological, chemical and molecular characterization of *Centella asiatica* germplasms for commercial cultivation in the Indo-Gangetic plains. *Natural Product Communications*, 9(6), 779–784. Retrieved from <https://doi.org/10.1177/1934578x1400900612>



- Putman, A. I., & Carbone, I. (2014). Challenges in analysis and interpretation of microsatellite data for population genetic studies. *Ecology and Evolution*, 4(22), 4399–4428. Retrieved from <https://doi.org/10.1002/ece3.1305>
- Rakotondralambo, S. O. R., Lussert, A., Rivallan, R., Danthu, P., Noyer, J. L., & Baurens, F. C. (2012). Microsatellite markers isolated from the wild medicinal plant *Centella asiatica* (Apiaceae) from an enriched genomic library. *American Journal of Botany*, 99(4). Retrieved from <https://doi.org/10.3732/AJB.1100441>
- Ravi, C. S., Umesha, K., HimaBindu, K., Raviraja Shetty, G., & Anil Kumar, G. S. (2019). Collection and Morphological Variability in Ecotypes of Indian Pennywort (*Centella asiatica* L.) of Hill Zone of Karnataka, India. *International Journal of Current Microbiology and Applied Sciences*, 8(09), 994–1008. Retrieved from <https://doi.org/10.20546/ijcmas.2019.809.117>
- Ripley, B. S., Pammenter, N. W., & Smith, V. R. (1999). Function of leaf hairs revisited: The hair layer on leaves *Arctotheca populifolia* reduces photoinhibition, but leads to higher leaf temperatures caused by lower transpiration rates. *Journal of Plant Physiology*, 155(1), 78–85. Retrieved from [https://doi.org/10.1016/S0176-1617\(99\)80143-6](https://doi.org/10.1016/S0176-1617(99)80143-6)
- Ripley, L. S. (2013). Mutation. *Brenner's Encyclopedia of Genetics: Second Edition*, 3, 534–539. Retrieved from <https://doi.org/10.1016/B978-0-12-374984-0.01007-X>
- Rouhan, G., & Gaudeul, M. (2014). Plant taxonomy: A historical perspective, current challenges, and perspectives. In P. Besse (Ed.), *Methods in Molecular Biology* (Vol. 1115, pp. 1–37). Humana Press Inc. Retrieved from [https://doi.org/10.1007/978-1-62703-767-9\\_1](https://doi.org/10.1007/978-1-62703-767-9_1)
- Sahu, J., Das Talukdar, A., Devi, K., Choudhury, M. D., Barooah, M., Modi, M. K., & Sen, P. (2015). E-microsatellite markers for *Centella asiatica* (gotu kola) genome: Validation and cross-transferability in apiaceae family for plant omics research and development. *OMICS A Journal of Integrative Biology*, 19(1), 52–65. Retrieved from <https://doi.org/10.1089/omi.2014.0113>
- Salim, Z., & Munadi, E. (2017). *Info Komoditi Tanaman Obat. Badan Pengkajian dan Pengembangan Perdagangan Kementerian Perdagangan Republik Indonesia*.
- Sampson, J. H., Raman, A., Karlsen, G., Navsaria, H., & Leigh, I. M. (2001). In vitro keratinocyte antiproliferant effect of *Centella asiatica* extract and triterpenoid saponins. *Phytomedicine: International Journal of Phytotherapy and Phytopharmacology*, 8(3), 230–235. Retrieved from <https://doi.org/10.1078/0944-7113-00032>
- Šarhanová, P., Pfanzelt, S., Brandt, R., Himmelbach, A., & Blattner, F. R. (2018). SSR-seq: Genotyping of microsatellites using next-generation sequencing reveals higher level of polymorphism as compared to traditional fragment size scoring. *Ecology and Evolution*, 8(22), 10817–10833. Retrieved from <https://doi.org/10.1002/ECE3.4533>
- Sari, N., Purnomo, Daryono, B. S., Suryadiantina, & Setyowati, M. (2016). Variation and intraspecific classification of edible canna (*Canna indica* L.) based on morphological characters. *AIP Conference Proceedings*,



- 1744(February 2018). Retrieved from <https://doi.org/10.1063/1.4953515>
- Scariolo, F., Palumbo, F., & Barcaccia, G. (2022). Molecular Characterization and Genetic Structure Evaluation of Breeding Populations of Fennel (*Foeniculum vulgare* Mill.). *Agronomy*, 12(3). Retrieved from <https://doi.org/10.3390/agronomy12030542>
- Shukla, A., Rasik, A. M., Jain, G. K., Shankar, R., Kulshrestha, D. K., & Dhawan, B. N. (1999). In vitro and in vivo wound healing activity of asiaticoside isolated from *Centella asiatica*. *Journal of Ethnopharmacology*, 65(1), 1–11. Retrieved from [https://doi.org/10.1016/S0378-8741\(98\)00141-X](https://doi.org/10.1016/S0378-8741(98)00141-X)
- Simpson, M. G. (2010). *Plant Systematics*. Academic Press (2nd ed.). AMSTERDAM: Academic Press.
- Singh, G. (2019). *Plant Systematics: An Integrated Approach*. CRC Press (First edit). Boca Raton: CRC Press. Retrieved from <https://doi.org/10.2307/25065339>
- Steenis, C. G. G. J. Van. (1948). *Flora Malesiana. general editor, C.G.G.J. van Steenis*. (Vol. 4). Noordhoff-Kolff.
- Storz, J. F. (2002). Contrasting patterns of divergence in quantitative traits and neutral DNA markers: Analysis of clinal variation. *Molecular Ecology*, 11(12), 2537–2551. Retrieved from <https://doi.org/10.1046/j.1365-294X.2002.01636.x>
- Stuessy, T. F. (2009). *Plant Taxonomy: The Systematic Evaluation of Comparative Data*. New York: Columbia University Press.
- Su, M.-H., Tsou, C.-H., & Hsieh, C.-F. (2007). Morphological Comparisons of Taiwan Native Wild Tea Plant (*Camellia sinensis* (L.) O. Kuntze forma *formosensis* Kitamura) and Two Closely Related Taxa Using Numerical Methods. *Taiwania*, 52(1), 70–83.
- Subositi, D., Harto, W., & Nita, S. (2016). Skrining Marka ISSR untuk Autentifikasi Pegagan (*Centella asiatica* (L.) Urb.). *Bul. Plasma Nutfah*, 22(1), 49–54.
- Sudhakaran, M. V. (2017). Botanical pharmacognosy of *Centella asiatica* (Linn.) Urban. *Pharmacognosy Journal*, 9(4), 546–558. Retrieved from <https://doi.org/10.5530/pj.2017.4.88>
- Susandarini, R., Subandiyah, S., Daryono, B. S., & Rugayah. (2020). Microsatellite polymorphism for molecular characterization of pomelo (*Citrus maxima*) accessions from Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(6), 2390–2395. Retrieved from <https://doi.org/10.13057/BIODIV/D210608>
- Tallei, T. E., Rembet, R. E., Pelealu, J. J., & Kolondam, B. J. (2016). Sequence variation and phylogenetic analysis of *Sansevieria trifasciata* (asparagaceae). *Bioscience Research*, 13(1–2), 1–7.
- Teacher, A. G. F., & Griffiths, D. J. (2011). HapStar: Automated haplotype network layout and visualization. *Molecular Ecology Resources*, 11(1), 151–153. Retrieved from <https://doi.org/10.1111/j.1755-0998.2010.02890.x>
- Teama, S. (2018). DNA Polymorphisms: DNA-Based Molecular Markers and Their Application in Medicine. *Genetic Diversity and Disease Susceptibility*. Retrieved from <https://doi.org/10.5772/intechopen.79517>
- Triyono, A., Ridha, P., & Ardianto, D. (2018). Uji Klinik Khasiat Sediaan Rebusan



- Ramuan Jamu Hipertensi Dibanding Seduhan Jamu Hipertensi (Clinical Trial the Efficacy of Boiled Hypertension Herbs Compared with Steeped Hypertension Herbs). *Jurnal Ilmu Kefarmasian Indonesia*, 16(1), 78–85.
- Utomo, D. S., Kristiani, E. B. E., & Mahardika, A. (2020). Pengaruh Lokasi Tumbuh Terhadap Kadar Flavonoid, Fenolik, Klorofil, Karotenoid Dan Aktivitas Antioksidan Pada Tumbuhan Pecut Kuda (*Stachytarpheta Jamaicensis*). *Bioma*, 22(2), 143–149.
- Vieira, M. L. C., Santini, L., Diniz, A. L., & Munhoz, C. de F. (2016). Microsatellite markers: what they mean and why they are so useful. *Genetics and Molecular Biology*, 39(3), 312. Retrieved from <https://doi.org/10.1590/1678-4685-GMB-2016-0027>
- Vinolina, N. S. (2018). Centelloside content of cultivated pegagan (*Centella asiatica*) with application of phosphorus fertilizer. *Journal of Physics: Conference Series*, 1116(5). Retrieved from <https://doi.org/10.1088/1742-6596/1116/5/052072>
- Vinolina, N. S. (2019). Secondary Metabolite Content in Pegagan (*Centella asiatica*) from North Sumatera. *Journal of Physics: Conference Series*, 1175(1), 3–8. Retrieved from <https://doi.org/10.1088/1742-6596/1175/1/012003>
- Vinolina, N. S., & Sigalingging, R. (2021). *Centella asiatica* tendril growth of Samosir – Indonesia accession. *IOP Conference Series: Earth and Environmental Science*, 883(1), 012057. Retrieved from <https://doi.org/10.1088/1755-1315/883/1/012057>
- Viruel, J., Haguenuer, A., Juin, M., Mirleau, F., Bouteiller, D., Boudagher-Kharrat, M., ... Baumel, A. (2018). Advances in genotyping microsatellite markers through sequencing and consequences of scoring methods for *Ceratonia siliqua* (Leguminosae). *Applications in Plant Sciences*, 6(12), e01201. Retrieved from <https://doi.org/10.1002/APS3.1201>
- Wagner, G. J. (1991). Secreting glandular trichomes: More than just hairs. *Plant Physiology*, 96(3), 675–679. Retrieved from <https://doi.org/10.1104/pp.96.3.675>
- Wang, L. Y., Li, S. S., Wang, T. Y., He, C. Y., Luo, H. M., Zhang, J. G., & Zeng, Y. F. (2021). Genomic SSR and EST-SSR markers for phylogenetic and pedigree reconstructions—A comparison in sea buckthorn. *Plant Breeding*, 140(1), 167–183. Retrieved from <https://doi.org/10.1111/PBR.12889>
- Warseno, T., Efendi, M., Chasani, A. R., & Daryono, B. S. (2022). Genetic variability and phylogenetic relationships of *Begonia multangula* based on *atpB-rbcL* non-coding spacer of cpDNA sequences. *Biodiversitas*, 23(10), 5491–5501. Retrieved from <https://doi.org/10.13057/biodiv/d231061>
- Wiens, J. J. (2007). Species delimitation: New approaches for discovering diversity. *Systematic Biology*, 56(6), 875–878. Retrieved from <https://doi.org/10.1080/10635150701748506>
- Wöhrmann, T., & Weising, K. (2011). In silico mining for simple sequence repeat loci in a pineapple expressed sequence tag database and cross-species amplification of EST-SSR markers across Bromeliaceae. *Theoretical and Applied Genetics*, 123(4), 635–647. Retrieved from <https://doi.org/10.1007/s00122-011-1670-2>



<https://doi.org/10.1007/s00122-011-1613-9>

- Wulandari, R. A., & Azrianingsih, R. (2014). Etnobotani Jamu Gendong Berdasarkan Persepsi Produsen Jamu Gendong di Desa Karangrejo, Kecamatan Kromengan, Kabupaten Malang. *Biotropika*, 2(4), 198–202.
- Xu, Y., Ma, R. C., Xie, H., Liu, J. T., & Cao, M. Q. (2004). Development of SSR markers for the phylogenetic analysis of almond trees from China and the Mediterranean region. *Genome*, 47(6), 1091–1104. Retrieved from <https://doi.org/10.1139/G04-058>
- Yao, X., Ye, Q., Fritsch, P. W., Cruz, B. C., & Huang, H. (2008). Phylogeny of *Sinojackia* (Styracaceae) based on DNA sequence and microsatellite data: Implications for taxonomy and conservation. *Annals of Botany*, 101(5), 651–659. Retrieved from <https://doi.org/10.1093/aob/mcm332>
- Zainol, M. K., Abd-Hamid, A., Yusof, S., & Muse, R. (2003). Antioxidative activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L.) Urban. *Food Chemistry*, 81(4), 575–581. Retrieved from [https://doi.org/10.1016/S0308-8146\(02\)00498-3](https://doi.org/10.1016/S0308-8146(02)00498-3)
- Zhang, L., Sun, K., Csorba, G., Hughes, A. C., Jin, L., Xiao, Y., & Feng, J. (2021). Complete mitochondrial genomes reveal robust phylogenetic signals and evidence of positive selection in horseshoe bats. *BMC Ecology and Evolution*, 21(1), 1–15. Retrieved from <https://doi.org/10.1186/s12862-021-01926-2>