



DAFTAR PUSTAKA

- Akbar, M., Khan, R.A.J., Mehboob, S., and Nisa, Z.U., 2005, Wildlife of Border Belt Game Reserve, District Narowal, Punjab, Pakistan, *Pak. J. Life Soc. Sci*, 3, 13–17.
- Anwar, M., Mahmood, A., Rais, M., Hussain, I., Ashraf, N., and Khalil, S., 2015, Population Density and Habitat Preference of Indian Peafowl (*Pavo cristatus*) in Deva Vatala National Park, *Pakistan J. Zool*, 47, 1381–1386.
- van Balen, S., Prawiradilaga, D.M., and Indrawan, M., 1995, The distribution and status of green peafowl *Pavo muticus* in Java, *Biological Conservation*, 71, 289–297.
- Bezuijen, M.R., Timmins, R.J., and Seng, T., 2008, Biological surveys of the Mekong River between Kratie and Stung Treng towns, northeast Cambodia, 2006-2007, Cambodia.
- BirdLife International, 2018, The IUCN Red List Of Threatened Species™,.
- Brickle, N.W., 2002, Habitat use, predicted distribution and conservation of green peafowl (*Pavo muticus*) in Dak Lak Province, Vietnam, *Biological Conservation*, 105, 189–197.
- Brickle, N.W., Cu, N., Quynh, H.Q., Cuong, N.T.T., and San, H. v, 1998, The Status and Distribution of Green Peafowl *Pavo muticus* in Dak Lak Province, Vietnam, *BirdLife International - Vietnam Programme*,.
- Caesariantika, E., Kondo, T., and Nakagoshi, N., 2011, Impact of *Acacia nilotica* (L.) Willd. ex Del invasion on plant species diversity in the Bekol Savanna, Baluran National Park, East Java, Indonesia, *Tropics*, 20, 45–53.
- Collar, N.J. and Andrews, P., 1998, The ICBP world checklist of threatened birds., *ICBP Technical Publication*,.
- Curtis, J.T. and Cottam, G., 1964, Plant Ecology Workbook, Minneapolis.
- eBird, 2019, Range map *Pavo muticus*,.
- Gilpin, M., 1991, Metapopulation Dynamics: Empirical and Theoretical Investigations, Gilpin,M. and Hanski,I. (eds).
- Harjadi, B., 2017, Detection of water abundance in Baluran National Park with landsat satellite imagery analysis, *Jurnal Penelitian Kehutanan Wallacea*, 6, 53.
- Hernowo, J.B., 2017, Determinant factors of the javan green peafowl (*Pavo muticus muticus Linnaeus, 1758*) habitat in Baluran and Alas Purwo National Parks, East Java, Indonesia, *Tropical Drylands*, 1, .



Hernowo, J.B., 1995, Ecology and Behaviour of the Green Peafowl (*Pavo muticus Linnaeus 1766*) In the Baluran National Park. East Java, Indonesia.,

Hernowo, J.B., 2011, Ekologi Merak Hijau Jawa (*Pavo muticus muticus*) Linnaeus 1758 pada Beberapa Tipe Habitat di Ujung Timur Penyebarannya Jawa Timur, Indonesia.,

Hernowo, J.B. and Alikodra, H.S., 2018, The grouping system and local distribution pattern analysis of Javan green peafowl (*Pavo muticus muticus, linnaeus 1758*) population in Baluran and Alas Purwo National Parks, East Java, Indonesia, *Biodiversitas*, 19, 1690–1695.

Hernowo, J.B., Kusmana, C., Alikodra, H.S., and Mardiastuti, A., 2018a, Analysis of the Javan Green Peafowl (*Pavo muticus muticus linnaeus 1758*) habitat in Baluran and Alas Purwo National Park, East Java, *HAYATI Journal of Biosciences*, 25, 101–114.

Hernowo, J.B., Kusmana, C., Alikodra, H.S., and Mardiastuti, A., 2018b, Analysis of the Javan Green Peafowl (*Pavo muticus muticus linnaeus 1758*) habitat in Baluran and Alas Purwo National Park, East Java, *HAYATI Journal of Biosciences*, 25, 101–114.

Hidayat, M., 2018, Analisis vegetasi dan keanekaragaman tumbuhan di kawasan manifestasi geotermal ie suum Kecamatan Mesjid Raya Kabupaten Aceh Besar, *BIOTIK: Jurnal Ilmiah Biologi Teknologi dan Kependidikan*, 5, 114–124.

Indriyanto, 2006, Ekologi hutan, 6th ed. Bumi Aksara, Jakarta.

ITIS, 2020, Taxonomic Heirarchy: *Pavo muticus*, (*Integrated Taxonomic Information System*),.

Jarman, P.J., 1974, The Social Organisation of Antelope in Relation To Their Ecology, *Behaviour*, 48, 215–267.

Kong, D., Wu, F., Shan, P., Gao, J., Yan, D., Luo, W., and Yang, X., 2018, Status and distribution changes of the endangered Green Peafowl (*Pavo muticus*) in China over the past three decades (1990s-2017), *Avian Research*, 9, .

Krebs, C.J., 2014, Ecology The Experimental Analysis Of Distribution And Abundance, 6th ed. Pearson Education Limited, United States of America.

Liu, Y., Han, L., Xie, Y., Wen, Y., and Zhang. R, 2009, The status and habitat use of green peafowl *Pavo muticus* in Shuangbai Konglonghe Nature Reserve, China , *International Journal of Galliformes Conservation*, 1, 32–35.

MacKinnon, J. and Phillipps, K., 2000, A field guide to the birds of China., 1st ed. Oxford University Press., Cina.

McGowan, P.J.K., Duckworth, J.W., Xianji, W., van Balen, B., Xiaojun, Y., Khan, K.M., Yatim, S.H., Thanga, L., Setiawan, I., and Kaul, R., 1998, A review of



the status of the Green Peafowl *Pavo muticus* and recommendations for future action., *Bird Conservation International*, 8, 331–348.

McGowan, P.J.K. and Kirwan, G.M., 2020, Bronze-tailed Peacock-Pheasant (*Polyplectron chalcurum*)., In, del Hoyo,J., Elliott,A., Sargatal,J., Christie,D., and de Juana,E. (eds), *Birds of the World*. Cornell Lab of Ornithology.

McGowan, P.J.K. and Kirwan, G.M., 2018, Green Peafowl (*Pavo muticus*),.

Mishra, N.B. and Young, K.R., 2020, Savannas and grasslands, *Terrestrial Ecosystems and Biodiversity*, 235–247.

Monk, K.A., Fertes, Y. de, Kartikasari, S.N., Reksodiharjo-Lillay, and Gayatri, 2000, Ekologi Nusa Tenggara dan Maluku, 5th ed. Kartikasari,S.N. (ed) Prenhallindo, Jakarta.

Ponsena, P., 1988, Biological Characteristics and Breeding Behaviors of Green Peafowl (*Pavo muticus Linnaeus*) in Huai Kha Khaeng Wildlife Sanctuary, *Thai J For*, 303–313.

Ramesh, K. and McGowan, P., 2009, On the current status of Indian Peafowl *Pavo cristatus* (Aves: Galliformes: Phasianidae): keeping the common species common, *Journal of Threatened Taxa*, 1, 106–108.

Ratnam, J., Bond, W.J., Fensham, R.J., Hoffmann, W.A., Archibald, S., Lehmann, C.E.R., Anderson, M.T., Higgins, S.I., and Sankaran, M., 2011, When is a ‘forest’ a savanna, and why does it matter?, *Global Ecology and Biogeography*, 20, 653–660.

Risnawati, R., 2008, Population and Habitat Analysis of Green Peafowl (*Pavo muticus Linnaeus, 1766*) at Alas Purwo and Baluran National Park, East Java.,.

Roy, D.P., Boschetti, L., and Giglio, L., 2010, Remote Sensing of Global Savanna Fire Occurrence, Extent, and Properties,. In, *Ecosystem Function in Savannas*. CRC Press, pp. 279–294.

Samson, A. and Ramakrishnan, B., 2018, Population status, habitat selection and people’s perception on *Pavo cristatus* (Aves: Phasianidae) in Sigur Plateau, the Nilgiris, Tamil Nadu, India, *Nature Conservation Research*, 3, .

Sankar, K., Pabla, H.S., Patil, C.K., Nigam, P., Qureshi, Q., Navaneethan, B., Manjrekar, M., Virkar, P.S., and Mondal, K., 2013, Home Range, Habitat Use and Food Habits of Re-Introduced Gaur (*Bos Gaurus Gaurus*) in Bandhavgarh Tiger Reserve, Central India, *Tropical Conservation Science*, 6, 50–69.

Santiapillai, C. and Wijeyamohan, S., 2015, The Indian Peafowl (*Pavo cristatus*) in the Vicinity of the Giant’s Tank in Mannar District, Sri Lanka, *Ceylon Journal of Science (Biological Sciences)*, 44, 61.

Saridnirun, G., Dumrongrojwatthana, P., Meckvichai, W., Nispa, S., and Khuntathongsakudi, K., 2016, Seasonal Distribution and Habitat Use of Green



Peafowl *Pavo muticus Linnaeus, 1766*, in Nam Whean Forest Protection Unit, Northern Thailand, *Walailak J Sci & Tech*, 13, 729–744.

Saridnirun, G., Meckvichai, W., and Dumrongrojwatthana, P., 2017, Seasonal Distribution and Habitat Use of the Green Peafowl *Pavo muticus*, Linnaeus 1766, in Wiang Lor Wildlife Sanctuary, Phayao Province, Northern Thailand.,

Septania, K.A., 2009, Potensi Jenis Tumbuhan Sebagai Pakan Merak Hijau Jawa (*Pavo muticus muticus Linnaeus 1766*) di Taman Nasional Baluran, Jawa Timur.,

Setio, P. and Mukhtar. A. S, 2005, Review hasil-hasil litbang: pengelolaan taman nasional di Indonesia, Bogor.

Shwe, N.M., Sukumal, N., Oo, K.M., Dowell, S., Browne, S., and Savini, T., 2021a, Importance of isolated forest fragments and low intensity agriculture for the long-term conservation of the green peafowl *Pavo muticus*, *ORYX*, 55, 311–317.

Shwe, N.M., Sukumal, N., Oo, K.M., Dowell, S., Browne, S., and Savini, T., 2021b, Importance of isolated forest fragments and low intensity agriculture for the long-term conservation of the green peafowl *Pavo muticus*, *ORYX*, 55, 311–317.

Sivakumar, S., Varghese, J., and Prakash, V., 2006, Abundance of birds in different habitats in Buxa Tiger Reserve, West Bengal, India, *Forktail*, 22, 128–133.

Stratmann, J.W. and Ryan, C.A., 1997, Myelin basic protein kinase activity in tomato leaves is induced systemically by wounding and increases in response to systemin and oligosaccharide elicitors, *Proceedings of the National Academy of Sciences*, 94, 11085–11089.

Subramanian, K.S. and John, M.C., 2001, Rosting and nesting habits of free ranging indian peafowl (*Pavo cristatus*) in Southern Tamil Nadu.,

Sukumal, N., Dowell, S.D., and Savini, T., 2017, Micro-habitat selection and population recovery of the Endangered Green Peafowl *Pavo muticus* in western Thailand: implications for conservation guidance, *Bird Conservation International*, 27, 414–430.

Sukumal, N., Grainger, M.J., and Savini, T., 2020, Lower levels of human disturbance correspond with longer-term persistence of Endangered Green Peafowl (*Pavo muticus*) populations, *Bird Conservation International*, 30, 210–219.

Sukumal, N., McGowan, P.J.K., and Savini, T., 2015, Change in status of green peafowl *Pavo muticus* (Family Phasianidae) in Southcentral Vietnam: A comparison over 15years, *Global Ecology and Conservation*, 3, 11–19.



- Sutomo and van Etten, E., 2019, Savana Di Jawa Bali Lombok Serta Kekunoan Sabana Baluran (Sabana in Java Bali Lombok and Ancient of Baluran Savana), *Jurnal Penelitian Arkeologi Papua dan Papua Barat*, 11, 19–27.
- Sutomo and Etten, E. van, 2019, Savana di Jawa, Bali, Lombok serta Kekunoan Sabana Baluran (Sabana in Java Bali Lombok and Ancient of Baluran Savana), *Jurnal Penelitian Arkeologi Papua dan Papua Barat*, 11, 19–27.
- Takandjandji, M. and Sawitri, R., 2011, Populasi Burung Merak Hijau (*Pavo muticus Linnaeus, 1766*) di ekosistem savana, Taman Nasional Baluran, Jawa Timur, *Jurnal Penelitian Hutan dan Konservasi Alam*, 8, 13–24.
- TNAP, 2017, Kelembagaan, Peta Linkup, Geofisik dan Keanekaragaman Hayati Taman Nasional Alas Purwo, *Taman Nasional Alas Purwo*,.
- TNB, 2017, Profil dan Pengelolaan Taman Nasional Baluran, *Taman Nasional Baluran*,.
- Utomo, B., 1997, Study on Savanna Productivity in Bekol Baluran National Park, Jakarta.
- Wang, W., Vinocur, B., Shoseyov, O., and Altman, A., 2004, Role of plant heat-shock proteins and molecular chaperones in the abiotic stress response, *Trends in Plant Science*, 9, 244–252.
- Whitten, T., Soeriaatmadja, R.E., and Afiff, S.A., 1997, The Ecology of Java and Bali. The Ecology of Indonesia Series. Volume II. BY T. WHITTEN, R.E. SOERIAATMADJA, & S.A. AFIFF, *Environmental Conservation*, 24, 296–300.
- Widodo, W., 2009, Komparasi Keragaman Jenis Burung-Burung di Taman Nasional Baluran dan Alas Purwo pada Beberapa Tipe Habitat, Bogor.
- Yan, L., Zhou, G., and Zhang, F., 2013, Effects of Different Grazing Intensities on Grassland Production in China: A Meta-Analysis, *PLoS ONE*, 8, e81466.
- Yogeshwari, M. and Varunprasath, K., 2020, Status and Distribution of Indian Peafowl (*Pavo cristatus*) in the South Coimbatore, Tamilnadu, India, *Journal of Scientific Research and Reports*, 1–7.
- Yuniar, A., 2007, Study on the Population and Habitat of Green Peafowl (*Pavo muticus Linnaeus 1766*), in Alas Purwo and Baluran National Parks, East Java,.